

Hao Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8017933/publications.pdf>

Version: 2024-02-01

37
papers

2,044
citations

567281

15
h-index

501196

28
g-index

38
all docs

38
docs citations

38
times ranked

4030
citing authors

#	ARTICLE	IF	CITATIONS
1	FTO Plays an Oncogenic Role in Acute Myeloid Leukemia as a N ⁶ -Methyladenosine RNA Demethylase. <i>Cancer Cell</i> , 2017, 31, 127-141.	16.8	1,139
2	<i>TET1</i> plays an essential oncogenic role in <i>MLL</i> -rearranged leukemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 11994-11999.	7.1	185
3	miR-196b directly targets both <i>HOXA9/MEIS1</i> oncogenes and <i>FAS</i> tumour suppressor in <i>MLL</i> -rearranged leukaemia. <i>Nature Communications</i> , 2012, 3, 688.	12.8	138
4	miR-22 has a potent anti-tumour role with therapeutic potential in acute myeloid leukaemia. <i>Nature Communications</i> , 2016, 7, 11452.	12.8	113
5	Overexpression and knockout of miR-126 both promote leukemogenesis. <i>Blood</i> , 2015, 126, 2005-2015.	1.4	65
6	The Association between Triglyceride/High-Density Lipoprotein Cholesterol Ratio and All-Cause Mortality in Acute Coronary Syndrome after Coronary Revascularization. <i>PLoS ONE</i> , 2015, 10, e0123521.	2.5	58
7	Eradication of Acute Myeloid Leukemia with FLT3 Ligand-Targeted miR-150 Nanoparticles. <i>Cancer Research</i> , 2016, 76, 4470-4480.	0.9	48
8	PBX3 and MEIS1 Cooperate in Hematopoietic Cells to Drive Acute Myeloid Leukemias Characterized by a Core Transcriptome of the <i>MLL</i> -Rearranged Disease. <i>Cancer Research</i> , 2016, 76, 619-629.	0.9	45
9	Selection of homemade mask materials for preventing transmission of COVID-19: A laboratory study. <i>PLoS ONE</i> , 2020, 15, e0240285.	2.5	30
10	<i>ALOX5</i> exhibits anti-tumor and drug-sensitizing effects in <i>MLL</i> -rearranged leukemia. <i>Scientific Reports</i> , 2017, 7, 1853.	3.3	26
11	Amelioration of acute myocardial infarction injury through targeted ferritin nanocages loaded with an <i>ALKBH5</i> inhibitor. <i>Acta Biomaterialia</i> , 2022, 140, 481-491.	8.3	26
12	Identification of <i>MLL</i> -fusion/ <i>MYC</i> -miR-26a-TET1 signaling circuit in <i>MLL</i> -rearranged leukemia. <i>Cancer Letters</i> , 2016, 372, 157-165.	7.2	25
13	G771C Polymorphism in the <i>MLXIPL</i> Gene Is Associated with a Risk of Coronary Artery Disease in the Chinese: A Case-Control Study. <i>Cardiology</i> , 2009, 114, 174-178.	1.4	19
14	Elevated admission glucose is associated with increased long-term mortality in myocardial infarction patients, irrespective of the initially applied reperfusion strategy. <i>American Heart Journal</i> , 2011, 161, e1.	2.7	19
15	Variants of Arachidonate 5-Lipoxygenase-activating Protein (<i>ALOX5AP</i>) Gene and Risk of Coronary Heart Disease: A Meta-analysis. <i>Archives of Medical Research</i> , 2010, 41, 634-641.	3.3	17
16	<i>IL-16</i> rs11556218 gene polymorphism is associated with coronary artery disease in the Chinese Han population. <i>Clinical Biochemistry</i> , 2011, 44, 1041-1044.	1.9	15
17	The association of interleukin-16 gene polymorphisms with susceptibility of coronary artery disease. <i>Clinical Biochemistry</i> , 2013, 46, 241-244.	1.9	15
18	Complete versus culprit-only revascularization during primary percutaneous coronary intervention in ST-elevation myocardial infarction patients with multivessel disease: A meta-analysis. <i>Kaohsiung Journal of Medical Sciences</i> , 2013, 29, 140-149.	1.9	12

#	ARTICLE	IF	CITATIONS
19	Association of <i>OX40</i> and <i>OX40L</i> Gene Polymorphisms with Acute Coronary Syndrome in a Han Chinese Population. <i>DNA and Cell Biology</i> , 2011, 30, 597-602.	1.9	10
20	Implication of genetic variants near <i>TMEM18</i> , <i>BCDIN3D/FAIM2</i> , and <i>MC4R</i> with coronary artery disease and obesity in Chinese: a angiography-based study. <i>Molecular Biology Reports</i> , 2012, 39, 1739-1744.	2.3	10
21	Factors associated with family cohesion and adaptability among Chinese registered nurses. <i>Journal of Clinical Nursing</i> , 2021, 30, 113-125.	3.0	10
22	An intelligent system of pelvic lymph node detection. <i>International Journal of Intelligent Systems</i> , 2021, 36, 4088-4116.	5.7	7
23	<i>Fto</i> Plays an Oncogenic Role in Acute Myeloid Leukemia As a N6-Methyladenosine RNA Demethylase. <i>Blood</i> , 2016, 128, 2706-2706.	1.4	5
24	Targeted Treatment of FLT3 -Overexpressing Acute Myeloid Leukemia with MiR-150 Nanoparticles Guided By Conjugated FLT3 Ligand Peptides. <i>Blood</i> , 2015, 126, 3784-3784.	1.4	2
25	Blockade of Mir-150 Maturation by MLL-Fusion/MYC/Lin-28 Is Required for MLL-Associated Leukemia. <i>Blood</i> , 2012, 120, 3499-3499.	1.4	1
26	Overexpression and Knockout of Mir-126 Both Promote Leukemogenesis through Targeting Distinct Gene Signaling. <i>Blood</i> , 2015, 126, 3667-3667.	1.4	1
27	COVID-19-Related Knowledge and Practices of Cancer Patients and Their Anxiety and Depression During the Early Surge Phase of the Pandemic: A Cross-sectional Online Survey. <i>Disaster Medicine and Public Health Preparedness</i> , 2022, , 1-8.	1.3	1
28	Efficacy of LR-5 and LR-4/5 by Liver Imaging Reporting and Data System (MRI) for hepatocellular carcinoma: A meta-analysis. <i>Asian Journal of Surgery</i> , 2023, 46, 82-88.	0.4	1
29	Three vessel coronary artery-left ventricular microfistulae with angina pectoris. <i>Acta Cardiologica</i> , 2020, 75, 787-788.	0.9	0
30	Repression of Mir-495, a Microna Associated with Favorable Outcome of Acute Myeloid Leukemia Patients, Is Required for the MLL-Associated Leukemogenesis,. <i>Blood</i> , 2011, 118, 3462-3462.	1.4	0
31	Activation of a Mir-181-Targeting HOXA-PBX3 Homeobox Gene Signature Is Associated with Adverse Prognosis of Cytogenetically Abnormal Acute Myeloid Leukemia. <i>Blood</i> , 2011, 118, 236-236.	1.4	0
32	The HOXA/PBX3 Pathway Is an Attractive Therapeutic Target in MLL-Rearranged Acute Leukemia. <i>Blood</i> , 2012, 120, 3522-3522.	1.4	0
33	MLL-Associated Leukemias Drive Expression of MiR-9, Required for Tumorigenesis. <i>Blood</i> , 2012, 120, 525-525.	1.4	0
34	MLL-Rearranged Acute Myeloid Leukemias Drive Expression Of Mir-9, a Critical Oncogene In Leukemogenesis. <i>Blood</i> , 2013, 122, 3740-3740.	1.4	0
35	Uncover TET1 Targets in MLL -Rearranged Leukemia. <i>Blood</i> , 2015, 126, 3632-3632.	1.4	0
36	TET1 Regulates DNA Replication through Targeting of Minichromosome Maintenance Genes. <i>Blood</i> , 2016, 128, 2687-2687.	1.4	0

#	ARTICLE	IF	CITATIONS
37	TeachMe: a web-based teaching system for annotating abdominal lymph nodes. Scientific Reports, 2022, 12, 5167.	3.3	0