

Kevin M Crofton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8018866/publications.pdf>

Version: 2024-02-01

118
papers

9,754
citations

25034

57
h-index

36028

97
g-index

120
all docs

120
docs citations

120
times ranked

7086
citing authors

#	ARTICLE	IF	CITATIONS
1	Current status and future directions for a neurotoxicity hazard assessment framework that integrates in silico approaches. <i>Computational Toxicology</i> , 2022, 22, 100223.	3.3	15
2	Development of Integrated Approaches to Testing and Assessment (IATA) case studies on developmental neurotoxicity (DNT) risk assessment. <i>EFSA Journal</i> , 2021, 19, e06599.	1.8	14
3	External Scientific Report on the Interpretation of Data from the Developmental Neurotoxicity In Vitro Testing Assays for Use in Integrated Approaches for Testing and Assessment. <i>EFSA Supporting Publications</i> , 2021, 18, .	0.7	11
4	Evaluating Chemicals for Thyroid Disruption: Opportunities and Challenges with <i>in Vitro</i> Testing and Adverse Outcome Pathway Approaches. <i>Environmental Health Perspectives</i> , 2019, 127, 95001.	6.0	106
5	Limited Chemical Structural Diversity Found to Modulate Thyroid Hormone Receptor in the Tox21 Chemical Library. <i>Environmental Health Perspectives</i> , 2019, 127, 97009.	6.0	56
6	International Regulatory and Scientific Effort for Improved Developmental Neurotoxicity Testing. <i>Toxicological Sciences</i> , 2019, 167, 45-57.	3.1	48
7	Consensus statement on the need for innovation, transition and implementation of developmental neurotoxicity (DNT) testing for regulatory purposes. <i>Toxicology and Applied Pharmacology</i> , 2018, 354, 3-6.	2.8	90
8	Recommendation on test readiness criteria for new approach methods in toxicology: Exemplified for developmental neurotoxicity. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2018, 35, 306-352.	1.5	121
9	Effects of an environmentally-relevant mixture of pyrethroid insecticides on spontaneous activity in primary cortical networks on microelectrode arrays. <i>NeuroToxicology</i> , 2017, 60, 234-239.	3.0	18
10	FutureTox III: Bridges for Translation. <i>Toxicological Sciences</i> , 2017, 155, 22-31.	3.1	22
11	Comment on "On the Utility of ToxCast, ToxCPI and ToxPi as Methods for Identifying New Obesogens". <i>Environmental Health Perspectives</i> , 2017, 125, A8-A11.	6.0	6
12	The Next Generation of Risk Assessment Multi-Year Study—Highlights of Findings, Applications to Risk Assessment, and Future Directions. <i>Environmental Health Perspectives</i> , 2016, 124, 1671-1682.	6.0	74
13	ToxCast Chemical Landscape: Paving the Road to 21st Century Toxicology. <i>Chemical Research in Toxicology</i> , 2016, 29, 1225-1251.	3.3	456
14	Editor's Highlight: Analysis of the Effects of Cell Stress and Cytotoxicity on <i>In Vitro</i> Assay Activity Across a Diverse Chemical and Assay Space. <i>Toxicological Sciences</i> , 2016, 152, 323-339.	3.1	171
15	Environmentally relevant pyrethroid mixtures: A study on the correlation of blood and brain concentrations of a mixture of pyrethroid insecticides to motor activity in the rat. <i>Toxicology</i> , 2016, 359-360, 19-28.	4.2	18
16	Tiered High-Throughput Screening Approach to Identify Thyroperoxidase Inhibitors Within the ToxCast Phase I and II Chemical Libraries. <i>Toxicological Sciences</i> , 2016, 151, 160-180.	3.1	95
17	Developmental Neurotoxicology: History and Outline of Developmental Neurotoxicity Study Guidelines. <i>Food Safety (Tokyo, Japan)</i> , 2015, 3, 48-61.	1.8	7
18	Integrated Model of Chemical Perturbations of a Biological Pathway Using <i>In Vitro</i> High-Throughput Screening Assays for the Estrogen Receptor. <i>Toxicological Sciences</i> , 2015, 148, 137-154.	3.1	251

#	ARTICLE	IF	CITATIONS
19	Putative adverse outcome pathways relevant to neurotoxicity. <i>Critical Reviews in Toxicology</i> , 2015, 45, 83-91.	3.9	92
20	International STakeholder NETwork (ISTNET): creating a developmental neurotoxicity (DNT) testing road map for regulatory purposes. <i>Archives of Toxicology</i> , 2015, 89, 269-287.	4.2	130
21	Expanding the test set: Chemicals with potential to disrupt mammalian brain development. <i>Neurotoxicology and Teratology</i> , 2015, 52, 25-35.	2.4	73
22	The Human Toxome Project. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2015, 32, 112-124.	1.5	52
23	<i>In Vitro</i> and Modelling Approaches to Risk Assessment from the U.S. Environmental Protection Agency ToxCast Programme. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 115, 69-76.	2.5	114
24	Environmentally relevant mixing ratios in cumulative assessments: A study of the kinetics of pyrethroids and their ester cleavage metabolites in blood and brain; and the effect of a pyrethroid mixture on the motor activity of rats. <i>Toxicology</i> , 2014, 320, 15-24.	4.2	25
25	Development of a Thyroperoxidase Inhibition Assay for High-Throughput Screening. <i>Chemical Research in Toxicology</i> , 2014, 27, 387-399.	3.3	70
26	Applying Adverse Outcome Pathways (AOPs) to support Integrated Approaches to Testing and Assessment (IATA). <i>Regulatory Toxicology and Pharmacology</i> , 2014, 70, 629-640.	2.7	291
27	Pathways of Toxicity. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2014, 31, 53-61.	1.5	75
28	International STakeholder NETwork (ISTNET) for creating a developmental neurotoxicity testing (DNT) roadmap for regulatory purposes. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2014, 31, 223-224.	1.5	15
29	Evidence for triclosan-induced activation of human and rodent xenobiotic nuclear receptors. <i>Toxicology in Vitro</i> , 2013, 27, 2049-2060.	2.4	45
30	Mechanism-based testing strategy using in vitro approaches for identification of thyroid hormone disrupting chemicals. <i>Toxicology in Vitro</i> , 2013, 27, 1320-1346.	2.4	165
31	Cross-species analysis of thyroperoxidase inhibition by xenobiotics demonstrates conservation of response between pig and rat. <i>Toxicology</i> , 2013, 312, 97-107.	4.2	37
32	In Vitro Perturbations of Targets in Cancer Hallmark Processes Predict Rodent Chemical Carcinogenesis. <i>Toxicological Sciences</i> , 2013, 131, 40-55.	3.1	67
33	Current Perspectives on the Use of Alternative Species in Human Health and Ecological Hazard Assessments. <i>Environmental Health Perspectives</i> , 2013, 121, 1002-1010.	6.0	87
34	Using <i>In Vitro</i> High Throughput Screening Assays to Identify Potential Endocrine-Disrupting Chemicals. <i>Environmental Health Perspectives</i> , 2013, 121, 7-14.	6.0	134
35	Evaluation of Iodide Deficiency in the Lactating Rat and Pup Using a Biologically Based Dose-Response Model*. <i>Toxicological Sciences</i> , 2013, 132, 75-86.	3.1	18
36	An Empirical Approach to Sufficient Similarity: Combining Exposure Data and Mixtures Toxicology Data. <i>Risk Analysis</i> , 2013, 33, 1582-1595.	2.7	18

#	ARTICLE	IF	CITATIONS
37	An Animal Model of Marginal Iodine Deficiency During Development: The Thyroid Axis and Neurodevelopmental Outcome*. <i>Toxicological Sciences</i> , 2013, 132, 177-195.	3.1	45
38	Environmentally Relevant Mixtures in Cumulative Assessments: An Acute Study of Toxicokinetics and Effects on Motor Activity in Rats Exposed to a Mixture of Pyrethroids. <i>Toxicological Sciences</i> , 2012, 130, 309-318.	3.1	49
39	Developmental neurotoxicity guideline study: Issues with methodology, evaluation and regulation*. <i>Congenital Anomalies (discontinued)</i> , 2012, 52, 122-128.	0.6	71
40	Developmental neurotoxicity testing: A path forward. <i>Congenital Anomalies (discontinued)</i> , 2012, 52, 140-146.	0.6	94
41	Juvenile toxicity testing protocols for chemicals. <i>Reproductive Toxicology</i> , 2012, 34, 482-486.	2.9	15
42	Optimal Design for the Precise Estimation of an Interaction Threshold: The Impact of Exposure to a Mixture of 18 Polyhalogenated Aromatic Hydrocarbons. <i>Risk Analysis</i> , 2012, 32, 1784-1797.	2.7	1
43	Developmental triclosan exposure decreases maternal, fetal, and early neonatal thyroxine: A dynamic and kinetic evaluation of a putative mode-of-action. <i>Toxicology</i> , 2012, 300, 31-45.	4.2	104
44	Advancing the science of developmental neurotoxicity (DNT): testing for better safety evaluation. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2012, 29, 202-215.	1.5	101
45	Additivity of Pyrethroid Actions on Sodium Influx in Cerebrocortical Neurons in Primary Culture. <i>Environmental Health Perspectives</i> , 2011, 119, 1239-1246.	6.0	46
46	Correlation of tissue concentrations of the pyrethroid bifenthrin with neurotoxicity in the rat. <i>Toxicology</i> , 2011, 290, 1-6.	4.2	56
47	Risk assessment of combined exposure to multiple chemicals: A WHO/IPCS framework. <i>Regulatory Toxicology and Pharmacology</i> , 2011, 60, S1-S14.	2.7	252
48	Defining and modeling known adverse outcome pathways: Domoic acid and neuronal signaling as a case study. <i>Environmental Toxicology and Chemistry</i> , 2011, 30, 9-21.	4.3	58
49	Critical analysis of literature on low-dose synergy for use in screening chemical mixtures for risk assessment. <i>Critical Reviews in Toxicology</i> , 2011, 41, 369-383.	3.9	132
50	Developmental neurotoxicity testing: recommendations for developing alternative methods for the screening and prioritization of chemicals. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2011, 28, 9-15.	1.5	88
51	Comparison of PC12 and cerebellar granule cell cultures for evaluating neurite outgrowth using high content analysis. <i>Neurotoxicology and Teratology</i> , 2010, 32, 25-35.	2.4	61
52	Developmental triclosan exposure decreases maternal and neonatal thyroxine in rats. <i>Environmental Toxicology and Chemistry</i> , 2010, 29, 2840-2844.	4.3	67
53	Splice variant specific increase in Ca ²⁺ /calmodulin-dependent protein kinase 1 γ mRNA expression in response to acute pyrethroid exposure. <i>Journal of Biochemical and Molecular Toxicology</i> , 2010, 24, 174-186.	3.0	2
54	In Utero and Lactational Exposure to Bisphenol A, In Contrast to Ethinyl Estradiol, Does Not Alter Sexually Dimorphic Behavior, Puberty, Fertility, and Anatomy of Female LE Rats. <i>Toxicological Sciences</i> , 2010, 114, 133-148.	3.1	165

#	ARTICLE	IF	CITATIONS
55	Short-term Exposure to Triclosan Decreases Thyroxine In Vivo via Upregulation of Hepatic Catabolism in Young Long-Evans Rats. <i>Toxicological Sciences</i> , 2010, 113, 367-379.	3.1	121
56	Rebuttal of "Flawed Experimental Design Reveals the Need for Guidelines Requiring Appropriate Positive Controls in Endocrine Disruption Research" by vom Saal. <i>Toxicological Sciences</i> , 2010, 115, 614-620.	3.1	19
57	Predictive Modeling of a Mixture of Thyroid Hormone Disrupting Chemicals That Affect Production and Clearance of Thyroxine. <i>International Journal of Toxicology</i> , 2009, 28, 368-381.	1.2	28
58	Thyroid-Disrupting Chemicals: Interpreting Upstream Biomarkers of Adverse Outcomes. <i>Environmental Health Perspectives</i> , 2009, 117, 1033-1041.	6.0	228
59	Evidence for Dose-Additive Effects of Pyrethroids on Motor Activity in Rats. <i>Environmental Health Perspectives</i> , 2009, 117, 1563-1570.	6.0	51
60	In Vivo Acute Exposure to Polychlorinated Biphenyls: Effects on Free and Total Thyroxine in Rats. <i>International Journal of Toxicology</i> , 2009, 28, 382-391.	1.2	8
61	The Effects of Triclosan on Puberty and Thyroid Hormones in Male Wistar Rats. <i>Toxicological Sciences</i> , 2009, 107, 56-64.	3.1	231
62	A Retrospective Performance Assessment of the Developmental Neurotoxicity Study in Support of OECD Test Guideline 426. <i>Environmental Health Perspectives</i> , 2009, 117, 17-25.	6.0	147
63	Thyroid disrupting chemicals: mechanisms and mixtures. <i>Journal of Developmental and Physical Disabilities</i> , 2008, 31, 209-223.	3.6	201
64	Transcriptional response of rat frontal cortex following acute In Vivo exposure to the pyrethroid insecticides permethrin and deltamethrin. <i>BMC Genomics</i> , 2008, 9, 546.	2.8	19
65	Undertaking positive control studies as part of developmental neurotoxicity testing. <i>Neurotoxicology and Teratology</i> , 2008, 30, 266-287.	2.4	47
66	Identification and interpretation of developmental neurotoxicity effects. <i>Neurotoxicology and Teratology</i> , 2008, 30, 349-381.	2.4	37
67	Meeting Report: Moving Upstream" Evaluating Adverse Upstream End Points for Improved Risk Assessment and Decision-Making. <i>Environmental Health Perspectives</i> , 2008, 116, 1568-1575.	6.0	68
68	Inhalational Exposure to Carbonyl Sulfide Produces Altered Brainstem Auditory and Somatosensory-Evoked Potentials in Fischer 344N Rats. <i>Toxicological Sciences</i> , 2007, 95, 118-135.	3.1	17
69	The Flame Retardants, Polybrominated Diphenyl Ethers, Are Pregnane X Receptor Activators. <i>Toxicological Sciences</i> , 2007, 97, 94-102.	3.1	129
70	Low-Dose Effects of Ammonium Perchlorate on the Hypothalamic-Pituitary-Thyroid Axis of Adult Male Rats Pretreated with PCB126. <i>Toxicological Sciences</i> , 2007, 97, 308-317.	3.1	29
71	Concentration-dependent accumulation of [3H]-deltamethrin in sodium channel Nav1.2 β 1 expressing <i>Xenopus laevis</i> oocytes. <i>Toxicology in Vitro</i> , 2007, 21, 1672-1677.	2.4	4
72	Short-term in vivo exposure to the water contaminant triclosan: Evidence for disruption of thyroxine. <i>Environmental Toxicology and Pharmacology</i> , 2007, 24, 194-197.	4.0	193

#	ARTICLE	IF	CITATIONS
73	Workgroup Report: Incorporating In Vitro Alternative Methods for Developmental Neurotoxicity into International Hazard and Risk Assessment Strategies. <i>Environmental Health Perspectives</i> , 2007, 115, 924-931.	6.0	145
74	Comments on: Effect of prenatal exposure of deltamethrin on the ontogeny of xenobiotic metabolizing cytochrome P450s in the brain and liver of offsprings [Johri et al. <i>Toxicol Appl Pharmacol.</i> 214:279-289, 2006]. <i>Toxicology and Applied Pharmacology</i> , 2007, 218, 96-97.	2.8	2
75	The impact of exposure to a mixture of eighteen polyhalogenated aromatic hydrocarbons on thyroid function: Estimation of an interaction threshold. <i>Journal of Agricultural, Biological, and Environmental Statistics</i> , 2007, 12, 96-111.	1.4	9
76	Effect of PCB 126 on Hepatic Metabolism of Thyroxine and Perturbations in the Hypothalamic-Pituitary-Thyroid Axis in the Rat. <i>Toxicological Sciences</i> , 2006, 90, 87-95.	3.1	65
77	Behavioral test methods workshop. <i>Neurotoxicology and Teratology</i> , 2005, 27, 417-427.	2.4	32
78	NTP-CERHR Expert Panel Report on the reproductive and developmental toxicity of amphetamine and methamphetamine. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2005, 74, 471-584.	1.4	40
79	Thyroid-Hormone "Disrupting Chemicals: Evidence for Dose-Dependent Additivity or Synergism. <i>Environmental Health Perspectives</i> , 2005, 113, 1549-1554.	6.0	179
80	Developmental Neurotoxicity of Pyrethroid Insecticides: Critical Review and Future Research Needs. <i>Environmental Health Perspectives</i> , 2005, 113, 123-136.	6.0	434
81	Mode of Action: Neurotoxicity Induced by Thyroid Hormone Disruption During Development "Hearing Loss Resulting From Exposure to PHAHs. <i>Critical Reviews in Toxicology</i> , 2005, 35, 757-769.	3.9	69
82	NTP-CERHR Expert Panel Report on the reproductive and developmental toxicity of methylphenidate. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2005, 74, 300-381.	1.4	25
83	Overview: Using Mode of Action and Life Stage Information to Evaluate the Human Relevance of Animal Toxicity Data. <i>Critical Reviews in Toxicology</i> , 2005, 35, 663-672.	3.9	166
84	Time and concentration dependent accumulation of [3H]-deltamethrin in <i>Xenopus laevis</i> oocytes. <i>Toxicology Letters</i> , 2005, 157, 79-88.	0.8	13
85	Mode of Action: Developmental Thyroid Hormone Insufficiency "Neurological Abnormalities Resulting From Exposure to Propylthiouracil. <i>Critical Reviews in Toxicology</i> , 2005, 35, 771-781.	3.9	88
86	Accumulation of PBDE-47 in Primary Cultures of Rat Neocortical Cells. <i>Toxicological Sciences</i> , 2004, 82, 164-169.	3.1	57
87	Assessment of DE-71, a Commercial Polybrominated Diphenyl Ether (PBDE) Mixture, in the EDSP Male and Female Pubertal Protocols. <i>Toxicological Sciences</i> , 2004, 78, 144-155.	3.1	235
88	Comparative Responsiveness of Hypothyroxinemia and Hepatic Enzyme Induction in Long-Evans Rats Versus C57BL/6J Mice Exposed to TCDD-like and Phenobarbital-like Polychlorinated Biphenyl Congeners. <i>Toxicological Sciences</i> , 2002, 68, 372-380.	3.1	87
89	Perinatal Exposure to Aroclor 1254 Impairs Distortion Product Otoacoustic Emissions (DPOAEs) in Rats. <i>Toxicological Sciences</i> , 2002, 68, 458-464.	3.1	51
90	Developmental Exposure to Brominated Diphenyl Ethers Results in Thyroid Hormone Disruption. <i>Toxicological Sciences</i> , 2002, 66, 105-116.	3.1	448

#	ARTICLE	IF	CITATIONS
91	Methods to Identify and Characterize Developmental Neurotoxicity for Human Health Risk Assessment. I: Behavioral Effects. Environmental Health Perspectives, 2001, 109, 79.	6.0	19
92	Spatial Reversal Learning in Aroclor 1254-Exposed Rats: Sex-Specific Deficits in Associative Ability and Inhibitory Control. Toxicology and Applied Pharmacology, 2001, 174, 188-198.	2.8	95
93	Flash-, somatosensory-, and peripheral nerve-evoked potentials in rats perinatally exposed to Aroclor 1254. Neurotoxicology and Teratology, 2001, 23, 591-601.	2.4	12
94	Effects of Short-Term in Vivo Exposure to Polybrominated Diphenyl Ethers on Thyroid Hormones and Hepatic Enzyme Activities in Weanling Rats. Toxicological Sciences, 2001, 61, 76-82.	3.1	410
95	Hearing loss following exposure during development to polychlorinated biphenyls: A cochlear site of action. Hearing Research, 2000, 144, 196-204.	2.0	87
96	Low-Frequency Hearing Loss Following Perinatal Exposure to 3,3,4,4,5-Pentachlorobiphenyl (PCB 126) in Rats. Neurotoxicology and Teratology, 1999, 21, 299-301.	2.4	42
97	Thyroxine Replacement Attenuates Hypothyroxinemia, Hearing Loss, and Motor Deficits Following Developmental Exposure to Aroclor 1254 in Rats., Toxicological Sciences, 1998, 45, 94-105.	3.1	68
98	Thyroxine Replacement Attenuates Hypothyroxinemia, Hearing Loss, and Motor Deficits Following Developmental Exposure to Aroclor 1254 in Rats. Toxicological Sciences, 1998, 45, 94-105.	3.1	117
99	Trichloroethylene Ototoxicity: Evidence for a Cochlear Origin. Toxicological Sciences, 1998, 42, 28-35.	3.1	45
100	Setting Exposure Standards: A Decision Process. Environmental Health Perspectives, 1996, 104, 401.	6.0	3
101	Developmental Exposure to Aroclor 1254 Produces Low-Frequency Alterations in Adult Rat Brainstem Auditory Evoked Responses. Toxicological Sciences, 1996, 33, 120-128.	3.1	20
102	Characterization of Olfactory Deficits in the Rat Following Administration of 2,6-Dichlorobenzonitrile (Dichlobenil), 3,3,4,4,5-Pentachlorobiphenyl (PCB 126), or Methimazole. Toxicological Sciences, 1996, 29, 71-77.	3.1	1
103	Use of Biological Markers in the Quantitative Assessment of Neurotoxic Risk. , 1995, , 789-803.		1
104	Developmental Neurotoxicity: Evaluation of Testing Procedures with Methylazoxymethanol and Methylmercury. Toxicological Sciences, 1994, 23, 447-464.	3.1	0
105	Effects of 3,3,4,4,5-Pentachlorobiphenyl on acquisition and performance of spatial tasks in rats. Neurotoxicology and Teratology, 1994, 16, 583-591.	2.4	12
106	Effects of toluene inhalation on detection of auditory signals in rats. Neurotoxicology and Teratology, 1994, 16, 149-160.	2.4	85
107	Solvent-induced ototoxicity in rats: An atypical selective mid-frequency hearing deficit. Hearing Research, 1994, 80, 25-30.	2.0	134
108	Developmental Neurotoxicity: Evaluation of Testing Procedures with Methylazoxymethanol and Methylmercury. Fundamental and Applied Toxicology, 1994, 23, 447-464.	1.8	60

#	ARTICLE	IF	CITATIONS
109	The sensitivity to 3,3-iminodipropionitrile differs for high-and midfrequency hearing loss in the developing rat. <i>Hearing Research</i> , 1993, 69, 221-228.	2.0	19
110	Characterization of Disulfoton-Induced Behavioral and Neurochemical Effects Following Repeated Exposure. <i>Toxicological Sciences</i> , 1993, 20, 163-169.	3.1	1
111	Triadimefon, a triazole fungicide, induces stereotyped behavior and alters monoamine metabolism in rats. <i>Toxicology and Applied Pharmacology</i> , 1990, 102, 474-485.	2.8	43
112	Acute effects of amitraz on the acoustic startle response and motor activity. <i>Pest Management Science</i> , 1989, 27, 1-11.	0.4	4
113	The Effects of Type I and II Pyrethroids on Motor Activity and the Acoustic Startle Response in the Rat. <i>Toxicological Sciences</i> , 1988, 10, 624-634.	3.1	2
114	Pyrethroid insecticides and radioligand displacement from the gaba receptor chloride ionophore complex. <i>Toxicology Letters</i> , 1987, 35, 183-190.	0.8	27
115	Pyrethroid effects on schedule-controlled behavior: Time and dosage relationships. <i>Neurotoxicology and Teratology</i> , 1987, 9, 387-394.	2.4	29
116	Postnatal evaluation of prenatal exposure to p-xylene in the rat. <i>Toxicology Letters</i> , 1986, 34, 223-229.	0.8	12
117	Effects of two pyrethroid insecticides on motor activity and the acoustic startle response in the rat. <i>Toxicology and Applied Pharmacology</i> , 1984, 75, 318-328.	2.8	74
118	Developmental neurotoxicity testing: recommendations for developing alternative methods for the screening and prioritization of chemicals. <i>ALTEX: Alternatives To Animal Experimentation</i> , 0, , 9-15.	1.5	81