

Jane Glazebrook

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/80229/publications.pdf>

Version: 2024-02-01

92
papers

22,173
citations

38660

50
h-index

45213

90
g-index

95
all docs

95
docs citations

95
times ranked

17578
citing authors

#	ARTICLE	IF	CITATIONS
1	Contrasting Mechanisms of Defense Against Biotrophic and Necrotrophic Pathogens. Annual Review of Phytopathology, 2005, 43, 205-227.	3.5	3,622
2	A Draft Sequence of the Rice Genome (<i>Oryza sativa</i> L. ssp. japonica). Science, 2002, 296, 92-100.	6.0	2,866
3	The Arabidopsis NPR1 Gene That Controls Systemic Acquired Resistance Encodes a Novel Protein Containing Ankyrin Repeats. Cell, 1997, 88, 57-63.	13.5	1,408
4	A High-Throughput Arabidopsis Reverse Genetics System. Plant Cell, 2002, 14, 2985-2994.	3.1	873
5	Expression Profile Matrix of Arabidopsis Transcription Factor Genes Suggests Their Putative Functions in Response to Environmental Stresses[W]. Plant Cell, 2002, 14, 559-574.	3.1	849
6	Priming in Systemic Plant Immunity. Science, 2009, 324, 89-91.	6.0	749
7	Genes controlling expression of defense responses in Arabidopsis â€” 2001 status. Current Opinion in Plant Biology, 2001, 4, 301-308.	3.5	644
8	Quantitative Nature of Arabidopsis Responses during Compatible and Incompatible Interactions with the Bacterial Pathogen <i>Pseudomonas syringae</i> [W]. Plant Cell, 2003, 15, 317-330.	3.1	641
9	Arabidopsis thaliana PAD4 encodes a lipase-like gene that is important for salicylic acid signaling. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 13583-13588.	3.3	544
10	Isolation of Arabidopsis Mutants With Enhanced Disease Susceptibility by Direct Screening. Genetics, 1996, 143, 973-982.	1.2	520
11	Network Properties of Robust Immunity in Plants. PLoS Genetics, 2009, 5, e1000772.	1.5	489
12	The Transcriptome of Rhizobacteria-Induced Systemic Resistance in Arabidopsis. Molecular Plant-Microbe Interactions, 2004, 17, 895-908.	1.4	483
13	Topology of the network integrating salicylate and jasmonate signal transduction derived from global expression phenotyping. Plant Journal, 2003, 34, 217-228.	2.8	466
14	Arabidopsis MAP kinase 4 regulates gene expression through transcription factor release in the nucleus. EMBO Journal, 2008, 27, 2214-2221.	3.5	445
15	Isolation of phytoalexin-deficient mutants of Arabidopsis thaliana and characterization of their interactions with bacterial pathogens.. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 8955-8959.	3.3	425
16	PAD4 Functions Upstream from Salicylic Acid to Control Defense Responses in Arabidopsis. Plant Cell, 1998, 10, 1021-1030.	3.1	397
17	Arabidopsis Cytochrome P450 Monooxygenase 71A13 Catalyzes the Conversion of Indole-3-Acetaldoxime in Camalexin Synthesis. Plant Cell, 2007, 19, 2039-2052.	3.1	339
18	Phytoalexin-Deficient Mutants of Arabidopsis Reveal That <i>PAD4</i> Encodes a Regulatory Factor and That Four <i>PAD</i> Genes Contribute to Downy Mildew Resistance. Genetics, 1997, 146, 381-392.	1.2	332

#	ARTICLE	IF	CITATIONS
19	Identification of PAD2 as a γ -glutamylcysteine synthetase highlights the importance of glutathione in disease resistance of Arabidopsis. <i>Plant Journal</i> , 2006, 49, 159-172.	2.8	329
20	Arabidopsis PAD3, a Gene Required for Camalexin Biosynthesis, Encodes a Putative Cytochrome P450 Monooxygenase. <i>Plant Cell</i> , 1999, 11, 2419-2428.	3.1	322
21	Interplay between MAMP-triggered and SA-mediated defense responses. <i>Plant Journal</i> , 2008, 53, 763-775.	2.8	318
22	A fungal-responsive MAPK cascade regulates phytoalexin biosynthesis in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 5638-5643.	3.3	317
23	A novel exopolysaccharide can function in place of the Calcofluor-binding exopolysaccharide in nodulation of alfalfa by <i>Rhizobium meliloti</i> . <i>Cell</i> , 1989, 56, 661-672.	13.5	295
24	CBP60g and SARD1 play partially redundant critical roles in salicylic acid signaling. <i>Plant Journal</i> , 2011, 67, 1029-1041.	2.8	244
25	Arabidopsis CaM Binding Protein CBP60g Contributes to MAMP-Induced SA Accumulation and Is Involved in Disease Resistance against <i>Pseudomonas syringae</i> . <i>PLoS Pathogens</i> , 2009, 5, e1000301.	2.1	242
26	A network of rice genes associated with stress response and seed development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 4945-4950.	3.3	228
27	Loss of non-host resistance of Arabidopsis NahG to <i>Pseudomonas syringae</i> pv. phaseolicola is due to degradation products of salicylic acid. <i>Plant Journal</i> , 2003, 33, 733-742.	2.8	215
28	Characterization of the Early Response of Arabidopsis to <i>Alternaria brassicicola</i> Infection Using Expression Profiling. <i>Plant Physiology</i> , 2003, 132, 606-617.	2.3	215
29	Dual Regulation of Gene Expression Mediated by Extended MAPK Activation and Salicylic Acid Contributes to Robust Innate Immunity in Arabidopsis thaliana. <i>PLoS Genetics</i> , 2013, 9, e1004015.	1.5	208
30	Genes controlling expression of defense responses in Arabidopsis. <i>Current Opinion in Plant Biology</i> , 1999, 2, 280-286.	3.5	191
31	Arabidopsis thaliana EDS4 Contributes to Salicylic Acid (SA)-Dependent Expression of Defense Responses: Evidence for Inhibition of Jasmonic Acid Signaling by SA. <i>Molecular Plant-Microbe Interactions</i> , 2000, 13, 503-511.	1.4	186
32	Arabidopsis PECTIN METHYLESTERASEs Contribute to Immunity against <i>Pseudomonas syringae</i> . <i>Plant Physiology</i> , 2014, 164, 1093-1107.	2.3	166
33	Pectin Biosynthesis Is Critical for Cell Wall Integrity and Immunity in <i>Arabidopsis thaliana</i> . <i>Plant Cell</i> , 2016, 28, 537-556.	3.1	144
34	USE OF ARABIDOPSIS FOR GENETIC DISSECTION OF PLANT DEFENSE RESPONSES. <i>Annual Review of Genetics</i> , 1997, 31, 547-569.	3.2	136
35	Gene Expression Signatures from Three Genetically Separable Resistance Gene Signaling Pathways for Downy Mildew Resistance. <i>Plant Physiology</i> , 2004, 135, 1129-1144.	2.3	128
36	Activation of the <i>Arabidopsis thaliana</i> Mitogen-Activated Protein Kinase MPK11 by the Flagellin-Derived Elicitor Peptide, flg22. <i>Molecular Plant-Microbe Interactions</i> , 2012, 25, 471-480.	1.4	123

#	ARTICLE	IF	CITATIONS
37	[19] Genetic techniques in <i>Rhizobium meliloti</i> . <i>Methods in Enzymology</i> , 1991, 204, 398-418.	0.4	122
38	Constitutive salicylic acid-dependent signaling in <i>cpr1</i> and <i>cpr6</i> mutants requires PAD4. <i>Plant Journal</i> , 2001, 26, 395-407.	2.8	113
39	Network Modeling Reveals Prevalent Negative Regulatory Relationships between Signaling Sectors in <i>Arabidopsis</i> Immune Signaling. <i>PLoS Pathogens</i> , 2010, 6, e1001011.	2.1	110
40	The mRNA decay factor PAT 1 functions in a pathway including MAP kinase 4 and immune receptor SUMM 2. <i>EMBO Journal</i> , 2015, 34, 593-608.	3.5	100
41	An efficient <i>Agrobacterium</i> -mediated transient transformation of <i>Arabidopsis</i> . <i>Plant Journal</i> , 2012, 69, 713-719.	2.8	95
42	Physical Association of <i>Arabidopsis</i> Hypersensitive Induced Reaction Proteins (HIRs) with the Immune Receptor RPS2. <i>Journal of Biological Chemistry</i> , 2011, 286, 31297-31307.	1.6	94
43	Physical association of pattern-triggered immunity (PTI) and effector-triggered immunity (ETI) immune receptors in <i>Arabidopsis</i> . <i>Molecular Plant Pathology</i> , 2011, 12, 702-708.	2.0	91
44	The CALMODULIN-BINDING PROTEIN60 Family Includes Both Negative and Positive Regulators of Plant Immunity. <i>Plant Physiology</i> , 2013, 163, 1741-1751.	2.3	91
45	Structural studies of a novel exopolysaccharide produced by a mutant of <i>Rhizobium meliloti</i> strain Rm1021. <i>Carbohydrate Research</i> , 1990, 198, 305-312.	1.1	88
46	Ancient origins of nitric oxide signaling in biological systems. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 14206-14207.	3.3	77
47	A plant effector-triggered immunity signaling sector is inhibited by pattern-triggered immunity. <i>EMBO Journal</i> , 2017, 36, 2758-2769.	3.5	69
48	The Genetic Network Controlling the <i>Arabidopsis</i> Transcriptional Response to <i>Pseudomonas syringae</i> pv. <i>maculicola</i> : Roles of Major Regulators and the Phytotoxin Coronatine. <i>Molecular Plant-Microbe Interactions</i> , 2008, 21, 1408-1420.	1.4	64
49	WRKY70 prevents axenic activation of plant immunity by direct repression of <i>SARD1</i> . <i>New Phytologist</i> , 2018, 217, 700-712.	3.5	60
50	Endosome-Associated CRT1 Functions Early in Resistance Gene-Mediated Defense Signaling in <i>Arabidopsis</i> and Tobacco. <i>Plant Cell</i> , 2010, 22, 918-936.	3.1	55
51	Metabolite Profiling of <i>Arabidopsis</i> Inoculated with <i>Alternaria brassicicola</i> Reveals That Ascorbate Reduces Disease Severity. <i>Molecular Plant-Microbe Interactions</i> , 2012, 25, 1628-1638.	1.4	54
52	Spatio-Temporal Expression Patterns of <i>Arabidopsis thaliana</i> and <i>Medicago truncatula</i> Defensin-Like Genes. <i>PLoS ONE</i> , 2013, 8, e58992.	1.1	54
53	A high-performance, small-scale microarray for expression profiling of many samples in <i>Arabidopsis</i> -pathogen studies. <i>Plant Journal</i> , 2007, 49, 565-577.	2.8	51
54	The receptor-like cytoplasmic kinase PCRK1 contributes to pattern-triggered immunity against <i>Pseudomonas syringae</i> in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2015, 207, 78-90.	3.5	50

#	ARTICLE	IF	CITATIONS
55	Reassess the <i>t</i> Test: Interact with All Your Data via ANOVA. <i>Plant Cell</i> , 2015, 27, 2088-2094.	3.1	48
56	A Putative RNA-Binding Protein Positively Regulates Salicylic Acid-Mediated Immunity in <i>Arabidopsis</i> . <i>Molecular Plant-Microbe Interactions</i> , 2010, 23, 1573-1583.	1.4	45
57	Co-expression analysis identifies putative targets for CBP60g and SARD1 regulation. <i>BMC Plant Biology</i> , 2012, 12, 216.	1.6	38
58	PAD4 Functions Upstream from Salicylic Acid to Control Defense Responses in <i>Arabidopsis</i> . <i>Plant Cell</i> , 1998, 10, 1021.	3.1	35
59	The interplay between MAMP and SA signaling. <i>Plant Signaling and Behavior</i> , 2008, 3, 359-361.	1.2	33
60	MPK11 is a fourth elicitor-responsive mitogen-activated protein kinase in <i>Arabidopsis thaliana</i> . <i>Plant Signaling and Behavior</i> , 2012, 7, 1203-1205.	1.2	32
61	Putative Serine Protease Effectors of <i>Clavibacter michiganensis</i> Induce a Hypersensitive Response in the Apoplast of <i>Nicotiana</i> Species. <i>Molecular Plant-Microbe Interactions</i> , 2015, 28, 1216-1226.	1.4	32
62	Different Modes of Negative Regulation of Plant Immunity by Calmodulin-Related Genes. <i>Plant Physiology</i> , 2018, 176, 3046-3061.	2.3	31
63	Pattern-Triggered Immunity Suppresses Programmed Cell Death Triggered by Fumonisin B1. <i>PLoS ONE</i> , 2013, 8, e60769.	1.1	30
64	Setting Up <i>Arabidopsis</i> Crosses. <i>Cold Spring Harbor Protocols</i> , 2006, 2006, pdb.prot4623-pdb.prot4623.	0.2	26
65	Quick Miniprep for Plant DNA Isolation. <i>Cold Spring Harbor Protocols</i> , 2009, 2009, pdb.prot5179-pdb.prot5179.	0.2	22
66	Plant biotic interactions: from conflict to collaboration. <i>Plant Journal</i> , 2018, 93, 589-591.	2.8	22
67	Genetic analyses of <i>Rhizobium meliloti</i> exopolysaccharides. <i>International Journal of Biological Macromolecules</i> , 1990, 12, 67-70.	3.6	21
68	Local Context Finder (LCF) reveals multidimensional relationships among mRNA expression profiles of <i>Arabidopsis</i> responding to pathogen infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 10842-10847.	3.3	19
69	<i>Rhizobium meliloti</i> exopolysaccharides: genetic analyses and symbiotic importance. <i>Biochemical Society Transactions</i> , 1991, 19, 636-644.	1.6	17
70	Identification of rice (<i>Oryza sativa</i>) proteins linked to the cyclin-mediated regulation of the cell cycle. <i>Plant Molecular Biology</i> , 2003, 53, 273-279.	2.0	17
71	Genetic Analysis of <i>Arabidopsis</i> Mutants. <i>Cold Spring Harbor Protocols</i> , 2008, 2008, pdb.top35-pdb.top35.	0.2	16
72	Comparative Genomic Analyses of <i>Clavibacter michiganensis</i> subsp. <i>insidiosus</i> and Pathogenicity on <i>Medicago truncatula</i> . <i>Phytopathology</i> , 2018, 108, 172-185.	1.1	15

#	ARTICLE	IF	CITATIONS
73	Overview of mRNA Expression Profiling Using DNA Microarrays. <i>Current Protocols in Molecular Biology</i> , 2009, 85, Unit 22.4.	2.9	14
74	Measuring Pectin Properties to Track Cell Wall Alterations During Plant-Pathogen Interactions. <i>Methods in Molecular Biology</i> , 2019, 1991, 55-60.	0.4	14
75	Genetic Mapping of Symbiotic Loci on the <i>Rhizobium meliloti</i> Chromosome. <i>Molecular Plant-Microbe Interactions</i> , 1992, 5, 223.	1.4	14
76	Identification of Components in Disease-Resistance Signaling in <i>Arabidopsis</i> by Map-Based Cloning. , 2007, 354, 69-78.		11
77	Dellaporta Miniprep for Plant DNA Isolation. <i>Cold Spring Harbor Protocols</i> , 2009, 2009, pdb.prot5178.	0.2	9
78	Letter to the Editor: DNA Purification-Free PCR from Plant Tissues. <i>Plant and Cell Physiology</i> , 2021, 62, 1503-1505.	1.5	9
79	Fixation, Embedding, and Sectioning of Plant Tissues. <i>Cold Spring Harbor Protocols</i> , 2008, 2008, pdb.prot4941.	0.2	8
80	Pattern Discovery in Expression Profiling Data. <i>Current Protocols in Molecular Biology</i> , 2009, 85, Unit 22.5.	2.9	8
81	Transmission Electron Microscopy (TEM) Freeze Substitution of Plant Tissues. <i>Cold Spring Harbor Protocols</i> , 2010, 2010, pdb.prot4959.	0.2	7
82	Cyclohexane Diamine Tetraacetic Acid (CDTA) Extraction of Plant Cell Wall Pectin. <i>Bio-protocol</i> , 2014, 4, .	0.2	5
83	<i>Arabidopsis</i> PAD3, a Gene Required for Camalexin Biosynthesis, Encodes a Putative Cytochrome P450 Monooxygenase. <i>Plant Cell</i> , 1999, 11, 2419.	3.1	3
84	Overview of mRNA Expression Profiling Using Microarrays. <i>Current Protocols in Molecular Biology</i> , 2004, 67, Unit 22.4.	2.9	3
85	Use of Microarray Analysis to Dissect the Plant Defense Response. , 2007, 354, 121-130.		3
86	Functional characterization of PCRK1, a putative protein kinase with a role in immunity. <i>Plant Signaling and Behavior</i> , 2015, 10, e1063759.	1.2	3
87	Identification of differentially expressed genes between developing seeds of different soybean cultivars. <i>Genomics Data</i> , 2015, 6, 92-98.	1.3	3
88	Phenotypic Analysis of <i>Arabidopsis</i> Mutants: Bacterial Pathogens. <i>Cold Spring Harbor Protocols</i> , 2009, 2009, pdb.prot4983.	0.2	2
89	Pattern Discovery in Expression Profiling Data. <i>Current Protocols in Molecular Biology</i> , 2005, 69, Unit 22.5.	2.9	1
90	Immunohistochemistry on Sections of Plant Tissues Using Enzyme-Coupled Avidin-Biotin Complex. <i>Cold Spring Harbor Protocols</i> , 2008, 2008, pdb.prot4945-pdb.prot4945.	0.2	1

#	ARTICLE	IF	CITATIONS
91	Arabidopsis defense response against <i>Pseudomonas syringae</i> - Effects of major regulatory genes and the impact of coronatine. , 2009, , .		0
92	Genetic Analyses Suggesting Bacterial-Plant Signalling During Nodulation. NATO ASI Series Series H, Cell Biology, 1989, , 329-336.	0.5	0