

Dhanushka Nadeeshan Wanasinghe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8023431/publications.pdf>

Version: 2024-02-01

143
papers

7,711
citations

71102
41
h-index

60623
81
g-index

151
all docs

151
docs citations

151
times ranked

3172
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Taxonomy and phylogeny of the novel rhytidhysteron-like collections in the Greater Mekong Subregion. <i>MycoKeys</i> , 2022, 86, 65-85. | 1.9 | 8 |
| 2 | Morpho-molecular characterization of Brunneofissuraceae fam. nov., <i>Cirsosia mangiferae</i> sp. nov., and <i>Asterina neomangiferae</i> nom. nov. <i>Mycological Progress</i> , 2022, 21, 279-295. | 1.4 | 1 |
| 3 | Predicting global numbers of teleomorphic ascomycetes. <i>Fungal Diversity</i> , 2022, 114, 237-278. | 12.3 | 17 |
| 4 | Insight into the Taxonomic Resolution of the Pleosporalean Species Associated with Dead Woody Litter in Natural Forests from Yunnan, China. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 375. | 3.5 | 9 |
| 5 | Brunneosporopsis yunnanensis gen. et sp. nov. and Allocryptovalsa xishuangbanica sp. nov., New Terrestrial Sordariomycetes from Southwest China. <i>Life</i> , 2022, 12, 635. | 2.4 | 3 |
| 6 | Taxonomic and Phylogenetic Insights into Novel Ascomycota from Forest Woody Litter. <i>Biology</i> , 2022, 11, 889. | 2.8 | 4 |
| 7 | Identification and Characterization of Calonectria Species Associated with Plant Diseases in Southern China. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 719. | 3.5 | 8 |
| 8 | Additions to Italian Pleosporiniae, including <i>Italica heraclei</i> sp. nov.. <i>Biodiversity Data Journal</i> , 2021, 9, e59648. | 0.8 | 1 |
| 9 | <p>Introduction of Neolophiotrema xiaokongense gen. et sp. nov. to the poorly represented Anteagloniaceae (Pleosporales). Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 41 Td (Dothideomycetidae) </p> | | |
| 10 | The Evolution of Life Modes in Stictidaceae, with Three Novel Taxa. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 10, 125. | 3.5 | 12 |
| 11 | Morph-Phylo Taxonomy of Novel Dothideomycetous Fungi Associated With Dead Woody Twigs in Yunnan Province, China. <i>Frontiers in Microbiology</i> , 2021, 12, 654683. | 3.5 | 21 |
| 12 | Alloleptosphaeria shangrilana sp. nov. and first report of the genus (Leptosphaeriaceae). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td (Dothideomycetidae) </p> | 0.3 | 3 |
| 13 | Insight into the Systematics of Microfungi Colonizing Dead Woody Twigs of <i>Dodonaea viscosa</i> in Honghe (China). <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 180. | 3.5 | 25 |
| 14 | Colletotrichum dracaenigenum, a new species on <i>Dracaena fragrans</i> . <i>Phytotaxa</i> , 2021, 491, . | 0.3 | 2 |
| 15 | Stachybotrys musae sp. nov., <i>S. microsporus</i> , and <i>Memnoniella levispora</i> (Stachybotryaceae). Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 382 Td (Dothideomycetidae) </p> | 2.4 | 5 |
| 16 | Morphological and phylogenetic characterization of fungi within Bambusicolaceae: introducing two new species from the Greater Mekong Subregion. <i>Mycological Progress</i> , 2021, 20, 721-732. | 1.4 | 7 |
| 17 | Taxonomic and phylogenetic contributions to <i>Celtis formosana</i> , <i>Ficus ampelas</i> , <i>F. septica</i> , <i>Macaranga tanarius</i> and <i>Morus australis</i> leaf litter inhabiting microfungi. <i>Fungal Diversity</i> , 2021, 108, 1-215. | 12.3 | 48 |
| 18 | Stagonosporopsis pogostemonis: A Novel Ascomycete Fungus Causing Leaf Spot and Stem Blight on <i>Pogostemon cablin</i> (Lamiaceae) in South China. <i>Pathogens</i> , 2021, 10, 1093. | 2.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Novel saprobic <i>Hermatomyces</i> species (Hermatomycetaceae, Pleosporales) from China (Yunnan) Tj ETQq1 1 0.784314 rgBT /Overlock 1 | 1.9 | 1 |
| 20 | Integrative approaches for species delimitation in Ascomycota. Fungal Diversity, 2021, 109, 155-179. | 12.3 | 55 |
| 21 | Taxonomic and phylogenetic insights into novel Ascomycota from contaminated soils in Yunnan, China. Phytotaxa, 2021, 513, 203-225. | 0.3 | 0 |
| 22 | Insight into the Systematics of Novel Entomopathogenic Fungi Associated with Armored Scale Insect, <i>Kuwanaspis howardi</i> (Hemiptera: Diaspididae) in China. Journal of Fungi (Basel, Switzerland), 2021, 7, 628. | 3.5 | 6 |
| 23 | Morphological and phylogenetic insights reveal <i>Cucurbitaria berberidicola</i> (Cucurbitariaceae.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 1 | 0.3 | 1 |
| 24 | Taxonomy and phylogenetic appraisal of <i>Leptosphaeria chatkalica</i> sp. nov. (Leptosphaeriaceae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54 | 0.3 | 1 |
| 25 | <i>Yuxiensis granularis</i> gen. et sp. nov., a Novel QuellkÄ¶rper-Bearing Fungal Taxon Added to Scortechiniaceae and Inclusion of Parasympodiellaceae in Coronophorales Based on Phylogenetic Evidence. Life, 2021, 11, 1011. | 2.4 | 1 |
| 26 | Uncovering the hidden taxonomic diversity of fungi in Oman. Fungal Diversity, 2021, 106, 229-268. | 12.3 | 11 |
| 27 | A New Record of <i>Aspergillus vadensis</i> (Ascomycota) Isolated from Soil in Yunnan Province, China. Phyton, 2021, 90, 1031-1039. | 0.7 | 1 |
| 28 | Valorizing plastic waste by insect consumption. Circular Agricultural Systems, 2021, 1, 1-9. | 0.7 | 2 |
| 29 | Morphological and Phylogenetic Appraisal of Novel and Extant Taxa of Stictidaceae from Northern Thailand. Journal of Fungi (Basel, Switzerland), 2021, 7, 880. | 3.5 | 3 |
| 30 | Biphasic taxonomic approaches for generic relatedness and phylogenetic relationships of Teichosporaceae. Fungal Diversity, 2021, 110, 199-241. | 12.3 | 2 |
| 31 | Microfungi associated with <i>Camellia sinensis</i> : A case study of leaf and shoot necrosis on Tea in Fujian, China. Mycosphere, 2021, 12, 430-518. | 6.1 | 7 |
| 32 | Editorial: Fungal Systematics and Biogeography. Frontiers in Microbiology, 2021, 12, 827725. | 3.5 | 6 |
| 33 | Fungal diversity notes 1387â€“1511: taxonomic and phylogenetic contributions on genera and species of fungal taxa. Fungal Diversity, 2021, 111, 1-335. | 12.3 | 88 |
| 34 | <i>Dothidea kunmingensis</i> , a novel asexual species of Dothideaceae on <i>Jasminum nudiflorum</i> (winter) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.3 | 2 |
| 35 | Taxonomic novelties in Magnolia-associated pleosporalean fungi in the Kunming Botanical Gardens (Yunnan, China). PLoS ONE, 2020, 15, e0235855. | 2.5 | 35 |
| 36 | Novel species of <i>Pestalotiopsis</i> fungi on <i>Dracaena</i> from Thailand. Mycology, 2020, 11, 306-315. | 4.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | First sexual morph record of <i>Sarcopodium vanillae</i> . <i>Mycotaxon</i> , 2020, 134, 707-717. | 0.3 | 2 |
| 38 | Fungal diversity notes 1151–1276: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2020, 100, 5-277. | 12.3 | 156 |
| 39 | <p> <i>Bimuria omanensis</i> sp. nov. (Didymosphaeriaceae.) Tj ETQq1 1 0.784314 rgBT /Overlock 1 | 0.3 | 1 |
| 40 | Microfungi associated with Clematis (Ranunculaceae) with an integrated approach to delimiting species boundaries. <i>Fungal Diversity</i> , 2020, 102, 1-203. | 12.3 | 93 |
| 41 | Evolution of non-lichenized, saprotrophic species of Arthonia (Ascomycota, Arthoniales) and resurrection of Naevia, with notes on Mycoporum. <i>Fungal Diversity</i> , 2020, 102, 205-224. | 12.3 | 12 |
| 42 | Three Novel Entomopathogenic Fungi From China and Thailand. <i>Frontiers in Microbiology</i> , 2020, 11, 608991. | 3.5 | 5 |
| 43 | Refined families of Dothideomycetes: orders and families incertae sedis in Dothideomycetes. <i>Fungal Diversity</i> , 2020, 105, 17-318. | 12.3 | 70 |
| 44 | Freshwater Dothideomycetes. <i>Fungal Diversity</i> , 2020, 105, 319-575. | 12.3 | 73 |
| 45 | FungalTraits: a user-friendly traits database of fungi and fungus-like stramenopiles. <i>Fungal Diversity</i> , 2020, 105, 1-16. | 12.3 | 387 |
| 46 | <p> <i>Lonicericola fuyuanensis</i> (Parabambusicolaceae) a new terrestrial pleosporalean ascomycete from Yunnan Province, China</p>. <i>Phytotaxa</i> , 2020, 446, 103-113. | 0.3 | 9 |
| 47 | <p>Saprobic Dothideomycetes in Thailand: <i>Phaeoseptum hydei</i> sp. nov, a new terrestrial ascomycete in <i>Phaeoseptaceae</i> </p>. <i>Phytotaxa</i> , 2020, 449, 149-163. | 0.3 | 6 |
| 48 | A new genus of Bambusicolaceae (Pleosporales) on <i>Corylus avellana</i> (Fagales) from Italy. <i>Biodiversity Data Journal</i> , 2020, 8, e55957. | 0.8 | 6 |
| 49 | Taxonomy and phylogenetic appraisal of <i>Spegazzinia musae</i> sp. nov. and <i>S. deightonii</i> (Didymosphaeriaceae, Pleosporales) on Musaceae from Thailand. <i>MycoKeys</i> , 2020, 70, 19-37. | 1.9 | 12 |
| 50 | Morpho-molecular diversity of Linocarpaceae (Chaetosphaeriales): <i>Claviformispora</i> gen. nov. from decaying branches of <i>Phyllostachys heteroclada</i> . <i>MycoKeys</i> , 2020, 70, 1-17. | 1.9 | 6 |
| 51 | Multi-gene phylogenetic evidence suggests <i>Dictyoarthrinium</i> belongs in Didymosphaeriaceae (Pleosporales, Dothideomycetes) and <i>Dictyoarthrinium musae</i> sp. nov. on <i>Musa</i> from Thailand. <i>MycoKeys</i> , 2020, 71, 101-118. | 1.9 | 15 |
| 52 | Modern Taxonomic Approaches to Identifying Diatrypaceous Fungi from Marine Habitats, with a Novel Genus <i>Halocryptovalsa Dayarathne & K.D.Hyde</i> , Gen. Nov.. <i>Cryptogamie, Mycologie</i> , 2020, 41, 21. | 1.0 | 21 |
| 53 | AJOM new records and collections of fungi: 1–100. <i>Asian Journal of Mycology</i> , 2020, 3, 22-294. | 1.8 | 46 |
| 54 | A dynamic portal for a community-driven, continuously updated classification of Fungi and fungus-like organisms: outlineoffungi.org. <i>Mycosphere</i> , 2020, 11, 1514-1526. | 6.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Refined families of Dothideomycetes: Dothideomycetidae and Pleosporomycetidae. <i>Mycosphere</i> , 2020, 11, 1553-2107. | 6.1 | 109 |
| 56 | Taxonomic novelties of saprobic Pleosporales from selected dicotyledons and grasses. <i>Mycosphere</i> , 2020, 11, 2481-2541. | 6.1 | 10 |
| 57 | Morphological approaches in studying fungi: collection, examination, isolation, sporulation and preservation. <i>Mycosphere</i> , 2020, 11, 2678-2754. | 6.1 | 201 |
| 58 | Outline of Fungi and fungus-like taxa. <i>Mycosphere</i> , 2020, 11, 1060-1456. | 6.1 | 405 |
| 59 | Hyaloterminalis, a novel genus of Coryneaceae in order Diaporthales. <i>Phytotaxa</i> , 2020, 474, 132-144. | 0.3 | 3 |
| 60 | <p>Loculosulcatispora thailandica gen. et sp. nov. (Sulcatisporaceae), saprobic on woody litter in Thailand</p>. <i>Phytotaxa</i> , 2020, 475, 67-78. | 0.3 | 5 |
| 61 | Additions to Phaeosphaeriaceae (Pleosporales): <i>Elongaticollum</i> gen. nov., <i>Ophiosphaerella taiwanensis</i> sp. nov., <i>Phaeosphaeriopsis beaucarneae</i> sp. nov. and a new host record of <i>Neosetophoma poaceicola</i> from Musaceae. <i>MycoKeys</i> , 2020, 70, 59-88. | 1.9 | 11 |
| 62 | High Genetic Diversity and Species Complexity of Diaporthe Associated With Grapevine Dieback in China. <i>Frontiers in Microbiology</i> , 2019, 10, 1936. | 3.5 | 66 |
| 63 | <p>Murispora aquatica sp. nov. and Murispora fagicola; a new record from freshwater habitat in China</p>. <i>Phytotaxa</i> , 2019, 416, 1-13. | 0.3 | 8 |
| 64 | Molecular taxonomy reveals the sexual morph of <i>Nodulosphaeria digitalis</i> in Phaeosphaeriaceae from <i>Campanula trachelium</i> in Italy. <i>Phytotaxa</i> , 2019, 400, 1. <i>Stemphylium dianthi</i> sp. nov. and new host records for the sexual morphs of <i>S. beticola</i> , <i>S. gracilariae</i> , <i>S. simmonsii</i> and <i>S. vesicarium</i> . <i>Phytotaxa</i> , 2019, 411, 243-263. | 0.3 | 4 |
| 65 | Introducing <i>Arthrinium phyllostachium</i> sp. nov. (Apiosporaceae, Xylariales) on <i>Phyllostachys heteroclada</i> from Sichuan Province, China. <i>Phytotaxa</i> , 2019, 406, 91-110. | 0.3 | 4 |
| 66 | Fungal diversity notes 1036–1150: taxonomic and phylogenetic contributions on genera and species of fungal taxa. <i>Fungal Diversity</i> , 2019, 96, 1-242. | 12.3 | 148 |
| 67 | Fungal diversity notes 929–1035: taxonomic and phylogenetic contributions on genera and species of fungi. <i>Fungal Diversity</i> , 2019, 95, 1-273. | 12.3 | 203 |
| 68 | Phylogenetic classification and generic delineation of <i>Hydeomyces desertipleosporoides</i> gen. et sp. nov., (Phaeosphaeriaceae) from Jebel Akhdar Mountain in Oman. <i>Phytotaxa</i> , 2019, 391, 28. | 0.3 | 12 |
| 69 | One stop shop II: taxonomic update with molecular phylogeny for important phytopathogenic genera: 26–50 (2019). <i>Fungal Diversity</i> , 2019, 94, 41-129. | 12.3 | 69 |
| 70 | <i>Ophiobolus hydei</i> sp. nov. (Phaeosphaeriaceae, Ascomycota) from <i>Cirsium</i> and <i>Phlomoides</i> in Uzbekistan. <i>Botany</i> , 2019, 97, 671-680. | 1.0 | 14 |
| 71 | <i>Neostagonosporella sichuanensis</i> gen. et sp. nov. (Phaeosphaeriaceae, Pleosporales) on <i>Phyllostachys heteroclada</i> (Poaceae) from Sichuan Province, China. <i>MycoKeys</i> , 2019, 46, 119-150. | 1.9 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | The genus <i>Simplicillium</i> . MycoKeys, 2019, 60, 69-92. | 1.9 | 34 |
| 74 | <i>Vittaliana mangrovei</i> Devadatha, Nikita, A.Baghela & V.V.Sarma, gen. nov, sp. nov. (Phaeosphaeriaceae), from Mangroves Near Pondicherry (India), Based on Morphology and Multigene Phylogeny. Cryptogamie, Mycologie, 2019, 40, 117. | 1.0 | 11 |
| 75 | Diversity, morphology and molecular phylogeny of Dothideomycetes on decaying wild seed pods and fruits. Mycosphere, 2019, 10, 1-186. | 6.1 | 110 |
| 76 | Towards a natural classification of Dothidotthia and Thystroma in Dothidotthiaceae (Pleosporineae, Pleosporales). Mycosphere, 2019, 10, 701-738. | 6.1 | 11 |
| 77 | Fungi from Asian Karst formations III. Molecular and morphological characterization reveal new taxa in Phaeosphaeriaceae. Mycosphere, 2019, 10, 202-220. | 6.1 | 13 |
| 78 | The plant pathogenic genus <i>Neocordana</i> . Plant Pathology & Quarantine, 2019, 9, 139-151. | 0.1 | 1 |
| 79 | <i>Thyridariella</i> , a novel marine fungal genus from India: morphological characterization and phylogeny inferred from multigene DNA sequence analyses. Mycological Progress, 2018, 17, 791-804. | 1.4 | 31 |
| 80 | Thailand's amazing diversity: up to 96% of fungi in northern Thailand may be novel. Fungal Diversity, 2018, 93, 215-239. | 12.3 | 139 |
| 81 | Fungal diversity notes 840-928: micro-fungi associated with Pandanaceae. Fungal Diversity, 2018, 93, 1-160. | 12.3 | 125 |
| 82 | Taxonomic circumscription of Diaporthales based on multigene phylogeny and morphology. Fungal Diversity, 2018, 93, 241-443. | 12.3 | 61 |
| 83 | Multigene phylogenetics of <i>Polycephalomyces</i> (Ophiocordycipitaceae, Hypocreales), with two new species from Thailand. Scientific Reports, 2018, 8, 18087. | 3.3 | 8 |
| 84 | Novel palmicolous taxa within Pleosporales: multigene phylogeny and taxonomic circumscription. Mycological Progress, 2018, 17, 571-590. | 1.4 | 19 |
| 85 | Fungal diversity notes 709-839: taxonomic and phylogenetic contributions to fungal taxa with an emphasis on fungi on Rosaceae. Fungal Diversity, 2018, 89, 1-236. | 12.3 | 169 |
| 86 | A novel marine genus, <i>Halobyssothecium</i> (Lentitheciaceae) and epitypification of <i>Halobyssothecium obiones</i> comb. nov.. Mycological Progress, 2018, 17, 1161-1171. | 1.4 | 15 |
| 87 | Mycosphere Notes 102-168: Saprotrophic fungi on <i>Vitis</i> in China, Italy, Russia and Thailand. Mycosphere, 2018, 9, 1-114. | 6.1 | 18 |
| 88 | Mycosphere notes 169-224. Mycosphere, 2018, 9, 271-430. | 6.1 | 105 |
| 89 | Taxonomic circumscription and phylogenetics of novel didymellaceous taxa with brown muriform spores. Studies in Fungi, 2018, 3, 152-175. | 0.4 | 10 |
| 90 | Microfungi on <i>Tectona grandis</i> (teak) in Northern Thailand. Fungal Diversity, 2017, 82, 107-182. | 12.3 | 107 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Fungal diversity notes 491–602: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2017, 83, 1-261. | 12.3 | 180 |
| 92 | Saprobic Dothideomycetes in Thailand: <i>Neoaquastroma</i> gen. nov. (Parabambusicolaceae) introduced based on morphological and molecular data. <i>Phytotaxa</i> , 2017, 302, 133. | 0.3 | 11 |
| 93 | Notes for genera: Ascomycota. <i>Fungal Diversity</i> , 2017, 86, 1-594. | 12.3 | 213 |
| 94 | Phylogenetic revision of < i>Camarosporium</i> (< i>Pleosporineae</i>, < i>Dothideomycetes</i>) and allied genera. <i>Studies in Mycology</i> , 2017, 87, 207-256. | 7.2 | 65 |
| 95 | Towards a natural classification of Ophiobolus and ophiobolus-like taxa; introducing three novel genera Ophiobolopsis, Paraophiobolus and Pseudoophiobolus in Phaeosphaeriaceae (Pleosporales). <i>Fungal Diversity</i> , 2017, 87, 299-339. | 12.3 | 35 |
| 96 | Morphological and phylogenetic insights resolve Plenodomus sinensis (Leptosphaeriaceae) as a new species. <i>Phytotaxa</i> , 2017, 324, 73. | 0.3 | 8 |
| 97 | Introducing the new Indian mangrove species, <i>Vaginatispora microarmatispora</i> (Lophiostomataceae) based on morphology and multigene phylogenetic analysis. <i>Phytotaxa</i> , 2017, 329, 139. | 0.3 | 21 |
| 98 | Phylogenetic taxonomy of Dematiopleospora fusiformis sp. nov. (Phaeosphaeriaceae) from Russia. <i>Phytotaxa</i> , 2017, 316, 239. | 0.3 | 9 |
| 99 | Fungal diversity notes 603–708: taxonomic and phylogenetic notes on genera and species. <i>Fungal Diversity</i> , 2017, 87, 1-235. | 12.3 | 165 |
| 100 | Nomenclatural and identification pitfalls of endophytic mycota based on DNA sequence analyses of ribosomal and protein genes phylogenetic markers: A taxonomic dead end?. <i>Mycosphere</i> , 2017, 8, 1802-1817. | 6.1 | 24 |
| 101 | Novel fungal species of Phaeosphaeriaceae with an asexual/sexual morph connection. <i>Mycosphere</i> , 2017, 8, 1818-1834. | 6.1 | 25 |
| 102 | Mycosphere notes 1-50: Grass (Poaceae) inhabiting Dothideomycetes. <i>Mycosphere</i> , 2017, 8, 697-796. | 6.1 | 73 |
| 103 | A family level rDNA based phylogeny of Cucurbitariaceae and Fenestellaceae with descriptions of new Fenestella species and <i>Neocucurbitaria</i> gen. nov.. <i>Mycosphere</i> , 2017, 8, 397-414. | 6.1 | 22 |
| 104 | Taxonomy and phylogeny of Sparticola muriformis sp. nov. on decaying grass. <i>Mycosphere</i> , 2017, 8, 603-614. | 6.1 | 5 |
| 105 | Phylogenetic investigations on freshwater fungi in Tubeufiaceae (Tubeufiales) reveals the new genus Dictyospora and new species <i>Chlamydotubeufia aquatica</i> and <i>Helicosporium flavum</i> . <i>Mycosphere</i> , 2017, 8, 917-933. | 6.1 | 23 |
| 106 | Mycosphere Essays 19: Recent advances and future challenges in taxonomy of coelomycetous fungi. <i>Mycosphere</i> , 2017, 8, 934-950. | 6.1 | 5 |
| 107 | Towards incorporating asexual fungi in a natural classification: checklist and notes 2012–2016. <i>Mycosphere</i> , 2017, 8, 1457-1555. | 6.1 | 47 |
| 108 | Saprobic Dothideomycetes in Thailand: <i>Muritestudina</i> gen. et sp. nov. (Testudinaceae) a new terrestrial pleosporalean ascomycete, with hyaline and muriform ascospores. <i>Studies in Fungi</i> , 2017, 2, 219-234. | 0.4 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Morphology and Phylogeny of <i>< i>Neoscytalidium orchidacearum</i></i> sp. nov. (Botryosphaeriaceae). <i>Mycobiology</i> , 2016, 44, 79-84. | 1.7 | 30 |
| 110 | Additions to <i>< i>Sporormiaceae</i></i> : Introducing Two Novel Genera, <i>< i>Sparticola</i></i> and <i>< i>Forliomyces</i></i> , from <i>< i>Spartium</i></i> . <i>Cryptogamie, Mycologie</i> , 2016, 37, 75-97. | 1.0 | 22 |
| 111 | Fungal diversity notes 253â€“366: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2016, 78, 1-237. | 12.3 | 239 |
| 112 | Taxonomy and phylogeny of dematiaceous coelomycetes. <i>Fungal Diversity</i> , 2016, 77, 1-316. | 12.3 | 134 |
| 113 | Fungal diversity notes 367â€“490: taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2016, 80, 1-270. | 12.3 | 314 |
| 114 | <i>Equiseticola</i> gen. nov. (Phaeosphaeriaceae), from <i>Equisetum</i> sp. in Italy. <i>Phytotaxa</i> , 2016, 284, 169. | 0.3 | 10 |
| 115 | Taxonomy and phylogeny of <i>Laburnicola</i> gen. nov. and <i>Paramassariosphaeria</i> gen. nov. (Didymosphaeriaceae, Massarineae, Pleosporales). <i>Fungal Biology</i> , 2016, 120, 1354-1373. | 2.5 | 28 |
| 116 | <i>Camarosporium arezzoensis</i> on <i>Cytisus</i> sp., an addition to sexual state of <i>Camarosporium</i> sensu stricto. <i>Saudi Journal of Biological Sciences</i> , 2016, 23, 1-8. | 3.8 | 7 |
| 117 | Taxonomic utility of old names in current fungal classification and nomenclature: Conflicts, confusion & clarifications. <i>Mycosphere</i> , 2016, 7, 1622-1648. | 6.1 | 29 |
| 118 | <i>Schizophyriaceae</i> . <i>Mycosphere</i> , 2016, 7, 154-189. | 6.1 | 10 |
| 119 | <i>Neoleptosphaeria jonesii</i> sp. nov., a novel saprobic sexual species, in Leptosphaeriaceae. <i>Mycosphere</i> , 2016, 7, 1368-1377. | 6.1 | 9 |
| 120 | Taxonomy and phylogenetic appraisal of <i>Montagnula jonesii</i> sp. nov. (Didymosphaeriaceae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 T | 6.1 | 10 |
| 121 | Taxonomy and Phylogeny of <i>< i>Juncaceicola</i></i> gen. nov. (<i>< i>Phaeosphaeriaceae, Pleosporinae,</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 302 T | 6.1 | 10 |
| 122 | A tribute to Professor E.B. Gareth Jones on his 80th birthday. <i>Mycosphere</i> , 2016, 7, 1261-1264. | 6.1 | 0 |
| 123 | <i>Splanchnonema</i> -like species in Pleosporales: introducing <i>Pseudosplanchnonema</i> gen. nov. in Massarinaceae. <i>Phytotaxa</i> , 2015, 231, 133. | 0.3 | 6 |
| 124 | Recommended names for pleomorphic genera in Dothideomycetes. <i>IMA Fungus</i> , 2015, 6, 507-523. | 3.8 | 99 |
| 125 | <i>Poaceascoma helicoidesgen et sp. nov.</i> , a New Genus with Scolecospores in Lentitheciaceae. <i>Cryptogamie, Mycologie</i> , 2015, 36, 225-236. | 1.0 | 25 |
| 126 | Fungal Biodiversity Profiles 11â€“20. <i>Cryptogamie, Mycologie</i> , 2015, 36, 355-380. | 1.0 | 51 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Additions to Brown Spored Coelomycetous Taxa in Massarinaceae, Pleosporales: Introducing <i>Phragmocamarosporum</i> gen. nov. and <i>Suttonomyces</i> gen. nov.. <i>Cryptogamie, Mycologie</i> , 2015, 36, 213-224. | 1.0 | 24 |
| 128 | The Genus <i>Murispora</i> . <i>Cryptogamie, Mycologie</i> , 2015, 36, 419-448. | 1.0 | 16 |
| 129 | Towards a natural classification and backbone tree for Lophiostomataceae, Floricolaceae, and Amorosiaceae fam. nov.. <i>Fungal Diversity</i> , 2015, 74, 199-266. | 12.3 | 83 |
| 130 | Towards a natural classification and backbone tree for Pleosporaceae. <i>Fungal Diversity</i> , 2015, 71, 85-139. | 12.3 | 93 |
| 131 | Fungal diversity notes 1â€“10: taxonomic and phylogenetic contributions to fungal species. <i>Fungal Diversity</i> , 2015, 72, 1-197. | 12.3 | 304 |
| 132 | Phylogenetic relationships and morphological reappraisal of Melanommataceae (Pleosporales). <i>Fungal Diversity</i> , 2015, 74, 267-324. | 12.3 | 41 |
| 133 | Fungal diversity notes 111â€“252â€“taxonomic and phylogenetic contributions to fungal taxa. <i>Fungal Diversity</i> , 2015, 75, 27-274. | 12.3 | 375 |
| 134 | Revision and phylogeny of Leptosphaeriaceae. <i>Fungal Diversity</i> , 2015, 74, 19-51. | 12.3 | 50 |
| 135 | <i>Keissleriella dactylidis</i> , sp. nov., from <i>Dactylis glomerata</i> and its phylogenetic placement. <i>ScienceAsia</i> , 2015, 41, 295. | 0.5 | 11 |
| 136 | Two novel species of <i>Vagicola</i> (Phaeosphaeriaceae) from Italy. <i>Mycosphere</i> , 2015, 6, 716-728. | 6.1 | 11 |
| 137 | Fungal Planet description sheets: 281â€“319. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2014, 33, 212-289. | 4.4 | 143 |
| 138 | Naming and outline of Dothideomycetesâ€“2014 including proposals for the protection or suppression of generic names. <i>Fungal Diversity</i> , 2014, 69, 1-55. | 12.3 | 216 |
| 139 | A molecular phylogenetic reappraisal of the Didymosphaeriaceae (= Montagnulaceae). <i>Fungal Diversity</i> , 2014, 68, 69-104. | 12.3 | 106 |
| 140 | Epitypification of Two Bambusicolous Fungi from Thailand. <i>Cryptogamie, Mycologie</i> , 2014, 35, 239-256. | 1.0 | 12 |
| 141 | < i>Dematiopleospora mariae</i> gen. sp. nov., from <i>Ononis spinosa</i> in Italy. <i>Cryptogamie, Mycologie</i> , 2014, 35, 105-117. | 1.0 | 22 |
| 142 | Families of Dothideomycetes. <i>Fungal Diversity</i> , 2013, 63, 1-313. | 12.3 | 509 |
| 143 | Morpho-molecular diversity of Linocarpaceae (Chaetosphaerales): <i>Claviformispora</i> gen. nov. from decaying branches of <i>Phyllostachys heteroclada</i> . <i>MycoKeys</i> , 0, 69, 113-129. | 1.9 | 1 |