

Zoltan Prohaszka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8024594/publications.pdf>

Version: 2024-02-01

281
papers

9,255
citations

47006

47
h-index

76900

74
g-index

304
all docs

304
docs citations

304
times ranked

11257
citing authors

#	ARTICLE	IF	CITATIONS
1	The 90-kDa Molecular Chaperone Family. , 1998, 79, 129-168.		933
2	Red cell distribution width in heart failure: Prediction of clinical events and relationship with markers of ineffective erythropoiesis, inflammation, renal function, and nutritional state. American Heart Journal, 2009, 158, 659-666.	2.7	525
3	Involvement of polymorphisms in the chemokine system in the susceptibility for coronary artery disease (CAD). Coincidence of elevated Lp(a) and MCP-1 \hat{a} 2518 G/G genotype in CAD patients. Atherosclerosis, 2001, 158, 233-239.	0.8	295
4	Activation of the complement system in normal pregnancy and preeclampsia. Molecular Immunology, 2010, 47, 1500-1506.	2.2	219
5	Proinflammatory activation pattern of human umbilical vein endothelial cells induced by IL \hat{a} 1 \hat{b} 2, TNF \hat{a} 1, and LPS. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2010, 77A, 962-970.	1.5	146
6	Similar Genetic Features and Different Islet Cell Autoantibody Pattern of Latent Autoimmune Diabetes in Adults (LADA) Compared With Adult-Onset Type 1 Diabetes With Rapid Progression. Diabetes Care, 2003, 26, 452-457.	8.6	145
7	Independent and Joint Effects of Antibodies to Human Heat-Shock Protein 60 and <i>Chlamydia pneumoniae</i> Infection in the Development of Coronary Atherosclerosis. Circulation, 2001, 103, 1503-1508.	1.6	126
8	Complement Protease MASP-1 Activates Human Endothelial Cells: PAR4 Activation Is a Link between Complement and Endothelial Function. Journal of Immunology, 2009, 183, 3409-3416.	0.8	125
9	Complement activation in thrombotic thrombocytopenic purpura. Journal of Thrombosis and Haemostasis, 2012, 10, 791-798.	3.8	125
10	Polymorphism in the promoter region of the apolipoprotein A5 gene is associated with an increased susceptibility for coronary artery disease. Atherosclerosis, 2004, 173, 109-114.	0.8	120
11	Immunological aspects of heat-shock proteins \hat{a} the optimum stress of life. Molecular Immunology, 2004, 41, 29-44.	2.2	114
12	Serum leptin levels in relation to circulating cytokines, chemokines, adhesion molecules and angiogenic factors in normal pregnancy and preeclampsia. Reproductive Biology and Endocrinology, 2011, 9, 124.	3.3	109
13	Studies on the interactions between C-reactive protein and complement proteins. Immunology, 2007, 121, 40-50.	4.4	104
14	Circulating heat shock protein 70 (HSPA1A) in normal and pathological pregnancies. Cell Stress and Chaperones, 2010, 15, 237-247.	2.9	94
15	Heat shock protein 70 is a potent activator of the human complement system. Cell Stress and Chaperones, 2002, 7, 17.	2.9	93
16	Increased serum heat-shock protein 70 levels reflect systemic inflammation, oxidative stress and hepatocellular injury in preeclampsia. Cell Stress and Chaperones, 2009, 14, 151-159.	2.9	92
17	Efficacy of Eculizumab in a Patient With Immunoabsorption-Dependent Catastrophic Antiphospholipid Syndrome. Medicine (United States), 2014, 93, e143.	1.0	91
18	Association of <i>Chlamydia pneumoniae</i> With Coronary Artery Disease and Its Progression Is Dependent on the Modifying Effect of Mannose-Binding Lectin. Circulation, 2002, 106, 1071-1076.	1.6	90

#	ARTICLE	IF	CITATIONS
19	Complement Overactivation and Consumption Predicts In-Hospital Mortality in SARS-CoV-2 Infection. <i>Frontiers in Immunology</i> , 2021, 12, 663187.	4.8	87
20	Association of high serum concentration of the third component of complement (C3) with pre-existing severe coronary artery disease and new vascular events in women. <i>Atherosclerosis</i> , 2004, 177, 383-389.	0.8	86
21	Complement analysis 2016: Clinical indications, laboratory diagnostics and quality control. <i>Immunobiology</i> , 2016, 221, 1247-1258.	1.9	77
22	Defensins purified from human granulocytes bind C1q and activate the classical complement pathway like the transmembrane glycoprotein gp41 of HIV-1. <i>Molecular Immunology</i> , 1997, 34, 809-816.	2.2	74
23	Strong complement activation after acute ischemic stroke is associated with unfavorable outcomes. <i>Atherosclerosis</i> , 2009, 204, 315-320.	0.8	71
24	Complement activation in animal and human pregnancies as a model for immunological recognition. <i>Molecular Immunology</i> , 2011, 48, 1621-1630.	2.2	71
25	The role of complement in <i>Streptococcus pneumoniae</i> -associated haemolytic uraemic syndrome. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 2237-2245.	0.7	70
26	The Major Autoantibody Epitope on Factor H in Atypical Hemolytic Uremic Syndrome Is Structurally Different from Its Homologous Site in Factor H-related Protein 1, Supporting a Novel Model for Induction of Autoimmunity in This Disease. <i>Journal of Biological Chemistry</i> , 2015, 290, 9500-9510.	3.4	69
27	Structural Basis for the Function of Complement Component C4 within the Classical and Lectin Pathways of Complement. <i>Journal of Immunology</i> , 2015, 194, 5488-5496.	0.8	69
28	Antibodies against human heat-shock protein (hsp) 60 and mycobacterial hsp65 differ in their antigen specificity and complement-activating ability. <i>International Immunology</i> , 1999, 11, 1363-1370.	4.0	68
29	Evidence-based hydro- and balneotherapy in Hungary—a systematic review and meta-analysis. <i>International Journal of Biometeorology</i> , 2014, 58, 311-323.	3.0	68
30	Comparative study on antibodies to human and bacterial 60 kDa heat shock proteins in a large cohort of patients with coronary heart disease and healthy subjects. <i>European Journal of Clinical Investigation</i> , 2001, 31, 285-292.	3.4	67
31	Human fetuin-2HS-glycoprotein level as a novel indicator of liver cell function and short-term mortality in patients with liver cirrhosis and liver cancer. <i>European Journal of Gastroenterology and Hepatology</i> , 2002, 14, 389-394.	1.6	67
32	Association of elevated serum heat-shock protein 70 concentration with transient hypertension of pregnancy, preeclampsia and superimposed preeclampsia: a case-control study. <i>Journal of Human Hypertension</i> , 2006, 20, 780-786.	2.2	67
33	Relationship of Anti-60 kDa Heat Shock Protein and Anti-Cholesterol Antibodies to Cardiovascular Events. <i>Circulation</i> , 2002, 106, 2775-2780.	1.6	66
34	Novel duplication in the F12 gene in a patient with recurrent angioedema. <i>Clinical Immunology</i> , 2013, 149, 142-145.	3.2	66
35	4G/5G polymorphism of PAI-1 gene is associated with multiple organ dysfunction and septic shock in pneumonia induced severe sepsis: prospective, observational, genetic study. <i>Critical Care</i> , 2010, 14, R79.	5.8	64
36	Relationship between the tumor necrosis factor alpha polymorphism and the serum C-reactive protein levels in inflammatory bowel disease. <i>Immunogenetics</i> , 2003, 55, 247-252.	2.4	63

#	ARTICLE	IF	CITATIONS
37	Atypical Hemolytic Uremic Syndrome-Associated Variants and Autoantibodies Impair Binding of Factor H and Factor H-Related Protein 1 to Pentraxin 3. <i>Journal of Immunology</i> , 2012, 189, 1858-1867.	0.8	62
38	Association between tumor necrosis factor (TNF)- α G-308A gene polymorphism and preeclampsia complicated by severe fetal growth restriction. <i>Clinica Chimica Acta</i> , 2008, 392, 52-57.	1.1	60
39	Increased plasma von Willebrand factor antigen levels but normal von Willebrand factor cleaving protease (ADAMTS13) activity in preeclampsia. <i>Thrombosis and Haemostasis</i> , 2009, 101, 305-311.	3.4	59
40	Modified low density lipoproteins differentially bind and activate the C1 complex of complement. <i>Molecular Immunology</i> , 2007, 44, 1169-1177.	2.2	57
41	The R1141X Loss-of-Function Mutation of the <i>ABCC6</i> Gene Is a Strong Genetic Risk Factor for Coronary Artery Disease. <i>Genetic Testing and Molecular Biomarkers</i> , 2010, 14, 75-78.	0.7	57
42	Maternal and Fetal Outcomes of Pregnancies in Women with Atypical Hemolytic Uremic Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 1020-1029.	6.1	56
43	High Rate of Early Restenosis After Carotid Eversion Endarterectomy in Homozygous Carriers of the Normal Mannose-Binding Lectin Genotype. <i>Stroke</i> , 2005, 36, 944-948.	2.0	54
44	Impact of intraoperative cytokine adsorption on outcome of patients undergoing orthotopic heart transplantation – an observational study. <i>Clinical Transplantation</i> , 2018, 32, e13211.	1.6	53
45	Antibodies against different epitopes of heat-shock protein 60 in children with type 1 diabetes mellitus. <i>Immunology Letters</i> , 2002, 80, 155-162.	2.5	51
46	Serum heat shock protein 70 levels in relation to circulating cytokines, chemokines, adhesion molecules and angiogenic factors in women with preeclampsia. <i>Clinica Chimica Acta</i> , 2011, 412, 1957-1962.	1.1	51
47	Association of increased serum heat shock protein 70 and C-reactive protein concentrations and decreased serum α 2-HS glycoprotein concentration with the syndrome of hemolysis, elevated liver enzymes, and low platelet count. <i>Journal of Reproductive Immunology</i> , 2007, 73, 172-179.	1.9	50
48	Autoantibodies to complement components in C3 glomerulopathy and atypical hemolytic uremic syndrome. <i>Immunology Letters</i> , 2014, 160, 163-171.	2.5	50
49	The Phenotypic Spectrum of Nephropathies Associated with Mutations in Diacylglycerol Kinase β . <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 3066-3075.	6.1	50
50	Elevated levels of mitochondrial mortalin and cytosolic HSP70 in blood as risk factors in patients with colorectal cancer. <i>International Journal of Cancer</i> , 2013, 133, 514-518.	5.1	49
51	Serum level of soluble 70-kD heat shock protein is associated with high mortality in patients with colorectal cancer without distant metastasis. <i>Cell Stress and Chaperones</i> , 2010, 15, 143-151.	2.9	48
52	Levels of antibodies against C1q and 60 kDa family of heat shock proteins in the sera of patients with various autoimmune diseases. <i>Immunology Letters</i> , 2001, 75, 103-109.	2.5	47
53	Chaperone-related immune dysfunction: an emergent property of distorted chaperone networks. <i>Trends in Immunology</i> , 2006, 27, 74-79.	6.8	47
54	<i>Helicobacter pylori</i> Infection in Connective Tissue Disorders is Associated with High Levels of Antibodies to Mycobacterial hsp65 but not to Human hsp60. <i>Helicobacter</i> , 2002, 7, 250-256.	3.5	45

#	ARTICLE	IF	CITATIONS
55	Serum heat shock protein 70 levels are decreased in normal human pregnancy. <i>Journal of Reproductive Immunology</i> , 2007, 74, 163-169.	1.9	45
56	Relationship of circulating cell-free DNA levels to cell-free fetal DNA levels, clinical characteristics and laboratory parameters in preeclampsia. <i>BMC Medical Genetics</i> , 2009, 10, 120.	2.1	45
57	Differences in the genetic background of latent autoimmune diabetes in adults (LADA) and type 1 diabetes mellitus. <i>Immunology Letters</i> , 2002, 84, 109-115.	2.5	44
58	The effect of long-term danazol prophylaxis on liver function in hereditary angioedema—a longitudinal study. <i>European Journal of Clinical Pharmacology</i> , 2010, 66, 419-426.	1.9	44
59	FHR-1 Binds to C-Reactive Protein and Enhances Rather than Inhibits Complement Activation. <i>Journal of Immunology</i> , 2017, 199, 292-303.	0.8	43
60	Interaction of serum 70-kDa heat shock protein levels and HspA1B (+1267) gene polymorphism with disease severity in patients with chronic heart failure. <i>Cell Stress and Chaperones</i> , 2008, 13, 199-206.	2.9	42
61	Association of polymorphisms and allelic combinations in the tumour necrosis factor-alpha-complement MHC region with coronary artery disease. <i>Journal of Medical Genetics</i> , 2002, 39, 46-51.	3.2	41
62	Levels of von Willebrand factor antigen and von Willebrand factor cleaving protease (ADAMTS13) activity predict clinical events in chronic heart failure. <i>Thrombosis and Haemostasis</i> , 2009, 102, 573-580.	3.4	40
63	Two parallel routes of the complement-mediated antibody-dependent enhancement of HIV-1 infection. <i>Aids</i> , 1997, 11, 949-958.	2.2	39
64	Mannan-binding lectin serum concentrations in HIV-infected patients are influenced by the stage of disease. <i>Immunology Letters</i> , 1997, 58, 171-175.	2.5	39
65	Low ficolin-3 levels in early follow-up serum samples are associated with the severity and unfavorable outcome of acute ischemic stroke. <i>Journal of Neuroinflammation</i> , 2011, 8, 185.	7.2	39
66	Comprehensive study into the activation of the plasma enzyme systems during attacks of hereditary angioedema due to C1-inhibitor deficiency. <i>Orphanet Journal of Rare Diseases</i> , 2015, 10, 132.	2.7	39
67	Copeptin (C-terminal pro Arginine-Vasopressin) is an Independent Long-Term Prognostic Marker in Heart Failure with Reduced Ejection Fraction. <i>Heart Lung and Circulation</i> , 2015, 24, 359-367.	0.4	39
68	Serum fetuin-A in metabolic and inflammatory pathways in patients with myocardial infarction. <i>European Journal of Clinical Investigation</i> , 2011, 41, 703-709.	3.4	38
69	ANTIBODIES AGAINST THE HUMAN HEAT SHOCK PROTEIN hsp70 IN PATIENTS WITH SEVERE CORONARY ARTERY DISEASE. <i>Immunological Investigations</i> , 2002, 31, 219-231.	2.0	37
70	Traitors of the immune system—Enhancing antibodies in HIV infection: Their possible implication in HIV vaccine development. <i>Vaccine</i> , 2008, 26, 3078-3085.	3.8	37
71	Serum level of soluble Hsp70 is associated with vascular calcification. <i>Cell Stress and Chaperones</i> , 2011, 16, 257-265.	2.9	37
72	Preeclampsia is associated with decreased serum \pm 2-HS glycoprotein (fetuin-A) concentration. <i>Hypertension Research</i> , 2009, 32, 665-669.	2.7	36

#	ARTICLE	IF	CITATIONS
73	Human serum fetuin A \pm 2HS-glycoprotein level is associated with long-term survival in patients with alcoholic liver cirrhosis, comparison with the Child-Pugh and MELD scores. <i>BMC Gastroenterology</i> , 2007, 7, 15.	2.0	35
74	Elevated serum 70kDa heat shock protein level reflects tissue damage and disease severity in the syndrome of hemolysis, elevated liver enzymes, and low platelet count. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 139, 133-138.	1.1	35
75	Endothelial cell activation during edematous attacks of hereditary angioedema types I and II. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 1686-1691.	2.9	35
76	The role of the complement system in hereditary angioedema. <i>Molecular Immunology</i> , 2017, 89, 59-68.	2.2	35
77	Open ADAMTS13, induced by antibodies, is a biomarker for subclinical immune-mediated thrombotic thrombocytopenic purpura. <i>Blood</i> , 2020, 136, 353-361.	1.4	35
78	Strong correlation between the complement-mediated antibody-dependent enhancement of HIV-1 infection and plasma viral load. <i>Aids</i> , 1999, 13, 1841-1849.	2.2	34
79	Elevated extracellular HSP70 (HSPA1A) level as an independent prognostic marker of mortality in patients with heart failure. <i>Cell Stress and Chaperones</i> , 2013, 18, 809-813.	2.9	34
80	Association of Ficolin-3 with Severity and Outcome of Chronic Heart Failure. <i>PLoS ONE</i> , 2013, 8, e60976.	2.5	34
81	The 8.1 ancestral MHC haplotype is associated with delayed onset of colonization in cystic fibrosis. <i>International Immunology</i> , 2006, 18, 1585-1590.	4.0	33
82	Heterogeneity but individual constancy of epitopes, isotypes and avidity of factor H autoantibodies in atypical hemolytic uremic syndrome. <i>Molecular Immunology</i> , 2016, 70, 47-55.	2.2	33
83	Frequencies of Certain Complement Protein Alleles and Serum Levels of Anti-Heat-Shock Protein Antibodies in Cerebrovascular Diseases. <i>Stroke</i> , 2000, 31, 2648-2652.	2.0	32
84	The promoter polymorphism of the IL-6 gene is associated with levels of antibodies to 60-kDa heat-shock proteins. <i>Immunogenetics</i> , 2002, 53, 851-856.	2.4	32
85	Clinical usefulness of measuring red blood cell distribution width in patients with systemic sclerosis. <i>Rheumatology</i> , 2014, 53, 1439-1445.	1.9	31
86	Annual incidence and severity of acute episodes in hereditary thrombotic thrombocytopenic purpura. <i>Blood</i> , 2021, 137, 3563-3575.	1.4	31
87	Lipid, haemostatic and inflammatory variables in relation to the estrogen receptor β (ESR1) PvuII and XbaI gene polymorphisms. <i>Clinica Chimica Acta</i> , 2007, 380, 157-164.	1.1	30
88	Long-term danazol prophylaxis does not lead to increased carotid intima-media thickness in hereditary angioedema patients. <i>Atherosclerosis</i> , 2008, 198, 184-191.	0.8	30
89	Increased circulating heat shock protein 70 levels in pregnant asthmatics. <i>Cell Stress and Chaperones</i> , 2010, 15, 295-300.	2.9	30
90	Complement activation, inflammation and relative ADAMTS13 deficiency in secondary thrombotic microangiopathies. <i>Immunobiology</i> , 2017, 222, 119-127.	1.9	30

#	ARTICLE	IF	CITATIONS
91	Early Increase in Complement Terminal Pathway Activation Marker sC5b-9 Is Predictive for the Development of Thrombotic Microangiopathy after Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 989-996.	2.0	30
92	High prevalence of IgG and IgA antibodies to 19-kDa <i>Helicobacter pylori</i> -associated lipoprotein in chronic urticaria. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2003, 58, 663-667.	5.7	29
93	Genetic basis of tobacco smoking: strong association of a specific major histocompatibility complex haplotype on chromosome 6 with smoking behavior. <i>International Immunology</i> , 2004, 16, 1507-1514.	4.0	29
94	Nutritional form for the elderly is a reliable and valid instrument for the determination of undernutrition risk, and it is associated with health-related quality of life. <i>Nutrition Research</i> , 2008, 28, 59-65.	2.9	29
95	Circulating ficolin-2 and ficolin-3 in normal pregnancy and pre-eclampsia. <i>Clinical and Experimental Immunology</i> , 2012, 169, 49-56.	2.6	29
96	Increased circulating heat shock protein 70 (HSPA1A) levels in gestational diabetes mellitus: a pilot study. <i>Cell Stress and Chaperones</i> , 2015, 20, 575-581.	2.9	29
97	Complement analysis in the era of targeted therapeutics. <i>Molecular Immunology</i> , 2018, 102, 84-88.	2.2	29
98	Estrogen receptor β (ESR1) PvuII and XbaI gene polymorphisms in ischemic stroke in a Hungarian population. <i>Clinica Chimica Acta</i> , 2007, 382, 100-105.	1.1	28
99	Decreased Neutrophil Extracellular Trap Degradation in Shiga Toxin-Associated Haemolytic Uraemic Syndrome. <i>Journal of Innate Immunity</i> , 2017, 9, 12-21.	3.8	28
100	A 60 kD heat-shock protein-like molecule interacts with the HIV transmembrane glycoprotein gp41. <i>Molecular Immunology</i> , 1999, 36, 619-628.	2.2	27
101	Overrepresentation of the N363S Variant of the Glucocorticoid Receptor Gene in Patients with Bilateral Adrenal Incidentalomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2796-2799.	3.6	27
102	Proinflammatory changes in human umbilical cord vein endothelial cells can be induced neither by native nor by modified CRP. <i>International Immunology</i> , 2006, 18, 871-878.	4.0	27
103	Toll-Like Receptor 4 Gene Polymorphisms and Preeclampsia: Lack of Association in a Caucasian Population. <i>Hypertension Research</i> , 2008, 31, 859-864.	2.7	27
104	Genetic analysis and functional characterization of novel mutations in a series of patients with atypical hemolytic uremic syndrome. <i>Molecular Immunology</i> , 2016, 71, 10-22.	2.2	27
105	Inflammation and oxidative stress caused by nitric oxide synthase uncoupling might lead to left ventricular diastolic and systolic dysfunction in patients with hypertension. <i>Journal of Geriatric Cardiology</i> , 2015, 12, 1-10.	0.2	27
106	Antibodies against heat shock proteins and cholesterol in HIV infection. <i>Molecular Immunology</i> , 2005, 42, 79-85.	2.2	26
107	Circulating anti-heat-shock-protein antibodies in normal pregnancy and preeclampsia. <i>Cell Stress and Chaperones</i> , 2009, 14, 491-498.	2.9	26
108	Role of complement in the pathomechanism of atherosclerotic vascular diseases. <i>Molecular Immunology</i> , 2009, 46, 2784-2793.	2.2	26

#	ARTICLE	IF	CITATIONS
109	Complement anaphylatoxin C3a as a novel independent prognostic marker in heart failure. <i>Clinical Research in Cardiology</i> , 2012, 101, 607-615.	3.3	26
110	Elevated plasma neutrophil elastase concentration is associated with disease activity in patients with thrombotic thrombocytopenic purpura. <i>Thrombosis Research</i> , 2014, 133, 616-621.	1.7	26
111	Cytokine regulation of the acute-phase protein levels in multiple myeloma. <i>European Journal of Clinical Investigation</i> , 1998, 28, 679-686.	3.4	25
112	C1q Autoantibodies in HIV Infection: Correlation to Elevated Levels of Autoantibodies against 60-kDa Heat-Shock Proteins. <i>Clinical Immunology</i> , 1999, 90, 247-255.	3.2	25
113	Functional characterization of two novel non-synonymous alterations in CD46 and a Q950H change in factor H found in atypical hemolytic uremic syndrome patients. <i>Molecular Immunology</i> , 2015, 65, 367-376.	2.2	24
114	Monomeric C-reactive protein inhibits renal cell-directed complement activation mediated by properdin. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F1308-F1316.	2.7	24
115	The association of serum lipoprotein(a) levels, apolipoprotein(a) size and (TTTTA) _n polymorphism with coronary heart disease. <i>Clinica Chimica Acta</i> , 2001, 309, 45-51.	1.1	23
116	Comparative analysis of linear antibody epitopes on human and mycobacterial 60-kDa heat shock proteins using samples of healthy blood donors. <i>International Immunology</i> , 2003, 15, 1229-1236.	4.0	23
117	Elevated levels of antibodies against 70 kDa heat shock proteins in the sera of patients with HIV infection. <i>Journal of Medical Virology</i> , 2003, 71, 480-482.	5.0	23
118	Paradoxical alteration of acute-phase protein levels in patients with chronic hepatitis C treated with IFN- α 2b. <i>International Immunology</i> , 2004, 16, 51-54.	4.0	23
119	Knock-out of the histidine decarboxylase gene modifies the repertoire of natural autoantibodies. <i>Journal of Autoimmunity</i> , 2004, 22, 297-305.	6.5	23
120	MBL and C1q compete for interaction with human endothelial cells. <i>Molecular Immunology</i> , 2007, 44, 1150-1158.	2.2	23
121	Anti-mutated citrullinated vimentin (anti-MCV) and anti-65kDa heat shock protein (anti-hsp65): New biomarkers in ankylosing spondylitis. <i>Joint Bone Spine</i> , 2012, 79, 63-66.	1.6	23
122	Circulating mitochondrial stress 70 protein/mortalin and cytosolic Hsp70 in blood: Risk indicators in colorectal cancer. <i>International Journal of Cancer</i> , 2017, 141, 2329-2335.	5.1	23
123	High levels of acute phase proteins and soluble 70 kDa heat shock proteins are independent and additive risk factors for mortality in colorectal cancer. <i>Cell Stress and Chaperones</i> , 2011, 16, 49-55.	2.9	22
124	Complement activating antibodies against the human 60 kDa heat shock protein as a new independent family risk factor of coronary heart disease. <i>European Journal of Clinical Investigation</i> , 2002, 32, 405-410.	3.4	21
125	Anti-cholesterol antibodies (ACHA) in patients with different atherosclerotic vascular diseases and healthy individuals. Characterization of human ACHA. <i>Atherosclerosis</i> , 2001, 156, 185-192.	0.8	20
126	Marked decrease in the levels of two inflammatory markers, hs-C-reactive protein and fibrinogen in patients with severe carotid atherosclerosis after eversion carotid endarterectomy. <i>Inflammation Research</i> , 2004, 53, 631-635.	4.0	20

#	ARTICLE	IF	CITATIONS
127	Low complement C4B gene copy number predicts short-term mortality after acute myocardial infarction. <i>International Immunology</i> , 2008, 20, 31-37.	4.0	20
128	The ratio of the neutrophil leucocytes to the lymphocytes predicts the outcome after cardiac resynchronization therapy. <i>Europace</i> , 2016, 18, 747-754.	1.7	20
129	Concentration and Subclass Distribution of Anti-ADAMTS13 IgG Autoantibodies in Different Stages of Acquired Idiopathic Thrombotic Thrombocytopenic Purpura. <i>Frontiers in Immunology</i> , 2018, 9, 1646.	4.8	20
130	Elevated complement C3 is associated with early restenosis after eversion carotid endarterectomy. <i>Thrombosis and Haemostasis</i> , 2006, 96, 529-534.	3.4	19
131	A systematic analysis of the complement pathways in patients with neuromyelitis optica indicates alteration but no activation during remission. <i>Molecular Immunology</i> , 2014, 57, 200-209.	2.2	19
132	Long-Term Survival and Apolipoprotein A1 Level in Chronic Heart Failure: Interaction With Tumor Necrosis Factor Î± 308 G/A Polymorphism. <i>Journal of Cardiac Failure</i> , 2017, 23, 113-120.	1.7	19
133	Decreased Ficolin-3-mediated Complement Lectin Pathway Activation and Alternative Pathway Amplification During Bacterial Infections in Patients With Type 2 Diabetes Mellitus. <i>Frontiers in Immunology</i> , 2019, 10, 509.	4.8	19
134	Circulating Levels of Tissue Plasminogen Activator and Plasminogen Activator Inhibitor-1 Are Independent Predictors of Coronavirus Disease 2019 Severity: A Prospective, Observational Study. <i>Seminars in Thrombosis and Hemostasis</i> , 2021, 47, 451-455.	2.7	19
135	Smoking and a complement gene polymorphism interact in promoting cardiovascular disease morbidity and mortality. <i>Clinical and Experimental Immunology</i> , 2007, 149, 132-138.	2.6	18
136	Adrenomedullin and endothelin-1 are related to inflammation in chronic heart failure. <i>Inflammation Research</i> , 2009, 58, 298-305.	4.0	18
137	Functional analysis of the mannose-binding lectin complement pathway in normal pregnancy and preeclampsia. <i>Journal of Reproductive Immunology</i> , 2010, 87, 90-96.	1.9	18
138	Endothelial Cell Function in Patients with Hereditary Angioedema: Elevated Soluble E-selectin Level During Inter-attack Periods. <i>Journal of Clinical Immunology</i> , 2012, 32, 61-69.	3.8	18
139	Persistently elevated extracellular HSP70 (HSPA1A) level as an independent prognostic marker in post-cardiac-arrest patients. <i>Cell Stress and Chaperones</i> , 2013, 18, 447-454.	2.9	18
140	Analysis of Linear Antibody Epitopes on Factor H and CFHR1 Using Sera of Patients with Autoimmune Atypical Hemolytic Uremic Syndrome. <i>Frontiers in Immunology</i> , 2017, 8, 302.	4.8	18
141	Interaction of complement and specific antibodies with the external glycoprotein 120 of HIV-1. <i>Immunology</i> , 1995, 85, 184-9.	4.4	18
142	Early Rise in Serum VEGF and PDGF Levels Predisposes Patients With a Normal MBL2 Genotype to Restenosis After Eversion Endarterectomy. <i>Stroke</i> , 2007, 38, 2247-2253.	2.0	17
143	Red cell distribution width: a powerful prognostic marker in heart failure. <i>European Journal of Heart Failure</i> , 2010, 12, 415-415.	7.1	17
144	Soluble gC1q-R/p33, a Cell Protein That Binds to the Globular Heads of C1q, Effectively Inhibits the Growth of HIV-1 Strains in Cell Cultures. <i>Clinical Immunology</i> , 2001, 99, 222-231.	3.2	16

#	ARTICLE	IF	CITATIONS
145	Association of plasma lipid levels with apolipoprotein E polymorphism in Type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2002, 56, 63-68.	2.8	16
146	Studies on the mechanism of complement-mediated inhibition of antibody binding to HIV gp41. <i>Clinical and Experimental Immunology</i> , 2008, 94, 490-493.	2.6	16
147	Novel Vasoregulatory Aspects of Hereditary Angioedema: the Role of Arginine Vasopressin, Adrenomedullin and Endothelin-1. <i>Journal of Clinical Immunology</i> , 2016, 36, 160-170.	3.8	16
148	The role of human leukocyte antigen DRB1-DQB1 haplotypes in the susceptibility to acquired idiopathic thrombotic thrombocytopenic purpura. <i>Human Immunology</i> , 2017, 78, 80-87.	2.4	16
149	High serum Hsp70 level predicts poor survival in colorectal cancer: Results obtained in an independent validation cohort. <i>Cancer Biomarkers</i> , 2018, 23, 539-547.	1.7	16
150	Immunogenic hotspots in the spacer domain of ADAMTS13 in immune-mediated thrombotic thrombocytopenic purpura. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 478-488.	3.8	16
151	Expanding Horizons in Complement Analysis and Quality Control. <i>Frontiers in Immunology</i> , 2021, 12, 697313.	4.8	16
152	Anti-ADAMTS13 autoantibody profiling in patients with immune-mediated thrombotic thrombocytopenic purpura. <i>Blood Advances</i> , 2021, 5, 3427-3435.	5.2	16
153	High normal serum levels of C3 and C1 inhibitor, two acute-phase proteins belonging to the complement system, occur more frequently in patients with Crohn's disease than ulcerative colitis. <i>Digestive Diseases and Sciences</i> , 2003, 48, 1186-1192.	2.3	15
154	HLA-association of serum levels of natural antibodies. <i>Molecular Immunology</i> , 2009, 46, 1416-1423.	2.2	15
155	Comparison of epitope specificity of anti-heat shock protein 60/65 IgG type antibodies in the sera of healthy subjects, patients with coronary heart disease and inflammatory bowel disease. <i>Cell Stress and Chaperones</i> , 2012, 17, 215-227.	2.9	15
156	Associations between the von Willebrand Factor-ADAMTS13 Axis, Complement Activation, and COVID-19 Severity and Mortality. <i>Thrombosis and Haemostasis</i> , 2022, 122, 240-256.	3.4	15
157	Impaired humoral immune response against mycobacterial 65-kDa heat shock protein (HSP65) in patients with inflammatory bowel disease. <i>Digestive Diseases and Sciences</i> , 2002, 47, 1432-1437.	2.3	14
158	Epistatic effects of genes encoding immunoglobulin GM allotypes and interleukin-6 on the production of autoantibodies to 60- and 65-kDa heat-shock proteins. <i>Genes and Immunity</i> , 2004, 5, 68-71.	4.1	14
159	Plasma osteopontin concentrations in preeclampsia – is there an association with endothelial injury?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 181-187.	2.3	14
160	Serum soluble E-selectin and NT-proBNP levels additively predict mortality in diabetic patients with chronic heart failure. <i>Clinical Research in Cardiology</i> , 2011, 100, 587-594.	3.3	14
161	Validation of Early Increase in Complement Activation Marker sC5b-9 as a Predictive Biomarker for the Development of Thrombotic Microangiopathy After Stem Cell Transplantation. <i>Frontiers in Medicine</i> , 2020, 7, 569291.	2.6	14
162	Complement Genetic Variants and FH Desialylation in <i>S. pneumoniae</i> -Haemolytic Uraemic Syndrome. <i>Frontiers in Immunology</i> , 2021, 12, 641656.	4.8	14

#	ARTICLE	IF	CITATIONS
163	Low levels of antibodies against E. coli and mycobacterial 65kDa heat shock proteins in patients with inflammatory bowel disease. <i>Inflammation Research</i> , 2004, 53, 551-555.	4.0	13
164	Association of Smoking Behavior with an Odorant Receptor Allele Telomeric to the Human Major Histocompatibility Complex. <i>Genetic Testing and Molecular Biomarkers</i> , 2008, 12, 481-486.	1.7	13
165	Serum concentration of immunoglobulin G-type antibodies against the whole Epstein-Barr nuclear antigen 1 and its aa35-58 or aa398-404 fragments in the sera of patients with systemic lupus erythematosus and multiple sclerosis. <i>Clinical and Experimental Immunology</i> , 2013, 171, 255-262.	2.6	13
166	Activation of the ficolin-lectin pathway during attacks of hereditary angioedema. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 1388-1393.e1.	2.9	13
167	Decreased circulating dipeptidyl peptidase-4 enzyme activity is prognostic for severe outcomes in COVID-19 inpatients. <i>Biomarkers in Medicine</i> , 2022, 16, 317-330.	1.4	13
168	Development of a sensitive assay for the measurement of antibodies against heat shock protein binding protein 1 (HspBP1): Increased levels of anti-HspBP1 IgG are prevalent in HIV infected subjects. <i>Journal of Medical Virology</i> , 2005, 76, 464-469.	5.0	12
169	Th1 and Th2 cell responses of type 1 diabetes patients and healthy controls to human heat-shock protein 60 peptides AA437-460 and AA394-408. <i>Inflammation Research</i> , 2005, 54, 415-419.	4.0	12
170	Interleukin-6 γ 174 promoter polymorphism does not influence IL-6 production after LPS and IL-1 β stimulation in human umbilical cord vein endothelial cells. <i>Cytokine</i> , 2007, 40, 17-22.	3.2	12
171	Human anti-60 kD heat shock protein autoantibodies are characterized by basic features of natural autoantibodies. <i>Acta Physiologica Hungarica</i> , 2010, 97, 1-10.	0.9	12
172	Intraspecific Evolution of Human RCCX Copy Number Variation Traced by Haplotypes of the CYP21A2 Gene. <i>Genome Biology and Evolution</i> , 2013, 5, 98-112.	2.5	12
173	Common Genetic Variants of the Human Steroid 21-Hydroxylase Gene (CYP21A2) Are Related to Differences in Circulating Hormone Levels. <i>PLoS ONE</i> , 2014, 9, e107244.	2.5	12
174	Complement Activation and its Prognostic role in Postcardiac Arrest Patients. <i>Scandinavian Journal of Immunology</i> , 2014, 79, 404-409.	2.7	12
175	Increased levels of anti-heat-shock protein 60 (anti-Hsp60) indicate endothelial dysfunction, atherosclerosis and cardiovascular diseases in patients with mixed connective tissue disease. <i>Immunologic Research</i> , 2014, 60, 50-59.	2.9	12
176	Coexistence of aortic valve stenosis and cardiac amyloidosis: echocardiographic and clinical significance. <i>Cardiovascular Ultrasound</i> , 2019, 17, 32.	1.6	12
177	FHR-5 Serum Levels and CFHR5 Genetic Variations in Patients With Immune Complex-Mediated Membranoproliferative Glomerulonephritis and C3-Glomerulopathy. <i>Frontiers in Immunology</i> , 2021, 12, 720183.	4.8	12
178	Chaperones As Part of Immune Networks. , 2007, 594, 159-166.		12
179	High Level of Anticholesterol Antibodies (ACHA) in HIV Patients. Normalization of Serum ACHA Concentration after Introduction of HAART. <i>Immunobiology</i> , 2001, 203, 756-768.	1.9	11
180	Early complement activation follows eversion carotid endarterectomy and correlates with the time of clamping of the carotid artery. <i>Molecular Immunology</i> , 2008, 45, 3289-3294.	2.2	11

#	ARTICLE	IF	CITATIONS
181	The use of "real-time" complement analysis to differentiate atypical haemolytic uraemic syndrome from other forms of thrombotic microangiopathies. <i>British Journal of Haematology</i> , 2012, 158, 424-425.	2.5	11
182	Platelet Count, ADAMTS13 Activity, von Willebrand Factor Level and Survival in Patients with Colorectal Cancer: 5-Year Follow-up Study. <i>Thrombosis and Haemostasis</i> , 2018, 118, 123-131.	3.4	11
183	A case report of a child with sepsis induced multiorgan failure and massive complement consumption treated with a short course of Eculizumab. <i>Medicine (United States)</i> , 2019, 98, e14105.	1.0	11
184	Complement Factor H-Related Proteins FHR1 and FHR5 Interact With Extracellular Matrix Ligands, Reduce Factor H Regulatory Activity and Enhance Complement Activation. <i>Frontiers in Immunology</i> , 2022, 13, 845953.	4.8	11
185	Increased Frequency of the C3*F Allele and the Leiden Mutation of Coagulation Factor V in Patients with Severe Coronary Heart Disease Who Survived Myocardial Infarction. <i>Experimental and Clinical Immunogenetics</i> , 2001, 18, 206-212.	1.2	10
186	Significant decrease of the enhancement/neutralization index in HIV patients during highly active antiretroviral therapy (HAART). <i>Immunology Letters</i> , 2003, 89, 25-30.	2.5	10
187	High levels of C-reactive protein with low total cholesterol concentrations additively predict all-cause mortality in patients with coronary artery disease. <i>European Journal of Clinical Investigation</i> , 2005, 35, 104-111.	3.4	10
188	Antibodies against C-Reactive Protein Cross-React with 60-Kilodalton Heat Shock Proteins. <i>Vaccine Journal</i> , 2007, 14, 335-341.	3.1	10
189	Relationship between copy number of genes (C4A, C4B) encoding the fourth component of complement and the clinical course of hereditary angioedema (HAE). <i>Molecular Immunology</i> , 2007, 44, 2667-2674.	2.2	10
190	Frequency of Carriers of 8.1 Ancestral Haplotype and its Fragments in Two Caucasian Populations. <i>Immunological Investigations</i> , 2007, 36, 307-319.	2.0	10
191	Serum Ghrelin Level and TNF- α /Ghrelin Ratio in Patients with Previous Myocardial Infarction. <i>Archives of Medical Research</i> , 2012, 43, 548-554.	3.3	10
192	A unique haplotype of RCCX copy number variation: from the clinics of congenital adrenal hyperplasia to evolutionary genetics. <i>European Journal of Human Genetics</i> , 2017, 25, 702-710.	2.8	10
193	C4 nephritic factor in patients with immune-complex-mediated membranoproliferative glomerulonephritis and C3-glomerulopathy. <i>Orphanet Journal of Rare Diseases</i> , 2019, 14, 247.	2.7	10
194	Comparison of virus neutralization activity and results of 10 different anti-SARS-CoV-2 serological tests in COVID-19 recovered plasma donors. <i>Practical Laboratory Medicine</i> , 2021, 25, e00222.	1.3	10
195	Low C1-Inhibitor Levels Predict Early Restenosis After Eversion Carotid Endarterectomy. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 2756-2762.	2.4	9
196	Factor V Leiden and apolipoprotein E genotypes in severe femoropopliteal atherosclerosis with restenosis. <i>Clinica Chimica Acta</i> , 2007, 377, 256-260.	1.1	9
197	A detailed investigation of maternally inherited diabetes and deafness (MIDD) including clinical characteristics, C-peptide secretion, HLA-DR and DQ status and autoantibody pattern. <i>Diabetes/Metabolism Research and Reviews</i> , 2009, 25, 127-135.	4.0	9
198	Immunoreactive endomorphin 2 is generated extracellularly in rat isolated L4,5 dorsal root ganglia by DPP-IV. <i>Regulatory Peptides</i> , 2009, 157, 1-2.	1.9	9

#	ARTICLE	IF	CITATIONS
199	Both Positive and Negative Selection Pressures Contribute to the Polymorphism Pattern of the Duplicated Human CYP21A2 Gene. <i>PLoS ONE</i> , 2013, 8, e81977.	2.5	9
200	Measurement of the Red Blood Cell Distribution Width Improves the Risk Prediction in Cardiac Resynchronization Therapy. <i>Disease Markers</i> , 2016, 2016, 1-13.	1.3	9
201	Validation of distinct pathogenic patterns in a cohort of membranoproliferative glomerulonephritis patients by cluster analysis. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 225-234.	2.9	9
202	Antibodies against 60-kDa Heat-Shock Proteins in Human Immunodeficiency Virus Infection. <i>Annals of the New York Academy of Sciences</i> , 1998, 851, 94-98.	3.8	8
203	Fetuin-A serum levels in patients with aortic aneurysms of Marfan syndrome and atherosclerosis. <i>European Journal of Clinical Investigation</i> , 2011, 41, 176-182.	3.4	8
204	First-line therapy in atypical hemolytic uremic syndrome: consideration on infants with a poor prognosis. <i>Italian Journal of Pediatrics</i> , 2014, 40, 101.	2.6	8
205	Association of Human Fetuin-A rs4917 Polymorphism with Obesity in 2 Cohorts. <i>Journal of Investigative Medicine</i> , 2015, 63, 548-553.	1.6	8
206	Role of complement in the pathogenesis of thrombotic microangiopathies. <i>Memo - Magazine of European Medical Oncology</i> , 2018, 11, 227-234.	0.5	8
207	Inflammatory- and immune responses in relation to bacterial replication in mice following re-infections with <i>Chlamydomyces pneumoniae</i> . <i>Inflammation Research</i> , 2008, 57, 287-295.	4.0	7
208	Diagnosis and Classification of Hemolytic Uremic Syndrome: The Hungarian Experience. <i>Transplantation Proceedings</i> , 2011, 43, 1247-1249.	0.6	7
209	Red cell distribution width as predictive marker in CHF: Testing of model performance by reclassification methods. <i>International Journal of Cardiology</i> , 2014, 174, 783-785.	1.7	7
210	Complement C3a predicts outcome in cardiac resynchronization therapy of heart failure. <i>Inflammation Research</i> , 2016, 65, 933-940.	4.0	7
211	Preemptive plasma therapy prevents atypical hemolytic uremic syndrome relapse in kidney transplant recipients. <i>European Journal of Internal Medicine</i> , 2020, 73, 51-58.	2.2	7
212	Successful Pregnancies During Ongoing Eculizumab Therapy in Two Patients With Complement-Mediated Thrombotic Microangiopathy. <i>Kidney Medicine</i> , 2020, 2, 213-217.	2.0	7
213	Autoantibodies Against the Complement Regulator Factor H in the Serum of Patients With Neuromyelitis Optica Spectrum Disorder. <i>Frontiers in Immunology</i> , 2021, 12, 660382.	4.8	7
214	Determination of Complement Factor H Functional Polymorphisms (V62I, Y402H, and E936D) using Sequence-Specific Primer PCR and Restriction Fragment Length Polymorphisms. <i>Molecular Diagnosis and Therapy</i> , 2006, 10, 303-310.	3.8	6
215	Associations between Interleukin-6 Genetic Polymorphisms and Levels of Autoantibodies to 60-kDa Heat-Shock Proteins. <i>Human Heredity</i> , 2006, 62, 77-83.	0.8	6
216	Analysis of the 8.1 ancestral MHC haplotype in severe, pneumonia-related sepsis. <i>Clinical Immunology</i> , 2011, 139, 282-289.	3.2	6

#	ARTICLE	IF	CITATIONS
217	First description of a rifampicin-resistant <i>Neisseria meningitidis</i> serogroup Y strain causing recurrent invasive meningococcal disease in Hungary. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2017, 64, 1-7.	0.8	6
218	Molecular basis and outcomes of atypical haemolytic uraemic syndrome in Czech children. <i>European Journal of Pediatrics</i> , 2020, 179, 1739-1750.	2.7	6
219	Human Fetuin-A Rs4918 Polymorphism and its Association with Obesity in Healthy Persons and in Patients with Myocardial Infarction in Two Hungarian Cohorts. <i>Medical Science Monitor</i> , 2016, 22, 2742-2750.	1.1	5
220	The role of mannose binding lectin on fever episodes in pediatric oncology patients. <i>Pathology and Oncology Research</i> , 2016, 22, 139-143.	1.9	5
221	Sex Differences in Clinical Presentation and Outcomes among Patients with Complement-Gene-Variant-Mediated Thrombotic Microangiopathy. <i>Journal of Clinical Medicine</i> , 2020, 9, 964.	2.4	5
222	Soluble Vascular Biomarkers in Rheumatoid Arthritis and Ankylosing Spondylitis: Effects of 1-year Antitumor Necrosis Factor- α Therapy. <i>Journal of Rheumatology</i> , 2021, 48, 821-828.	2.0	5
223	Complement Levels at Admission Reflecting Progression to Severe Acute Kidney Injury (AKI) in Coronavirus Disease 2019 (COVID-19): A Multicenter Prospective Cohort Study. <i>Frontiers in Medicine</i> , 2022, 9, 796109.	2.6	5
224	A Limited Course of Eculizumab in a Child with the Atypical Hemolytic Uremic Syndrome and Pre-B Acute Lymphoblastic Leukemia on Maintenance Therapy: Case Report and Literature Review. <i>Journal of Clinical Medicine</i> , 2022, 11, 2779.	2.4	5
225	Dramatic changes in the serum levels of anti-cholesterol antibodies after eversion endarterectomy in patients with severe carotid atherosclerosis. <i>Immunology Letters</i> , 2005, 99, 51-56.	2.5	4
226	Effects of vaccination with heat shock proteins on streptozotocin induced diabetes in histidine decarboxylase knockout mice. <i>Inflammation Research</i> , 2008, 57, 178-182.	4.0	4
227	A rare case: childhood-onset C3 glomerulonephritis due to homozygous factor H deficiency. <i>CEN Case Reports</i> , 2013, 2, 234-238.	0.9	4
228	The use of a rapid fluorogenic neuraminidase assay to differentiate acute <i>Streptococcus pneumoniae</i> -associated hemolytic uremic syndrome (HUS) from other forms of HUS. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, e117-9.	2.3	4
229	Atrial natriuretic peptide as a novel biomarker of hereditary angioedema. <i>Clinical Immunology</i> , 2016, 165, 45-46.	3.2	4
230	Functional Characterization of the Disease-Associated N-Terminal Complement Factor H Mutation W198R. <i>Frontiers in Immunology</i> , 2017, 8, 1800.	4.8	4
231	Elevated Systemic Pentraxin-3 Is Associated With Complement Consumption in the Acute Phase of Thrombotic Microangiopathies. <i>Frontiers in Immunology</i> , 2019, 10, 240.	4.8	4
232	Complement Markers in Blood and Urine: No Diagnostic Value in Late Silent Antibody-Mediated Rejection. <i>Transplantation Direct</i> , 2019, 5, e470.	1.6	4
233	Case Report: A Case of COVID Vaccine-Induced Thrombotic Thrombocytopenia Manifested as Pulmonary Embolism and Hemorrhagia. A First Reported Case From Slovakia. <i>Frontiers in Medicine</i> , 2021, 8, 789972.	2.6	4
234	Carboxiterminal pro-endothelin-1 as an endothelial cell biomarker in thrombotic thrombocytopenic purpura. <i>Thrombosis and Haemostasis</i> , 2016, 115, 1034-1043.	3.4	3

#	ARTICLE	IF	CITATIONS
235	Alternative complement pathway activation during invasive coronary procedures in acute myocardial infarction and stable angina pectoris. <i>Clinica Chimica Acta</i> , 2016, 463, 138-144.	1.1	3
236	Eculizumab use in a tertiary care nephrology center: data from the Vienna TMA cohort. <i>Journal of Nephrology</i> , 2022, 35, 451-461.	2.0	3
237	Case Report: Early Onset Systemic Lupus Erythematosus Due to Hereditary C1q Deficiency Treated With Fresh Frozen Plasma. <i>Frontiers in Pediatrics</i> , 2021, 9, 756387.	1.9	3
238	Contribution of complement to defensin action in eye. <i>Lancet, The</i> , 1998, 352, 1152.	13.7	2
239	Changes in the plasma concentration of soluble thrombomodulin in patients with severe carotid artery stenosis after eversion endarterectomy. <i>Inflammation Research</i> , 2005, 54, 289-294.	4.0	2
240	SP730PREEMPTIVE PLASMA THERAPY AND ECULIZUMAB RESCUE FOR ATYPICAL HEMOLYTIC UREMIC SYNDROME RELAPSE FOLLOWING KIDNEY TRANSPLANTATION. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i592-i593.	0.7	2
241	Novel Biomarkers in Cardiac Resynchronization Therapy: Hepatocyte Growth Factor Is an Independent Predictor of Clinical Outcome. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 48-55.	0.6	2
242	Pregnancies in kidney transplant recipients with complement gene variant-mediated thrombotic microangiopathy. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1255-1260.	2.9	2
243	Acute heart transplantation from mechanical circulatory support in a human immunodeficiency virus-positive patient with fulminant myocarditis. <i>ESC Heart Failure</i> , 2021, 8, 1643-1648.	3.1	2
244	A pharmacokinetics-based approach to the monitoring of patient adherence to atorvastatin therapy. <i>Pharmacology Research and Perspectives</i> , 2021, 9, e00856.	2.4	2
245	Complement multiplex testing: Concept, promises and pitfalls. <i>Molecular Immunology</i> , 2021, 140, 120-126.	2.2	2
246	The Role of Mannose-binding Lectin in Infectious Complications of Pediatric Hemato-Oncologic Diseases. <i>Pediatric Infectious Disease Journal</i> , 2021, 40, 154-158.	2.0	2
247	COVID-19: a trigger for severe thrombotic microangiopathy in a patient with complement gene variant. <i>Romanian Journal of Internal Medicine = Revue Roumaine De Medecine Interne</i> , 2022, .	0.6	2
248	Complement-Mediated Antibody-Dependent Enhancement of Viral Infections. , 2004, , 249-264.		1
249	OS004. A link between the complement system and angiogenic imbalance in preeclampsia: ficolin-2 deficiency. <i>Pregnancy Hypertension</i> , 2012, 2, 177.	1.4	1
250	Association of Low Ficolin Lectin Pathway Parameters with Cardiac Syndrome X. <i>Scandinavian Journal of Immunology</i> , 2016, 84, 174-181.	2.7	1
251	High-activity Classical and Alternative Complement Pathway Genotypes Association With Donor-specific Antibody-triggered Injury and Renal Allograft Survival. <i>Transplantation Direct</i> , 2020, 6, e534.	1.6	1
252	A Novel Homozygous In-Frame Deletion in Complement Factor 3 Underlies Early-Onset Autosomal Recessive Atypical Hemolytic Uremic Syndrome - Case Report. <i>Frontiers in Immunology</i> , 2021, 12, 608604.	4.8	1

#	ARTICLE	IF	CITATIONS
253	Association of Appendicitis, Helicobacter Pylori Positive Gastritis and Thrombotic Thrombocytopenic Purpura in an Adolescent. American Journal of Case Reports, 2019, 20, 131-133.	0.8	1
254	Complement Genetics for the Practicing Allergist Immunologist: Focus on Complement Deficiencies. Journal of Allergy and Clinical Immunology: in Practice, 2022, , .	3.8	1
255	Role of complement and antibodies in the control and facilitation of HIV disease. Pathology and Oncology Research, 1997, 3, 296-302.	1.9	0
256	Increased prevalence of functionally deficient alleles of some proteins of plasma enzyme systems in severe CHD patients with previous myocardial infarction. Atherosclerosis, 1999, 144, 93.	0.8	0
257	Autoantibodies in inflammatory bowel disease. Gastroenterology, 2000, 118, A1333.	1.3	0
258	994 Correlations of spontaneous echocontrast and inflammatory, haemostaseologic and echocardiographic parameters in atrial fibrillation. European Journal of Echocardiography, 2005, 6, S159-S159.	2.3	0
259	Gene-Gene Interactions in Immunology as Exemplified by Studies on Autoantibodies against 60 kDa Heat-shock Protein. , 2006, , 351-370.		0
260	Early complement activation follows carotid endarterectomy but not carotid artery stenting. Molecular Immunology, 2007, 44, 3961.	2.2	0
261	Early complement activation is associated with unfavorable outcomes in acute ischaemic stroke. Molecular Immunology, 2008, 45, 4154-4155.	2.2	0
262	Complement protease MASP-1 activates human endothelial cells: PAR4 activation is a link between complement and endothelial function. Molecular Immunology, 2009, 46, 2828-2829.	2.2	0
263	Association of complement activation with preeclampsia. Molecular Immunology, 2009, 46, 2842.	2.2	0
264	Consumption and dysregulation of complement classical and alternative pathways in patients with streptococcus pneumoniae-associated haemolytic uremic syndrome. Immunobiology, 2012, 217, 1219.	1.9	0
265	AB0960â€¦Autoantibodies to Heat-Shock Protein60 and Cardiovascular Disease in Patients with Mixed Connective Tissue Disease. Annals of the Rheumatic Diseases, 2014, 73, 1117.3-1118.	0.9	0
266	Complement-Mediated Glomerular Injury in Children. , 2014, , 1-34.		0
267	P057â€¦Effects of ANTI-TNF therapy on vascular biomarker levels in rheumatoid arthritis. , 2018, , .		0
268	P824Novel biomarkers in cardiac resynchronization therapy: Hepatocyte growth factor is an independent predictor of clinical outcome. Europace, 2018, 20, i151-i151.	1.7	0
269	SP007EARLY FETAL OUTCOME OF 28 PREGNANCIES IN WOMEN WITH ATYPICAL HEMOLYTIC UREMIC SYNDROME. Nephrology Dialysis Transplantation, 2018, 33, i348-i349.	0.7	0
270	Pregnancy Outcome after Exposure to Migalastat for Fabry Disease: A Clinical Report. Case Reports in Obstetrics and Gynecology, 2019, 2019, 1-7.	0.3	0

#	ARTICLE	IF	CITATIONS
271	P0179ECULIZUMAB USE IN A TERTIARY CARE NEPHROLOGY CENTER. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
272	Atypical HUS and Crohn's disease"interference of intestinal disease activity with complement-blocking treatment. <i>Pediatric Nephrology</i> , 2021, 36, 3277-3280.	1.7	0
273	Preliminary study of normal tear complement activation in patients with seasonal allergic conjunctivitis outside the season. <i>Acta Ophthalmologica</i> , 0, 86, 0-0.	1.1	0
274	Circulating Chaperones in Health and Disease. <i>Heat Shock Proteins</i> , 2012, , 279-290.	0.2	0
275	Complement-Mediated Glomerular Injury in Children. , 2016, , 927-958.		0
276	FRI0057"Effects of anti-tnf therapy on vascular biomarker levels in rheumatoid arthritis. , 2018, , .		0
277	Hemolytic uremic syndrome complicating whooping cough. <i>Srpski Arhiv Za Celokupno Lekarstvo</i> , 2019, 147, 89-93.	0.2	0
278	Update on the role of the complement system in the pathogenesis of thrombotic microangiopathies. <i>Prilozi - Makedonska Akademija Na Naukite I Umetnostite Oddelenie Za Medicinski Nauki</i> , 2014, 35, 115-22.	0.5	0
279	Exploring red cell distribution width as a biomarker for treatment efficacy in home mechanical ventilation. <i>BMC Pulmonary Medicine</i> , 2022, 22, 115.	2.0	0
280	Serum fetuin-A level is independent of <i>Helicobacter pylori</i> postinfection status in systemic lupus erythematosus. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2022, , .	0.8	0
281	Dense deposit disease in an adolescent male mimicking acute post-streptococcal glomerulonephritis.. <i>Hippokratia</i> , 2020, 24, 191-193.	0.3	0