

Xiaoyan Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8025159/publications.pdf>

Version: 2024-02-01

73
papers

2,230
citations

201674

27
h-index

233421

45
g-index

74
all docs

74
docs citations

74
times ranked

2316
citing authors

#	ARTICLE	IF	CITATIONS
1	The synthesis, characterization and decontamination of surface radioactive contamination of ethyl cellulose/polyacrylate strippable detergent at low temperature. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 640, 128463.	4.7	6
2	One-Pot Method to Synthesize Silver Nanoparticle-Modified Bamboo-Based Carbon Aerogels for Formaldehyde Removal. <i>Polymers</i> , 2022, 14, 860.	4.5	2
3	Study on textural changes and pectin degradation of tarocco blood Orange during storage. <i>International Journal of Food Properties</i> , 2022, 25, 344-358.	3.0	9
4	Biodegradable antifreeze foam stabilized by lauryl alcohol for radioactive surface decontamination. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2022, 331, 3135-3145.	1.5	3
5	Removal of uranium by APG/TAS antifreeze foam detergent with high foaming property. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 650, 129589.	4.7	3
6	A novel self-crosslinked gel microspheres of <i>Premna microphylla turcz</i> leaves for the absorption of uranium. <i>Journal of Hazardous Materials</i> , 2021, 404, 124151.	12.4	40
7	Microwave-assisted hydrothermal synthesis of carbon doped with phosphorus for uranium(VI) adsorption. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2021, 327, 73-89.	1.5	14
8	Phytic acid-decorated porous organic polymer for uranium extraction under highly acidic conditions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 625, 126981.	4.7	28
9	The stability and decontamination of surface radioactive contamination of biomass-based antifreeze foam. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 624, 126774.	4.7	16
10	Ultralight ethyl cellulose-based electret fiber membrane for low-resistance and high-efficient capture of PM2.5. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 630, 127643.	4.7	11
11	Nano-zero-valent Fe/Ni particles loaded on collagen fibers immobilized by bayberry tannin as an effective reductant for uranyl in aqueous solutions. <i>Applied Surface Science</i> , 2020, 507, 145075.	6.1	43
12	Carboxymethyl konjac glucomannan mechanically reinforcing gellan gum microspheres for uranium removal. <i>International Journal of Biological Macromolecules</i> , 2020, 145, 535-546.	7.5	26
13	Selective adsorption of uranium from salt lake simulated solution by phenolic functionalized hollow sponge-like adsorbent. <i>Journal of Chemical Technology and Biotechnology</i> , 2019, 94, 455-467.	3.2	18
14	<i>Marinobacter</i> sp. Stable Hydrous Titanium Oxide-Functionalized Bovine Serum Albumin Nanospheres for Uranium Capture from Spiked Seawater. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 40898-40908.	8.0	24
15	Rapid synthesis of carbon materials by microwave-assisted hydrothermal method at low temperature and its adsorption properties for uranium (VI). <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2019, 321, 629-646.	1.5	9
16	Phenolic hydroxyl derived copper alginate microspheres as superior adsorbent for effective adsorption of tetracycline. <i>International Journal of Biological Macromolecules</i> , 2019, 136, 445-459.	7.5	79
17	Stereoscopic porous gellan gum-based microspheres as high performance adsorbents for U(VI) removal. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2019, 319, 213-225.	1.5	9
18	Adsorption capacity of kelp-like electrospun nanofibers immobilized with bayberry tannin for uranium extraction from seawater. <i>RSC Advances</i> , 2019, 9, 8091-8103.	3.6	38

#	ARTICLE	IF	CITATIONS
19	Highly efficient extraction of thorium from aqueous solution by fungal mycelium-based microspheres fabricated via immobilization. <i>Chemical Engineering Journal</i> , 2019, 368, 37-50.	12.7	52
20	Study on adsorption of tetracycline by Cu-immobilized alginate adsorbent from water environment. <i>International Journal of Biological Macromolecules</i> , 2019, 124, 418-428.	7.5	155
21	Novel alginate particles decorated with nickel for enhancing ciprofloxacin removal: Characterization and mechanism analysis. <i>Ecotoxicology and Environmental Safety</i> , 2019, 169, 392-401.	6.0	35
22	Accumulation and effects of uranium on aquatic macrophyte <i>Nymphaea tetragona</i> Georgi: Potential application to phytoremediation and environmental monitoring. <i>Journal of Environmental Radioactivity</i> , 2019, 198, 43-49.	1.7	46
23	Preparation of tannin-immobilized gelatin/PVA nanofiber band for extraction of uranium (VI) from simulated seawater. <i>Ecotoxicology and Environmental Safety</i> , 2019, 170, 9-17.	6.0	48
24	Non-oxidative Methane Conversion Using Lead- and Iron-Modified Albite Catalysts in Fixed-Bed Reactor. <i>Chinese Journal of Chemistry</i> , 2018, 36, 531-537.	4.9	11
25	Efficient simultaneous removal of U(VI) and Cu(II) from aqueous solution using core-shell nZVI@SA/CMC-Ca beads. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2018, 315, 223-235.	1.5	12
26	Highly selective and efficient removal of fluoride from ground water by layered Al-Zr-La Tri-metal hydroxide. <i>Applied Surface Science</i> , 2018, 435, 920-927.	6.1	94
27	Bayberry tannin immobilized bovine serum albumin nanospheres: characterization, irradiation stability and selective removal of uranyl ions from radioactive wastewater. <i>Journal of Materials Chemistry A</i> , 2018, 6, 15359-15370.	10.3	74
28	Love Wave Sensor for Prostate-Specific Membrane Antigen Detection Based on Hydrophilic Molecularly-Imprinted Polymer. <i>Polymers</i> , 2018, 10, 563.	4.5	19
29	Adsorption of phosphorus from slaughterhouse wastewater by carboxymethyl konjac glucomannan loaded with lanthanum. <i>International Journal of Biological Macromolecules</i> , 2018, 119, 105-115.	7.5	56
30	Preparation of a novel microsphere adsorbent of prussian blue capsulated in carboxymethyl cellulose sodium for Cs(I) removal from contaminated water. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017, 311, 1577-1591.	1.5	23
31	Adsorption of Uranium(VI) from a Simulated Saline Solution by Alkali-Activated Leather Waste. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 3251-3258.	3.7	24
32	Preparation of Mesoporous Carbon from Sodium Lignosulfonate by Hydrothermal and Template Method and Its Adsorption of Uranium(VI). <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 12745-12754.	3.7	28
33	Preparation of Ca-alginate coated nZVI core shell beads for uranium (VI) removal from aqueous solution. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017, 314, 2405-2416.	1.5	5
34	Sorption of uranium(VI) by La-Al-carboxymethyl konjac glucomannan microsphere sorbent. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017, 314, 1039-1050.	1.5	7
35	Preparation and application of alginate-Ca/attapulgitic clay core/shell particle for the removal of uranium from aqueous solution. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017, 314, 307-319.	1.5	11
36	Facile synthesis of potassium copper ferrocyanide composite particles for selective cesium removal from wastewater in the batch and continuous processes. <i>RSC Advances</i> , 2017, 7, 31352-31364.	3.6	46

#	ARTICLE	IF	CITATIONS
37	Preparation of chemically oxidized porous carbon and its adsorption of uranium(VI) from aqueous solution. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017, 314, 1853-1864.	1.5	8
38	Hydrothermal synthesis of carbon microsphere from glucose at low temperature and its adsorption property of uranium(VI). <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017, 311, 695-706.	1.5	27
39	Preparation, characterization and adsorption properties for lead (II) of alkali-activated porous leather particles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017, 512, 7-16.	4.7	27
40	Core-shell zeolite@Alginate-Ca particles for removal of strontium from aqueous solutions. <i>RSC Advances</i> , 2016, 6, 73959-73973.	3.6	25
41	Removal of uranium and fluorine from wastewater by double-functional microsphere adsorbent of SA/CMC loaded with calcium and aluminum. <i>Applied Surface Science</i> , 2016, 384, 466-479.	6.1	74
42	A Sorbent Based on Liquor Distillers' Grains for the Removal of Pb(II) and Cr(III) from Aqueous Solution. <i>Procedia Environmental Sciences</i> , 2016, 31, 785-794.	1.4	6
43	Biosorption of uranium(VI) from aqueous solution using microsphere adsorbents of carboxymethyl cellulose loaded with aluminum(III). <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2016, 310, 611-622.	1.5	13
44	Fluoride adsorption from aqueous solution by magnetic core-shell Fe ₃ O ₄ @alginate-La particles fabricated via electro-coextrusion. <i>Applied Surface Science</i> , 2016, 389, 34-45.	6.1	67
45	One-Step Hydrothermal Synthesis of Carbonaceous Spheres from Glucose with an Aluminum Chloride Catalyst and Its Adsorption Characteristic for Uranium(VI). <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 9648-9656.	3.7	33
46	Preparation and characterization of a core-shell KNO ₃ @alginate-Ca particle with uranium-removal and slow-release of KNO ₃ . <i>RSC Advances</i> , 2016, 6, 112065-112078.	3.6	5
47	Adsorption behavior of carboxymethyl konjac glucomannan microspheres for fluoride from aqueous solution. <i>RSC Advances</i> , 2016, 6, 89417-89429.	3.6	13
48	Accessible fabrication of Bi ₂ MoO ₆ /BiOCl for effectively conducting thermally-responsive catalytic decontamination of model pollutants. <i>RSC Advances</i> , 2016, 6, 58371-58379.	3.6	10
49	Implementing thermally-excited-catalytic course solely using ambient heat motivation for efficient abatement of water pollutants. <i>RSC Advances</i> , 2016, 6, 18040-18051.	3.6	2
50	Pectin/Al ₂ O ₃ @ZrO ₂ core/shell bead sorbent for fluoride removal from aqueous solution. <i>RSC Advances</i> , 2016, 6, 27738-27749.	3.6	18
51	An electrochemical sensor based on iron(II,III)@graphene oxide@molecularly imprinted polymer nanoparticles for interleukin-8 detection in saliva. <i>Analytical Methods</i> , 2015, 7, 7784-7791.	2.7	34
52	Super-Paramagnetic Nanoparticles by Surface Imprinting on Graphene Oxide Modified Iron (II, III) with Application for the Determination of Ovalbumin by Absorption Spectroscopy. <i>Analytical Letters</i> , 2015, 48, 2463-2481.	1.8	6
53	Preparation and characterization of the linked lanthanum carboxymethylcellulose microsphere adsorbent for removal of fluoride from aqueous solutions. <i>RSC Advances</i> , 2015, 5, 59273-59285.	3.6	22
54	Preparation and characterization of KGM-g-St/BA fibers and core/shell PCL/KGM-g-St/BA fibers. <i>RSC Advances</i> , 2015, 5, 24975-24983.	3.6	8

#	ARTICLE	IF	CITATIONS
55	Fabrication of Ag ₃ PO ₄ /Bi ₂ O ₃ composites with enhanced photocatalytic properties under visible light. RSC Advances, 2015, 5, 96685-96694.	3.6	7
56	Fluoride removal from aqueous solution by Al(III)-Zr(IV) binary oxide adsorbent. Applied Surface Science, 2015, 357, 91-100.	6.1	60
57	Removal of Sr ²⁺ ions from simulated wastewater by electrodeionization. Desalination and Water Treatment, 2015, 53, 2125-2133.	1.0	11
58	Surface Plasmon Resonance-based Inhibitive Immunoassay Coupled with Dummy Template Molecularly Imprinted Polymer Solid Phase Extraction for On-line Analysis of Trace Clenbuterol. Journal of the Chinese Chemical Society, 2014, 61, 1357-1364.	1.4	2
59	Preparation, Characterization, and Adsorption Properties of Amino-Alky Cellulose for 2, 4, 6-Trinitrotoluene. Polycyclic Aromatic Compounds, 2014, 34, 372-387.	2.6	6
60	A sorbent of carboxymethyl cellulose loaded with zirconium for the removal of fluoride from aqueous solution. Chemical Engineering Journal, 2014, 252, 415-422.	12.7	106
61	Adsorption of Hg(II) in aqueous solutions using mercapto-functionalized alkali lignin. Journal of Applied Polymer Science, 2014, 131, .	2.6	25
62	Thermocatalytic degradation of low density polyethylene films by responding to the actuation of heat. RSC Advances, 2014, 4, 41744-41752.	3.6	5
63	Fluoride adsorption from aqueous solution by aluminum alginate particles prepared via electrostatic spinning device. Chemical Engineering Journal, 2014, 256, 306-315.	12.7	80
64	Biosorption behaviors of uranium (VI) from aqueous solution by sunflower straw and insights of binding mechanism. Journal of Radioanalytical and Nuclear Chemistry, 2013, 298, 1823-1834.	1.5	55
65	Comparative study on the blends of PBS/thermoplastic starch prepared from waxy and normal corn starches. Starch/Staerke, 2013, 65, 831-839.	2.1	57
66	Poly(vinyl alcohol)/quaternized lignin composite absorbent: Synthesis, characterization and application for nitrate adsorption. Journal of Applied Polymer Science, 2013, 128, 2746-2752.	2.6	23
67	Preparation of mid-to-high molecular weight konjac glucomannan (MHKGM) using controllable enzyme-catalyzed degradation and investigation of MHKGM properties. Journal of Polymer Research, 2012, 19, 1.	2.4	8
68	Removal of aniline using lignin grafted acrylic acid from aqueous solution. Chemical Engineering Journal, 2011, 172, 856-863.	12.7	39
69	A modified lignin adsorbent for the removal of 2,4,6-trinitrotoluene. Chemical Engineering Journal, 2011, 168, 1055-1063.	12.7	69
70	Modify of Thermoplastic Soy Protein Isolated by Methyl Methacrylate. , 2011, , .		0
71	Effect of degree of acetylation on thermoplastic and melt rheological properties of acetylated konjac glucomannan. Carbohydrate Polymers, 2010, 82, 167-172.	10.2	30
72	Adsorption of tannin from aqueous solution by deacetylated konjac glucomannan. Journal of Hazardous Materials, 2010, 178, 844-850.	12.4	60

#	ARTICLE	IF	CITATIONS
73	Preparation and characterization of polylactide/thermoplastic konjac glucomannan blends. <i>Polymer</i> , 2009, 50, 3698-3705.	3.8	62