Ute Mons

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8025996/publications.pdf

Version: 2024-02-01

		147801	1	38484
139	4,360 citations	31		58
papers	citations	h-index		g-index
157	157	157		7911
all docs	docs citations	times ranked		citing authors

#	Article	IF	CITATIONS
1	Beyond the European Union Tobacco Products Directive: smokers' and recent quitters' support for further tobacco control measures (2016–2018). Tobacco Control, 2022, 31, 765-769.	3.2	6
2	Secondhand Smoke Exposure in European Countries With Different Smoke-Free Legislation: Findings From the EUREST-PLUS ITC Europe Surveys. Nicotine and Tobacco Research, 2022, 24, 85-92.	2.6	5
3	Prevalence of second-hand tobacco smoke in relation to smoke-free legislation in the European Union. Preventive Medicine, 2022, 154, 106868.	3.4	5
4	Strengthening tobacco control must remain a global health priority. The Lancet Global Health, 2022, 10, e161-e162.	6.3	2
5	Tobacco control in Europe: progress and key challenges. Tobacco Control, 2022, 31, 160-163.	3.2	6
6	Vitamin D food fortification in European countries: the underused potential to prevent cancer deaths. European Journal of Epidemiology, 2022, 37, 309-320.	5.7	23
7	S3 Guideline "Smoking and Tobacco Dependence: Screening, Diagnosis, and Treatment―– Short Version. European Addiction Research, 2022, 28, 382-400.	2.4	8
8	Impact of reducing alcohol consumption through priceâ€based policies on cancer incidence in Germany 2020–50—a simulation study. Addiction, 2021, 116, 1677-1688.	3.3	11
9	Secondhand smoke exposure in outdoor children's playgrounds in 11 European countries. Environment International, 2021, 149, 105775.	10.0	16
10	Solving problems is smart, preventing them is wise: Lessons learned from the 2nd International DKFZ Conference on Cancer Prevention. International Journal of Cancer, 2021, 148, 3086-3096.	5.1	1
11	Vitamin D supplementation to the older adult population in Germany has the costâ€saving potential of preventing almost 30Â000 cancer deaths per year. Molecular Oncology, 2021, 15, 1986-1994.	4.6	29
12	Prognostic value of long-term trajectories of depression for incident diabetes mellitus in patients with stable coronary heart disease. Cardiovascular Diabetology, 2021, 20, 108.	6.8	5
13	Impact of tobacco control policies implementation on future lung cancer incidence in Europe: An international, population-based modeling study. Lancet Regional Health - Europe, The, 2021, 4, 100074.	5.6	19
14	Secondhand smoke exposure assessment in outdoor hospitality venues across 11 European countries. Environmental Research, 2021, 200, 111355.	7.5	5
15	Study protocol: evaluation of the addictive potential of e-cigarettes (EVAPE): neurobiological, sociological, and epidemiological perspectives. BMC Psychology, 2021, 9, 181.	2.1	3
16	Potential of Vitamin D Food Fortification in Prevention of Cancer Deathsâ€"A Modeling Study. Nutrients, 2021, 13, 3986.	4.1	7
17	Impact of reducing excess body weight and physical inactivity on cancer incidence in Germany from 2020 to 2050—a simulation model. European Journal of Cancer, 2021, , .	2.8	3
18	Transitions in product use during the implementation of the European Tobacco Products Directive: cohort study findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii10-iii17.	0.3	5

#	Article	IF	CITATIONS
19	Changes in electronic cigarette use and label awareness among smokers before and after the European Tobacco Products Directive implementation in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii62-iii67.	0.3	3
20	Global progress in tobacco control: the question of policy compliance. Global Health Action, 2020, 13, 1844977.	1.9	10
21	Secondhand smoke exposure and other signs of tobacco consumption at outdoor entrances of primary schools in 11 European countries. Science of the Total Environment, 2020, 743, 140743.	8.0	9
22	Do smokers want to protect non-smokers from the harms of second-hand smoke in cars? Findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii108-iii112.	0.3	2
23	Transitions from and to roll-your-own tobacco, perceptions and health beliefs among smokers: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii18-iii25.	0.3	4
24	Perceptions, Predictors of and Motivation for Quitting among Smokers from Six European Countries from 2016 to 2018: Findings from EUREST-PLUS ITC Europe Surveys. International Journal of Environmental Research and Public Health, 2020, 17, 6263.	2.6	10
25	Subjective mental health, incidence of depressive symptoms in later life, and the role of epigenetics: results from two longitudinal cohort studies. Translational Psychiatry, 2020, 10, 323.	4.8	5
26	Evaluating the impact of the Tobacco Products Directive within the context of the FCTC in Europeâ€"findings from the EUREST-PLUS ITC Europe Surveys: introductory Commentary. European Journal of Public Health, 2020, 30, iii1-iii3.	0.3	0
27	Awareness and use of heated tobacco products among adult smokers in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii78-iii83.	0.3	18
28	Awareness and correlates of noticing changes to cigarette packaging design after implementation of the European Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii98-iii107.	0.3	4
29	Support for e-cigarette policies among smokers in seven European countries: longitudinal findings from the 2016–18 EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii68-iii77.	0.3	5
30	Social norms for e-cigarettes and smoking: associations with initiation of e-cigarette use, intentions to quit smoking and quit attempts: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii46-iii54.	0.3	10
31	Impact of the Tobacco Products Directive on self-reported exposure to e-cigarette advertising, promotion and sponsorship in smokersâ€"findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii55-iii61.	0.3	7
32	Quitting behaviours and cessation methods used in eight European Countries in 2018: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii26-iii33.	0.3	10
33	Childhood exposure to hunger: associations with health outcomes in later life and epigenetic markers. Epigenomics, 2020, 12, 1861-1870.	2.1	4
34	Evaluating the impact of introducing standardized packaging with larger health-warning labels in England: findings from adult smokers within the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii91-iii97.	0.3	13
35	Effectiveness of tobacco warning labels before and after implementation of the European Tobacco Products Directive—findings from the longitudinal EUREST-PLUS ITC Europe surveys. European Journal of Public Health, 2020, 30, iii84-iii90.	0.3	5
36	Cessation behaviours among smokers of menthol and flavoured cigarettes following the implementation of the EU Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii34-iii37.	0.3	10

#	Article	IF	Citations
37	Effect of a Face-Aging Mobile App–Based Intervention on Skin Cancer Protection Behavior in Secondary Schools in Brazil. JAMA Dermatology, 2020, 156, 737.	4.1	21
38	European adult smokers' perceptions of the harmfulness of e-cigarettes relative to combustible cigarettes: cohort findings from the 2016 and 2018 EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii38-iii45.	0.3	11
39	Methods of the International Tobacco Control (ITC) EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii4-iii9.	0.3	21
40	Longâ€ŧerm trajectories of anxiety and depression in patients with stable coronary heart disease and risk of subsequent cardiovascular events. Depression and Anxiety, 2020, 37, 784-792.	4.1	28
41	Impact of Tobacco Control Policies on Smoking-Related Cancer Incidence in Germany 2020 to 2050â€"A Simulation Study. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1413-1422.	2.5	12
42	Kommentare zu M. Adams & T. Effertz (2020). Zielgenaue Besteuerung des absichtlich erh \tilde{A} ¶hten Suchtpotentials von Zigaretten und neuartigen Nikotinprodukten Sucht, 2020, 66, 161-163.	0.2	0
43	Changes in smoking cessation assistance in the European Union between 2012 and 2017: pharmacotherapy versus counselling versus e-cigarettes. Tobacco Control, 2019, 28, tobaccocontrol-2017-054117.	3.2	54
44	Exposure to car smoking among youth in seven cities across the European Union. Drug and Alcohol Dependence, 2019, 204, 107561.	3.2	9
45	Subsequent Event Risk in Individuals With Established Coronary Heart Disease. Circulation Genomic and Precision Medicine, 2019, 12, e002470.	3.6	17
46	Association of Chromosome 9p21 With Subsequent Coronary Heart Disease Events. Circulation Genomic and Precision Medicine, 2019, 12, e002471.	3.6	22
47	Incident depression and mortality among people with different types of dementia: results from a longitudinal cohort study. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 793-801.	3.1	16
48	Multi-state models of transitions in depression and anxiety symptom severity and cardiovascular events in patients with coronary heart disease. PLoS ONE, 2019, 14, e0213334.	2.5	13
49	Process Evaluation of a Medical Student–Delivered Smoking Prevention Program for Secondary Schools: Protocol for the Education Against Tobacco Cluster Randomized Trial. JMIR Research Protocols, 2019, 8, e13508.	1.0	2
50	In Reply. Deutsches Ärzteblatt International, 2019, 116, 135-136.	0.9	0
51	Amyloid blood biomarker detects Alzheimer's disease. EMBO Molecular Medicine, 2018, 10, .	6.9	145
52	Impact of a negative emotional antitobacco mass media campaign on French smokers: a longitudinal study. Tobacco Control, 2018, 27, 670-676.	3.2	6
53	Cancers Due to Infection and Selected Environmental Factors. Deutsches Ärzteblatt International, 2018, 115, 586-593.	0.9	47
54	Cancers Due to Smoking and High Alcohol Consumption. Deutsches Ärzteblatt International, 2018, 115, 571-577.	0.9	55

#	Article	IF	CITATIONS
55	Projection of cancer incidence rates and case numbers until 2030: A probabilistic approach applied to German cancer registry data (1999–2013). Cancer Epidemiology, 2018, 57, 110-119.	1.9	15
56	Body mass index is negatively associated with telomere length: a collaborative cross-sectional meta-analysis of 87 observational studies. American Journal of Clinical Nutrition, 2018, 108, 453-475.	4.7	137
57	Leukocyte telomere length and epigenetic-based mortality risk score: associations with all-cause mortality among older adults. Epigenetics, 2018, 13, 846-857.	2.7	21
58	Cross-border purchasing of cigarettes among smokers in Six Countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A13.	0.6	8
59	The purchase sources of and price paid for cigarettes in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A16.	0.6	6
60	Receiving support to quit smoking and quit attempts among smokers with and without smoking related diseases: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A14.	0.6	11
61	Social norms towards smoking and electronic cigarettes among adult smokers in seven European Countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A15.	0.6	13
62	Dependence, plans to quit, quitting self-efficacy and past cessation behaviours among menthol and other flavoured cigarette users in Europe: The EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A19.	0.6	7
63	Study protocol of EUREST-PLUS - European Regulatory Science on Tobacco: Policy Implementation to Reduce Lung Disease. Tobacco Induced Diseases, 2018, 16, A2.	0.6	39
64	Characteristics and correlates of electronic cigarette product attributes and undesirable events during e-cigarette use in six countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A1.	0.6	14
65	Extent and correlates of self-reported exposure to tobacco advertising, promotion and sponsorship in smokers: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, .	0.6	8
66	Quitting behaviors and cessation assistance used among smokers with anxiety or depression: Findings among six countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, .	0.6	9
67	Impact of anti-smoking advertising on health-risk knowledge and quit attempts across 6 European countries from the EUREST-PLUS ITC Europe Survey. Tobacco Induced Diseases, 2018, 16, A5.	0.6	7
68	Characterising smokers of menthol and flavoured cigarettes, their attitudes towards tobacco regulation, and the anticipated impact of the Tobacco Products Directive on their smoking and quitting behaviours: The EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A4.	0.6	27
69	Quitting activity and use of cessation assistance reported by smokers in eight European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, .	0.6	31
70	Patterns of tobacco use, quit attempts, readiness to quit and selfefficacy among smokers with anxiety or depression: Findings among six countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A9.	0.6	11
71	Cigarette brand loyalty among smokers in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A12.	0.6	9
72	Secondhand exposure to e-cigarette aerosols among smokers: A cross-sectional study in six European countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A11.	0.6	10

#	Article	IF	CITATIONS
73	Knowledge of the health risks of smoking and impact of cigarette warning labels among tobacco users in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A10.	0.6	20
74	The Conceptual Model and Methods of Wave 1 (2016) of the EUREST-PLUS ITC 6 European Countries Survey. Tobacco Induced Diseases, 2018, 16, A3.	0.6	35
75	A Face-Aging App for Smoking Cessation in a Waiting Room Setting: Pilot Study in an HIV Outpatient Clinic. Journal of Medical Internet Research, 2018, 20, e10976.	4.3	19
76	Cancers Due to Excess Weight, Low Physical Activity, and Unhealthy Diet. Deutsches Ärzteblatt International, 2018, 115, 578-585.	0.9	64
77	Prevalence and correlates of different smoking bans in homes and cars among smokers in 6 Countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A8.	0.6	8
78	Smoking in public places in six European countries: Findings from the EUREST-PLUS ITC Europe Survey. Tobacco Induced Diseases, 2018, 16, A18.	0.6	0
79	Correlates of the support for smoke-free policies among smokers: A cross-sectional study in six European countries of the EUREST-PLUS ITC EUROPE SURVEYS. Tobacco Induced Diseases, 2018, 16, A17.	0.6	4
80	The Longer, the Better? An Empirical Study of the Extent and Mechanisms of Attenuating Biomarker Associations in Cardiovascular Patient Cohorts. Clinical Chemistry, 2017, 63, 673-682.	3.2	2
81	Education achievement and type 2 diabetesâ€"what mediates the relationship in older adults? Data from the ESTHER study: a population-based cohort study. BMJ Open, 2017, 7, e013569.	1.9	32
82	Leukocyte Telomere Length and All-Cause, Cardiovascular Disease, and Cancer Mortality: Results From Individual-Participant-Data Meta-Analysis of 2 Large Prospective Cohort Studies. American Journal of Epidemiology, 2017, 185, 1317-1326.	3.4	91
83	Self-rated health and all-cause and cause-specific mortality of older adults: Individual data meta-analysis of prospective cohort studies in the CHANCES Consortium. Maturitas, 2017, 103, 37-44.	2.4	58
84	Relations between lipoprotein(a) concentrations, LPA genetic variants, and the risk of mortality in patients with established coronary heart disease: a molecular and genetic association study. Lancet Diabetes and Endocrinology,the, 2017, 5, 534-543.	11.4	84
85	Increased Plasma Concentrations of Soluble ST2 Independently Predict Mortality but not Cardiovascular Events in Stable Coronary Heart Disease Patients: 13-Year Follow-up of the KAROLA Study. Cardiovascular Drugs and Therapy, 2017, 31, 167-177.	2.6	23
86	Impact of Selection Bias on Estimation of Subsequent Event Risk. Circulation: Cardiovascular Genetics, 2017, 10 , .	5.1	28
87	Composite End Points. Circulation: Cardiovascular Quality and Outcomes, 2017, 10, .	2.2	3
88	Demographic ageing and the evolution of smoking-attributable mortality: the example of Germany. Tobacco Control, 2017, 26, 455-457.	3.2	19
89	Correlates of self-reported exposure to advertising of tobacco products and electronic cigarettes across 28 European Union member states. Tobacco Control, 2017, 26, e130-e133.	3.2	18
90	Smoking-Associated DNA Methylation Biomarkers and Their Predictive Value for All-Cause and Cardiovascular Mortality. Environmental Health Perspectives, 2016, 124, 67-74.	6.0	117

#	Article	IF	Citations
91	Photoaging smartphone app promoting poster campaign to reduce smoking prevalence in secondary schools: the Smokerface Randomized Trial: design and baseline characteristics. BMJ Open, 2016, 6, e014288.	1.9	34
92	Growth Differentiation Factor 15, Its 12-Month Relative Change, and Risk of Cardiovascular Events and Total Mortality in Patients with Stable Coronary Heart Disease: 10-Year Follow-up of the KAROLA Study. Clinical Chemistry, 2016, 62, 982-992.	3.2	28
93	Quantification of the smoking-associated cancer risk with rate advancement periods: meta-analysis of individual participant data from cohorts of the CHANCES consortium. BMC Medicine, 2016, 14, 62.	5.5	110
94	Association of cognitive function and serum uric acid: Are cardiovascular diseases a mediator among women?. Experimental Gerontology, 2016, 81, 37-41.	2.8	18
95	Prognostic Utility of Galectin-3 for Recurrent Cardiovascular Events During Long-term Follow-up in Patients with Stable Coronary Heart Disease: Results of the KAROLA Study. Clinical Chemistry, 2016, 62, 1372-1379.	3.2	17
96	DNA methylation changes in response to active smoking exposure are associated with leukocyte telomere length among older adults. European Journal of Epidemiology, 2016, 31, 1231-1241.	5.7	11
97	Epigenetic age acceleration predicts cancer, cardiovascular, and all-cause mortality in a German case cohort. Clinical Epigenetics, 2016, 8, 64.	4.1	434
98	The Relation of Obesity to Performance in Verbal Abilities, Processing Speed, and Cognitive Flexibility in Old Age: The Role of Cognitive Reserve. Dementia and Geriatric Cognitive Disorders, 2016, 42, 117-126.	1.5	31
99	Apolipoprotein E e4 and Cognitive Function: A Modifiable Association? Results from Two Independent Cohort Studies. Dementia and Geriatric Cognitive Disorders, 2016, 41, 35-45.	1.5	22
100	Effect of smoking reduction and cessation on the plasma levels of the oxidative stress biomarker glutathione $\hat{a} \in \text{``Post-hoc}$ analysis of data from a smoking cessation trial. Free Radical Biology and Medicine, 2016, 91, 172-177.	2.9	33
101	Body mass index and leukocyte telomere length dynamics among older adults: Results from the ESTHER cohort. Experimental Gerontology, 2016, 74, 1-8.	2.8	32
102	Atrial fibrillation and long-term prognosis of patients with stable coronary heart disease: Relevance of routine electrocardiogram. International Journal of Cardiology, 2016, 203, 1014-1015.	1.7	6
103	Educational differences in the impact of pictorial cigarette warning labels on smokers: findings from the International Tobacco Control (ITC) Europe surveys. Tobacco Control, 2016, 25, 325-332.	3.2	20
104	Trends and socioeconomic differences in policy triggers for thinking about quitting smoking: Findings from the International Tobacco Control (ITC) Europe Surveys. Drug and Alcohol Dependence, 2015, 155, 154-162.	3.2	8
105	Educational differences in associations of noticing anti-tobacco information with smoking-related attitudes and quit intentions: findings from the International Tobacco Control Europe Surveys. Health Education Research, 2015, 30, 719-730.	1.9	8
106	Trends and socioeconomic differences in roll-your-own tobacco use: findings from the ITC Europe Surveys. Tobacco Control, 2015, 24, iii11-iii16.	3.2	36
107	Prognostic value of one-year course of symptoms of anxiety and depression in patients with coronary heart disease: Role of physical activity and unmet medical need. European Journal of Preventive Cardiology, 2015, 22, 1129-1138.	1.8	12
108	Long-term prognostic value of IgM antibodies against phosphorylcholine for adverse cardiovascular events in patients with stable coronary heart disease. Atherosclerosis, 2015, 243, 414-420.	0.8	16

#	Article	IF	Citations
109	Cognitive impairment, all-cause and cause-specific mortality among non-demented older adults. Age and Ageing, 2015, 44, 445-451.	1.6	90
110	Impact of smoking and smoking cessation on cardiovascular events and mortality among older adults: meta-analysis of individual participant data from prospective cohort studies of the CHANCES consortium. BMJ, The, 2015, 350, h1551-h1551.	6.0	349
111	Smoking habits and leukocyte telomere length dynamics among older adults: Results from the ESTHER cohort. Experimental Gerontology, 2015, 70, 18-25.	2.8	47
112	Sexual Activity Patterns Before Myocardial InfarctionÂand Risk of Subsequent Cardiovascular Adverse Events. Journal of the American College of Cardiology, 2015, 66, 1516-1517.	2.8	8
113	Smoking and All-cause Mortality in Older Adults. American Journal of Preventive Medicine, 2015, 49, e53-e63.	3.0	60
114	Socioeconomic and country variations in cross-border cigarette purchasing as tobacco tax avoidance strategy. Findings from the ITC Europe Surveys. Tobacco Control, 2014, 23, i30-i38.	3.2	32
115	Serum 25-Hydroxyvitamin D and Cognitive Decline: A Longitudinal Study among Non-Demented Older Adults. Dementia and Geriatric Cognitive Disorders, 2014, 38, 254-263.	1.5	24
116	A reverse J-shaped association of leisure time physical activity with prognosis in patients with stable coronary heart disease: evidence from a large cohort with repeated measurements. Heart, 2014, 100, 1043-1049.	2.9	135
117	Associations between tobacco control policy awareness, social acceptability of smoking and smoking cessation. Findings from the International Tobacco Control (ITC) Europe Surveys. Health Education Research, 2014, 29, 72-82.	1.9	29
118	Time perspective as a predictor of smoking status: findings from the International Tobacco Control (ITC) Surveys in Scotland, France, Germany, China, and Malaysia. BMC Public Health, 2013, 13, 346.	2.9	34
119	History of lifetime smoking, smoking cessation and cognitive function in the elderly population. European Journal of Epidemiology, 2013, 28, 823-831.	5.7	54
120	Germany SimSmoke: The Effect of Tobacco Control Policies on Future Smoking Prevalence and Smoking-Attributable Deaths in Germany. Nicotine and Tobacco Research, 2013, 15, 465-473.	2.6	39
121	High-density lipoprotein cholesterol, coronary artery disease, and cardiovascular mortality. European Heart Journal, 2013, 34, 3563-3571.	2.2	110
122	Impact of national smoke-free legislation on home smoking bans: findings from the International Tobacco Control Policy Evaluation Project Europe Surveys. Tobacco Control, 2013, 22, e2-e9.	3.2	118
123	Effectiveness of a Supportive Telephone Counseling Intervention in Type 2 Diabetes Patients: Randomized Controlled Study. PLoS ONE, 2013, 8, e77954.	2.5	33
124	Do smokers in Europe think all cigarettes are equally harmful?. European Journal of Public Health, 2012, 22, 35-40.	0.3	16
125	Predictors of car smoking rules among smokers in France, Germany and the Netherlands. European Journal of Public Health, 2012, 22, 17-22.	0.3	16
126	Comprehensive smoke-free policies attract more support from smokers in Europe than partial policies. European Journal of Public Health, 2012, 22, 10-16.	0.3	48

#	Article	IF	CITATIONS
127	Effectiveness of the European Union text-only cigarette health warnings: findings from four countries. European Journal of Public Health, 2012, 22, 693-699.	0.3	31
128	Cessation assistance reported by smokers in 15 countries participating in the International Tobacco Control (ITC) policy evaluation surveys. Addiction, 2012, 107, 197-205.	3.3	97
129	Prevalence and predictors of smoking in "smoke-free―bars. Findings from the International Tobacco Control (ITC) Europe Surveys. Social Science and Medicine, 2011, 72, 1643-1651.	3.8	45
130	Air Contamination Due to Smoking in German Restaurants, Bars, and Other Venues-Before and After the Implementation of a Partial Smoking Ban. Nicotine and Tobacco Research, 2011, 13, 1155-1160.	2.6	28
131	Ausmaß und Folgen des Tabakkonsums und Passivrauchens in Deutschland. Journal Fur Verbraucherschutz Und Lebensmittelsicherheit, 2007, 2, 323-330.	1.4	3
132	Rauchlose Tabakprodukte und die Folgen ihres Gebrauchs f $\tilde{A}\frac{1}{4}$ r die Gesundheit. Journal Fur Verbraucherschutz Und Lebensmittelsicherheit, 2007, 2, 307-314.	1.4	0
133	Lack of sustainable prevention effect of the "Smoke-Free Class Competition―on German pupils. Preventive Medicine, 2006, 42, 33-39.	3.4	43
134	Smoke-free Class Competition: A reply to the initiators of the program. Preventive Medicine, 2006, 43, 151-153.	3.4	6
135	The evolution of educational inequalities in smoking: a changing relationship and a cross-over effect among German birth cohorts of 1921-70. Addiction, 2006, 101, 1051-1056.	3.3	35
136	Trends in cigarette smoking initiation and cessation among birth cohorts of 1926–1970 in Germany. European Journal of Cancer Prevention, 2005, 14, 477-483.	1.3	24
137	Smokers' support for the ban on sale of slim cigarettes in six European countries: findings from the EUREST-PLUS ITC Europe surveys. Open Research Europe, 0, 1, 52.	2.0	0
138	Alzheimer-Risikofaktor ApoE-E4: Hat der Cholesterinspiegel Einfluss auf die Kognition?., 0,,.		8
139	Smokers' support for the ban on sale of slim cigarettes in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. Open Research Europe, 0, 1, 52.	2.0	O