

Martin Koestenberger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8027023/publications.pdf>

Version: 2024-02-01

225
papers

3,548
citations

218677

26
h-index

175258

52
g-index

230
all docs

230
docs citations

230
times ranked

3510
citing authors

#	ARTICLE	IF	CITATIONS
1	Echocardiographic scores for biventricular repair risk prediction of congenital heart disease with borderline left ventricle: a review. <i>Heart Failure Reviews</i> , 2023, 28, 63-76.	3.9	4
2	Cardiac Troponin-T Release After Sport and Differences by Age, Sex, Training Type, Volume, and Intensity: A Critical Review. <i>Clinical Journal of Sport Medicine</i> , 2022, 32, e230-e242.	1.8	7
3	Normal Values and Patterns of Normality and Physiological Variability of Mitral and Tricuspid Inflow Pulsed Doppler in Healthy Children. <i>Healthcare (Switzerland)</i> , 2022, 10, 355.	2.0	2
4	Arrhythmogenic Right Ventricular Cardiomyopathy: Improvement of Diagnosis and Risk Stratification by Implementation of Echocardiographic Normative Values in Children. <i>Frontiers in Pediatrics</i> , 2022, 10, 868791.	1.9	0
5	The Antiplatelet Action of S-Nitroso Human Serum Albumin in Whole Blood. <i>Biomedicines</i> , 2022, 10, 649.	3.2	1
6	Extremely premature infants born at 23â€“25 weeks gestation are at substantial risk for pulmonary hypertension. <i>Journal of Perinatology</i> , 2022, 42, 781-787.	2.0	10
7	Atrial Function Impairments after Pediatric Cardiac Surgery Evaluated by STE Analysis. <i>Journal of Clinical Medicine</i> , 2022, 11, 2497.	2.4	1
8	Pulmonary hypertension in bronchopulmonary dysplasia. <i>Pediatric Research</i> , 2021, 89, 446-455.	2.3	103
9	Acute Cardiovascular Manifestations in 286 Children With Multisystem Inflammatory Syndrome Associated With COVID-19 Infection in Europe. <i>Circulation</i> , 2021, 143, 21-32.	1.6	253
10	Echocardiographic Screening of Anomalous Origin of Coronary Arteries in Athletes with a Focus on High Take-Off. <i>Healthcare (Switzerland)</i> , 2021, 9, 231.	2.0	8
11	Intracardiac flow visualization using highâ€“frame rate blood speckle tracking echocardiography: Illustrations from infants with congenital heart disease. <i>Echocardiography</i> , 2021, 38, 707-715.	0.9	9
12	Sex related difference in cardiac output during neonatal transition in term neonates. <i>Cardiovascular Diagnosis and Therapy</i> , 2021, 11, 342-347.	1.7	3
13	Offâ€“label use of PAHâ€“targeted medications approved for adults and their financial coverage by health insurances are vital for children with pulmonary hypertension. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13571.	3.4	1
14	Subcostal Echocardiographic Imaging in Neonatal and Pediatric Intensive Care. <i>Frontiers in Pediatrics</i> , 2021, 9, 471558.	1.9	1
15	A guide to echocardiographic assessment in children and adolescents with pulmonary hypertension. <i>Cardiovascular Diagnosis and Therapy</i> , 2021, 11, 1160-1177.	1.7	8
16	Medical treatment of pulmonary hypertension in adults with congenital heart disease: updated and extended results from the International COMPERA-CHD Registry. <i>Cardiovascular Diagnosis and Therapy</i> , 2021, 11, 1255-1268.	1.7	8
17	A statistical comparison of reproducibility in current pediatric two-dimensional echocardiographic nomograms. <i>Pediatric Research</i> , 2021, 89, 579-590.	2.3	6
18	Echocardiography for the Assessment of Pulmonary Hypertension and Congenital Heart Disease in the Young. <i>Diagnostics</i> , 2021, 11, 49.	2.6	7

#	ARTICLE	IF	CITATIONS
19	Myocardial strain analysis in infants with pectus excavatum: A subtle method to detect myocardial impairment?. <i>Journal of Clinical Ultrasound</i> , 2021, 49, 929-931.	0.8	1
20	Left Ventricular Systolic Impairment after Pediatric Cardiac Surgery Assessed by STE Analysis. <i>Healthcare (Switzerland)</i> , 2021, 9, 1338.	2.0	1
21	Left ventricular vortex analysis by high-frame rate blood speckle tracking echocardiography in healthy children and in congenital heart disease. <i>IJC Heart and Vasculature</i> , 2021, 37, 100897.	1.1	8
22	Pediatric ranges of normality for 2D speckle tracking echocardiography atrial strain: differences between p and r gating and among new (Atrial Designed) and conventional (Ventricular Specific) software's. <i>Echocardiography</i> , 2021, 38, 2025-2031.	0.9	4
23	Perioperative Right Ventricular Systolic Function Determination in Children With Tetralogy of Fallot. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2020, 34, 306-307.	1.3	0
24	Prognostic Value of a New Lung Ultrasound Score to Predict Intensive Care Unit Stay in Pediatric Cardiac Surgery. <i>Annals of Thoracic Surgery</i> , 2020, 109, 178-184.	1.3	26
25	Could judicious use of lung ultrasound reduce radiographic examinations in pediatric cardiac surgery patients?. <i>Journal of Clinical Anesthesia</i> , 2020, 61, 109638.	1.6	6
26	Normal basic 2D echocardiographic values to screen and follow up the athlete's heart from juniors to adults: What is known and what is missing. A critical review. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1294-1306.	1.8	9
27	Echocardiographic examination of mitral valve abnormalities in the paediatric population: current practices. <i>Cardiology in the Young</i> , 2020, 30, 1-11.	0.8	14
28	Retrosternal Clots After Fontan Surgery by Systematic Evaluation With Transthoracic Ultrasound. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2020, 34, 951-955.	1.3	2
29	Menstrual Phase Affects Coagulation and Hematological Parameters during Central Hypovolemia. <i>Journal of Clinical Medicine</i> , 2020, 9, 3118.	2.4	4
30	The anticoagulant effects of ethyl pyruvate in whole blood samples. <i>PLoS ONE</i> , 2020, 15, e0240541.	2.5	3
31	Update on noninvasive imaging of right ventricle dysfunction in pulmonary hypertension. <i>Cardiovascular Diagnosis and Therapy</i> , 2020, 10, 1604-1624.	1.7	16
32	Right ventricular dysfunction and long-term risk of death. <i>Cardiovascular Diagnosis and Therapy</i> , 2020, 10, 1646-1658.	1.7	12
33	Diagnosis and treatment of right ventricular dysfunction in congenital heart disease. <i>Cardiovascular Diagnosis and Therapy</i> , 2020, 10, 1625-1645.	1.7	11
34	Treatment of right ventricular dysfunction and heart failure in pulmonary arterial hypertension. <i>Cardiovascular Diagnosis and Therapy</i> , 2020, 10, 1659-1674.	1.7	19
35	Safety and efficacy of the endothelin receptor antagonist macitentan in pediatric pulmonary hypertension. <i>Cardiovascular Diagnosis and Therapy</i> , 2020, 10, 1675-1685.	1.7	14
36	Coagulation Changes during Central Hypovolemia across Seasons. <i>Journal of Clinical Medicine</i> , 2020, 9, 3461.	2.4	8

#	ARTICLE	IF	CITATIONS
37	Mature and immature platelets during the first week after birth and incidence of patent ductus arteriosus. <i>Cardiology in the Young</i> , 2020, 30, 769-773.	0.8	8
38	Pediatric nomograms for left ventricle biplane 2D volumes in healthy Caucasian children. <i>Echocardiography</i> , 2020, 37, 971-975.	0.9	6
39	Challenges and Special Aspects of Pulmonary Hypertension in Middle- to Low-Income Regions. <i>Journal of the American College of Cardiology</i> , 2020, 75, 2463-2477.	2.8	29
40	Selexipag for the treatment of children with pulmonary arterial hypertension: First multicenter experience in drug safety and efficacy. <i>Journal of Heart and Lung Transplantation</i> , 2020, 39, 695-706.	0.6	34
41	Wearable cardioverter-defibrillator as bridging to ICD in pediatric hypertrophic cardiomyopathy with myocardial bridging – a case report. <i>BMC Pediatrics</i> , 2020, 20, 207.	1.7	2
42	Pulmonary Hypertension in Adults with Congenital Heart Disease: Real-World Data from the International COMPERA-CHD Registry. <i>Journal of Clinical Medicine</i> , 2020, 9, 1456.	2.4	21
43	Atrial auto-overshoot phenomenon as a rare cause of ventricular lead failure in a pediatric dual chamber pacemaker patient. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 353-356.	1.2	1
44	Right ventricular end-systolic remodeling index in the assessment of pediatric pulmonary arterial hypertension. The European Pediatric Pulmonary Vascular Disease Network (EPPVDN). <i>Pediatric Research</i> , 2020, 88, 285-292.	2.3	11
45	Cerebral and peripheral tissue oxygenation in stable neonates: Absent influence of cardiac function. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 1560-1569.	1.5	5
46	Listen to the Heart – Rare Cardiac Tumor in an Adolescent. <i>Klinische Padiatrie</i> , 2020, 232, 43-43.	0.6	0
47	A novel echocardiographic approach indicates disease severity in pediatric pulmonary hypertension. <i>Pediatrics International</i> , 2020, 62, 637-639.	0.5	5
48	Getting to the bottom of right heart failure. <i>Cardiovascular Diagnosis and Therapy</i> , 2020, 10, 1517-1521.	1.7	0
49	Getting to the bottom of right heart failure. <i>Cardiovascular Diagnosis and Therapy</i> , 2020, 10, 1517-1521.	1.7	0
50	Left Ventricular Geometry and Near-Simultaneous Invasive Hemodynamics in Pediatric Pulmonary Hypertension. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e010787.	2.6	6
51	Tricuspid annular plane systolic excursion (TAPSE) in pediatric pulmonary hypertension: Integrating right ventricular ejection efficiency (RVEe) into advanced multi-parametric imaging. <i>International Journal of Cardiology</i> , 2019, 274, 296-298.	1.7	18
52	Ventricular-ventricular interaction variables correlate with surrogate variables of clinical outcome in children with pulmonary hypertension. <i>Pulmonary Circulation</i> , 2019, 9, 1-9.	1.7	14
53	2019 updated consensus statement on the diagnosis and treatment of pediatric pulmonary hypertension: The European Pediatric Pulmonary Vascular Disease Network (EPPVDN), endorsed by AEPC, ESPR and ISHLT. <i>Journal of Heart and Lung Transplantation</i> , 2019, 38, 879-901.	0.6	266
54	Double Orifice Mitral Valve in Tricuspid Atresia: A Rare Association. <i>Pediatric Cardiology</i> , 2019, 40, 1761-1762.	1.3	0

#	ARTICLE	IF	CITATIONS
55	Recommendations from the Association for European Paediatric and Congenital Cardiology for training in pulmonary hypertension. <i>Cardiology in the Young</i> , 2019, 29, 1323-1327.	0.8	5
56	A pediatric perspective on the TAPSE/PASP ratio in pulmonary arterial hypertension. <i>International Journal of Cardiology</i> , 2019, 278, 242.	1.7	0
57	Normal Pediatric Values of the Subcostal Tricuspid Annular Plane Systolic Excursion (S-TAPSE) and Its Value in Pediatric Pulmonary Hypertension. <i>Canadian Journal of Cardiology</i> , 2019, 35, 899-906.	1.7	23
58	Three-Dimensional Echocardiography Derived Nomograms for Left Ventricular Volumes in Healthy Caucasian Italian Children. <i>Journal of the American Society of Echocardiography</i> , 2019, 32, 794-797.e1.	2.8	8
59	Right Ventricular Size and Function in Neonates after Use of Antidepressants during Pregnancy. <i>Neonatology</i> , 2019, 116, 191-192.	2.0	0
60	First clinical experience with the Kora pacemaker system in congenital complete heart block in newborn infants. <i>BMC Pediatrics</i> , 2019, 19, 124.	1.7	1
61	Nomograms of pulsed Doppler velocities, times, and velocity time integrals for semilunar valves and great arteries in healthy Caucasian children. <i>International Journal of Cardiology</i> , 2019, 285, 133-139.	1.7	1
62	Coagulation changes induced by lower-body negative pressure in men and women. <i>Journal of Applied Physiology</i> , 2019, 126, 1214-1222.	2.5	12
63	Left and Right Atrial Strain in Healthy Caucasian Children by Two-Dimensional Speckle-Tracking Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2019, 32, 165-168.e3.	2.8	18
64	Novel algorithm to screen for heart murmurs using computer-aided auscultation in neonates: a prospective single center pilot observational study. <i>Minerva Pediatrica</i> , 2019, 71, 221-228.	2.7	4
65	The right ventricular outflow tract in pediatric pulmonary hypertension—Data from the European Pediatric Pulmonary Vascular Disease Network. <i>Echocardiography</i> , 2018, 35, 841-848.	0.9	4
66	Relevance of Right Ventricular Outflow Tract Velocity Time Integral (RVOT VTI) and Tricuspid Regurgitation Velocity/RVOT VTI Ratio Determination in Children Following Heart Transplantation. <i>Pediatric Cardiology</i> , 2018, 39, 642-643.	1.3	1
67	Use of linear and convex ultrasound transducers for evaluation of retrosternal area in patients after cardiac surgery. <i>Echocardiography</i> , 2018, 35, 100-103.	0.9	4
68	Normative Data for Left and Right Ventricular Systolic Strain in Healthy Caucasian Italian Children by Two-Dimensional Speckle-Tracking Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 712-720.e6.	2.8	39
69	Diagnostic Accuracy of Echocardiography in ALCAPA: Is It Always Correct to Rely Only on Echocardiography? The Issue of False Negatives. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 113-114.	2.8	5
70	Nomograms for echocardiographic right ventricular sub-costal view dimensions in healthy Caucasian children: A new approach to measure the right ventricle. <i>Journal of Cardiology</i> , 2018, 71, 181-186.	1.9	2
71	Incidence and natural history of neonatal isolated ventricular septal defects: Do we know everything? A 6-year single-center Italian experience follow-up. <i>Congenital Heart Disease</i> , 2018, 13, 105-112.	0.2	25
72	A Retrospective Analysis of the Clinical Effectiveness of Supraclavicular, Ultrasound-guided Brachiocephalic Vein Cannulations in Preterm Infants. <i>Anesthesiology</i> , 2018, 128, 38-43.	2.5	64

#	ARTICLE	IF	CITATIONS
73	Should we use the oral selective IP receptor agonist selexipag off-label in children with pulmonary arterial hypertension?. <i>Pulmonary Circulation</i> , 2018, 8, 1-4.	1.7	9
74	Accurate Estimation of Elevated Pulmonary Vascular Resistance Using Sophisticated Echocardiographic Variables in Children with Cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 1067-1068.	2.8	1
75	Why Use Percentiles and Not Z Scores to Calculate Pediatric Echocardiographic Nomograms? The Need for a Uniform Approach to Data Normalization. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 1068-1070.	2.8	5
76	Commentary: Echocardiographic Evaluation of Pulmonary Pressures and Right Ventricular Function after Pediatric Cardiac Surgery: A Simple Approach for the Intensivist. <i>Frontiers in Pediatrics</i> , 2018, 6, 136.	1.9	0
77	Reply to "Diagnostic and prognostic value of echocardiography in pulmonary arterial hypertension". <i>Clinical Cardiology</i> , 2018, 41, 1152-1153.	1.8	0
78	Echocardiographic estimation of elevated right ventricular afterload in preterm infants at risk for pulmonary hypertension: next steps. <i>Journal of Pediatrics</i> , 2018, 202, 335-336.	1.8	1
79	Different indications for transcatheter and surgical patent ductus arteriosus closure in preterm infants less than 2 kg. <i>International Journal of Cardiology</i> , 2018, 266, 83.	1.7	1
80	Ethyl pyruvate inhibits oxidation of LDL in vitro and attenuates oxLDL toxicity in EA.hy926 cells. <i>PLoS ONE</i> , 2018, 13, e0191477.	2.5	8
81	Right ventricular base/apex ratio in the assessment of pediatric pulmonary arterial hypertension: Results from the European Pediatric Pulmonary Vascular Disease Network. <i>Clinical Cardiology</i> , 2018, 41, 1144-1149.	1.8	7
82	Pediatric echocardiographic nomograms: What has been done and what still needs to be done. <i>Trends in Cardiovascular Medicine</i> , 2017, 27, 336-349.	4.9	42
83	Right ventricular systolic function, determined by echocardiography, after percutaneous balloon valvuloplasty in children with isolated pulmonary stenosis. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1133-1134.	1.5	0
84	Normal Reference Values and Z Scores of the Pulmonary Artery Acceleration Time in Children and Its Importance for the Assessment of Pulmonary Hypertension. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	2.6	63
85	Future Applications of the Selective Prostacyclin (IP) Receptor Agonist Selexipag in Pediatric Pulmonary Hypertension. <i>Pediatric Cardiology</i> , 2017, 38, 1523-1524.	1.3	3
86	Quantification of Left Ventricular Size and Function by 2-Dimensional Echocardiography: So Basic and So Difficult. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	2.6	6
87	Diagnostics in Children and Adolescents with Suspected or Confirmed Pulmonary Hypertension. <i>Paediatric Respiratory Reviews</i> , 2017, 23, 3-15.	1.8	8
88	Orthostatic Challenge Shifts the Hemostatic System of Patients Recovered from Stroke toward Hypercoagulability. <i>Frontiers in Physiology</i> , 2017, 8, 12.	2.8	11
89	The Selective Prostacyclin (Ip) Receptor Agonist Selexipag: A Promising Drug in Pediatric Pulmonary Artery Hypertension. <i>Journal of Intensive and Critical Care</i> , 2017, 03, .	0.2	0
90	Anticoagulant action of low, physiologic, and high albumin levels in whole blood. <i>PLoS ONE</i> , 2017, 12, e0182997.	2.5	100

#	ARTICLE	IF	CITATIONS
91	Borderline hypotension: how does it influence cerebral regional tissue oxygenation in preterm infants?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 2341-2346.	1.5	14
92	Right Atrial Dilatation, Determined by Echocardiography, and Correlation with Right Atrial Pressure, Determined with Cardiac Catheterization, in Children with Pulmonary Hypertension. <i>Pediatric Cardiology</i> , 2016, 37, 1187-1188.	1.3	0
93	Transthoracic echocardiography for the evaluation of children and adolescents with suspected or confirmed pulmonary hypertension. Expert consensus statement on the diagnosis and treatment of paediatric pulmonary hypertension. The European Paediatric Pulmonary Vascular Disease Network, endorsed by ISHLT and DGPK. <i>Heart</i> , 2016, 102, ii14-ii22.	2.9	65
94	Executive summary. Expert consensus statement on the diagnosis and treatment of paediatric pulmonary hypertension. The European Paediatric Pulmonary Vascular Disease Network, endorsed by ISHLT and DGPK. <i>Heart</i> , 2016, 102, ii86-ii100.	2.9	89
95	Systolic Right Ventricular Function in Children with Cystic Fibrosis. <i>Heart Lung and Circulation</i> , 2016, 25, 1042.	0.4	0
96	Right ventricular outflow tract velocity time integral (RVOT VTI) and tricuspid regurgitation velocity/RVOT VTI ratio in pediatric pulmonary hypertension. <i>International Journal of Cardiology</i> , 2016, 212, 274-276.	1.7	14
97	Assessment of Myocardial Function in Children before and after Autologous Peripheral Blood Stem Cell Transplantation. <i>Echocardiography</i> , 2016, 33, 1113-1113.	0.9	0
98	Right Ventricular Outflow Tract (<scp>RVOT</scp>) Changes in Children with an Atrial Septal Defect: Focus on <scp>RVOT</scp> Velocity Time Integral, <scp>RVOT</scp> Diameter, and <scp>RVOT</scp> Systolic Excursion. <i>Echocardiography</i> , 2016, 33, 1389-1396.	0.9	7
99	Transthoracic Echocardiography in the Evaluation of Pediatric Pulmonary Hypertension and Ventricular Dysfunction. <i>Pulmonary Circulation</i> , 2016, 6, 15-29.	1.7	66
100	Value of Right Ventricular Dilatation, Determined by Echocardiography, in Estimating Hemodynamic Significance in Children with Atrial Septal Defect. <i>Pediatric Cardiology</i> , 2016, 37, 1184-1185.	1.3	0
101	Gadolinium-free MR in coarctation—can contrast-enhanced MR angiography be replaced?. <i>Clinical Imaging</i> , 2016, 40, 414-418.	1.5	0
102	Z-Value of Mitral Annular Plane Systolic Excursion Is a Useful Indicator to Predict Left Ventricular Stroke Volume in Children: Comparing Longitudinal and Radial Contractions. <i>Echocardiography</i> , 2016, 33, 337-337.	0.9	0
103	Echocardiographic Reference Values for Right Atrial Size in Children with and without Atrial Septal Defects or Pulmonary Hypertension. <i>Pediatric Cardiology</i> , 2016, 37, 686-695.	1.3	19
104	Cerebral tissue oxygen saturation is associated with N-terminal probrain natriuretic peptide in preterm infants on their first day of life. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015, 104, 32-37.	1.5	3
105	Pulmonary arterial wall thickness as a promising echocardiographic follow-up parameter in severe pediatric pulmonary hypertension. <i>Pediatric Pulmonology</i> , 2015, 50, 1176-1177.	2.0	0
106	Effects of Exercise and Nutrition on the Coagulation System During Bedrest Immobilization. <i>Medicine (United States)</i> , 2015, 94, e1555.	1.0	26
107	Changes of Locoregional Skin Temperature in Neonates Undergoing Laser Needle Acupuncture at the Acupuncture Point Large Intestine 4. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 1-6.	1.2	16
108	Relevance of tissue Doppler imaging for assessment of right ventricular performance in preterm neonates. <i>Early Human Development</i> , 2015, 91, 307.	1.8	0

#	ARTICLE	IF	CITATIONS
109	Longitudinal Systolic Left Ventricular Function in Preterm and Term Neonates: Reference Values of the Mitral Annular Plane Systolic Excursion (MAPSE) and Calculation of z-Scores. <i>Pediatric Cardiology</i> , 2015, 36, 20-26.	1.3	18
110	Letter to the Editor regarding "Abnormalities in echocardiographic indices of right ventricular systolic function in children with elevated pulmonary artery pressure". <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015, 79, 631.	1.0	0
111	Biventricular Systolic Function Impairment in Children after Tetralogy of Fallot Repair. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 495.	2.8	0
112	Right Ventricular Outflow Tract Velocity Time Integral Determination in 570 Healthy Children and in 52 Pediatric Atrial Septal Defect Patients. <i>Pediatric Cardiology</i> , 2015, 36, 1129-1134.	1.3	16
113	Mitral annular peak systolic velocity in pediatric patients with ectopic atrial tachycardia. <i>European Journal of Pediatrics</i> , 2015, 174, 1023-1023.	2.7	0
114	Cardiac MRI assessment of right ventricular function: impact of right bundle branch block on the evaluation of cardiac performance parameters. <i>European Radiology</i> , 2015, 25, 3528-3535.	4.5	11
115	Laser Acupuncture for Neonatal Abstinence Syndrome: A Randomized Controlled Trial. <i>Pediatrics</i> , 2015, 136, 876-884.	2.1	49
116	Isovolumic Acceleration Measurement at the Lateral Tricuspid Annulus: A Promising Parameter in Pediatric Right Heart Function Determination. <i>Echocardiography</i> , 2015, 32, 610-610.	0.9	0
117	Tricuspid Annular Plane Systolic Excursion Is Reduced in Infants with Pulmonary Hypertension. <i>Echocardiography</i> , 2015, 32, 883-884.	0.9	4
118	Bed rest does not induce hypercoagulability. <i>European Journal of Clinical Investigation</i> , 2015, 45, 63-69.	3.4	36
119	Racial differences of the tricuspid annular plane systolic excursion. <i>Pediatrics International</i> , 2015, 57, 193-193.	0.5	1
120	Decreased tricuspid annular peak systolic velocity (S _a ™) and N-terminal B-type natriuretic pro-peptide values in children after tetralogy of Fallot repair. <i>Kardiologia Polska</i> , 2015, 73, 381-381.	0.6	0
121	Improvement of systolic right ventricular function in overweight children participating in a three month football training determined by tricuspid annular plane systolic excursion (TAPSE). <i>Journal of Sports Sciences</i> , 2014, 32, 1350-1350.	2.0	0
122	Right ventricular stroke work in children with pulmonary arterial hypertension: a promising approach. <i>Heart</i> , 2014, 100, 1396-1396.	2.9	0
123	Impairment of Tricuspid Annular Plane Systolic Excursion and Tricuspid Annular Peak Systolic Velocity in Patients with Pectus Excavatum. <i>Thoracic and Cardiovascular Surgeon</i> , 2014, 62, 236-237.	1.0	0
124	Cardiac Magnetic Resonance Imaging and Echocardiography in Pediatric Pulmonary Arterial Hypertension. <i>Pulmonary Circulation</i> , 2014, 4, 148-148.	1.7	0
125	Reference values of the right ventricular outflow tract systolic excursion in 711 healthy children and calculation of z-score values. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 980-986.	1.2	22
126	Relevance of longitudinal systolic heart function in fetuses with intrauterine growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 108-109.	1.7	0

#	ARTICLE	IF	CITATIONS
127	Reference Values of the Mitral Annular Peak Systolic Velocity (Sm) in 690 Healthy Pediatric Patients, Calculation of Z-Score Values, and Comparison to the Mitral Annular Plane Systolic Excursion (<sc>MAPSE</sc>). Echocardiography, 2014, 31, 1122-1130.	0.9	19
128	Value of Tricuspid Annular Peak Systolic Velocity (s ²) Measurement in Scleroderma-Associated Pulmonary Arterial Hypertension: Comment on the Article by Gopal et al. Arthritis Care and Research, 2014, 66, 1591-1591.	3.4	0
129	Right Ventricular Function Impairment in Children After Tetralogy of Fallot Repair. Artificial Organs, 2014, 38, 268-268.	1.9	0
130	Relevance of Tricuspid Annular Peak Systolic Velocity (S ²) to Detect Systolic Right-Ventricular Impairment After Anthracycline Cancer Treatment in Childhood. Pediatric Cardiology, 2014, 35, 188-188.	1.3	0
131	Abnormalities in Echocardiographic Indices of Right- and Left-Ventricular Systolic Function in Pediatric Pulmonary Artery Hypertension. Pediatric Cardiology, 2014, 35, 741-742.	1.3	1
132	Reference Values and Calculation of z-Scores of Echocardiographic Measurements of the Normal Pediatric Right Ventricle. American Journal of Cardiology, 2014, 114, 1590-1598.	1.6	38
133	Virtually same oxidizability of LDL but higher Lp(a) levels in arterial compared to venous plasma. Chemistry and Physics of Lipids, 2014, 184, 38-41.	3.2	4
134	In vitro oxidation of LDL by ozone. Chemistry and Physics of Lipids, 2014, 183, 18-21.	3.2	4
135	Impairment of tricuspid annular plane systolic excursion and tricuspid annular peak systolic velocity after arterial switch operation. Journal of Thoracic and Cardiovascular Surgery, 2014, 147, 1435-1436.	0.8	0
136	Remote Monitoring Leads to Early Recognition and Treatment of Critical Arrhythmias in Adults After Atrial Switch Operation for Transposition of the Great Arteries. Circulation Journal, 2014, 78, 450-456.	1.6	8
137	Radial and Longitudinal Right Ventricular Function in Children. Circulation Journal, 2014, 78, 2332.	1.6	0
138	How should I treat an adult with unoperated complex cyanotic heart disease with severe pulmonary stenosis?. EuroIntervention, 2014, 10, 289-292.	3.2	0
139	Systolic Right-Ventricular Function Impairment in Healthy Children After Endurance Stress. Pediatric Cardiology, 2013, 34, 1757-1758.	1.3	0
140	Tricuspid Annular Peak Systolic Velocity (S ²) in Pediatric Patients With Mild Cystic Fibrosis. Pediatric Cardiology, 2013, 34, 483-483.	1.3	1
141	Longitudinal systolic ventricular interaction in pediatric and young adult patients with TOF: a cardiac magnetic resonance and M-mode echocardiographic study. International Journal of Cardiovascular Imaging, 2013, 29, 1707-1715.	1.5	10
142	Reference values of the right ventricular outflow tract (RVOT) proximal diameter in 665 healthy children and calculation of z-score values. International Journal of Cardiology, 2013, 169, e99-e101.	1.7	9
143	Importance of quantifiable right heart systolic function evaluation using tricuspid annular plane systolic excursion (<sc>TAPSE</sc>) in fetuses and neonates. Ultrasound in Obstetrics and Gynecology, 2013, 42, 367-367.	1.7	5
144	Right ventricular long-axis response to different loading conditions. International Journal of Cardiology, 2013, 166, 739-740.	1.7	0

#	ARTICLE	IF	CITATIONS
145	Subclinical deterioration of systolic right ventricular function parameters in adolescents with mild cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2013, 12, 417.	0.7	1
146	Value of systolic right ventricular function parameters in children with pulmonary arterial hypertension associated with congenital heart diseases. <i>American Heart Journal</i> , 2013, 166, e33.	2.7	0
147	M-Mode and tissue Doppler imaging derived normal values of left and right ventricular function in healthy infants. <i>Early Human Development</i> , 2013, 89, 331.	1.8	2
148	Value of the tricuspid annular plane systolic excursion as a follow-up parameter in patients with hypoplastic left heart syndrome. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013, 145, 1682-1683.	0.8	2
149	“Additional but Not Identical Information on Systolic Right Ventricular Function Using the Tricuspid Annular Peak Systolic Velocity or Tricuspid Annular Plane Systolic Excursion in Both Adults and Children”. <i>Echocardiography</i> , 2013, 30, 118-118.	0.9	0
150	A Left-to-Right Shunt via the Ductus Arteriosus Is Associated with Increased Regional Cerebral Oxygen Saturation during Neonatal Transition. <i>Neonatology</i> , 2013, 103, 259-263.	2.0	30
151	Ability of the Tricuspid Annular Peak Systolic Velocity (S ²) to Detect Systolic Right Ventricular Impairment After Congenital Heart Defect Surgery in Pediatric Patients. <i>Pediatric Cardiology</i> , 2013, 34, 1292-1292.	1.3	1
152	Early impairment of systolic right ventricular function parameters in patients with primary systemic amyloidosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 91-91.	1.2	1
153	Effects of a single bout of walking exercise on blood coagulation parameters in obese women. <i>Journal of Applied Physiology</i> , 2013, 115, 57-63.	2.5	20
154	Near-Infrared Spectroscopy for Objectifying Cerebral Effects of Laser Acupuncture in Term and Preterm Neonates. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-6.	1.2	14
155	Right Ventricular Function in Systemic Sclerosis-associated Pulmonary Arterial Hypertension. <i>Journal of Rheumatology</i> , 2013, 40, 90.2-90.	2.0	3
156	Impairment of tricuspid annular plane systolic excursion and tricuspid annular peak systolic velocity after ventricular septal defect correction. <i>European Journal of Cardio-thoracic Surgery</i> , 2013, 44, 1158-1158.	1.4	0
157	Left ventricular“right ventricular interaction in paediatric idiopathic dilated cardiomyopathy. <i>Cardiology in the Young</i> , 2013, 23, 626-626.	0.8	0
158	Right Ventricular Performance in Preterm and Term Neonates: Reference Values of the Tricuspid Annular Peak Systolic Velocity Measured by Tissue Doppler Imaging. <i>Neonatology</i> , 2013, 103, 281-286.	2.0	25
159	Non-Invasive Imaging for Congenital Heart Disease: Recent Innovations in Transthoracic Echocardiography. <i>Journal of Clinical & Experimental Cardiology</i> , 2012, 01, 2.	0.0	19
160	Transthoracic Echocardiography in Children and Young Adults with Congenital Heart Disease. <i>ISRN Pediatrics</i> , 2012, 2012, 1-15.	1.2	27
161	Tricuspid Annular Peak Systolic Velocity (S ²) in Children and Young Adults with Pulmonary Artery Hypertension Secondary to Congenital Heart Diseases, and in Those with Repaired Tetralogy of Fallot: Echocardiography and MRI Data. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 1041-1049.	2.8	54
162	Right Ventricular Function Parameters in the Neonatal Population. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 243-244.	2.8	3

#	ARTICLE	IF	CITATIONS
163	Hemodiafiltration in Infants With Complications During Peritoneal Dialysis. <i>Artificial Organs</i> , 2012, 36, 590-593.	1.9	5
164	Left ventricular long-axis function: Reference values of the mitral annular plane systolic excursion in 558 healthy children and calculation of z-score values. <i>American Heart Journal</i> , 2012, 164, 125-131.	2.7	53
165	Stent implantation in the superficial femoral artery: Short thrombelastometry-derived coagulation times identify patients with late in-stent restenosis. <i>Thrombosis Research</i> , 2012, 130, 485-490.	1.7	13
166	Value of Tricuspid Annular Plane Systolic Excursion and Peak Systolic Velocity in Children with Pulmonary Hypertension. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 1357.	2.8	3
167	Right Ventricular Function in Juvenile Idiopathic Arthritis Patients. <i>Pediatric Cardiology</i> , 2012, 33, 1475-1475.	1.3	0
168	Reference Values of Tricuspid Annular Peak Systolic Velocity in Healthy Pediatric Patients, Calculation of Z Score, and Comparison to Tricuspid Annular Plane Systolic Excursion. <i>American Journal of Cardiology</i> , 2012, 109, 116-121.	1.6	81
169	Systolic Right Ventricular Function in Children and Young Adults with Pulmonary Artery Hypertension Secondary to Congenital Heart Disease and Tetralogy of Fallot: Tricuspid Annular Plane Systolic Excursion (TAPSE) and Magnetic Resonance Imaging Data. <i>Congenital Heart Disease</i> , 2012, 7, 250-258.	0.2	66
170	Coagulation Changes during Presyncope and Recovery. <i>PLoS ONE</i> , 2012, 7, e42221.	2.5	30
171	Systolic Right Ventricular Function in Pediatric and Adolescent Patients with Tetralogy of Fallot: Echocardiography versus Magnetic Resonance Imaging. <i>Journal of the American Society of Echocardiography</i> , 2011, 24, 45-52.	2.8	58
172	Effects of Nadroparin, Enoxaparin, and Unfractionated Heparin on Endogenous Formation of Factor Xa and IIa and on Thrombelastometry Profiles in Cord versus Adult Blood. <i>Neonatology</i> , 2011, 100, 23-31.	2.0	3
173	First Experience with the Prismaflex Hf 20 Set in Four Infants. <i>International Journal of Artificial Organs</i> , 2011, 34, 10-15.	1.4	2
174	Continuous Renal Replacement Therapy With Prismaflex HF20 Disposable Set in Children From 4 to 15 kg. <i>ASAIO Journal</i> , 2011, 57, 451-455.	1.6	20
175	Cardiac catheterization: haemostatic changes in pediatric versus adult patients. <i>Journal of Thrombosis and Thrombolysis</i> , 2011, 32, 372-377.	2.1	3
176	Tricuspid annular plane systolic excursion and right ventricular ejection fraction in pediatric and adolescent patients with tetralogy of Fallot, patients with atrial septal defect, and age-matched normal subjects. <i>Clinical Research in Cardiology</i> , 2011, 100, 67-75.	3.3	56
177	Correlation of pulmonary regurgitation fraction and right ventricular ejection fraction in patients with tetralogy of Fallot. <i>Clinical Research in Cardiology</i> , 2011, 100, 713-714.	3.3	1
178	One-year safe use of the Prismaflex HF20 [®] disposable set in infants in 220 renal replacement treatment sessions. <i>Intensive Care Medicine</i> , 2011, 37, 884-885.	8.2	13
179	Systolic Right Ventricular Function in Preterm and Term Neonates: Reference Values of the Tricuspid Annular Plane Systolic Excursion (TAPSE) in 258 Patients and Calculation of Z-Score Values. <i>Neonatology</i> , 2011, 100, 85-92.	2.0	129
180	Transcarotid balloon valvuloplasty for critical aortic stenosis in a premature neonate weighing 1100 g. <i>Pediatrics International</i> , 2010, 52, e158-60.	0.5	4

#	ARTICLE	IF	CITATIONS
181	Late development of a large intrahepatic fistula after "œclosure" of an atrial septal defect. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010, 139, e43-e45.	0.8	0
182	Dislocation of a non-functional transvenous ventricular pacemaker lead in a child 6 years following abandonment. <i>Europace</i> , 2010, 12, 1652-1654.	1.7	0
183	Heparinase-modified thrombelastometry: inactivation of heparin in plasma samples. <i>Clinical Laboratory</i> , 2010, 56, 585-9.	0.5	4
184	Collagen/Endogenous Thrombin-Induced Platelet Aggregation in Cord versus Adult Whole Blood. <i>Neonatology</i> , 2009, 95, 187-192.	2.0	18
185	Transcatheter closure of an atrial septal defect in a newborn with aortic stenosis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2009, 98, 582-583.	1.5	4
186	Biventricular repair despite hypoplastic tricuspid valve and right ventricle. <i>Clinical Research in Cardiology</i> , 2009, 98, 283-283.	3.3	1
187	Femoral Vein Access by Contrast-Guided Puncture in Cardiac Catheterization in Patients Under One Year of Age. <i>Pediatric Cardiology</i> , 2009, 30, 768-770.	1.3	2
188	Right Ventricular Function in Infants, Children and Adolescents: Reference Values of the Tricuspid Annular Plane Systolic Excursion (TAPSE) in 640 Healthy Patients and Calculation of z Score Values. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 715-719.	2.8	330
189	Effects of nadroparin, enoxaparin, and unfractionated heparin on endogenous factor Xa and IIa formation and on thrombelastometry profiles. <i>Blood Coagulation and Fibrinolysis</i> , 2009, 20, 71-77.	1.0	7
190	Anomalous connection of the inferior vena cava to the left atrium: a surgical error in closing an atrial septal defect. <i>Clinical Research in Cardiology</i> , 2008, 97, 191-193.	3.3	16
191	Aortopulmonary window, critical pulmonary stenosis, and hypoplastic right ventricle. <i>Clinical Research in Cardiology</i> , 2008, 97, 467-469.	3.3	2
192	Thrombin generation determined by calibrated automated thrombography (CAT) in pediatric patients with congenital heart disease. <i>Thrombosis Research</i> , 2008, 122, 13-19.	1.7	46
193	Clot Strength: A Comparison Between Cord and Adult Blood by Means of Thrombelastometry. <i>Journal of Pediatric Hematology/Oncology</i> , 2008, 30, 210-213.	0.6	17
194	Pediatric patients with congenital heart disease: thrombin generation measured by calibrated automated thrombography. <i>Blood Coagulation and Fibrinolysis</i> , 2008, 19, 389-393.	1.0	0
195	Thrombin generation in paediatric patients with congenital heart disease. Determination by calibrated automated thrombography. <i>Hamostaseologie</i> , 2008, 28 Suppl 1, S61-6.	1.9	1
196	Myocardial Infarction in an Adolescent: Anomalous Origin of the Left Main Coronary Artery From the Right Coronary Sinus in Association With Combined Prothrombotic Defects. <i>Pediatrics</i> , 2007, 120, e424-e427.	2.1	8
197	High Availability of Intravascular Tissue Factor in Neonates. <i>Journal of Pediatric Hematology/Oncology</i> , 2007, 29, 279-283.	0.6	7
198	Collagen/endogenous thrombin-induced platelet aggregation in whole blood samples. <i>Blood Coagulation and Fibrinolysis</i> , 2007, 18, 585-588.	1.0	10

#	ARTICLE	IF	CITATIONS
199	The respective and combined anticoagulant effects of recombinant human activated protein C, melagatran and heparins using CAT. <i>Thrombosis Research</i> , 2007, 119, 361-367.	1.7	12
200	Effects of Î²2-glycoprotein-I on platelet aggregation in cord versus adult whole blood. <i>Platelets</i> , 2007, 18, 24-28.	2.3	6
201	Anticoagulant action of melagatran: a comparison between neonates and adults using calibrated automated thrombography (CAT). <i>European Journal of Pediatrics</i> , 2007, 166, 427-431.	2.7	4
202	Successful occlusion of a persistent left vertical vein with an Amplatzer Muscular Ventricular Septal Defect Occluder. <i>Clinical Research in Cardiology</i> , 2007, 96, 566-568.	3.3	4
203	PFA-100 closure times in preoperative screening in 500 pediatric patients. <i>Thrombosis and Haemostasis</i> , 2007, 98, 243-247.	3.4	21
204	Mo-P2:212 Intravascular tissue factor in cord vs. adult whole blood. <i>Atherosclerosis Supplements</i> , 2006, 7, 93.	1.2	0
205	Effects of melagatran on activated partial thromboplastin time and on ecarin clotting time in cord versus adult plasma. <i>Blood Coagulation and Fibrinolysis</i> , 2006, 17, 677-680.	1.0	0
206	Thrombin generation in factor VIII-depleted neonatal plasma: nearly normal because of physiologically low antithrombin and tissue factor pathway inhibitor. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 1071-1077.	3.8	39
207	An evaluation of the procoagulant action of recombinant activated factor VII in cord whole blood versus adult whole blood using thromboelastography. <i>Blood Coagulation and Fibrinolysis</i> , 2005, 16, 613-617.	1.0	5
208	Protein S modulates the anticoagulant action of recombinant human activated protein C: a comparison between neonates and adults. <i>British Journal of Pharmacology</i> , 2005, 146, 1082-1086.	5.4	14
209	Additive effects of anticoagulants: recombinant human activated protein C and heparin or melagatran, in tissue factor-activated umbilical-cord plasma. <i>Thrombosis and Haemostasis</i> , 2005, 94, 69-74.	3.4	5
210	Recombinant human activated protein C, heparin and melagatran in umbilical cord versus adult plasma. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005, 94, 884-889.	1.5	1
211	Anticoagulant action of melagatran, the active form of the oral direct thrombin inhibitor ximelagatran, in umbilical cord and adult plasma: an in vitro examination. <i>Thrombosis Research</i> , 2005, 115, 135-142.	1.7	10
212	Recombinant human activated protein C, heparin and melagatran in umbilical cord versus adult plasma. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005, 94, 884-889.	1.5	0
213	The anticoagulant action of recombinant human activated protein C (rhAPC, Drotrecogin Î± activated): comparison between cord and adult plasma. <i>Thrombosis and Haemostasis</i> , 2004, 91, 912-918.	3.4	14
214	More on: mild hemophilia A and inhibitor development. <i>Journal of Thrombosis and Haemostasis</i> , 2004, 2, 676-676.	3.8	11
215	Drotrecogin Alfa (activated, Xigris; 1/2) in Combination with Heparin or Melagatran: An In vitro Investigation. <i>Journal of Thrombosis and Thrombolysis</i> , 2004, 18, 5-10.	2.1	3
216	Combined effects of melagatran and eptifibatide on platelet aggregation inhibition but not thrombin generation inhibition. <i>Blood Coagulation and Fibrinolysis</i> , 2004, 15, 131-137.	1.0	0

#	ARTICLE	IF	CITATIONS
217	Drotrecogin alfa activated (recombinant human activated protein C) in combination with heparin or melagatran. <i>Blood Coagulation and Fibrinolysis</i> , 2004, 15, 693-697.	1.0	8
218	Simultaneous occurrence of retinoblastoma and neurofibromatosis I in a young child. <i>Medical and Pediatric Oncology</i> , 2003, 40, 124-125.	1.0	4
219	Signs of thrombin generation in pediatric cardiac catheterization with unfractionated heparin bolus or subcutaneous low molecular weight heparin for antithrombotic cover. <i>Thrombosis Research</i> , 2003, 111, 335-341.	1.7	10
220	Alpha 2-macroglobulin enhances prothrombin activation and thrombin potential by inhibiting the anticoagulant protein C/protein S system in cord and adult plasma. <i>Thrombosis Research</i> , 2002, 105, 433-439.	1.7	52
221	Combined Effects of Eptifibatid and Anticoagulants: Differences between LMWH and UH or rH in Thrombin Generation Inhibition but not in Platelet Aggregation Inhibition. <i>Thrombosis and Haemostasis</i> , 2002, 88, 1012-1019.	3.4	5
222	Combined effects of eptifibatid and anticoagulants: differences between LMWH and UH or rH in thrombin generation inhibition but not in platelet aggregation inhibition. <i>Thrombosis and Haemostasis</i> , 2002, 88, 1012-9.	3.4	1
223	Effects of the glycoprotein IIb/IIIa receptor antagonist c7E3 Fab and anticoagulants on platelet aggregation and thrombin potential under high coagulant challenge in vitro. <i>Blood Coagulation and Fibrinolysis</i> , 2000, 11, 425-432.	1.0	6
224	High titre inhibitor after continuous factor VIII administration for surgery in a young infant. <i>Haemophilia</i> , 2000, 6, 120-120.	2.1	16
225	Normal Echocardiographic Reference Values of the Right Ventricular to Left Ventricular Endsystolic Diameter Ratio and the Left Ventricular Endsystolic Eccentricity Index in Healthy Children and in Children With Pulmonary Hypertension. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	2.4	3