

Anthony Cook

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8028960/publications.pdf>

Version: 2024-02-01

50
papers

2,228
citations

236833

25
h-index

233338

45
g-index

53
all docs

53
docs citations

53
times ranked

3645
citing authors

#	ARTICLE	IF	CITATIONS
1	Culture Variabilities of Human iPSC-Derived Cerebral Organoids Are a Major Issue for the Modelling of Phenotypes Observed in Alzheimer's Disease. <i>Stem Cell Reviews and Reports</i> , 2022, 18, 718-731.	1.7	40
2	Single-cell eQTL mapping identifies cell type-specific genetic control of autoimmune disease. <i>Science</i> , 2022, 376, eabf3041.	6.0	171
3	Single cell eQTL analysis identifies cell type-specific genetic control of gene expression in fibroblasts and reprogrammed induced pluripotent stem cells. <i>Genome Biology</i> , 2021, 22, 76.	3.8	58
4	Approaches for the sensitive detection of rare base and prime editing events. <i>Methods</i> , 2021, 194, 75-82.	1.9	1
5	Use of CRISPR/Cas ribonucleoproteins for high throughput gene editing of induced pluripotent stem cells. <i>Methods</i> , 2021, 194, 18-29.	1.9	7
6	Generation of MNZTASi001-A, a human pluripotent stem cell line from a person with primary progressive multiple sclerosis. <i>Stem Cell Research</i> , 2021, 57, 102568.	0.3	4
7	Image-Based Quantitation of Kainic Acid-Induced Excitotoxicity as a Model of Neurodegeneration in Human iPSC-Derived Neurons. <i>Methods in Molecular Biology</i> , 2021, , 1.	0.4	3
8	CRISPR/Cas-Mediated Knock-in of Genetically Encoded Fluorescent Biosensors into the AAVS1 Locus of Human-Induced Pluripotent Stem Cells. <i>Methods in Molecular Biology</i> , 2021, , 1.	0.4	3
9	A Simple Differentiation Protocol for Generation of Induced Pluripotent Stem Cell-Derived Basal Forebrain-Like Cholinergic Neurons for Alzheimer's Disease and Frontotemporal Dementia Disease Modeling. <i>Cells</i> , 2020, 9, 2018.	1.8	27
10	Comparison of CRISPR/Cas Endonucleases for in vivo Retinal Gene Editing. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 570917.	1.8	19
11	If Human Brain Organoids Are the Answer to Understanding Dementia, What Are the Questions?. <i>Neuroscientist</i> , 2020, 26, 438-454.	2.6	23
12	Utility of Self-Destructing CRISPR/Cas Constructs for Targeted Gene Editing in the Retina. <i>Human Gene Therapy</i> , 2019, 30, 1349-1360.	1.4	22
13	NLRP3-Dependent and -Independent Processing of Interleukin (IL)-1 β in Active Ulcerative Colitis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 57.	1.8	61
14	Screening of CRISPR/Cas base editors to target the AMD high-risk Y402H complement factor H variant. <i>Molecular Vision</i> , 2019, 25, 174-182.	1.1	5
15	Uteroglobin and FLRG concentrations in aqueous humor are associated with age in primary open angle glaucoma patients. <i>BMC Ophthalmology</i> , 2018, 18, 57.	0.6	3
16	Nod-Like Receptor Pyrin-Containing Protein 6 (NLRP6) Is Up-regulated in Ileal Crohn's Disease and Differentially Expressed in Goblet Cells. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2018, 6, 110-112.e8.	2.3	16
17	Peeking into the molecular trove of discarded surgical specimens. <i>Clinical and Experimental Ophthalmology</i> , 2016, 44, 661-662.	1.3	0
18	Enriched retinal ganglion cells derived from human embryonic stem cells. <i>Scientific Reports</i> , 2016, 6, 30552.	1.6	97

#	ARTICLE	IF	CITATIONS
19	Participant understanding and recall of informed consent for induced pluripotent stem cell biobanking. <i>Cell and Tissue Banking</i> , 2016, 17, 449-456.	0.5	20
20	Rotenone Susceptibility Phenotype in Olfactory Derived Patient Cells as a Model of Idiopathic Parkinson's Disease. <i>PLoS ONE</i> , 2016, 11, e0154544.	1.1	13
21	Characterisation of colonic dysplasia-like epithelial atypia in murine colitis. <i>World Journal of Gastroenterology</i> , 2016, 22, 8334.	1.4	10
22	Self-reported student confidence in troubleshooting ability increases after completion of an inquiry-based PCR practical. <i>Biochemistry and Molecular Biology Education</i> , 2015, 43, 316-323.	0.5	7
23	TIMP1, TIMP2, and TIMP4 are increased in aqueous humor from primary open angle glaucoma patients. <i>Molecular Vision</i> , 2015, 21, 1162-72.	1.1	40
24	SIRT1 inhibition restores apoptotic sensitivity in p53-mutated human keratinocytes. <i>Toxicology and Applied Pharmacology</i> , 2014, 277, 288-297.	1.3	19
25	Arsenic exposure disrupts epigenetic regulation of SIRT1 in human keratinocytes. <i>Toxicology and Applied Pharmacology</i> , 2014, 281, 136-145.	1.3	31
26	SIRT1 modulates miRNA processing defects in p53-mutated human keratinocytes. <i>Journal of Dermatological Science</i> , 2014, 74, 142-149.	1.0	11
27	Reflections on the Value of Mapping the Final Theory Examination in a Molecular Biochemistry Unit. <i>Journal of Microbiology and Biology Education</i> , 2014, 15, 53-54.	0.5	0
28	Exposure of colonic epithelial cells to oxidative and endoplasmic reticulum stress causes rapid potassium efflux and calcium influx. <i>Cell Biochemistry and Function</i> , 2013, 31, 603-611.	1.4	6
29	Surface coatings of ZnO nanoparticles mitigate differentially a host of transcriptional, protein and signalling responses in primary human olfactory cells. <i>Particle and Fibre Toxicology</i> , 2013, 10, 54.	2.8	33
30	Melanoma cell invasiveness is regulated by miR-211 suppression of the BRN2 transcription factor. <i>Pigment Cell and Melanoma Research</i> , 2011, 24, 525-537.	1.5	158
31	NRF2 Activation Restores Disease Related Metabolic Deficiencies in Olfactory Neurosphere-Derived Cells from Patients with Sporadic Parkinson's Disease. <i>PLoS ONE</i> , 2011, 6, e21907.	1.1	81
32	The Recycling Endosome Protein Rab17 Regulates Melanocytic Filopodia Formation and Melanosome Trafficking. <i>Traffic</i> , 2011, 12, 627-643.	1.3	83
33	Characterization of the Melanoma miRNAome by Deep Sequencing. <i>PLoS ONE</i> , 2010, 5, e9685.	1.1	181
34	Disease-specific, neurosphere-derived cells as models for brain disorders. <i>DMM Disease Models and Mechanisms</i> , 2010, 3, 785-798.	1.2	175
35	Analysis of Cultured Human Melanocytes Based on Polymorphisms within the SLC45A2/MATP, SLC24A5/NCKX5, and OCA2/P Loci. <i>Journal of Investigative Dermatology</i> , 2009, 129, 392-405.	0.3	96
36	SOX9 and SOX10 but Not BRN2 Are Required for Nestin Expression in Human Melanoma Cells. <i>Journal of Investigative Dermatology</i> , 2009, 129, 945-953.	0.3	43

#	ARTICLE	IF	CITATIONS
37	PPAR β agonists attenuate proliferation and modulate Wnt/ β -catenin signalling in melanoma cells. International Journal of Biochemistry and Cell Biology, 2009, 41, 844-852.	1.2	31
38	Red hair is the null phenotype of MC1R. Human Mutation, 2008, 29, E88-E94.	1.1	69
39	POU domain transcription factors: BRN2 as a regulator of melanocytic growth and tumourigenesis. Pigment Cell and Melanoma Research, 2008, 21, 611-626.	1.5	62
40	Post-Transcriptional Regulation of Melanin Biosynthetic Enzymes by cAMP and Resveratrol in Human Melanocytes. Journal of Investigative Dermatology, 2007, 127, 2216-2227.	0.3	100
41	BRN2 in Melanocytic Cell Development, Differentiation, and Transformation. , 2006, , 149-167.		3
42	Co-expression of SOX9 and SOX10 during melanocytic differentiation in vitro. Experimental Cell Research, 2005, 308, 222-235.	1.2	62
43	Gene-expression profiling reveals distinct expression patterns for Classic versus Variant Merkel cell phenotypes and new classifier genes to distinguish Merkel cell from small-cell lung carcinoma. Oncogene, 2004, 23, 2732-2742.	2.6	63
44	Screening of Human Primary Melanocytes of Defined Melanocortin-1 Receptor Genotype: Pigmentation Marker, Ultrastructural and UV-Survival Studies. Pigment Cell & Melanoma Research, 2003, 16, 198-207.	4.0	39
45	Human Melanoblasts in Culture: Expression of BRN2 and Synergistic Regulation by Fibroblast Growth Factor-2, Stem Cell Factor, and Endothelin-3. Journal of Investigative Dermatology, 2003, 121, 1150-1159.	0.3	88
46	Gene Expression Profiling Reveals Two Distinct Subtypes of Merkel Cell Carcinoma. , 2003, , 195-202.		1
47	Expression of Developmentally Regulated Transcription Factors in Merkel Cell Carcinoma. , 2003, , 203-218.		0
48	Proneural and proneuroendocrine transcription factor expression in cutaneous mechanoreceptor (Merkel) cells and Merkel cell carcinoma. International Journal of Cancer, 2002, 101, 103-110.	2.3	68
49	Frequent allelic loss at 10q23 but low incidence of PTEN mutations in merkel cell carcinoma. International Journal of Cancer, 2001, 92, 409-413.	2.3	63
50	CDKN2A is not the principal target of deletions on the short arm of chromosome 9 in neuroendocrine (Merkel cell) carcinoma of the skin. International Journal of Cancer, 2001, 93, 361-367.	2.3	10