

Mi-Die Xu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8031269/publications.pdf>

Version: 2024-02-01

68
papers

2,600
citations

218381

26
h-index

197535

49
g-index

70
all docs

70
docs citations

70
times ranked

3916
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The lncRNA NEAT1 activates Wnt/ β -catenin signaling and promotes colorectal cancer progression via interacting with DDX5. <i>Journal of Hematology and Oncology</i> , 2018, 11, 113. | 6.9 | 247 |
| 2 | A Positive Feedback Loop of lncRNA-PVT1 and FOXM1 Facilitates Gastric Cancer Growth and Invasion. <i>Clinical Cancer Research</i> , 2017, 23, 2071-2080. | 3.2 | 210 |
| 3 | Circulating Long RNAs in Serum Extracellular Vesicles: Their Characterization and Potential Application as Biomarkers for Diagnosis of Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1158-1166. | 1.1 | 175 |
| 4 | Circulating CUDR, LSINCT5 and PTENP1 long noncoding RNAs in sera distinguish patients with gastric cancer from healthy controls. <i>International Journal of Cancer</i> , 2015, 137, 1128-1135. | 2.3 | 143 |
| 5 | Low expression of LOC285194 is associated with poor prognosis in colorectal cancer. <i>Journal of Translational Medicine</i> , 2013, 11, 122. | 1.8 | 130 |
| 6 | The miR-34 family is upregulated and targets ACSL1 in dimethylnitrosamine-induced hepatic fibrosis in rats. <i>FEBS Journal</i> , 2011, 278, 1522-1532. | 2.2 | 115 |
| 7 | Long non-coding RNAs in colorectal cancer: implications for pathogenesis and clinical application. <i>Modern Pathology</i> , 2014, 27, 1310-1320. | 2.9 | 101 |
| 8 | The polycomb group protein EZH2 induces epithelial-mesenchymal transition and pluripotent phenotype of gastric cancer cells by binding to PTEN promoter. <i>Journal of Hematology and Oncology</i> , 2018, 11, 9. | 6.9 | 94 |
| 9 | Reciprocal repression between TUSC7 and miR-23b in gastric cancer. <i>International Journal of Cancer</i> , 2015, 137, 1269-1278. | 2.3 | 82 |
| 10 | Emerging roles of long non-coding RNAs in tumor metabolism. <i>Journal of Hematology and Oncology</i> , 2018, 11, 106. | 6.9 | 72 |
| 11 | Overexpression of stathmin 1 is a poor prognostic biomarker in non-small cell lung cancer. <i>Laboratory Investigation</i> , 2015, 95, 56-64. | 1.7 | 62 |
| 12 | Down-regulation of ncRAN, a long non-coding RNA, contributes to colorectal cancer cell migration and invasion and predicts poor overall survival for colorectal cancer patients. <i>Molecular Carcinogenesis</i> , 2015, 54, 742-750. | 1.3 | 61 |
| 13 | Pan-cancer transcriptome analysis reveals a gene expression signature for the identification of tumor tissue origin. <i>Modern Pathology</i> , 2016, 29, 546-556. | 2.9 | 60 |
| 14 | Long Non-Coding RNA LSINCT5 Predicts Negative Prognosis and Exhibits Oncogenic Activity in Gastric Cancer. <i>Medicine (United States)</i> , 2014, 93, e303. | 0.4 | 51 |
| 15 | OTUB1-catalyzed deubiquitination of FOXM1 facilitates tumor progression and predicts a poor prognosis in ovarian cancer. <i>Oncotarget</i> , 2016, 7, 36681-36697. | 0.8 | 50 |
| 16 | Long non-coding RNA Linc00152 is a positive prognostic factor for and demonstrates malignant biological behavior in clear cell renal cell carcinoma. <i>American Journal of Cancer Research</i> , 2016, 6, 285-99. | 1.4 | 49 |
| 17 | miR-106b-5p inhibits the invasion and metastasis of colorectal cancer by targeting CTSA. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 3835-3845. | 1.0 | 46 |
| 18 | PTTG3P promotes gastric tumour cell proliferation and invasion and is an indicator of poor prognosis. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 3360-3371. | 1.6 | 42 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | CTHRC1 overexpression predicts poor survival and enhances epithelial-mesenchymal transition in colorectal cancer. <i>Cancer Medicine</i> , 2018, 7, 5643-5654. | 1.3 | 42 |
| 20 | The Fibrillin-1/VEGFR2/STAT2 signaling axis promotes chemoresistance via modulating glycolysis and angiogenesis in ovarian cancer organoids and cells. <i>Cancer Communications</i> , 2022, 42, 245-265. | 3.7 | 42 |
| 21 | Lnc-RP11-5367.3/SOX2/HIF-1 signaling axis regulates oxaliplatin resistance in patient-derived colorectal cancer organoids. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021, 40, 348. | 3.5 | 37 |
| 22 | Linc00152 promotes Cancer Cell Proliferation and Invasion and Predicts Poor Prognosis in Lung adenocarcinoma. <i>Journal of Cancer</i> , 2017, 8, 2042-2050. | 1.2 | 34 |
| 23 | Programmed death ligand-1 regulates angiogenesis and metastasis by participating in the JUN/VEGFR2 signaling axis in ovarian cancer. <i>Cancer Communications</i> , 2021, 41, 511-527. | 3.7 | 31 |
| 24 | A non-linear association between blood tumor mutation burden and prognosis in NSCLC patients receiving atezolizumab. <i>Oncolmmunology</i> , 2020, 9, 1731072. | 2.1 | 30 |
| 25 | Gene Expression Profiling for Diagnosis of Triple-Negative Breast Cancer: A Multicenter, Retrospective Cohort Study. <i>Frontiers in Oncology</i> , 2019, 9, 354. | 1.3 | 29 |
| 26 | Pituitary tumor-transforming gene-1 serves as an independent prognostic biomarker for gastric cancer. <i>Gastric Cancer</i> , 2016, 19, 107-115. | 2.7 | 28 |
| 27 | DEPDC1B knockdown inhibits the development of malignant melanoma through suppressing cell proliferation and inducing cell apoptosis. <i>Experimental Cell Research</i> , 2019, 379, 48-54. | 1.2 | 27 |
| 28 | Focusing on long noncoding RNA dysregulation in gastric cancer. <i>Tumor Biology</i> , 2015, 36, 129-141. | 0.8 | 26 |
| 29 | Clinicopathological features and prognosis of AFP-producing colorectal cancer: a single-center analysis of 20 cases. <i>Cancer Management and Research</i> , 2019, Volume 11, 4557-4567. | 0.9 | 26 |
| 30 | FBP1 regulates proliferation, metastasis, and chemoresistance by participating in C-MYC/STAT3 signaling axis in ovarian cancer. <i>Oncogene</i> , 2021, 40, 5938-5949. | 2.6 | 23 |
| 31 | Comparisons of Cardiotoxicity and Efficacy of Anthracycline-Based Therapies in Breast Cancer: A Network Meta-Analysis of Randomized Clinical Trials. <i>Oncology Research and Treatment</i> , 2019, 42, 405-413. | 0.8 | 21 |
| 32 | Identification of lipid metabolism-related genes as prognostic indicators in papillary thyroid cancer. <i>Acta Biochimica Et Biophysica Sinica</i> , 2021, 53, 1579-1589. | 0.9 | 21 |
| 33 | BCL6 is a negative prognostic factor and exhibits pro-oncogenic activity in ovarian cancer. <i>American Journal of Cancer Research</i> , 2015, 5, 255-66. | 1.4 | 21 |
| 34 | Amphicrine carcinoma of the stomach and intestine: a clinicopathologic and pan-cancer transcriptome analysis of a distinct entity. <i>Cancer Cell International</i> , 2019, 19, 310. | 1.8 | 20 |
| 35 | Appendiceal mucinous neoplasm mimics ovarian tumors: Challenges for preoperative and intraoperative diagnosis and clinical implication. <i>European Journal of Surgical Oncology</i> , 2019, 45, 2120-2125. | 0.5 | 19 |
| 36 | MET amplification, expression, and exon 14 mutations in colorectal adenocarcinoma. <i>Human Pathology</i> , 2018, 77, 108-115. | 1.1 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Hedgehog Interacting Protein 1 is a Prognostic Marker and Suppresses Cell Metastasis in Gastric Cancer. <i>Journal of Cancer</i> , 2018, 9, 4642-4649. | 1.2 | 18 |
| 38 | Chondroitin polymerizing factor (CHPF) promotes development of malignant melanoma through regulation of CDK1. <i>Cell Death and Disease</i> , 2020, 11, 496. | 2.7 | 18 |
| 39 | Identification and validation of a 44-gene expression signature for the classification of renal cell carcinomas. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017, 36, 176. | 3.5 | 17 |
| 40 | OTUB1 promotes tumor invasion and predicts a poor prognosis in gastric adenocarcinoma. <i>American Journal of Translational Research (discontinued)</i> , 2016, 8, 2234-44. | 0.0 | 17 |
| 41 | The prognostic value of age in non-metastatic gastric cancer after gastrectomy: a retrospective study in the U.S. and China. <i>Journal of Cancer</i> , 2018, 9, 1188-1199. | 1.2 | 16 |
| 42 | <p>The Nrf2/HO-1 axis can be a prognostic factor in clear cell renal cell carcinoma</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 1221-1230. | 0.9 | 16 |
| 43 | <p>Pathological risk factors for lymph node metastasis in patients with submucosal invasive colorectal carcinoma</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 1107-1114. | 0.9 | 15 |
| 44 | Calcipotriol abrogates cancer-associated fibroblast-derived IL-8-mediated oxaliplatin resistance in gastric cancer cells via blocking PI3K/Akt signaling. <i>Acta Pharmacologica Sinica</i> , 2023, 44, 178-188. | 2.8 | 15 |
| 45 | Upregulation of the Non-Coding RNA OTUB1-isoform 2 Contributes to Gastric Cancer Cell Proliferation and Invasion and Predicts Poor Gastric Cancer Prognosis. <i>International Journal of Biological Sciences</i> , 2016, 12, 545-557. | 2.6 | 14 |
| 46 | Advanced Non-“Small Cell Lung Cancer Patients With Low Tumor Mutation Burden Might Derive Benefit From Immunotherapy. <i>Journal of Immunotherapy</i> , 2020, 43, 189-195. | 1.2 | 14 |
| 47 | Stanniocalcin-2 promotes cell EMT and glycolysis via activating ITGB2/FAK/SOX6 signaling pathway in nasopharyngeal carcinoma. <i>Cell Biology and Toxicology</i> , 2022, 38, 259-272. | 2.4 | 14 |
| 48 | Development and Clinical Validation of a 90-Gene Expression Assay for Identifying Tumor Tissue Origin. <i>Journal of Molecular Diagnostics</i> , 2020, 22, 1139-1150. | 1.2 | 13 |
| 49 | DUBR suppresses migration and invasion of human lung adenocarcinoma cells via ZBTB11-mediated inhibition of oxidative phosphorylation. <i>Acta Pharmacologica Sinica</i> , 2022, 43, 157-166. | 2.8 | 13 |
| 50 | Effects of CAF-Derived MicroRNA on Tumor Biology and Clinical Applications. <i>Cancers</i> , 2021, 13, 3160. | 1.7 | 12 |
| 51 | Prognostic and Predictive Value of Blood Tumor Mutational Burden in Patients With Lung Cancer Treated With Docetaxel. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020, 18, 582-589. | 2.3 | 10 |
| 52 | Dual HER2 Targeted Therapy With Pyrotinib and Trastuzumab in Refractory HER2 Positive Metastatic Colorectal Cancer: A Result From HER2-FUSCC-G Study. <i>Clinical Colorectal Cancer</i> , 2022, 21, 347-353. | 1.0 | 10 |
| 53 | LINC00152 Promotes Tumor Progression and Predicts Poor Prognosis by Stabilizing BCL6 From Degradation in the Epithelial Ovarian Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 555132. | 1.3 | 9 |
| 54 | Development and validation of a DNA repair gene signature for prognosis prediction in Colon Cancer. <i>Journal of Cancer</i> , 2020, 11, 5918-5928. | 1.2 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Atezolizumab prolongs overall survival over docetaxel in advanced non-small-cell lung cancer patients harboring <i>STK11</i> or <i>KEAP1</i> mutation. <i>Oncolimmunology</i> , 2021, 10, 1865670. | 2.1 | 9 |
| 56 | <i>GCNT4</i> is Associated with Prognosis and Suppress Cell Proliferation in Gastric Cancer. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 8601-8613. | 1.0 | 8 |
| 57 | Emerging Roles of Long Noncoding RNAs in Immuno-Oncology. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 722904. | 1.8 | 8 |
| 58 | Short-form RON (sf-RON) enhances glucose metabolism to promote cell proliferation via activating β -catenin/SIX1 signaling pathway in gastric cancer. <i>Cell Biology and Toxicology</i> , 2021, 37, 35-49. | 2.4 | 6 |
| 59 | Primary appendiceal mucinous neoplasm: Gynecological manifestations, management, and prognosis. <i>Gynecologic Oncology</i> , 2020, 156, 357-362. | 0.6 | 5 |
| 60 | Characteristics of lipid metabolism-related gene expression-based molecular subtype in papillary thyroid cancer. <i>Acta Biochimica Et Biophysica Sinica</i> , 2020, 52, 1166-1170. | 0.9 | 5 |
| 61 | Magnetic Resonance Imaging Features of Breast Encapsulated Papillary Carcinoma. <i>Journal of Computer Assisted Tomography</i> , 2018, 42, 536-541. | 0.5 | 4 |
| 62 | Extracellular vesicle-derived miR-320a targets ZC3H12B to inhibit tumorigenesis, invasion, and angiogenesis in ovarian cancer. <i>Discover Oncology</i> , 2021, 12, 51. | 0.8 | 4 |
| 63 | Comprehensive molecular characterization and identification of prognostic signature in stomach adenocarcinoma on the basis of energy-metabolism-related genes. <i>World Journal of Gastrointestinal Oncology</i> , 2022, 14, 478-497. | 0.8 | 4 |
| 64 | Screening of Breast Cancer Methylation Biomarkers Based on the TCGA Database. <i>International Journal of General Medicine</i> , 2021, Volume 14, 9833-9839. | 0.8 | 3 |
| 65 | Human Epidermal Growth Factor Receptor 2 Overexpression and Amplification in Patients With Colorectal Cancer: A Large-Scale Retrospective Study in Chinese Population. <i>Frontiers in Oncology</i> , 2022, 12, 842787. | 1.3 | 3 |
| 66 | Gene expression profiling of cells of origin of squamous cell carcinomas in head-and-neck, esophagus, and lung. <i>Acta Biochimica Et Biophysica Sinica</i> , 2020, 52, 211-214. | 0.9 | 2 |
| 67 | Molecular signatures of tumor progression in pancreatic adenocarcinoma identified by energy metabolism characteristics. <i>BMC Cancer</i> , 2022, 22, 404. | 1.1 | 2 |
| 68 | A Lipid Metabolism-Based Seven-Gene Signature Correlates with the Clinical Outcome of Lung Adenocarcinoma. <i>Journal of Oncology</i> , 2022, 2022, 1-18. | 0.6 | 1 |