

Dagmar M Haller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8033926/publications.pdf>

Version: 2024-02-01

101
papers

3,268
citations

218677

26
h-index

161849

54
g-index

106
all docs

106
docs citations

106
times ranked

5224
citing authors

#	ARTICLE	IF	CITATIONS
1	Global patterns of mortality in young people: a systematic analysis of population health data. <i>Lancet, The</i> , 2009, 374, 881-892.	13.7	935
2	Youth-friendly primary-care services: how are we doing and what more needs to be done?. <i>Lancet, The</i> , 2007, 369, 1565-1573.	13.7	490
3	Text-messaging versus telephone reminders to reduce missed appointments in an academic primary care clinic: a randomized controlled trial. <i>BMC Health Services Research</i> , 2013, 13, 125.	2.2	87
4	Impact of Interventions to Increase the Proportion of Medical Students Choosing a Primary Care Career: A Systematic Review. <i>Journal of General Internal Medicine</i> , 2015, 30, 1349-1358.	2.6	85
5	Reliability of doctors' anthropometric measurements to detect obesity. <i>Preventive Medicine</i> , 2008, 47, 389-393.	3.4	83
6	Rates, Delays, and Completeness of General Practitioners'™ Responses to a Postal Versus Web-Based Survey: A Randomized Trial. <i>Journal of Medical Internet Research</i> , 2017, 19, e83.	4.3	83
7	Handheld vs. Laptop Computers for Electronic Data Collection in Clinical Research: A Crossover Randomized Trial. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2009, 16, 651-659.	4.4	72
8	Beyond the virus: Ensuring continuity of care for people with diabetes during COVID-19. <i>Primary Care Diabetes</i> , 2021, 15, 16-17.	1.8	66
9	Health-Related Quality of Life in Adolescents and Young Adults with Polycystic Ovary Syndrome: A Systematic Review. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2016, 29, 551-557.	0.7	58
10	Reducing the use of screen electronic devices in the evening is associated with improved sleep and daytime vigilance in adolescents. <i>Sleep</i> , 2019, 42, .	1.1	57
11	Confidential health care for adolescents: reconciling clinical evidence with family values. <i>Medical Journal of Australia</i> , 2005, 183, 410-414.	1.7	56
12	The identification of young people's emotional distress: a study in primary care. <i>British Journal of General Practice</i> , 2009, 59, e61-e70.	1.4	55
13	Blood pressure measurements are unreliable to diagnose hypertension in primary care. <i>Journal of Hypertension</i> , 2014, 32, 509-517.	0.5	51
14	Toward Youth Friendly Services: A Survey of Young People in Primary Care. <i>Journal of General Internal Medicine</i> , 2007, 22, 775-781.	2.6	49
15	Does screening for and intervening with multiple health compromising behaviours and mental health disorders amongst young people attending primary care improve health outcomes? A systematic review. <i>BMC Family Practice</i> , 2016, 17, 104.	2.9	43
16	Multimorbidity and patterns of chronic conditions in a primary care population in Switzerland: a cross-sectional study. <i>BMJ Open</i> , 2017, 7, e013664.	1.9	43
17	Prevalence of multimorbidity in general practice: a cross-sectional study within the Swiss Sentinel Surveillance System (Sentinella). <i>BMJ Open</i> , 2018, 8, e019616.	1.9	42
18	Health problems among detainees in Switzerland: a study using the ICPC-2 classification. <i>BMC Public Health</i> , 2011, 11, 245.	2.9	39

#	ARTICLE	IF	CITATIONS
19	Psychiatric symptoms, psychological distress and somatic comorbidity among remand prisoners in Switzerland. <i>International Journal of Law and Psychiatry</i> , 2011, 34, 13-19.	0.9	38
20	Self-Reported Loss of Smell and Taste in SARS-CoV-2 Patients: Primary Care Data to Guide Future Early Detection Strategies. <i>Journal of General Internal Medicine</i> , 2020, 35, 2502-2504.	2.6	37
21	General Practitioners' Attitudes towards Essential Competencies in End-of-Life Care: A Cross-Sectional Survey. <i>PLoS ONE</i> , 2017, 12, e0170168.	2.5	35
22	An Expanded Conceptual Framework of Medical Students' Primary Care Career Choice. <i>Academic Medicine</i> , 2017, 92, 1536-1542.	1.6	34
23	Accuracy of anthropometric measurements by general practitioners in overweight and obese patients. <i>BMC Obesity</i> , 2017, 4, 23.	3.1	33
24	Comparing the self-perceived quality of life of multimorbid patients and the general population using the EQ-5D-3L. <i>PLoS ONE</i> , 2017, 12, e0188499.	2.5	33
25	YFHS-WHO+ Questionnaire: Validation of a Measure of Youth-Friendly Primary Care Services. <i>Journal of Adolescent Health</i> , 2012, 51, 422-430.	2.5	31
26	From chronic conditions to relevance in multimorbidity: a four-step study in family medicine. <i>Family Practice</i> , 2016, 33, 439-444.	1.9	28
27	Screening Obese Adolescents for Binge Eating Disorder in Primary Care: The Adolescent Binge Eating Scale. <i>Journal of Pediatrics</i> , 2017, 185, 68-72.e1.	1.8	28
28	Do Young People's Illness Beliefs Affect Healthcare? A Systematic Review. <i>Journal of Adolescent Health</i> , 2008, 42, 436-449.	2.5	27
29	Effectiveness of training family physicians to deliver a brief intervention to address excessive substance use among young patients: a cluster randomized controlled trial. <i>Cmaj</i> , 2014, 186, E263-E272.	2.0	27
30	Effect of magnesium therapy on nocturnal leg cramps: a systematic review of randomized controlled trials with meta-analysis using simulations. <i>Family Practice</i> , 2014, 31, 7-19.	1.9	26
31	Brief intervention addressing excessive cannabis use in young people consulting their GP: a pilot study. <i>British Journal of General Practice</i> , 2009, 59, 166-172.	1.4	25
32	Sexual and Reproductive Health Behaviors of Undocumented Migrants in Geneva: A Cross Sectional Study. <i>Journal of Immigrant and Minority Health</i> , 2011, 13, 510-517.	1.6	25
33	Factors associated with health literacy in multimorbid patients in primary care: a cross-sectional study in Switzerland. <i>BMJ Open</i> , 2018, 8, e018281.	1.9	23
34	Use of email, cell phone and text message between patients and primary-care physicians: cross-sectional study in a French-speaking part of Switzerland. <i>BMC Health Services Research</i> , 2016, 16, 549.	2.2	22
35	Factors associated with patients' and GPs' assessment of the burden of treatment in multimorbid patients: a cross-sectional study in primary care. <i>BMC Family Practice</i> , 2019, 20, 88.	2.9	22
36	Text-messaging to reduce missed appointment in a youth clinic: a randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 888-891.	3.7	19

#	ARTICLE	IF	CITATIONS
37	Global adolescent health: is there a role for general practice?. British Journal of General Practice, 2012, 62, 608-610.	1.4	18
38	Vitamin D in Adolescents: A Systematic Review and Narrative Synthesis of Available Recommendations. Journal of Adolescent Health, 2020, 66, 388-407.	2.5	18
39	Multimorbidity in primary care: protocol of a national cross-sectional study in Switzerland. BMJ Open, 2015, 5, e009165.	1.9	16
40	Brief interventions to prevent recurrence and alcohol-related problems in young adults admitted to the emergency ward following an alcohol-related event: a systematic review. Journal of Epidemiology and Community Health, 2015, 69, 912-917.	3.7	16
41	What are patients'™ expectations about the organization of their primary care physicians'™ practices?. BMC Health Services Research, 2015, 15, 328.	2.2	14
42	Impact of the primary care curriculum and its teaching formats on medical students'™ perception of primary care: a cross-sectional study. BMC Family Practice, 2016, 17, 135.	2.9	14
43	Opportunities for Prevention in Primary Care in a Country with Universal Insurance Coverage. Journal of Adolescent Health, 2008, 43, 517-519.	2.5	13
44	Text message communication in primary care research: a randomized controlled trial. Family Practice, 2009, 26, 325-330.	1.9	13
45	Prevalence of cramps in patients over the age of 60 in primary care : a cross sectional study. BMC Family Practice, 2016, 17, 111.	2.9	13
46	Mental health of young offenders in Switzerland: Recognizing psychiatric symptoms during detention. Journal of Clinical Forensic and Legal Medicine, 2012, 19, 332-336.	1.0	11
47	Reasons for encounter in young people consulting a family doctor in the French speaking part of Switzerland: a cross sectional study. BMC Family Practice, 2015, 16, 159.	2.9	11
48	Talking about Climate Change and Environmental Degradation with Patients in Primary Care: A Cross-Sectional Survey on Knowledge, Potential Domains of Action and Points of View of General Practitioners. International Journal of Environmental Research and Public Health, 2022, 19, 4901.	2.6	10
49	Association Between Alcohol Consumption and Nocturnal Leg Cramps in Patients Over 60 Years Old: A Case-Control Study. Annals of Family Medicine, 2018, 16, 296-301.	1.9	9
50	How Do Patients Want Us to Use the Computer During Medical Encounters?â€”A Discrete Choice Experiment Study. Journal of General Internal Medicine, 2021, 36, 1875-1882.	2.6	9
51	Overview of preventive practices provided by primary care physicians: A cross-sectional study in Switzerland and France. PLoS ONE, 2017, 12, e0184032.	2.5	9
52	How do GPs in Switzerland perceive their patients' satisfaction and expectations? An observational study. BMJ Open, 2015, 5, e007085-e007085.	1.9	8
53	Determinants associated with deprivation in multimorbid patients in primary careâ€”A cross-sectional study in Switzerland. PLoS ONE, 2017, 12, e0181534.	2.5	8
54	Treatment of nocturnal leg cramps by primary care patients over the age of 60. Family Practice, 2018, 35, 29-33.	1.9	8

#	ARTICLE	IF	CITATIONS
55	White coat in primary care: what do patients think today? Cross-sectional study. <i>Swiss Medical Weekly</i> , 2014, 144, w14072.	1.6	8
56	Primary care at Swiss universities - current state and perspective. <i>BMC Research Notes</i> , 2014, 7, 308.	1.4	7
57	How do general practitioners put preventive care recommendations into practice? A cross-sectional study in Switzerland and France. <i>BMJ Open</i> , 2017, 7, e017958.	1.9	7
58	A cross-sectional study of Swiss ambulatory care services use by multimorbid patients in primary care in the light of the Andersen model. <i>BMC Family Practice</i> , 2020, 21, 150.	2.9	7
59	Family practitioners' top medical priorities when managing patients with multimorbidity: a cross-sectional study. <i>BJGP Open</i> , 2019, 3, bjgpopen18X101622.	1.8	7
60	Excessive substance use among young people consulting family doctors: a cross-sectional study. <i>Family Practice</i> , 2015, 32, 500-504.	1.9	6
61	Is patient satisfaction with organizational aspects of their general practitioner's practice associated with patient and doctor gender? An observational study. <i>BMC Family Practice</i> , 2016, 17, 120.	2.9	6
62	Reasons for and Frequency of End-of-Life Hospital Admissions: General Practitioners' Perspective on Reducing End-of-Life Hospital Referrals. <i>Journal of Palliative Medicine</i> , 2018, 21, 1122-1130.	1.1	6
63	Multimorbidity: can general practitioners identify the health conditions most important to their patients? Results from a national cross-sectional study in Switzerland. <i>BMC Family Practice</i> , 2018, 19, 66.	2.9	6
64	Is a COVID-19 prediction model based on symptom tracking through an app applicable in primary care?. <i>Family Practice</i> , 2020, 37, 866-867.	1.9	6
65	Practical evidence in favour of mature's minor consent in primary care research. <i>Medical Journal of Australia</i> , 2005, 183, 439-439.	1.7	5
66	Training General Practitioners to Detect Probable Mental Disorders in Young People During Health Risk Screening. <i>Journal of Adolescent Health</i> , 2017, 61, 302-309.	2.5	5
67	Association between physical activity and Nocturnal Leg Cramps in patients over 60 years old: a case-control study. <i>Scientific Reports</i> , 2020, 10, 2638.	3.3	5
68	Primary care patients' perspectives on the use of non-pharmacological home remedies in Geneva: a cross-sectional study. <i>BMC Complementary Medicine and Therapies</i> , 2022, 22, 126.	2.7	5
69	General practitioners' views and preferences about quality improvement feedback in preventive care: a cross-sectional study in Switzerland and France. <i>Implementation Science</i> , 2017, 12, 95.	6.9	4
70	Primary care prevention of cardiovascular risk behaviors in adolescents: A systematic review. <i>Preventive Medicine</i> , 2021, 142, 106346.	3.4	4
71	Is There a Role for Primary Care Physicians' Screening of Excessive Weight and Eating Concerns in Adolescence?. <i>Journal of Pediatrics</i> , 2010, 157, 32-35.	1.8	3
72	Alcohol screening among young people: a prospective study from the Swiss Sentinel Surveillance System (Sentinella) of physicians' a priori opinions. <i>Family Practice</i> , 2017, 34, 423-429.	1.9	3

#	ARTICLE	IF	CITATIONS
73	Detection of adolescent suicidality in primary care: an international utility study of the bullying–insomnia–tobacco–stress test. <i>Microbial Biotechnology</i> , 2020, 14, 80-86.	1.7	3
74	Self-reported symptoms in French primary care SARS-CoV-2 patients: association with gender and age group. <i>Family Practice</i> , 2021, 38, i37-i44.	1.9	3
75	Comparaison des repr“sentations et comportements des m“decins g“n“ralistes du Canton de Gen“ve et du Poitou-Charentes. <i>Sante Publique</i> , 2016, Vol. 28, 187-195.	0.1	3
76	Chlamydia trachomatis infection in males in a juvenile detention facility in Switzerland. <i>Swiss Medical Weekly</i> , 2011, 141, w13220.	1.6	3
77	Geneva medical students increasingly identify primary care physicians as role models after introduction of a compulsory clerkship. <i>European Journal of General Practice</i> , 2021, 27, 326-330.	2.0	3
78	Protocol for a systematic review of the factors associated with binge drinking among adolescents and young adults. <i>Systematic Reviews</i> , 2017, 6, 76.	5.3	2
79	Excessive substance use screening to encourage behaviour change among young people in primary care: Pilot study in preparation for a randomized trial. <i>Addictive Behaviors</i> , 2019, 98, 106049.	3.0	2
80	General practitioners’ perspectives on barriers to depression care: development and validation of a questionnaire. <i>BMC Family Practice</i> , 2020, 21, 156.	2.9	2
81	Cross sectional study of the clinical characteristics of French primary care patients with COVID-19. <i>Scientific Reports</i> , 2021, 11, 12492.	3.3	2
82	Shifting palliative care paradigm in primary care from better death to better end-of-life: a Swiss pilot study. <i>BMC Health Services Research</i> , 2021, 21, 629.	2.2	2
83	Health-related quality of life associated with nocturnal leg cramps in primary care: a mixed methods study. <i>Family Practice</i> , 2022, 39, 85-91.	1.9	2
84	Adherence to guidelines when evaluating fitness-to-drive in the elderly: a practice review of Swiss physicians. <i>Swiss Medical Weekly</i> , 2018, 148, w14632.	1.6	2
85	Treatment of depression in children and adolescents. <i>Lancet, The</i> , 2005, 366, 1694.	13.7	1
86	6: Universal insurance coverage may favor opportunities for prevention in primary care. <i>Journal of Adolescent Health</i> , 2007, 40, S5.	2.5	1
87	Adolescent detainees in an adult prison in Geneva. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005, 94, 1831-1833.	1.5	1
88	45. International Partnerships in the Field of Adolescent Health Research and Training : Development of Youth-Friendly Family Medicine Practices in Bosnia and Herzegovina. <i>Journal of Adolescent Health</i> , 2011, 48, S40-S41.	2.5	1
89	2. Training General Practitioners to Assess Young Peoples Mental Health Needs: Impact on General Practitioner's Detection of Mental Health Issues. <i>Journal of Adolescent Health</i> , 2013, 52, S9-S10.	2.5	1
90	Primary care interventions to reduce cardiovascular risk behaviours in adolescents: a protocol for a systematic review. <i>BMJ Open</i> , 2016, 6, e011936.	1.9	1

#	ARTICLE	IF	CITATIONS
91	Three monthly doses of 150,000 IU of oral cholecalciferol correct vitamin D deficiency in adolescents: A pragmatic study. <i>International Journal of Clinical Practice</i> , 2021, 75, e14989.	1.7	1
92	Quality of sleep in patients with nocturnal leg cramps and validity of a single-item measure of cramp-related sleep disturbance: an observational study. <i>Swiss Medical Weekly</i> , 2020, 150, w20217.	1.6	1
93	3: Identification of youth emotional distress: A study in primary care. <i>Journal of Adolescent Health</i> , 2007, 40, S17-S18.	2.5	0
94	40: Txt 4 Research? Results of a Randomised Trial. <i>Journal of Adolescent Health</i> , 2008, 42, 32-33.	2.5	0
95	Primary Care Services Provided to Adolescents in Detention: A Study in a Juvenile Detention Facility in Switzerland. <i>Journal of Adolescent Health</i> , 2009, 44, S31-S32.	2.5	0
96	155. Why do Young People Consult Primary Care Doctors? ICPC Coded Reasons for Encounter as Expressed by Young Patients. <i>Journal of Adolescent Health</i> , 2012, 50, S87-S88.	2.5	0
97	Development of youth friendly family medicine services in Bosnia and Herzegovina: protocol for a cluster randomized controlled trial. <i>SpringerPlus</i> , 2014, 3, 319.	1.2	0
98	The ABC of Primary Care for University Students: a 3-Step Structured Approach at Geneva University Hospitals. <i>SN Comprehensive Clinical Medicine</i> , 2021, 3, 1870-1880.	0.6	0
99	Diagnostic Performance of Self-Reported Smell and Taste Disorders Varies with COVID-19 Prevalence in Primary Care Settings. <i>Journal of General Internal Medicine</i> , 2021, 36, 3925-3927.	2.6	0
100	Clinical preventive guidelines for school-aged children and adolescents in primary care: a protocol for a systematic review. <i>BMJ Open</i> , 2020, 10, e037396.	1.9	0
101	Health status and healthcare services utilisation among unaccompanied asylum-seeking minors settled in Switzerland: a protocol for a retrospective cohort study from a hospital-based youth outpatient clinic. <i>BMJ Open</i> , 2022, 12, e056276.	1.9	0