

Dagmar M Haller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8033926/publications.pdf>

Version: 2024-02-01

101
papers

3,268
citations

218677

26
h-index

161849

54
g-index

106
all docs

106
docs citations

106
times ranked

5224
citing authors

#	ARTICLE	IF	CITATIONS
1	Health-related quality of life associated with nocturnal leg cramps in primary care: a mixed methods study. <i>Family Practice</i> , 2022, 39, 85-91.	1.9	2
2	Health status and healthcare services utilisation among unaccompanied asylum-seeking minors settled in Switzerland: a protocol for a retrospective cohort study from a hospital-based youth outpatient clinic. <i>BMJ Open</i> , 2022, 12, e056276.	1.9	0
3	Talking about Climate Change and Environmental Degradation with Patients in Primary Care: A Cross-Sectional Survey on Knowledge, Potential Domains of Action and Points of View of General Practitioners. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4901.	2.6	10
4	Primary care patients' perspectives on the use of non-pharmacological home remedies in Geneva: a cross-sectional study. <i>BMC Complementary Medicine and Therapies</i> , 2022, 22, 126.	2.7	5
5	Beyond the virus: Ensuring continuity of care for people with diabetes during COVID-19. <i>Primary Care Diabetes</i> , 2021, 15, 16-17.	1.8	66
6	Primary care prevention of cardiovascular risk behaviors in adolescents: A systematic review. <i>Preventive Medicine</i> , 2021, 142, 106346.	3.4	4
7	How Do Patients Want Us to Use the Computer During Medical Encounters? A Discrete Choice Experiment Study. <i>Journal of General Internal Medicine</i> , 2021, 36, 1875-1882.	2.6	9
8	The ABC of Primary Care for University Students: a 3-Step Structured Approach at Geneva University Hospitals. <i>SN Comprehensive Clinical Medicine</i> , 2021, 3, 1870-1880.	0.6	0
9	Cross sectional study of the clinical characteristics of French primary care patients with COVID-19. <i>Scientific Reports</i> , 2021, 11, 12492.	3.3	2
10	Shifting palliative care paradigm in primary care from better death to better end-of-life: a Swiss pilot study. <i>BMC Health Services Research</i> , 2021, 21, 629.	2.2	2
11	Self-reported symptoms in French primary care SARS-CoV-2 patients: association with gender and age group. <i>Family Practice</i> , 2021, 38, i37-i44.	1.9	3
12	Diagnostic Performance of Self-Reported Smell and Taste Disorders Varies with COVID-19 Prevalence in Primary Care Settings. <i>Journal of General Internal Medicine</i> , 2021, 36, 3925-3927.	2.6	0
13	Three monthly doses of 150,000 IU of oral cholecalciferol correct vitamin D deficiency in adolescents: A pragmatic study. <i>International Journal of Clinical Practice</i> , 2021, 75, e14989.	1.7	1
14	Geneva medical students increasingly identify primary care physicians as role models after introduction of a compulsory clerkship. <i>European Journal of General Practice</i> , 2021, 27, 326-330.	2.0	3
15	Detection of adolescent suicidality in primary care: an international utility study of the bullying, insomnia, tobacco, stress test. <i>Microbial Biotechnology</i> , 2020, 14, 80-86.	1.7	3
16	Vitamin D in Adolescents: A Systematic Review and Narrative Synthesis of Available Recommendations. <i>Journal of Adolescent Health</i> , 2020, 66, 388-407.	2.5	18
17	A cross-sectional study of Swiss ambulatory care services use by multimorbid patients in primary care in the light of the Andersen model. <i>BMC Family Practice</i> , 2020, 21, 150.	2.9	7
18	Is a COVID-19 prediction model based on symptom tracking through an app applicable in primary care?. <i>Family Practice</i> , 2020, 37, 866-867.	1.9	6

#	ARTICLE	IF	CITATIONS
19	General practitioners'™ perspectives on barriers to depression care: development and validation of a questionnaire. <i>BMC Family Practice</i> , 2020, 21, 156.	2.9	2
20	Self-Reported Loss of Smell and Taste in SARS-CoV-2 Patients: Primary Care Data to Guide Future Early Detection Strategies. <i>Journal of General Internal Medicine</i> , 2020, 35, 2502-2504.	2.6	37
21	Association between physical activity and Nocturnal Leg Cramps in patients over 60 years old: a case-control study. <i>Scientific Reports</i> , 2020, 10, 2638.	3.3	5
22	Clinical preventive guidelines for school-aged children and adolescents in primary care: a protocol for a systematic review. <i>BMJ Open</i> , 2020, 10, e037396.	1.9	0
23	Quality of sleep in patients with nocturnal leg cramps and validity of a single-item measure of cramp-related sleep disturbance: an observational study. <i>Swiss Medical Weekly</i> , 2020, 150, w20217.	1.6	1
24	Excessive substance use screening to encourage behaviour change among young people in primary care: Pilot study in preparation for a randomized trial. <i>Addictive Behaviors</i> , 2019, 98, 106049.	3.0	2
25	Factors associated with patients'™ and GPs'™ assessment of the burden of treatment in multimorbid patients: a cross-sectional study in primary care. <i>BMC Family Practice</i> , 2019, 20, 88.	2.9	22
26	Reducing the use of screen electronic devices in the evening is associated with improved sleep and daytime vigilance in adolescents. <i>Sleep</i> , 2019, 42, .	1.1	57
27	Family practitioners' top medical priorities when managing patients with multimorbidity: a cross-sectional study. <i>BJGP Open</i> , 2019, 3, bjgpopen18X101622.	1.8	7
28	Reasons for and Frequency of End-of-Life Hospital Admissions: General Practitioners' Perspective on Reducing End-of-Life Hospital Referrals. <i>Journal of Palliative Medicine</i> , 2018, 21, 1122-1130.	1.1	6
29	Prevalence of multimorbidity in general practice: a cross-sectional study within the Swiss Sentinel Surveillance System (Sentinella). <i>BMJ Open</i> , 2018, 8, e019616.	1.9	42
30	Treatment of nocturnal leg cramps by primary care patients over the age of 60. <i>Family Practice</i> , 2018, 35, 29-33.	1.9	8
31	Multimorbidity: can general practitioners identify the health conditions most important to their patients? Results from a national cross-sectional study in Switzerland. <i>BMC Family Practice</i> , 2018, 19, 66.	2.9	6
32	Association Between Alcohol Consumption and Nocturnal Leg Cramps in Patients Over 60 Years Old: A Case-Control Study. <i>Annals of Family Medicine</i> , 2018, 16, 296-301.	1.9	9
33	Factors associated with health literacy in multimorbid patients in primary care: a cross-sectional study in Switzerland. <i>BMJ Open</i> , 2018, 8, e018281.	1.9	23
34	Adherence to guidelines when evaluating fitness-to-drive in the elderly: a practice review of Swiss physicians. <i>Swiss Medical Weekly</i> , 2018, 148, w14632.	1.6	2
35	Protocol for a systematic review of the factors associated with binge drinking among adolescents and young adults. <i>Systematic Reviews</i> , 2017, 6, 76.	5.3	2
36	Training General Practitioners to Detect Probable Mental Disorders in Young People During Health Risk Screening. <i>Journal of Adolescent Health</i> , 2017, 61, 302-309.	2.5	5

#	ARTICLE	IF	CITATIONS
37	Screening Obese Adolescents for Binge Eating Disorder in Primary Care: The Adolescent Binge Eating Scale. <i>Journal of Pediatrics</i> , 2017, 185, 68-72.e1.	1.8	28
38	How do general practitioners put preventive care recommendations into practice? A cross-sectional study in Switzerland and France. <i>BMJ Open</i> , 2017, 7, e017958.	1.9	7
39	An Expanded Conceptual Framework of Medical Students'™ Primary Care Career Choice. <i>Academic Medicine</i> , 2017, 92, 1536-1542.	1.6	34
40	Multimorbidity and patterns of chronic conditions in a primary care population in Switzerland: a cross-sectional study. <i>BMJ Open</i> , 2017, 7, e013664.	1.9	43
41	Accuracy of anthropometric measurements by general practitioners in overweight and obese patients. <i>BMC Obesity</i> , 2017, 4, 23.	3.1	33
42	Determinants associated with deprivation in multimorbid patients in primary care'™A cross-sectional study in Switzerland. <i>PLoS ONE</i> , 2017, 12, e0181534.	2.5	8
43	General practitioners'™ views and preferences about quality improvement feedback in preventive care: a cross-sectional study in Switzerland and France. <i>Implementation Science</i> , 2017, 12, 95.	6.9	4
44	Alcohol screening among young people: a prospective study from the Swiss Sentinel Surveillance System (Sentinella) of physicians'™ a priori opinions. <i>Family Practice</i> , 2017, 34, 423-429.	1.9	3
45	General Practitioners'™ Attitudes towards Essential Competencies in End-of-Life Care: A Cross-Sectional Survey. <i>PLoS ONE</i> , 2017, 12, e0170168.	2.5	35
46	Overview of preventive practices provided by primary care physicians: A cross-sectional study in Switzerland and France. <i>PLoS ONE</i> , 2017, 12, e0184032.	2.5	9
47	Comparing the self-perceived quality of life of multimorbid patients and the general population using the EQ-5D-3L. <i>PLoS ONE</i> , 2017, 12, e0188499.	2.5	33
48	Rates, Delays, and Completeness of General Practitioners'™ Responses to a Postal Versus Web-Based Survey: A Randomized Trial. <i>Journal of Medical Internet Research</i> , 2017, 19, e83.	4.3	83
49	Use of email, cell phone and text message between patients and primary-care physicians: cross-sectional study in a French-speaking part of Switzerland. <i>BMC Health Services Research</i> , 2016, 16, 549.	2.2	22
50	Does screening for and intervening with multiple health compromising behaviours and mental health disorders amongst young people attending primary care improve health outcomes? A systematic review. <i>BMC Family Practice</i> , 2016, 17, 104.	2.9	43
51	From chronic conditions to relevance in multimorbidity: a four-step study in family medicine. <i>Family Practice</i> , 2016, 33, 439-444.	1.9	28
52	Prevalence of cramps in patients over the age of 60 in primary care : a cross sectional study. <i>BMC Family Practice</i> , 2016, 17, 111.	2.9	13
53	Primary care interventions to reduce cardiovascular risk behaviours in adolescents: a protocol for a systematic review. <i>BMJ Open</i> , 2016, 6, e011936.	1.9	1
54	Is patient satisfaction with organizational aspects of their general practitioner'™s practice associated with patient and doctor gender? An observational study. <i>BMC Family Practice</i> , 2016, 17, 120.	2.9	6

#	ARTICLE	IF	CITATIONS
55	Impact of the primary care curriculum and its teaching formats on medical students'™ perception of primary care: a cross-sectional study. <i>BMC Family Practice</i> , 2016, 17, 135.	2.9	14
56	Health-Related Quality of Life in Adolescents and Young Adults with Polycystic Ovary Syndrome: A Systematic Review. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2016, 29, 551-557.	0.7	58
57	Comparaison des repr�sentations et comportements des m�decins g�n�ralistes du Canton de Gen�ve et du Poitou-Charentes. <i>Sante Publique</i> , 2016, Vol. 28, 187-195.	0.1	3
58	Reasons for encounter in young people consulting a family doctor in the French speaking part of Switzerland: a cross sectional study. <i>BMC Family Practice</i> , 2015, 16, 159.	2.9	11
59	How do GPs in Switzerland perceive their patients' satisfaction and expectations? An observational study. <i>BMJ Open</i> , 2015, 5, e007085-e007085.	1.9	8
60	Excessive substance use among young people consulting family doctors: a cross-sectional study. <i>Family Practice</i> , 2015, 32, 500-504.	1.9	6
61	Multimorbidity in primary care: protocol of a national cross-sectional study in Switzerland. <i>BMJ Open</i> , 2015, 5, e009165.	1.9	16
62	Brief interventions to prevent recurrence and alcohol-related problems in young adults admitted to the emergency ward following an alcohol-related event: a systematic review. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 912-917.	3.7	16
63	What are patients'™ expectations about the organization of their primary care physicians'™ practices?. <i>BMC Health Services Research</i> , 2015, 15, 328.	2.2	14
64	Impact of Interventions to Increase the Proportion of Medical Students Choosing a Primary Care Career: A Systematic Review. <i>Journal of General Internal Medicine</i> , 2015, 30, 1349-1358.	2.6	85
65	Effectiveness of training family physicians to deliver a brief intervention to address excessive substance use among young patients: a cluster randomized controlled trial. <i>Cmaj</i> , 2014, 186, E263-E272.	2.0	27
66	Blood pressure measurements are unreliable to diagnose hypertension in primary care. <i>Journal of Hypertension</i> , 2014, 32, 509-517.	0.5	51
67	Effect of magnesium therapy on nocturnal leg cramps: a systematic review of randomized controlled trials with meta-analysis using simulations. <i>Family Practice</i> , 2014, 31, 7-19.	1.9	26
68	Development of youth friendly family medicine services in Bosnia and Herzegovina: protocol for a cluster randomized controlled trial. <i>SpringerPlus</i> , 2014, 3, 319.	1.2	0
69	Primary care at Swiss universities - current state and perspective. <i>BMC Research Notes</i> , 2014, 7, 308.	1.4	7
70	White coat in primary care: what do patients think today? Cross-sectional study. <i>Swiss Medical Weekly</i> , 2014, 144, w14072.	1.6	8
71	Text-messaging versus telephone reminders to reduce missed appointments in an academic primary care clinic: a randomized controlled trial. <i>BMC Health Services Research</i> , 2013, 13, 125.	2.2	87
72	2. Training General Practitioners to Assess Young Peoples Mental Health Needs: Impact on General Practitioner's Detection of Mental Health Issues. <i>Journal of Adolescent Health</i> , 2013, 52, S9-S10.	2.5	1

#	ARTICLE	IF	CITATIONS
73	Text-messaging to reduce missed appointment in a youth clinic: a randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 888-891.	3.7	19
74	YFHS-WHO+ Questionnaire: Validation of a Measure of Youth-Friendly Primary Care Services. <i>Journal of Adolescent Health</i> , 2012, 51, 422-430.	2.5	31
75	155. Why do Young People Consult Primary Care Doctors? ICPC Coded Reasons for Encounter as Expressed by Young Patients. <i>Journal of Adolescent Health</i> , 2012, 50, S87-S88.	2.5	0
76	Mental health of young offenders in Switzerland: Recognizing psychiatric symptoms during detention. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2012, 19, 332-336.	1.0	11
77	Global adolescent health: is there a role for general practice?. <i>British Journal of General Practice</i> , 2012, 62, 608-610.	1.4	18
78	45. International Partnerships in the Field of Adolescent Health Research and Training : Development of Youth-Friendly Family Medicine Practices in Bosnia and Herzegovina. <i>Journal of Adolescent Health</i> , 2011, 48, S40-S41.	2.5	1
79	Psychiatric symptoms, psychological distress and somatic comorbidity among remand prisoners in Switzerland. <i>International Journal of Law and Psychiatry</i> , 2011, 34, 13-19.	0.9	38
80	Sexual and Reproductive Health Behaviors of Undocumented Migrants in Geneva: A Cross Sectional Study. <i>Journal of Immigrant and Minority Health</i> , 2011, 13, 510-517.	1.6	25
81	Health problems among detainees in Switzerland: a study using the ICPC-2 classification. <i>BMC Public Health</i> , 2011, 11, 245.	2.9	39
82	Chlamydia trachomatis infection in males in a juvenile detention facility in Switzerland. <i>Swiss Medical Weekly</i> , 2011, 141, w13220.	1.6	3
83	Is There a Role for Primary Care Physicians' Screening of Excessive Weight and Eating Concerns in Adolescence?. <i>Journal of Pediatrics</i> , 2010, 157, 32-35.	1.8	3
84	The identification of young people's emotional distress: a study in primary care. <i>British Journal of General Practice</i> , 2009, 59, e61-e70.	1.4	55
85	Text message communication in primary care research: a randomized controlled trial. <i>Family Practice</i> , 2009, 26, 325-330.	1.9	13
86	Primary Care Services Provided to Adolescents in Detention: A Study in a Juvenile Detention Facility in Switzerland. <i>Journal of Adolescent Health</i> , 2009, 44, S31-S32.	2.5	0
87	Handheld vs. Laptop Computers for Electronic Data Collection in Clinical Research: A Crossover Randomized Trial. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2009, 16, 651-659.	4.4	72
88	Global patterns of mortality in young people: a systematic analysis of population health data. <i>Lancet</i> , 2009, 374, 881-892.	13.7	935
89	Brief intervention addressing excessive cannabis use in young people consulting their GP: a pilot study. <i>British Journal of General Practice</i> , 2009, 59, 166-172.	1.4	25
90	Do Young People's Illness Beliefs Affect Healthcare? A Systematic Review. <i>Journal of Adolescent Health</i> , 2008, 42, 436-449.	2.5	27

#	ARTICLE	IF	CITATIONS
91	40: Txt 4 Research? Results of a Randomised Trial. Journal of Adolescent Health, 2008, 42, 32-33.	2.5	0
92	Opportunities for Prevention in Primary Care in a Country with Universal Insurance Coverage. Journal of Adolescent Health, 2008, 43, 517-519.	2.5	13
93	Reliability of doctors' anthropometric measurements to detect obesity. Preventive Medicine, 2008, 47, 389-393.	3.4	83
94	6: Universal insurance coverage may favor opportunities for prevention in primary care. Journal of Adolescent Health, 2007, 40, S5.	2.5	1
95	3: Identification of youth emotional distress: A study in primary care. Journal of Adolescent Health, 2007, 40, S17-S18.	2.5	0
96	Youth-friendly primary-care services: how are we doing and what more needs to be done?. Lancet, The, 2007, 369, 1565-1573.	13.7	490
97	Toward Youth Friendly Services: A Survey of Young People in Primary Care. Journal of General Internal Medicine, 2007, 22, 775-781.	2.6	49
98	Confidential health care for adolescents: reconciling clinical evidence with family values. Medical Journal of Australia, 2005, 183, 410-414.	1.7	56
99	Practical evidence in favour of matureâ€œminor consent in primary care research. Medical Journal of Australia, 2005, 183, 439-439.	1.7	5
100	Treatment of depression in children and adolescents. Lancet, The, 2005, 366, 1694.	13.7	1
101	Adolescent detainees in an adult prison in Geneva. Acta Paediatrica, International Journal of Paediatrics, 2005, 94, 1831-1833.	1.5	1