

Auguste Dargent

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8035298/publications.pdf>

Version: 2024-02-01

60
papers

2,044
citations

471509

17
h-index

254184

43
g-index

62
all docs

62
docs citations

62
times ranked

3014
citing authors

#	ARTICLE	IF	CITATIONS
1	Hydrocortisone plus Fludrocortisone for Adults with Septic Shock. <i>New England Journal of Medicine</i> , 2018, 378, 809-818.	27.0	606
2	Timing of Renal-Replacement Therapy in Patients with Acute Kidney Injury and Sepsis. <i>New England Journal of Medicine</i> , 2018, 379, 1431-1442.	27.0	417
3	Non-invasive ventilation versus high-flow nasal cannula oxygen therapy with apnoeic oxygenation for preoxygenation before intubation of patients with acute hypoxaemic respiratory failure: a randomised, multicentre, open-label trial. <i>Lancet Respiratory Medicine</i> , 2019, 7, 303-312.	10.7	113
4	Inhibition of mitophagy drives macrophage activation and antibacterial defense during sepsis. <i>Journal of Clinical Investigation</i> , 2020, 130, 5858-5874.	8.2	87
5	Lung ultrasound score to monitor COVID-19 pneumonia progression in patients with ARDS. <i>PLoS ONE</i> , 2020, 15, e0236312.	2.5	78
6	Superior accuracy of mid-regional proadrenomedullin for mortality prediction in sepsis with varying levels of illness severity. <i>Annals of Intensive Care</i> , 2017, 7, 15.	4.6	72
7	CXCL10 could drive longer duration of mechanical ventilation during COVID-19 ARDS. <i>Critical Care</i> , 2020, 24, 632.	5.8	67
8	The dysregulated innate immune response in severe COVID-19 pneumonia that could drive poorer outcome. <i>Journal of Translational Medicine</i> , 2020, 18, 457.	4.4	61
9	Clinical features and outcome of patients with acute respiratory failure revealing anti-synthetase or anti-MDA-5 dermatopulmonary syndrome: a French multicenter retrospective study. <i>Annals of Intensive Care</i> , 2018, 8, 87.	4.6	60
10	Benefits and risks of noninvasive oxygenation strategy in COVID-19: a multicenter, prospective cohort study (COVID-ICU) in 137 hospitals. <i>Critical Care</i> , 2021, 25, 421.	5.8	33
11	Early Changes Over Time in the Radiographic Assessment of Lung Edema Score Are Associated With Survival in ARDS. <i>Chest</i> , 2020, 158, 2394-2403.	0.8	29
12	Nephrotoxic drug burden among 1001 critically ill patients: impact on acute kidney injury. <i>Annals of Intensive Care</i> , 2019, 9, 106.	4.6	27
13	Alveolar SARS-CoV-2 Viral Load Is Tightly Correlated With Severity in COVID-19 ARDS. <i>Clinical Infectious Diseases</i> , 2021, 72, e446-e447.	5.8	22
14	Vasopressor Cumulative Dose Requirement and Risk of Early Death During Septic Shock: An Analysis From The EPISS Cohort. <i>Shock</i> , 2018, 49, 625-630.	2.1	20
15	What are the ethical issues in relation to the role of the family in intensive care?. <i>Annals of Translational Medicine</i> , 2017, 5, S40-S40.	1.7	20
16	Mr-Proadm Elevation Upon Icu Admission Predicts the Outcome of Septic Patients and is Correlated with Upcoming Fluid Overload. <i>Shock</i> , 2017, 48, 418-426.	2.1	19
17	Lung Recruitability Evaluated by Recruitment-to-Inflation Ratio and Lung Ultrasound in COVID-19 Acute Respiratory Distress Syndrome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021, 203, 1025-1027.	5.6	19
18	Plasma Renin Concentration is Associated With Hemodynamic Deficiency and Adverse Renal Outcome in Septic Shock. <i>Shock</i> , 2019, 52, e22-e30.	2.1	18

#	ARTICLE	IF	CITATIONS
19	What are the ethical questions raised by the integration of intensive care into advance care planning?. Annals of Translational Medicine, 2017, 5, S46-S46.	1.7	18
20	Trisodium citrate 4% versus heparin as a catheter lock for non-tunneled hemodialysis catheters in critically ill patients: a multicenter, randomized clinical trial. Annals of Intensive Care, 2019, 9, 75.	4.6	17
21	Lung ultrasound score as a tool to monitor disease progression and detect ventilator-associated pneumonia during COVID-19-associated ARDS. Heart and Lung: Journal of Acute and Critical Care, 2021, 50, 700-705.	1.6	17
22	Impact of a stay in the intensive care unit on the preparation of Advance Directives: Descriptive, exploratory, qualitative study. Anaesthesia, Critical Care & Pain Medicine, 2018, 37, 113-119.	1.4	16
23	Influence of deprivation on initial severity and prognosis of patients admitted to the ICU: the prospective, multicentre, observational IVOIRE cohort study. Annals of Intensive Care, 2020, 10, 20.	4.6	16
24	Are adipokines the missing link between obesity, immune response, and outcomes in severe COVID-19?. International Journal of Obesity, 2021, 45, 2126-2131.	3.4	15
25	What are the ethical aspects surrounding the collegial decisional process in limiting and withdrawing treatment in intensive care?. Annals of Translational Medicine, 2017, 5, S43-S43.	1.7	15
26	Improved quantification of plasma lipopolysaccharide (LPS) burden in sepsis using 3-hydroxy myristate (3HM): a cohort study. Intensive Care Medicine, 2019, 45, 1678-1680.	8.2	13
27	What are the characteristics that lead physicians to perceive an ICU stay as non-beneficial for the patient?. PLoS ONE, 2019, 14, e0222039.	2.5	12
28	Adhering to the procalcitonin algorithm allows antibiotic therapy to be shortened in patients with ventilator-associated pneumonia. Journal of Critical Care, 2019, 53, 125-131.	2.2	12
29	In-Hospital Mortality-Associated Factors in Patients With Thrombotic Antiphospholipid Syndrome Requiring ICU Admission. Chest, 2020, 157, 1158-1166.	0.8	12
30	What are the ethical aspects surrounding intensive care unit admission in patients with cancer?. Annals of Translational Medicine, 2017, 5, S42-S42.	1.7	12
31	Outcomes in 886 Critically Ill Patients After Near-Hanging Injury. Chest, 2020, 158, 2404-2413.	0.8	10
32	Is IL-6 the Right Target in COVID-19 Severe Pneumonia?. American Journal of Respiratory and Critical Care Medicine, 2021, 203, 139-140.	5.6	10
33	What are the ethical dimensions in the profession of intensive care specialist?. Annals of Translational Medicine, 2017, 5, S47-S47.	1.7	10
34	Intensive care unit strain should not rush physicians into making inappropriate decisions, but merely reduce the time to the right decisions being made. Annals of Translational Medicine, 2016, 4, 316-316.	1.7	8
35	Non-readmission decisions in the intensive care unit under French rules: A nationwide survey of practices. PLoS ONE, 2018, 13, e0205689.	2.5	7
36	CAPS criteria fail to identify most severely-ill thrombotic antiphospholipid syndrome patients requiring intensive care unit admission. Journal of Autoimmunity, 2019, 103, 102292.	6.5	7

#	ARTICLE	IF	CITATIONS
37	Treatment of sepsis-induced acute kidney injury in the ICU: the therapeutic targets do not seem to be established yet. <i>Annals of Translational Medicine</i> , 2019, 7, S181-S181.	1.7	7
38	Non-readmission decisions in the intensive care unit: A qualitative study of physicians' experience in a multicentre French study. <i>PLoS ONE</i> , 2021, 16, e0244919.	2.5	5
39	Vasopressor for refractory septic shock: dexmedetomidine could help decrease norepinephrine requirements. <i>Minerva Anestesiologica</i> , 2020, 86, 885-886.	1.0	5
40	LDL apheresis as an alternate method for plasma LPS purification in healthy volunteers and dyslipidemic and septic patients. <i>Journal of Lipid Research</i> , 2020, 61, 1776-1783.	4.2	4
41	Feasibility of non-invasive respiratory drive and breathing pattern evaluation using CPAP in COVID-19 patients. <i>Journal of Critical Care</i> , 2022, 69, 154020.	2.2	4
42	Initiation of renal replacement therapy in patients with septic acute kidney injury: right timing or right patient?. <i>Annals of Translational Medicine</i> , 2019, 7, 598-598.	1.7	3
43	Impact on antimicrobial consumption of procalcitonin-guided antibiotic therapy for pneumonia/pneumonitis associated with aspiration in comatose mechanically ventilated patients: a multicenter, randomized controlled study. <i>Annals of Intensive Care</i> , 2021, 11, 145.	4.6	3
44	How can we best organise communication with patients' families?. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2018, 37, 187-189.	1.4	2
45	Timing of Renal-Replacement Therapy in Acute Kidney Injury and Sepsis. <i>New England Journal of Medicine</i> , 2019, 380, 398-399.	27.0	2
46	Criteria deemed important by the relatives for designating a reference person for patients hospitalized in ICU. <i>Journal of Critical Care</i> , 2020, 57, 191-196.	2.2	2
47	Septic shock, noradrenaline requirements and alpha-2 agonists: Fishing in the right pond?. <i>Critical Care</i> , 2021, 25, 56.	5.8	2
48	New-onset atrial fibrillation in ICU: A FROG in the throat. <i>International Journal of Cardiology</i> , 2018, 270, 189.	1.7	1
49	Corporeal Compression at the Onset of Septic shock (COCOONS): a compression method to reduce fluid balance of septic shock patients. <i>Scientific Reports</i> , 2019, 9, 11566.	3.3	1
50	Prophylaxis for stress related gastrointestinal bleeding in the ICU: Should we adjust to each patient's individual risk?. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2019, 38, 99-101.	1.4	1
51	Preemptive renal replacement therapy in post-cardiotomy cardiogenic shock patients: a new concept?. <i>Annals of Translational Medicine</i> , 2020, 8, 613-613.	1.7	1
52	Stress ulcer prophylaxis in ICU patients: Answers and questions from the PEPTIC trial. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2020, 39, 175-177.	1.4	1
53	Intersecting vulnerabilities in professionals and patients in intensive care. <i>Annals of Translational Medicine</i> , 2017, 5, S39-S39.	1.7	1
54	Family perceptions of clinical research and the informed consent process in the ICU. <i>Journal of Critical Care</i> , 2020, , .	2.2	0

#	ARTICLE	IF	CITATIONS
55	Is the autonomic nervous system explaining norepinephrine requirements decrease in septic shock patients following administration of alpha-2 agonists?. <i>Minerva Anestesiologica</i> , 2021, 87, 954-955.	1.0	0
56	Lung ultrasound score to monitor COVID-19 pneumonia progression in patients with ARDS. , 2020, 15, e0236312.		0
57	Lung ultrasound score to monitor COVID-19 pneumonia progression in patients with ARDS. , 2020, 15, e0236312.		0
58	Lung ultrasound score to monitor COVID-19 pneumonia progression in patients with ARDS. , 2020, 15, e0236312.		0
59	Lung ultrasound score to monitor COVID-19 pneumonia progression in patients with ARDS. , 2020, 15, e0236312.		0
60	Authors response: Feasibility of non- invasive respiratory drive and breathing pattern evaluation using CPAP in COVID-19 patients. <i>Journal of Critical Care</i> , 2022, , 154073.	2.2	0