Hilmi Volkan Demir

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8039545/publications.pdf

Version: 2024-02-01

544 papers 17,389 citations

14655 66 h-index 26613 107 g-index

559 all docs

559 docs citations

559 times ranked 17041 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----------------|---------------|
| 1 | Ligand Exchange and Impurity Doping in 2D CdSe Nanoplatelet Thin Films and Their Applications. Advanced Electronic Materials, 2022, 8, 2100739. | 5.1 | 7 |
| 2 | Vacuum-evaporated lead halide perovskite LEDs [Invited]. Optical Materials Express, 2022, 12, 256. | 3.0 | 6 |
| 3 | Spectrally Resolved Nonlinear Optical Properties of Doped <i>Versus</i> Undoped Quasi-2D Semiconductor Nanocrystals: Copper and Silver Doping Provokes Strong Nonlinearity in Colloidal CdSe Nanoplatelets. ACS Photonics, 2022, 9, 256-267. | 6.6 | 15 |
| 4 | Engineered ultraviolet InGaN/AlGaN multiple-quantum-well structures for maximizing cathodoluminescence efficiency. AIP Advances, 2022, 12 , . | 1.3 | 2 |
| 5 | Interfacial charge and energy transfer in van der Waals heterojunctions. InformaÄnÃ-Materiály, 2022, 4, · | 17.3 | 48 |
| 6 | Plasmon-enhanced photoresponse of single silver nanowires and their network devices. Nanoscale Horizons, 2022, 7, 396-402. | 8.0 | 6 |
| 7 | Modulating Emission Properties in a Host–Guest Colloidal Quantum Well Superlattice (Advanced) Tj ETQq1 1 (| 0.784314 7.3 | rgBT /Overloc |
| 8 | Modulating Emission Properties in a Host–Guest Colloidal Quantum Well Superlattice. Advanced Optical Materials, 2022, 10, 2101756. | 7.3 | 4 |
| 9 | Deepâ€Redâ€Emitting Colloidal Quantum Well Lightâ€Emitting Diodes Enabled through a Complex Design of Core/Crown/Double Shell Heterostructure. Small, 2022, 18, e2106115. | 10.0 | 15 |
| 10 | Blue-Emitting CdSe Nanoplatelets Enabled by Sulfur-Alloyed Heterostructures for Light-Emitting Diodes with Low Turn-on Voltage. ACS Applied Nano Materials, 2022, 5, 1367-1376. | 5.0 | 14 |
| 11 | Management of electroluminescence from silver-doped colloidal quantum well light-emitting diodes. Cell Reports Physical Science, 2022, 3, 100860. | 5.6 | 10 |
| 12 | Bright Future of Deep-Ultraviolet Photonics: Emerging UVC Chip-Scale Light-Source Technology Platforms, Benchmarking, Challenges, and Outlook for UV Disinfection. ACS Photonics, 2022, 9, 1513-1521. | 6.6 | 27 |
| 13 | Narrow electroluminescence in bromide ligand-capped cadmium chalcogenide nanoplatelets. Applied Physics Letters, 2022, 120, . | 3.3 | 4 |
| 14 | Color Enrichment Solids of Spectrally Pure Colloidal Quantum Wells for Wide Color Span in Displays. Advanced Optical Materials, 2022, 10, . | 7.3 | 1 |
| 15 | High-Performance Deep Red Colloidal Quantum Well Light-Emitting Diodes Enabled by the Understanding of Charge Dynamics. ACS Nano, 2022, 16, 10840-10851. | 14.6 | 21 |
| 16 | Mechanosynthesis of polymer-stabilized lead bromide perovskites: insight into the formation and phase conversion of nanoparticles. Nano Research, 2021, 14, 1078-1086. | 10.4 | 8 |
| 17 | Optical Microfluidic Waveguides and Solution Lasers of Colloidal Semiconductor Quantum Wells. Advanced Materials, 2021, 33, e2007131. | 21.0 | 19 |
| 18 | Ultralow Threshold Optical Gain Enabled by Quantum Rings of Inverted Type″ CdS/CdSe Core/Crown Nanoplatelets in the Blue. Advanced Optical Materials, 2021, 9, 2002220. | 7.3 | 16 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 19 | Ultrahigh Green and Red Optical Gain Cross Sections from Solutions of Colloidal Quantum Well Heterostructures. Journal of Physical Chemistry Letters, 2021, 12, 2177-2182. | 4.6 | 20 |
| 20 | "Meta-atomless―architecture based on an irregular continuous fabric of coupling-tuned identical nanopillars enables highly efficient and achromatic metasurfaces. Applied Physics Letters, 2021, 118, 081105. | 3.3 | 5 |
| 21 | Solution Lasing: Optical Microfluidic Waveguides and Solution Lasers of Colloidal Semiconductor Quantum Wells (Adv. Mater. 10/2021). Advanced Materials, 2021, 33, 2170070. | 21.0 | 2 |
| 22 | Strain-Reduced Micro-LEDs Grown Directly Using Partitioned Growth. Frontiers in Chemistry, 2021, 9, 639023. | 3.6 | 4 |
| 23 | Light-Induced Paramagnetism in Colloidal Ag+-Doped CdSe Nanoplatelets. Journal of Physical Chemistry Letters, 2021, 12, 2892-2899. | 4.6 | 17 |
| 24 | Singleâ€Mode Lasing from a Single 7 nm Thick Monolayer of Colloidal Quantum Wells in a Monolithic Microcavity. Laser and Photonics Reviews, 2021, 15, 2000479. | 8.7 | 8 |
| 25 | Colloidal Gain Media: Singleâ€Mode Lasing from a Single 7 nm Thick Monolayer of Colloidal Quantum Wells in a Monolithic Microcavity (Laser Photonics Rev. 15(4)/2021). Laser and Photonics Reviews, 2021, 15, 2170024. | 8.7 | 1 |
| 26 | Ultraefficient Förster-Type Nonradiative Energy Transfer Enabled by the Complex Dielectric Medium with Tuned Permittivity. Journal of Physical Chemistry C, 2021, 125, 12405-12413. | 3.1 | 1 |
| 27 | Lowâ€Threshold Lasing from Copperâ€Doped CdSe Colloidal Quantum Wells. Laser and Photonics Reviews, 2021, 15, 2100034. | 8.7 | 18 |
| 28 | Onâ€Chip Mercuryâ€Free Deepâ€UV Lightâ€Emitting Sources with Ultrahigh Germicidal Efficiency. Advanced Optical Materials, 2021, 9, 2100072. | 7.3 | 10 |
| 29 | Self-Resonant Microlasers of Colloidal Quantum Wells Constructed by Direct Deep Patterning. Nano Letters, 2021, 21, 4598-4605. | 9.1 | 21 |
| 30 | State of the Art and Prospects for Halide Perovskite Nanocrystals. ACS Nano, 2021, 15, 10775-10981. | 14.6 | 705 |
| 31 | High-Performance Triangular Miniaturized-LEDs for High Current and Power Density Applications. ACS Photonics, 2021, 8, 2304-2310. | 6.6 | 7 |
| 32 | Tailored Synthesis of Iron Oxide Nanocrystals for Formation of Cuboid Mesocrystals. ACS Omega, 2021, 6, 20351-20360. | 3.5 | 3 |
| 33 | Nearâ€Field Energy Transfer into Silicon Inversely Proportional to Distance Using Quasiâ€2D Colloidal Quantum Well Donors. Small, 2021, 17, e2103524. | 10.0 | 8 |
| 34 | Metal–organic frameworks protect perovskite. Nature Photonics, 2021, 15, 796-797. | 31.4 | 3 |
| 35 | Coreless Fiberâ€Based Whisperingâ€Galleryâ€Mode Assisted Lasing from Colloidal Quantum Well Solids. Advanced Functional Materials, 2020, 30, 1907417. | 14.9 | 31 |
| 36 | Two-Dimensional CdSe-Based Nanoplatelets: Their Heterostructures, Doping, Photophysical Properties, and Applications. Proceedings of the IEEE, 2020, 108, 655-675. | 21.3 | 39 |

| # | Article | IF | CITATIONS |
|----|--|------------------|-----------|
| 37 | Lightâ€Emitting Diodes: Control of LED Emission with Functional Dielectric Metasurfaces (Laser) Tj ETQq1 1 0.784 | 1314 rgBT 8.7 | /gverlock |
| 38 | Writing chemical patterns using electrospun fibers as nanoscale inkpots for directed assembly of colloidal nanocrystals. Nanoscale, 2020, 12, 895-903. | 5.6 | 6 |
| 39 | Record High External Quantum Efficiency of 19.2% Achieved in Lightâ€Emitting Diodes of Colloidal Quantum Wells Enabled by Hotâ€Injection Shell Growth. Advanced Materials, 2020, 32, e1905824. | 21.0 | 95 |
| 40 | Plasmon-enhanced fluorescence in gold nanorod-quantum dot coupled systems. Nanotechnology, 2020, 31, 105201. | 2.6 | 29 |
| 41 | Control of LED Emission with Functional Dielectric Metasurfaces. Laser and Photonics Reviews, 2020, 14, 1900235. | 8.7 | 52 |
| 42 | Thickness-Tunable Self-Assembled Colloidal Nanoplatelet Films Enable Ultrathin Optical Gain Media. Nano Letters, 2020, 20, 6459-6465. | 9.1 | 40 |
| 43 | Highâ€efficiency flowâ€ŧhrough induction heating. IET Power Electronics, 2020, 13, 2119-2126. | 2.1 | 10 |
| 44 | MoS ₂ Phototransistor Sensitized by Colloidal Semiconductor Quantum Wells. Advanced Optical Materials, 2020, 8, 2001198. | 7.3 | 8 |
| 45 | Optically detected magnetic resonance in CdSe/CdMnS nanoplatelets. Nanoscale, 2020, 12, 21932-21939. | 5.6 | 10 |
| 46 | Optical Gain in Ultrathin Selfâ€Assembled Bi‣ayers of Colloidal Quantum Wells Enabled by the Mode Confinement in their Highâ€Index Dielectric Waveguides. Small, 2020, 16, e2004304. | 10.0 | 9 |
| 47 | Coreâ€crown Quantum Nanoplatelets with Favorable Typeâ€l Heterojunctions Boost Charge Separation and Photocatalytic NO Oxidation on TiO ₂ . ChemCatChem, 2020, 12, 6329-6343. | 3.7 | 16 |
| 48 | Trion-Mediated Förster Resonance Energy Transfer and Optical Gating Effect in WS ₂ /hBN/MoSe ₂ Heterojunction. ACS Nano, 2020, 14, 13470-13477. | 14.6 | 29 |
| 49 | Spectrally Wide-Range-Tunable, Efficient, and Bright Colloidal Light-Emitting Diodes of Quasi-2D Nanoplatelets Enabled by Engineered Alloyed Heterostructures. Chemistry of Materials, 2020, 32, 7874-7883. | 6.7 | 29 |
| 50 | Lasing Action in Single Subwavelength Particles Supporting Supercavity Modes. ACS Nano, 2020, 14, 7338-7346. | 14.6 | 75 |
| 51 | All-optical control of exciton flow in a colloidal quantum well complex. Light: Science and Applications, 2020, 9, 27. | 16.6 | 21 |
| 52 | CdSe/CdMnS Nanoplatelets with Bilayer Core and Magnetically Doped Shell Exhibit Switchable Excitonic Circular Polarization: Implications for Lasers and Light-Emitting Diodes. ACS Applied Nano Materials, 2020, 3, 3151-3156. | 5.0 | 9 |
| 53 | Sub-single exciton optical gain threshold in colloidal semiconductor quantum wells with gradient alloy shelling. Nature Communications, 2020, 11, 3305. | 12.8 | 39 |
| 54 | Room-Temperature Lasing in Colloidal Nanoplatelets via Mie-Resonant Bound States in the Continuum. Nano Letters, 2020, 20, 6005-6011. | 9.1 | 115 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Magneto-Optics of Excitons Interacting with Magnetic Ions in CdSe/CdMnS Colloidal Nanoplatelets. ACS Nano, 2020, 14, 9032-9041. | 14.6 | 20 |
| 56 | Active Nanophotonics [Scanning the Issue]. Proceedings of the IEEE, 2020, 108, 625-627. | 21.3 | 1 |
| 57 | Strong Plasmon-Wannier Mott Exciton Interaction with High Aspect Ratio Colloidal Quantum Wells. Matter, 2020, 2, 1550-1563. | 10.0 | 18 |
| 58 | Universality of dissipative self-assembly from quantum dots to human cells. Nature Physics, 2020, 16, 795-801. | 16.7 | 39 |
| 59 | (Invited) Semiconductor Nanocrystal Optoelectronics of Colloidal Quantum Wells. ECS Meeting Abstracts, 2020, MA2020-01, 1081-1081. | 0.0 | 0 |
| 60 | Nearâ€Infraredâ€Emitting Fiveâ€Monolayer Thick Copperâ€Doped CdSe Nanoplatelets. Advanced Optical Materials, 2019, 7, 1900831. | 7.3 | 25 |
| 61 | Lightâ€Emitting Diodes with Cuâ€Doped Colloidal Quantum Wells: From Ultrapure Green, Tunable Dualâ€Emission to White Light. Small, 2019, 15, 1901983. | 10.0 | 45 |
| 62 | Giant Alloyed Hot Injection Shells Enable Ultralow Optical Gain Threshold in Colloidal Quantum Wells. ACS Nano, 2019, 13, 10662-10670. | 14.6 | 71 |
| 63 | Persuasive Evidence for Electron–Nuclear Coupling in Diluted Magnetic Colloidal Nanoplatelets Using Optically Detected Magnetic Resonance Spectroscopy. Journal of Physical Chemistry Letters, 2019, 10, 4437-4447. | 4.6 | 12 |
| 64 | Ultrathin Highly Luminescent Twoâ€Monolayer Colloidal CdSe Nanoplatelets. Advanced Functional Materials, 2019, 29, 1901028. | 14.9 | 56 |
| 65 | Light Generation in Lead Halide Perovskite Nanocrystals: LEDs, Color Converters, Lasers, and Other Applications. Small, 2019, 15, e1902079. | 10.0 | 81 |
| 66 | Electrically control amplified spontaneous emission in colloidal quantum dots. Science Advances, 2019, 5, eaav3140. | 10.3 | 43 |
| 67 | Mutual Energy Transfer in a Binary Colloidal Quantum Well Complex. Journal of Physical Chemistry Letters, 2019, 10, 5193-5199. | 4.6 | 13 |
| 68 | Highly Stable, Nearâ€Unity Efficiency Atomically Flat Semiconductor Nanocrystals of CdSe/ZnS Heteroâ€Nanoplatelets Enabled by ZnSâ€Shell Hotâ€Injection Growth. Small, 2019, 15, e1804854. | 10.0 | 67 |
| 69 | Metrics for Light Source Design. SpringerBriefs in Applied Sciences and Technology, 2019, , 17-26. | 0.4 | 0 |
| 70 | Light Stimulus and Human Eye. SpringerBriefs in Applied Sciences and Technology, 2019, , 5-9. | 0.4 | 0 |
| 71 | How to Design Quality Light Sources With Discrete Color Components. SpringerBriefs in Applied Sciences and Technology, 2019, , 35-43. | 0.4 | 0 |
| 72 | Ultrahigh-efficiency aqueous flat nanocrystals of CdSe/CdS@Cd _{1â^'x} Zn _x S colloidal core/crown@alloyed-shell quantum wells. Nanoscale, 2019, 11, 301-310. | 5.6 | 44 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Orientation-Controlled Nonradiative Energy Transfer to Colloidal Nanoplatelets: Engineering Dipole Orientation Factor. Nano Letters, 2019, 19, 4297-4305. | 9.1 | 53 |
| 74 | LEDs using halide perovskite nanocrystal emitters. Nanoscale, 2019, 11, 11402-11412. | 5.6 | 41 |
| 75 | Utilizing Multiple BioMEMS Sensors to Monitor Orthopaedic Strain and Predict Bone Fracture Healing. Journal of Orthopaedic Research, 2019, 37, 1873-1880. | 2.3 | 25 |
| 76 | Luminescence of Gold Nanorod-Quantum Dots Complexes. International Journal of Nanoscience, 2019, 18, 1940002. | 0.7 | 2 |
| 77 | Broad-band polarization-insensitive all-dielectric metalens enabled by intentional off-resonance waveguiding at mid-wave infrared. Applied Physics Letters, 2019, 114, . | 3.3 | 29 |
| 78 | Future Outlook. SpringerBriefs in Applied Sciences and Technology, 2019, , 45-47. | 0.4 | 0 |
| 79 | Highly Stable Multicrown Heterostructures of Type-II Nanoplatelets for Ultralow Threshold Optical Gain. Chemistry of Materials, 2019, 31, 1818-1826. | 6.7 | 37 |
| 80 | Colorimetry for LED Lighting. SpringerBriefs in Applied Sciences and Technology, 2019, , 11-16. | 0.4 | 0 |
| 81 | Plasmon–exciton systems with high quantum yield using deterministic aluminium nanostructures with rotational symmetries. Nanoscale, 2019, 11, 20315-20323. | 5.6 | 4 |
| 82 | Impurity incorporation and exchange interactions in Co2+-doped CdSe/CdS core/shell nanoplatelets. Journal of Chemical Physics, 2019, 151, 224708. | 3.0 | 4 |
| 83 | Nonradiative Energy Transfer between Doped and Undoped Flat Semiconductor Nanocrystals of Colloidal Quasi-2D Nanoplatelets. Journal of Physical Chemistry C, 2019, 123, 1470-1476. | 3.1 | 7 |
| 84 | CdTe Quantum Dot-Functionalized P25 Titania Composite with Enhanced Photocatalytic NO ₂ Storage Selectivity under UV and Vis Irradiation. ACS Applied Materials & Samp; Interfaces, 2019, 11, 865-879. | 8.0 | 15 |
| 85 | Color Science and Photometry for Lighting with LEDs and Semiconductor Nanocrystals. SpringerBriefs in Applied Sciences and Technology, 2019, , . | 0.4 | 2 |
| 86 | Giant Modal Gain Coefficients in Colloidal II–VI Nanoplatelets. Nano Letters, 2019, 19, 277-282. | 9.1 | 93 |
| 87 | Possible Plasmonic Acceleration of LED Modulation for Li-Fi Applications. Plasmonics, 2018, 13, 2133-2140. | 3.4 | 19 |
| 88 | Polarization-Resolved Plasmon-Modulated Emissions of Quantum Dots Coupled to Aluminum Dimers with Sub-20 nm Gaps. ACS Photonics, 2018, 5, 1566-1574. | 6.6 | 17 |
| 89 | sp–d Exchange Interactions in Wave Function Engineered Colloidal CdSe/Mn:CdS Hetero-Nanoplatelets. Nano Letters, 2018, 18, 2047-2053. | 9.1 | 32 |
| 90 | Color-Enrichment Semiconductor Nanocrystals for Biorhythm-Friendly Backlighting. Zeitschrift Fur Physikalische Chemie, 2018, 232, 1457-1468. | 2.8 | 1 |

| # | Article | IF | Citations |
|-----|--|-------------|-----------|
| 91 | Plasmonic enhancement of electroluminescence. AIP Advances, 2018, 8, 015324. | 1.3 | 18 |
| 92 | Low-threshold lasing from colloidal CdSe/CdSeTe core/alloyed-crown type-II heteronanoplatelets. Nanoscale, 2018, 10, 9466-9475. | 5.6 | 43 |
| 93 | A Wireless Metamaterial-Inspired Passive Rotation Sensor With Submilliradian Resolution. IEEE Sensors Journal, 2018, 18, 4482-4490. | 4.7 | 22 |
| 94 | Brightly Luminescent Cu-Zn-In-S/ZnS Core/Shell Quantum Dots in Salt Matrices. Zeitschrift Fur Physikalische Chemie, 2018, 233, 23-40. | 2.8 | 8 |
| 95 | High-efficiency all-inorganic full-colour quantum dot light-emitting diodes. Nano Energy, 2018, 46, 229-233. | 16.0 | 52 |
| 96 | Effect of Mg doping in the barriers on the electrical performance of InGaN/GaN-based light-emitting diodes. Physica E: Low-Dimensional Systems and Nanostructures, 2018, 98, 29-32. | 2.7 | 0 |
| 97 | Understanding the Journey of Dopant Copper Ions in Atomically Flat Colloidal Nanocrystals of CdSe Nanoplatelets Using Partial Cation Exchange Reactions. Chemistry of Materials, 2018, 30, 3265-3275. | 6.7 | 51 |
| 98 | Nanocrystal light-emitting diodes based on type II nanoplatelets. Nano Energy, 2018, 47, 115-122. | 16.0 | 62 |
| 99 | Highly Efficient Visible Colloidal Lead-Halide Perovskite Nanocrystal Light-Emitting Diodes. Nano Letters, 2018, 18, 3157-3164. | 9.1 | 199 |
| 100 | Wireless deep-subwavelength metamaterial enabling sub-mm resolution magnetic resonance imaging. Sensors and Actuators A: Physical, 2018, 274, 211-219. | 4.1 | 4 |
| 101 | Highly Efficient Green Lightâ€Emitting Diodes from Allâ€Inorganic Perovskite Nanocrystals Enabled by a New Electron Transport Layer. Advanced Optical Materials, 2018, 6, 1800220. | 7. 3 | 74 |
| 102 | Colloidal Photoluminescent Refractive Index Nanosensor Using Plasmonic Effects. Zeitschrift Fur Physikalische Chemie, 2018, 232, 1431-1441. | 2.8 | 11 |
| 103 | A new class of cubic SPIONs as a dual-mode T1 and T2 contrast agent for MRI. Magnetic Resonance Imaging, 2018, 49, 16-24. | 1.8 | 43 |
| 104 | An inductively coupled ultraâ€ŧhin, flexible, and passive RF resonator for MRI marking and guiding purposes: Clinical feasibility. Magnetic Resonance in Medicine, 2018, 80, 361-370. | 3.0 | 12 |
| 105 | Exciton Dynamics in Colloidal Quantum-Dot LEDs under Active Device Operations. ACS Photonics, 2018, 5, 480-486. | 6.6 | 11 |
| 106 | Polarization Properties of Photoluminescence of Anisotropic Polymer Films Containing Aligned Au Nanorods and Semiconductor Nanoparticles of Various Shape. Semiconductors, 2018, 52, 2054-2056. | 0.5 | 1 |
| 107 | Wireless Monitoring of a Structural Beam to be Used for Post-Earthquake Damage Assessment. , 2018, , . | | 1 |
| 108 | 2.8µm infrared photodetectors based on PbSe colloidal quantum dot films. , 2018, , . | | 0 |

| # | Article | IF | CITATIONS |
|-----|---|--------------|-----------|
| 109 | Solvent-Assisted Surface Engineering for High-Performance All-Inorganic Perovskite Nanocrystal Light-Emitting Diodes. ACS Applied Materials & Interfaces, 2018, 10, 19828-19835. | 8.0 | 45 |
| 110 | Near-Unity Efficiency Energy Transfer from Colloidal Semiconductor Quantum Wells of CdSe/CdS Nanoplatelets to a Monolayer of MoS ₂ . ACS Nano, 2018, 12, 8547-8554. | 14.6 | 34 |
| 111 | All-Surface Induction Heating With High Efficiency and Space Invariance Enabled by Arraying Squircle Coils in Square Lattice. IEEE Transactions on Consumer Electronics, 2018, 64, 339-347. | 3.6 | 8 |
| 112 | High-performance AlGaInP light-emitting diodes integrated on silicon through a superior quality germanium-on-insulator. Photonics Research, 2018, 6, 290. | 7.0 | 8 |
| 113 | Cd-free Cu-doped ZnInS/ZnS Core/Shell Nanocrystals: Controlled Synthesis And Photophysical Properties. Nanoscale Research Letters, 2018, 13, 182. | 5 . 7 | 8 |
| 114 | Exciton Dynamics of Colloidal Semiconductor Quantum Well Stacks. NATO Science for Peace and Security Series B: Physics and Biophysics, 2018, , 365-367. | 0.3 | 0 |
| 115 | Investigation of p-type depletion doping for InGaN/GaN-based light-emitting diodes. Applied Physics Letters, 2017, 110, . | 3.3 | 15 |
| 116 | CdSe/CdSe _{1â€"<i>x</i>} Te _{<i>x</i>} Core/Crown Heteronanoplatelets: Tuning the Excitonic Properties without Changing the Thickness. Journal of Physical Chemistry C, 2017, 121, 4650-4658. | 3.1 | 45 |
| 117 | Development of a distance-independent wireless passive RF resonator sensor and a new telemetric measurement technique for wireless strain monitoring. Sensors and Actuators A: Physical, 2017, 255, 87-93. | 4.1 | 13 |
| 118 | Light Trapping in Inverted Organic Photovoltaics With Nanoimprinted ZnO Photonic Crystals. IEEE Journal of Photovoltaics, 2017, 7, 545-549. | 2.5 | 18 |
| 119 | Time resolved photoluminescence study of magnetic CdSe/CdMnS/CdS core/multi-shell nanoplatelets. , 2017, , . | | 1 |
| 120 | Simple and Complex Metafluids and Metastructures with Sharp Spectral Features in a Broad Extinction Spectrum: Particle–Particle Interactions and Testing the Limits of the Beer–Lambert Law. Journal of Physical Chemistry C, 2017, 121, 2987-2997. | 3.1 | 9 |
| 121 | High-efficiency low-crosstalk dielectric metasurfaces of mid-wave infrared focal plane arrays. Applied Physics Letters, 2017, 110, . | 3.3 | 16 |
| 122 | Temperature-dependent optoelectronic properties of quasi-2D colloidal cadmium selenide nanoplatelets. Nanoscale, 2017, 9, 6595-6605. | 5.6 | 18 |
| 123 | Rapid Crystallization of All-Inorganic CsPbBr3 Perovskite for High-Brightness Light-Emitting Diodes. ACS Omega, 2017, 2, 2757-2764. | 3.5 | 28 |
| 124 | An Equivalent Circuit Model for Nested Split-Ring Resonators. IEEE Transactions on Microwave Theory and Techniques, 2017, 65, 3733-3743. | 4.6 | 11 |
| 125 | Alloyed Heterostructures of CdSe _{<i>x</i>} S _{1â€"<i>x</i>} Nanoplatelets with Highly Tunable Optical Gain Performance. Chemistry of Materials, 2017, 29, 4857-4865. | 6.7 | 51 |
| 126 | Plasmon-Enhanced Energy Transfer in Photosensitive Nanocrystal Device. ACS Nano, 2017, 11, 5430-5439. | 14.6 | 20 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 127 | An electromagnetic sensing system incorporating multiple probes and single antenna for wireless structural health monitoring. , 2017, , . | | 0 |
| 128 | Nearâ€Unity Emitting Copperâ€Doped Colloidal Semiconductor Quantum Wells for Luminescent Solar Concentrators. Advanced Materials, 2017, 29, 1700821. | 21.0 | 133 |
| 129 | Robust Whispering-Gallery-Mode Microbubble Lasers from Colloidal Quantum Dots. Nano Letters, 2017, 17, 2640-2646. | 9.1 | 83 |
| 130 | Silica Nanoparticle Formation by Using Droplet-Based Microreactor. , 2017, , . | | 0 |
| 131 | High-Efficiency Optical Gain in Type-II Semiconductor Nanocrystals of Alloyed Colloidal Quantum Wells. Journal of Physical Chemistry Letters, 2017, 8, 5317-5324. | 4.6 | 37 |
| 132 | Highly Luminescent CB[7]â€Based Conjugated Polyrotaxanes Embedded into Crystalline Matrices. Macromolecular Materials and Engineering, 2017, 302, 1700290. | 3.6 | 5 |
| 133 | Spectral tunability and enhancement of molecular radiative emission by metal-dielectric-metal stratified plasmonic nanostructure. Applied Physics Letters, 2017, 111, 093302. | 3.3 | 2 |
| 134 | Coupling and power transfer efficiency enhancement of modular and array of planar coils using in-plane ring-shaped inner ferrites for inductive heating applications. Journal of Applied Physics, 2017, 122, 014902. | 2.5 | 6 |
| 135 | Chiral Ceramic Nanoparticles and Peptide Catalysis. Journal of the American Chemical Society, 2017, 139, 13701-13712. | 13.7 | 110 |
| 136 | High-efficiency and low-loss gallium nitride dielectric metasurfaces for nanophotonics at visible wavelengths. Applied Physics Letters, 2017, 111, . | 3.3 | 42 |
| 137 | Magnetic Resonance Imaging Assisted by Wireless Passive Implantable Fiducial e-Markers. IEEE Access, 2017, 5, 19693-19702. | 4.2 | 3 |
| 138 | Förster-type Resonance Energy Transfer (FRET): Applications. SpringerBriefs in Applied Sciences and Technology, 2017, , 1-40. | 0.4 | 2 |
| 139 | Nonradiative Energy Transfer in Assembly of Nanostructures. SpringerBriefs in Applied Sciences and Technology, 2017, , 27-38. | 0.4 | 0 |
| 140 | Guest Editorial: Introduction to the JSTQE Issue on Semiconductor Nanocrystal Optoelectronics. IEEE Journal of Selected Topics in Quantum Electronics, 2017, 23, 1-3. | 2.9 | 0 |
| 141 | Inductance and resistance measurement method for vessel detection and coil powering in all-surface inductive heating systems composed of outer squircle coils. AIP Advances, 2017, 7, 056645. | 1.3 | 0 |
| 142 | Wavelength tuning of the spirally drawn whispering gallery mode microfiber lasers and the perspectives for sensing applications. Optics Express, 2017, 25, 2618. | 3.4 | 10 |
| 143 | High performance infrared photodetectors up to 28 µm wavelength based on lead selenide colloidal quantum dots. Optical Materials Express, 2017, 7, 2326. | 3.0 | 32 |
| 144 | Engineering Quantum Dots with Different Emission Wavelengths and Specific Fluorescence Lifetimes for Spectrally and Temporally Multiplexed Imaging of Cells. Nanotheranostics, 2017, 1, 131-140. | 5.2 | 15 |

| # | Article | lF | CITATIONS |
|-----|--|------|-----------|
| 145 | Inverted Type-I CdS/CdSe Core/Crown colloidal quantum ring. , 2017, , . | | 1 |
| 146 | Heterodoped Nanoparticles as Dual-Mode Contrast Agent for MRI. , 2017, , . | | 0 |
| 147 | Applying FÃ \P rster-Type Nonradiative Energy Transfer Formalism to Nanostructures with Various Directionalities: Dipole Electric Potential of Exciton and Dielectric Environment. SpringerBriefs in Applied Sciences and Technology, 2017, , 1-8. | 0.4 | 0 |
| 148 | Förster-Type Nonradiative Energy Transfer Rates for Nanostructures with Various Dimensionalities. SpringerBriefs in Applied Sciences and Technology, 2017, , 9-25. | 0.4 | 0 |
| 149 | Anomalous Spectral Characteristics of Ultrathin sub-nm Colloidal CdSe Nanoplatelets. , 2017, , . | | 0 |
| 150 | Wireless Metal Detection and Surface Coverage Sensing for All-Surface Induction Heating. Sensors, 2016, 16, 363. | 3.8 | 8 |
| 151 | A Wireless Passive Sensing System for Displacement/Strain Measurement in Reinforced Concrete Members. Sensors, 2016, 16, 496. | 3.8 | 32 |
| 152 | Colloidal nanophotonics: the emerging technology platform. Optics Express, 2016, 24, A430. | 3.4 | 29 |
| 153 | Colloidal Quantum Dots for Quality Lighting. , 2016, , . | | 0 |
| 154 | Green Stimulated Emission Boosted by Nonradiative Resonant Energy Transfer from Blue Quantum Dots. Journal of Physical Chemistry Letters, 2016, 7, 2772-2778. | 4.6 | 12 |
| 155 | Colloidal Nanoplatelets: Plateletâ€inâ€Box Colloidal Quantum Wells: CdSe/CdS@CdS Core/Crown@Shell Heteronanoplatelets (Adv. Funct. Mater. 21/2016). Advanced Functional Materials, 2016, 26, 3554-3554. | 14.9 | 2 |
| 156 | Plateletâ€inâ€Box Colloidal Quantum Wells: CdSe/CdS@CdS Core/Crown@Shell Heteronanoplatelets. Advanced Functional Materials, 2016, 26, 3570-3579. | 14.9 | 72 |
| 157 | Highly Efficient Nonradiative Energy Transfer from Colloidal Semiconductor Quantum Dots to Wells for Sensitive Noncontact Temperature Probing. Advanced Functional Materials, 2016, 26, 2891-2899. | 14.9 | 16 |
| 158 | Reconfigurable Liquid Whispering Gallery Mode Microlasers. Scientific Reports, 2016, 6, 27200. | 3.3 | 29 |
| 159 | Time-resolved photoluminescence study of CdSe/CdMnS/CdS core/multi-shell nanoplatelets. Applied Physics Letters, 2016, 108, . | 3.3 | 23 |
| 160 | Improved performance of InGaN/GaN flip-chip light-emitting diodes through the use of robust Ni/Ag/TiW mirror contacts. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2016, 34, 011209. | 1.2 | 8 |
| 161 | Cucurbit[7]uril-threaded fluorene–thiophene-based conjugated polyrotaxanes. RSC Advances, 2016, 6, 98109-98116. | 3.6 | 12 |
| 162 | A charge inverter for III-nitride light-emitting diodes. Applied Physics Letters, 2016, 108, 133502. | 3.3 | 17 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | On the hole accelerator for III-nitride light-emitting diodes. Applied Physics Letters, 2016, 108, . | 3.3 | 22 |
| 164 | Strongly Coupled Outer Squircle–Inner Circular Coil Architecture for Enhanced Induction Over Large Areas. IEEE Transactions on Industrial Electronics, 2016, 63, 7478-7487. | 7.9 | 11 |
| 165 | High-Stability, High-Efficiency Organic Monoliths Made of Oligomer Nanoparticles Wrapped in Organic Matrix. ACS Nano, 2016, 10, 5333-5339. | 14.6 | 16 |
| 166 | Colloidal nanocrystals for quality lighting and displays: milestones and recent developments. Nanophotonics, 2016, 5, 74-95. | 6.0 | 70 |
| 167 | Multi-Point Single-Antenna Sensing Enabled by Wireless Nested Split-Ring Resonator Sensors. IEEE Sensors Journal, 2016, 16, 7744-7752. | 4.7 | 8 |
| 168 | Colloidal Nanocrystals Embedded in Macrocrystals: Methods and Applications. Journal of Physical Chemistry Letters, 2016, 7, 4117-4123. | 4.6 | 28 |
| 169 | Magneto-optical studies of CdSe/CdMnS/CdS core/multi-shell colloidal nanoplatelets. , 2016, , . | | 0 |
| 170 | Nearâ€Field Energy Transfer Using Nanoemitters For Optoelectronics. Advanced Functional Materials, 2016, 26, 8158-8177. | 14.9 | 73 |
| 171 | Critical role of CdSe nanoplatelets in color-converting CdSe/ZnS nanocrystals for InGaN/GaN light-emitting diodes. Optics Letters, 2016, 41, 2883. | 3.3 | 8 |
| 172 | Understanding and Modeling FÃ \P rster-type Resonance Energy Transfer (FRET). SpringerBriefs in Applied Sciences and Technology, 2016, , . | 0.4 | 20 |
| 173 | Energy Transfer Review. SpringerBriefs in Applied Sciences and Technology, 2016, , 9-17. | 0.4 | 0 |
| 174 | Förster-Type Nonradiative Energy Transfer Models. SpringerBriefs in Applied Sciences and Technology, 2016, , 19-27. | 0.4 | 5 |
| 175 | Theoretical Approaches: Exciton Theory, Coulomb Interactions and Fluctuation-Dissipation Theorem. SpringerBriefs in Applied Sciences and Technology, 2016, , 41-51. | 0.4 | 1 |
| 176 | Unusual Fluorescent Properties of Stilbene Units and CdZnS/ZnS Quantum Dots Nanocomposites: Whiteâ€Light Emission in Solution versus Lightâ€Harvesting in Films. Macromolecular Chemistry and Physics, 2016, 217, 24-31. | 2.2 | 2 |
| 177 | Quantum Dot/Light-Emitting Electrochemical Cell Hybrid Device and Mechanism of Its Operation. ACS Applied Materials & Device and Mechanism of Its Operation. ACS Applied Materials & Device and Mechanism of Its Operation. ACS | 8.0 | 41 |
| 178 | Solution-processed highly bright and durable cesium lead halide perovskite light-emitting diodes. Nanoscale, 2016, 8, 18021-18026. | 5.6 | 160 |
| 179 | Short History of Energy Transfer Theory Before Förster, At The Time of Förster, and After Förster. SpringerBriefs in Applied Sciences and Technology, 2016, , 1-8. | 0.4 | 2 |
| 180 | On the internal quantum efficiency for InGaN/GaN light-emitting diodes grown on insulating substrates. Physica Status Solidi (A) Applications and Materials Science, 2016, 213, 3078-3102. | 1.8 | 17 |

| # | Article | IF | CITATIONS |
|-----|--|-------------|------------------------|
| 181 | High brightness formamidinium lead bromide perovskite nanocrystal light emitting devices. Scientific Reports, 2016, 6, 36733. | 3.3 | 134 |
| 182 | Azimuthally Polarized, Circular Colloidal Quantum Dot Laser Beam Enabled by a Concentric Grating. ACS Photonics, 2016, 3, 2255-2261. | 6.6 | 18 |
| 183 | Cascaded plasmon-plasmon coupling mediated energy transfer across stratified metal-dielectric nanostructures. Scientific Reports, 2016, 6, 34086. | 3.3 | 3 |
| 184 | Noncontact Temperature Probing: Highly Efficient Nonradiative Energy Transfer from Colloidal Semiconductor Quantum Dots to Wells for Sensitive Noncontact Temperature Probing (Adv. Funct.) Tj ETQq0 0 | 0 ngaB9T/Ov | ver z ock 10 Tf |
| 185 | Modulating Ohmic Contact Through InGa _x N _y O _z Interfacial Layer for High-Performance InGaN/GaN-Based Light-Emitting Diodes. IEEE Photonics Journal, 2016, 8, 1-8. | 2.0 | 0 |
| 186 | Multiexciton generation assisted highly photosensitive CdHgTe nanocrystal skins. Nano Energy, 2016, 26, 324-331. | 16.0 | 5 |
| 187 | An Optically Readable InGaN/GaN RRAM. IEEE Transactions on Electron Devices, 2016, 63, 2328-2333. | 3.0 | 1 |
| 188 | Fluorescent Heterodoped Nanotetrapods as Synergistically Enhancing Positive and Negative Magnetic Resonance Imaging Contrast Agents. ACS Applied Materials & Interfaces, 2016, 8, 12352-12359. | 8.0 | 2 |
| 189 | High-Efficiency Light-Emitting Diodes of Organometal Halide Perovskite Amorphous Nanoparticles. ACS Nano, 2016, 10, 6623-6630. | 14.6 | 347 |
| 190 | Decoupling contact and mirror: an effective way to improve the reflector for flip-chip InGaN/GaN-based light-emitting diodes. Journal Physics D: Applied Physics, 2016, 49, 265106. | 2.8 | 6 |
| 191 | Temperature-Dependent Emission Kinetics of Colloidal Semiconductor Nanoplatelets Strongly Modified by Stacking. Journal of Physical Chemistry Letters, 2016, 7, 548-554. | 4.6 | 28 |
| 192 | Exciton energy recycling from ZnO defect levels: towards electrically driven hybrid quantum-dot white light-emitting-diodes. Nanoscale, 2016, 8, 5835-5841. | 5.6 | 12 |
| 193 | Colloidal Nanoplatelet/Conducting Polymer Hybrids: Excitonic and Material Properties. Journal of Physical Chemistry C, 2016, 120, 3573-3582. | 3.1 | 11 |
| 194 | Demonstration of the portability of porous microstructure architecture to indium-doped ZnO electron selective layer for enhanced light scattering in inverted organic photovoltaics. Journal of Sol-Gel Science and Technology, 2016, 78, 613-620. | 2.4 | 7 |
| 195 | Exciton dynamics in luminescent carbon nanodots: Electron–hole exchange interaction. Nano Research, 2016, 9, 549-559. | 10.4 | 9 |
| 196 | Excitonic improvement of colloidal nanocrystals in salt powder matrix for quality lighting and color enrichment. Optics Express, 2016, 24, A74. | 3.4 | 8 |
| 197 | Flexible and fragmentable tandem photosensitive nanocrystal skins. Nanoscale, 2016, 8, 4495-4503. | 5.6 | 5 |
| 198 | Background Theory. SpringerBriefs in Applied Sciences and Technology, 2016, , 29-40. | 0.4 | 0 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 199 | Unraveling Exciton Kinetics of Electroluminescence in Colloidal Quantum Dot LEDs. , 2016, , . | | 0 |
| 200 | Mid-wave infrared metasurface microlensed focal plane array for optical crosstalk suppression. Optics Express, 2015, 23, 27020. | 3.4 | 18 |
| 201 | Silica Synthesis and Coating of Quantum Dots in Droplet Based Microreactors. , 2015, , . | | 0 |
| 202 | Multicolor lasing prints. Applied Physics Letters, 2015, 107, . | 3.3 | 47 |
| 203 | Implantable microelectromechanical sensors for diagnostic monitoring and postâ€surgical prediction of bone fracture healing. Journal of Orthopaedic Research, 2015, 33, 1439-1446. | 2.3 | 54 |
| 204 | Unraveling the ultralow threshold stimulated emission from CdZnS/ZnS quantum dot and enabling highâ€Q microlasers. Laser and Photonics Reviews, 2015, 9, 507-516. | 8.7 | 44 |
| 205 | Continuously Tunable Emission in Inverted Typeâ€l CdS/CdSe Core/Crown Semiconductor Nanoplatelets. Advanced Functional Materials, 2015, 25, 4282-4289. | 14.9 | 52 |
| 206 | Electroluminescence Efficiency Enhancement in Quantum Dot Lightâ€Emitting Diodes by Embedding a Silver Nanoisland Layer. Advanced Optical Materials, 2015, 3, 1439-1445. | 7.3 | 59 |
| 207 | Semiconductor Nanocrystals: Liquid–Liquid Diffusionâ€Assisted Crystallization: A Fast and Versatile Approach Toward High Quality Mixed Quantum Dotâ€Salt Crystals (Adv. Funct. Mater. 18/2015). Advanced Functional Materials, 2015, 25, 2783-2783. | 14.9 | 1 |
| 208 | Stable Dispersion of Iodide-Capped PbSe Quantum Dots for High-Performance Low-Temperature Processed Electronics and Optoelectronics. Chemistry of Materials, 2015, 27, 4328-4337. | 6.7 | 56 |
| 209 | Flexible strain sensors based on electrostatically actuated graphene flakes. Journal of Micromechanics and Microengineering, 2015, 25, 075016. | 2.6 | 8 |
| 210 | Organic–Inorganic Composites of Semiconductor Nanocrystals for Efficient Excitonics. Journal of Physical Chemistry Letters, 2015, 6, 2206-2215. | 4.6 | 34 |
| 211 | Wireless Sensing in Complex Electromagnetic Media: Construction Materials and Structural Monitoring. IEEE Sensors Journal, 2015, 15, 5545-5554. | 4.7 | 18 |
| 212 | Exciton transfer and polarized emission in colloidal quantum dot - anthracene crystals., 2015,,. | | 0 |
| 213 | Tandem InGaN/GaN light-emitting diodes. , 2015, , . | | 0 |
| 214 | RF displacement and strain sensing system for wireless structural health monitoring. , 2015, , . | | 0 |
| 215 | High-efficiency high-quality street lighting with colloidal quantum dot nanophosphors. , 2015, , . | | 0 |
| 216 | Quantum Dots: Blue Liquid Lasers from Solution of CdZnS/ZnS Ternary Alloy Quantum Dots with Quasi-Continuous Pumping (Adv. Mater. 1/2015). Advanced Materials, 2015, 27, 168-168. | 21.0 | 1 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 217 | Type-II Colloidal Quantum Wells: CdSe/CdTe Core/Crown Heteronanoplatelets. Journal of Physical Chemistry C, 2015, 119, 2177-2185. | 3.1 | 70 |
| 218 | Efficient three-color white organic light-emitting diodes with a spaced multilayer emitting structure. Applied Physics Letters, 2015, 106, . | 3.3 | 26 |
| 219 | Nonradiative energy transfer in colloidal CdSe nanoplatelet films. Nanoscale, 2015, 7, 2545-2551. | 5.6 | 58 |
| 220 | Graphene-based transparent conductive electrodes for GaN-based light emitting diodes: Challenges and countermeasures. Nano Energy, 2015, 12, 419-436. | 16.0 | 86 |
| 221 | A quinoxaline based N-heteroacene interfacial layer for efficient hole-injection in quantum dot light-emitting diodes. Nanoscale, 2015, 7, 11531-11535. | 5.6 | 22 |
| 222 | Colloidal quantum-dot LEDs with a solution-processed copper oxide (CuO) hole injection layer. Organic Electronics, 2015, 26, 245-250. | 2.6 | 53 |
| 223 | Stable and efficient colour enrichment powders of nonpolar nanocrystals in LiCl. Nanoscale, 2015, 7, 17611-17616. | 5.6 | 17 |
| 224 | Implementation of graphene multilayer electrodes in quantum dot light-emitting devices. Applied Physics A: Materials Science and Processing, 2015, 120, 1197-1203. | 2.3 | 2 |
| 225 | Carbon Nanotube Driver Circuit for 6 $	ilde{A}-$ 6 Organic Light Emitting Diode Display. Scientific Reports, 2015, 5, 11755. | 3.3 | 38 |
| 226 | Macrocrystals of Colloidal Quantum Dots in Anthracene: Exciton Transfer and Polarized Emission. Journal of Physical Chemistry Letters, 2015, 6, 1767-1772. | 4.6 | 17 |
| 227 | Stable and Lowâ€Threshold Optical Gain in CdSe/CdS Quantum Dots: An Allâ€Colloidal Frequency Upâ€Converted Laser. Advanced Materials, 2015, 27, 2741-2746. | 21.0 | 92 |
| 228 | Influence of gold-silica nanoparticles on the performance of small-molecule bulk heterojunction solar cells. Organic Electronics, 2015, 22, 20-28. | 2.6 | 20 |
| 229 | Manipulating Optical Properties of ZnO/Ga:ZnO Core–Shell Nanorods Via Spatially Tailoring Electronic Bandgap. Advanced Optical Materials, 2015, 3, 1066-1071. | 7.3 | 5 |
| 230 | Highly stable and high power efficiency tandem organic light-emitting diodes with transition metal oxide-based charge generation layers. Organic Electronics, 2015, 23, 70-75. | 2.6 | 30 |
| 231 | High-efficiency CdTe/CdS core/shell nanocrystals in water enabled by photo-induced colloidal hetero-epitaxy of CdS shelling at room temperature. Nano Research, 2015, 8, 2317-2328. | 10.4 | 38 |
| 232 | Liquid–Liquid Diffusionâ€Assisted Crystallization: A Fast and Versatile Approach Toward High Quality Mixed Quantum Dotâ€Salt Crystals. Advanced Functional Materials, 2015, 25, 2638-2645. | 14.9 | 52 |
| 233 | Observation of polarized gain from aligned colloidal nanorods. Nanoscale, 2015, 7, 6481-6486. | 5.6 | 24 |
| 234 | Lateral Size-Dependent Spontaneous and Stimulated Emission Properties in Colloidal CdSe Nanoplatelets. ACS Nano, 2015, 9, 5041-5050. | 14.6 | 154 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 235 | Highly monodisperse low-magnetization magnetite nanocubes as simultaneous <i>T</i> ₁ – <i>T</i> ₂ MRI contrast agents. Nanoscale, 2015, 7, 10519-10526. | 5.6 | 40 |
| 236 | Upconversion Lasers: Stable and Lowâ€Threshold Optical Gain in CdSe/CdS Quantum Dots: An Allâ€Colloidal Frequency Upâ€Converted Laser (Adv. Mater. 17/2015). Advanced Materials, 2015, 27, 2678-2678. | 21.0 | 2 |
| 237 | Ultra-thin broadband nanostructured insulator-metal-insulator-metal plasmonic light absorber. Optics Express, 2015, 23, 9753. | 3.4 | 22 |
| 238 | Nonradiative recombination â€" critical in choosing quantum well number for InGaN/GaN light-emitting diodes. Optics Express, 2015, 23, A34. | 3.4 | 25 |
| 239 | Experimental Determination of the Absorption Cross-Section and Molar Extinction Coefficient of Colloidal CdSe Nanoplatelets. Journal of Physical Chemistry C, 2015, 119, 26768-26775. | 3.1 | 146 |
| 240 | A hole modulator for InGaN/GaN light-emitting diodes. Applied Physics Letters, 2015, 106, . | 3.3 | 19 |
| 241 | Ultralow-threshold up-converted lasing in oligofluorenes with tailored strong nonlinear absorption. Journal of Materials Chemistry C, 2015, 3, 12018-12025. | 5.5 | 20 |
| 242 | Inorganic Halide Perovskites for Efficient Light-Emitting Diodes. Journal of Physical Chemistry Letters, 2015, 6, 4360-4364. | 4.6 | 482 |
| 243 | Nonradiative energy transfer in a layered metal-dielectric nanostructure mediated by surface plasmons. Proceedings of SPIE, 2015, , . | 0.8 | 1 |
| 244 | Implementation of High-Quality Warm-White Light-Emitting Diodes by a Model-Experimental Feedback Approach Using Quantum Dot–Salt Mixed Crystals. ACS Applied Materials & Diterfaces, 2015, 7, 23364-23371. | 8.0 | 48 |
| 245 | Two-Color Single Hybrid Plasmonic Nanoemitters with Real Time Switchable Dominant Emission Wavelength. Nano Letters, 2015, 15, 7458-7466. | 9.1 | 35 |
| 246 | The composition effect on the optical properties of aqueous synthesized Cu–In–S and Zn–Cu–In–S quantum dot nanocrystals. Physical Chemistry Chemical Physics, 2015, 17, 25133-25141. | 2.8 | 71 |
| 247 | Construction of multi-layered white emitting organic nanoparticles by clicking polymers. Journal of Materials Chemistry C, 2015, 3, 10277-10284. | 5.5 | 7 |
| 248 | Mn ²⁺ -Doped CdSe/CdS Core/Multishell Colloidal Quantum Wells Enabling Tunable Carrier–Dopant Exchange Interactions. ACS Nano, 2015, 9, 12473-12479. | 14.6 | 63 |
| 249 | Blue Liquid Lasers from Solution of CdZnS/ZnS Ternary Alloy Quantum Dots with Quasiâ€Continuous Pumping. Advanced Materials, 2015, 27, 169-175. | 21.0 | 127 |
| 250 | Sweet plasmonics: Sucrose macrocrystals of metal nanoparticles. Nano Research, 2015, 8, 860-869. | 10.4 | 15 |
| 251 | Nonradiative recombination — critical in choosing quantum well number for InGaN/GaN light-emitting diodes. Optics Express, 2015, 23, A31. | 3.4 | 0 |
| 252 | Microstructured porous ZnO thin film for increased light scattering and improved efficiency in inverted organic photovoltaics. Optics Express, 2014, 22, A1412. | 3.4 | 13 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 253 | Plasmon-based photopolymerization: near-field probing, advanced photonic nanostructures and nanophotochemistry. Journal of Optics (United Kingdom), 2014, 16, 114002. | 2.2 | 21 |
| 254 | Manganese Doped Fluorescent Paramagnetic Nanocrystals for Dualâ€Modal Imaging. Small, 2014, 10, 4961-4966. | 10.0 | 31 |
| 255 | Low thermal-mass LEDs: size effect and limits. Optics Express, 2014, 22, 32200. | 3.4 | 16 |
| 256 | Wireless Measurement of Elastic and Plastic Deformation by a Metamaterial-Based Sensor. Sensors, 2014, 14, 19609-19621. | 3.8 | 23 |
| 257 | TiO <inf>2</inf> assisted sensitivity enhancement in photosensitive nanocrystal skins., 2014,,. | | 0 |
| 258 | Energy-saving quality road lighting with colloidal quantum dot nanophosphors. Nanophotonics, 2014, 3, 373-381. | 6.0 | 14 |
| 259 | Anisotropic stimulated emission from aligned CdSe/CdS dot-in-rods. , 2014, , . | | 0 |
| 260 | Advances in colloidal quantum dot distributed feedback lasers hybridized on glass membranes. , 2014, , . | | 1 |
| 261 | Multi-photon Excited Amplified Spontaneous Emission and Lasing from CdSe/CdS/ZnS quantum dots. , 2014, , . | | 0 |
| 262 | On the effect of N-GaN/P-GaN/N-GaN/P-GaN/N-GaN built-in junctions in the n-GaN layer for InGaN/GaN light-emitting diodes. Optics Express, 2014, 22, 809. | 3.4 | 6 |
| 263 | On the mechanisms of InGaN electron cooler in InGaN/GaN light-emitting diodes. Optics Express, 2014, 22, A779. | 3.4 | 29 |
| 264 | Hyperbolic metamaterials based on quantum-dot plasmon-resonator nanocomposites. Optics Express, 2014, 22, 18290. | 3.4 | 17 |
| 265 | Improving hole injection efficiency by manipulating the hole transport mechanism through p-type electron blocking layer engineering. Optics Letters, 2014, 39, 2483. | 3.3 | 38 |
| 266 | Polarization self-screening in [0001] oriented InGaN/GaN light-emitting diodes for improving the electron injection efficiency. Applied Physics Letters, 2014, 104, . | 3.3 | 31 |
| 267 | An improved polymer solar cell incorporating single-wall carbon nanotubes. Journal of Modern Optics, 2014, 61, 1761-1766. | 1.3 | 3 |
| 268 | Highly polarized light emission by isotropic quantum dots integrated with magnetically aligned segmented nanowires. Applied Physics Letters, 2014, 105, 141116. | 3.3 | 2 |
| 269 | Self-screening of the quantum confined Stark effect by the polarization induced bulk charges in the quantum barriers. Applied Physics Letters, 2014, 104, . | 3.3 | 63 |
| 270 | Effect of shell thickness on small-molecule solar cells enhanced by dual plasmonic gold-silica nanorods. Applied Physics Letters, 2014, 105, . | 3.3 | 15 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 271 | Stacking in Colloidal Nanoplatelets: Tuning Excitonic Properties. ACS Nano, 2014, 8, 12524-12533. | 14.6 | 134 |
| 272 | A hole accelerator for InGaN/GaN light-emitting diodes. Applied Physics Letters, 2014, 105, . | 3.3 | 33 |
| 273 | Comparative study of field-dependent carrier dynamics and emission kinetics of InGaN/GaN light-emitting diodes grown on (112 \hat{A} -2) semipolar versus (0001) polar planes. Applied Physics Letters, 2014, 104, . | 3.3 | 29 |
| 274 | Low-cost, large-scale, ordered ZnO nanopillar arrays for light extraction efficiency enhancement in quantum dot light-emitting diodes. , 2014, , . | | 1 |
| 275 | Novel optical antenna designs of comb shaped split ring architecture for NIR and MIR enhanced field localization. , 2014, , . | | 0 |
| 276 | Low-threshold optical gain and lasing of colloidal nanoplatelets. , 2014, , . | | 2 |
| 277 | Transition metal oxides on organic semiconductors. Organic Electronics, 2014, 15, 871-877. | 2.6 | 30 |
| 278 | Stimulated Emission and Lasing from CdSe/CdS/ZnS Coreâ€Multiâ€Shell Quantum Dots by Simultaneous Threeâ€Photon Absorption. Advanced Materials, 2014, 26, 2954-2961. | 21.0 | 172 |
| 279 | Photogeneration of hot plasmonic electrons with metal nanocrystals: Quantum description and potential applications. Nano Today, 2014, 9, 85-101. | 11.9 | 270 |
| 280 | Quantum dots on vertically aligned gold nanorod monolayer: plasmon enhanced fluorescence. Nanoscale, 2014, 6, 5592-5598. | 5.6 | 53 |
| 281 | Stable, Efficient, and All-Solution-Processed Quantum Dot Light-Emitting Diodes with Double-Sided Metal Oxide Nanoparticle Charge Transport Layers. ACS Applied Materials & Samp; Interfaces, 2014, 6, 495-499. | 8.0 | 66 |
| 282 | Nanosecond colloidal quantum dot lasers for sensing. Optics Express, 2014, 22, 7308. | 3.4 | 29 |
| 283 | Solution Processed Tungsten Oxide Interfacial Layer for Efficient Holeâ€Injection in Quantum Dot Lightâ€Emitting Diodes. Small, 2014, 10, 247-252. | 10.0 | 96 |
| 284 | Simultaneous enhancement of electron overflow reduction and hole injection promotion by tailoring the last quantum barrier in InGaN/GaN light-emitting diodes. Applied Physics Letters, 2014, 104, . | 3.3 | 14 |
| 285 | Förster-Type Nonradiative Energy Transfer for Assemblies of Arrayed Nanostructures: Confinement Dimension vs Stacking Dimension. Journal of Physical Chemistry C, 2014, 118, 4951-4958. | 3.1 | 28 |
| 286 | Wireless Displacement Sensing Enabled by Metamaterial Probes for Remote Structural Health Monitoring. Sensors, 2014, 14, 1691-1704. | 3.8 | 45 |
| 287 | Singlet and Triplet Exciton Harvesting in the Thin Films of Colloidal Quantum Dots Interfacing Phosphorescent Small Organic Molecules. Journal of Physical Chemistry C, 2014, 118, 25964-25969. | 3.1 | 13 |
| 288 | Light-Emitting Diodes: Solution Processed Tungsten Oxide Interfacial Layer for Efficient Hole-Injection in Quantum Dot Light-Emitting Diodes (Small 2/2014). Small, 2014, 10, 246-246. | 10.0 | 4 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 289 | InGaN/GaN multiple-quantum-well light-emitting diodes with a grading InN composition suppressing the Auger recombination. Applied Physics Letters, 2014, 105, . | 3.3 | 29 |
| 290 | Nanocrystal Skins with Exciton Funneling for Photosensing. Small, 2014, 10, 2470-2475. | 10.0 | 15 |
| 291 | Advantages of the Blue InGaN/GaN Light-Emitting Diodes with an AlGaN/GaN/AlGaN Quantum Well Structured Electron Blocking Layer. ACS Photonics, 2014, 1, 377-381. | 6.6 | 35 |
| 292 | Colloidal Quantum Dot Light-Emitting Diodes Employing Phosphorescent Small Organic Molecules as Efficient Exciton Harvesters. Journal of Physical Chemistry Letters, 2014, 5, 2802-2807. | 4.6 | 41 |
| 293 | Engineered Peptides for Nanohybrid Assemblies. Langmuir, 2014, 30, 2137-2143. | 3.5 | 12 |
| 294 | Photosensitivity Enhancement with TiO ₂ in Semitransparent Light-Sensitive Skins of Nanocrystal Monolayers. ACS Applied Materials & Samp; Interfaces, 2014, 6, 9023-9028. | 8.0 | 8 |
| 295 | Light Extraction Efficiency Enhancement of Colloidal Quantum Dot Lightâ€Emitting Diodes Using Largeâ€6cale Nanopillar Arrays. Advanced Functional Materials, 2014, 24, 5977-5984. | 14.9 | 68 |
| 296 | Study of exciton transfer in dense quantum dot nanocomposites. Nanoscale, 2014, 6, 11387-11394. | 5.6 | 24 |
| 297 | Highly Flexible, Electrically Driven, Top-Emitting, Quantum Dot Light-Emitting Stickers. ACS Nano, 2014, 8, 8224-8231. | 14.6 | 135 |
| 298 | Enhanced efficiency of solution-processed small-molecule solar cells upon incorporation of gold nanospheres and nanorods into organic layers. Chemical Communications, 2014, 50, 4451-4454. | 4.1 | 25 |
| 299 | Type-tunable amplified spontaneous emission from core-seeded CdSe/CdS nanorods controlled by exciton–exciton interaction. Nanoscale, 2014, 6, 8509-8514. | 5.6 | 30 |
| 300 | Plasmonic Metamaterials and Nanocomposites with the Narrow Transparency Window Effect in Broad Extinction Spectra. ACS Photonics, 2014, 1, 822-832. | 6.6 | 16 |
| 301 | On the origin of the electron blocking effect by an <i>n</i> -type AlGaN electron blocking layer. Applied Physics Letters, 2014, 104, . | 3.3 | 28 |
| 302 | Ultralow Threshold One-Photon- and Two-Photon-Pumped Optical Gain Media of Blue-Emitting Colloidal Quantum Dot Films. Journal of Physical Chemistry Letters, 2014, 5, 2214-2218. | 4.6 | 41 |
| 303 | Tunable White-Light-Emitting Mn-Doped ZnSe Nanocrystals. ACS Applied Materials & Amp; Interfaces, 2014, 6, 3654-3660. | 8.0 | 67 |
| 304 | Amplified Spontaneous Emission and Lasing in Colloidal Nanoplatelets. ACS Nano, 2014, 8, 6599-6605. | 14.6 | 288 |
| 305 | Excitonics of semiconductor quantum dots and wires for lighting and displays. Laser and Photonics Reviews, 2014, 8, 73-93. | 8.7 | 67 |
| 306 | Plasmonic light-sensitive skins of nanocrystal monolayers. Nanotechnology, 2013, 24, 155201. | 2.6 | 12 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 307 | Influence of $\langle i\rangle n\langle i\rangle$ -type $\langle i\rangle$ versus p $\langle i\rangle$ -type AlGaN electron-blocking layer on InGaN/GaN multiple quantum wells light-emitting diodes. Applied Physics Letters, 2013, 103, . | 3.3 | 23 |
| 308 | Quantum Dot Light-Emitting Diode with Quantum Dots Inside the Hole Transporting Layers. ACS Applied Materials & Diode with Quantum Dots Inside the Hole Transporting Layers. ACS Applied Materials & Diode with Quantum Dots Inside the Hole Transporting Layers. ACS Applied Materials & Diode with Quantum Dots Inside the Hole Transporting Layers. ACS Applied Materials & Diode with Quantum Dots Inside the Hole Transporting Layers. ACS Applied Materials & Diode with Quantum Dots Inside the Hole Transporting Layers. ACS Applied Materials & Diode with Quantum Dots Inside the Hole Transporting Layers. ACS Applied Materials & Diode with Quantum Dots Inside the Hole Transporting Layers. ACS Applied Materials & Diode with Quantum Dots Inside the Hole Transporting Layers. | 8.0 | 42 |
| 309 | Near resonant and nonresonant third-order optical nonlinearities of colloidal InP/ZnS quantum dots. Applied Physics Letters, 2013, 102, . | 3.3 | 48 |
| 310 | Attractive versus Repulsive Excitonic Interactions of Colloidal Quantum Dots Control Blue- to Red-Shifting (and Non-shifting) Amplified Spontaneous Emission. Journal of Physical Chemistry Letters, 2013, 4, 4146-4152. | 4.6 | 38 |
| 311 | Evidence for Nonradiative Energy Transfer in Graphene-Oxide-Based Hybrid Structures. Journal of Physical Chemistry C, 2013, 117, 25298-25304. | 3.1 | 19 |
| 312 | p-doping-free InGaN/GaN light-emitting diode driven by three-dimensional hole gas. Applied Physics Letters, 2013, 103, . | 3.3 | 27 |
| 313 | Morphology-Dependent Energy Transfer of Polyfluorene Nanoparticles Decorating InGaN/GaN Quantum-Well Nanopillars. Journal of Physical Chemistry C, 2013, 117, 18613-18619. | 3.1 | 10 |
| 314 | Nanocrystal LEDs with enhanced external quantum efficiency enabled by the use of phosphorescent molecules. , 2013, , . | | 0 |
| 315 | Nanoplasmonic three-dimensional surfaces with strong surface-normal electric field enhancement. , 2013, , . | | 0 |
| 316 | Quality LED lighting and displays using nanocrystals. , 2013, , . | | 0 |
| 317 | AC-driven, color- and brightness-tunable organic light-emitting diodes constructed from an electron only device. Organic Electronics, 2013, 14, 3195-3200. | 2.6 | 36 |
| 318 | Biomedical and Biochemical Tools of FÃ \P rster Resonance Energy Transfer Enabled by Colloidal Quantum Dot Nanocrystals for Life Sciences. , 2013, , 531-560. | | 0 |
| 319 | Facile Synthesis of Luminescent AglnS ₂ –ZnS Solid Solution Nanorods. Small, 2013, 9, 2689-2695. | 10.0 | 32 |
| 320 | InGaN/GaN light-emitting diode with a polarization tunnel junction. Applied Physics Letters, 2013, 102, . | 3.3 | 89 |
| 321 | On the Effect of Step-Doped Quantum Barriers in InGaN/GaN Light Emitting Diodes. Journal of Display Technology, 2013, 9, 226-233. | 1.2 | 47 |
| 322 | Observation of Biexcitons in Nanocrystal Solids in the Presence of Photocharging. ACS Nano, 2013, 7, 4799-4809. | 14.6 | 18 |
| 323 | Observation of Selective Plasmon-Exciton Coupling in Nonradiative Energy Transfer: Donor-Selective versus Acceptor-Selective Plexcitons. Nano Letters, 2013, 13, 3065-3072. | 9.1 | 77 |
| 324 | Vertically Aligned Gold Nanorod Monolayer on Arbitrary Substrates: Self-Assembly and Femtomolar Detection of Food Contaminants. ACS Nano, 2013, 7, 5993-6000. | 14.6 | 218 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 325 | Bio-nanohybrids of quantum dots and photoproteins facilitating strong nonradiative energy transfer. Nanoscale, 2013, 5, 7034. | 5.6 | 8 |
| 326 | Generalized Theory of FÃ \P rster-Type Nonradiative Energy Transfer in Nanostructures with Mixed Dimensionality. Journal of Physical Chemistry C, 2013, 117, 10203-10212. | 3.1 | 54 |
| 327 | Phonon-Assisted Exciton Transfer into Silicon Using Nanoemitters: The Role of Phonons and Temperature Effects in Förster Resonance Energy Transfer. ACS Nano, 2013, 7, 10492-10501. | 14.6 | 27 |
| 328 | A Novel Bio-Microelectromechanical System for In Vivo Diagnostic Monitoring of Fracture Healing. , 2013, , . | | 0 |
| 329 | PN-type quantum barrier for InGaN/GaN light emitting diodes. Optics Express, 2013, 21, 15676. | 3.4 | 18 |
| 330 | Improved InGaN/GaN light-emitting diodes with a p-GaN/n-GaN/p-GaN/n-GaN/p-GaN current-spreading layer: errata. Optics Express, 2013, 21, 17670. | 3.4 | 3 |
| 331 | Dislocation density dependent electroabsorption in epitaxial lateral overgrown InGaN/GaN quantum structures. Optics Express, 2013, 21, 1128. | 3.4 | 1 |
| 332 | Improved InGaN/GaN light-emitting diodes with a p-GaN/n-GaN/p-GaN/n-GaN/p-GaN current-spreading layer. Optics Express, 2013, 21, 4958. | 3.4 | 47 |
| 333 | Nanoplasmonic surfaces enabling strong surface-normal electric field enhancement. Optics Express, 2013, 21, 23097. | 3.4 | 9 |
| 334 | Room-temperature larger-scale highly ordered nanorod imprints of ZnO film. Optics Express, 2013, 21, 26846. | 3.4 | 5 |
| 335 | Optical antenna of comb-shaped split ring architecture for increased field localization in NIR and MIR. Optics Express, 2013, 21, 29455. | 3.4 | 4 |
| 336 | Enhanced hole transport in InGaN/GaN multiple quantum well light-emitting diodes with a p-type doped quantum barrier. Optics Letters, 2013, 38, 202. | 3.3 | 34 |
| 337 | Plasmonic nanoparticle enhanced and extended performance of Light-sensitive nanocrystal skins. Materials Research Society Symposia Proceedings, 2013, 1509, 1. | 0.1 | 0 |
| 338 | Color science of nanocrystal quantum dots for lighting and displays. Nanophotonics, 2013, 2, 57-81. | 6.0 | 140 |
| 339 | Excitonic enhancement of nonradiative energy transfer to bulk silicon with the hybridization of cascaded quantum dots. Applied Physics Letters, 2013, 103, . | 3.3 | 8 |
| 340 | An efficient non-Lambertian organic light-emitting diode using imprinted submicron-size zinc oxide pillar arrays. Applied Physics Letters, 2013, 102, . | 3.3 | 18 |
| 341 | Arrays of suspended plasmonic nanodiscs. , 2013, , . | | 0 |
| 342 | Improved hole distribution in InGaN/GaN light-emitting diodes with graded thickness quantum barriers. Applied Physics Letters, 2013, 102 , . | 3.3 | 41 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 343 | Highly flexible, full-color, top-emitting quantum dot light-emitting diode tapes. , 2013, , . | | 1 |
| 344 | CdSe/ZnS colloidal quantum dots for solution-processed DFB lasers. , 2013, , . | | 1 |
| 345 | Blue- and red-shifting amplified spontaneous emission of CdSe/CdS core/shell colloidal quantum dots. , 2013, , . | | 0 |
| 346 | Three-dimensional nanoplasmonic surfaces with strong out-of-plane electric field enhancement. , 2013, , . | | 0 |
| 347 | Type-tuning of quasi-type-II CdSe/CdS seeded core/shell nanorods: type-I vs. type-II. , 2013, , . | | 0 |
| 348 | Coherent Random lasing from CdSe/CdS/ZnS quantum dots. , 2013, , . | | 1 |
| 349 | Excitonically driven quantum dot light-emitting diodes: exLEDs. , 2013, , . | | 0 |
| 350 | Enhanced exciton transfer from the cascaded bilayer of green- and red-emitting CdTe quantum dots into bulk silicon. , $2013, $, . | | 0 |
| 351 | Nanocrystal optoelectronics for quality lighting and displays (ID: 1780136)., 2013, , . | | 0 |
| 352 | Nanocrystal Optoelectronics for Quality Lighting and Displays. , 2013, , . | | 0 |
| 353 | Graded-host phosphorescent light-emitting diodes with high efficiency and reduced roll-off. AIP Advances, 2012, 2, 012192. | 1.3 | 15 |
| 354 | Power conversion and luminous efficiency performance of nanophosphor quantum dots on color-conversion LEDs for high-quality general lighting. , 2012, , . | | 3 |
| 355 | Computational study of power conversion and luminous efficiency performance for semiconductor quantum dot nanophosphors on light-emitting diodes. Optics Express, 2012, 20, 3275. | 3.4 | 34 |
| 356 | Spatial angle dependent lasing from a dye-doped two-dimensional hexagonal photonic crystal made of holographic polymer-dispersed liquid crystals. Optics Express, 2012, 20, 9058. | 3.4 | 6 |
| 357 | Three-dimensional study of planar optical antennas made of split-ring architecture outperforming dipole antennas for increased field localization. Optics Letters, 2012, 37, 139. | 3.3 | 2 |
| 358 | Large-area semi-transparent light-sensitive nanocrystal skins. Optics Express, 2012, 20, 25255. | 3.4 | 14 |
| 359 | High-quality InP/ZnS nanocrystals with high photometric performance and their application to white quantum dot light-emitting diodes. , 2012 , , . | | 1 |
| 360 | Phonon-assisted nonradiative energy transfer from colloidal quantum dots to monocrystalline bulk silicon. , 2012, , . | | 0 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 361 | On the origin of the redshift in the emission wavelength of InGaN/GaN blue light emitting diodes grown with a higher temperature interlayer. Applied Physics Letters, 2012, 100, . | 3.3 | 33 |
| 362 | Observation of biexcitons in the presence of trions generated via sequential absorption of multiple photons in colloidal quantum dot solids. , 2012, , . | | 0 |
| 363 | Advances in the LED Materials and Architectures for Energy-Saving Solid-State Lighting Toward "Lighting Revolution― IEEE Photonics Journal, 2012, 4, 613-619. | 2.0 | 145 |
| 364 | Strong nonradiative energy transfer from the nanopillars of quantum wells to quantum dots: Efficient excitonic color conversion for light emitting diodes. , 2012, , . | | 2 |
| 365 | A Complementary Electrochromic Device with Highly Improved Performance Based on Brick-Like Hydrated Tungsten Trioxide Film. Journal of Nanoscience and Nanotechnology, 2012, 12, 3838-3847. | 0.9 | 4 |
| 366 | Excitonic energy transfer dynamics in hybrid organic/inorganic nanocomposites at high loading levels. , 2012, , . | | 0 |
| 367 | Large-area (> 50 cm $\tilde{A}-$ 50 cm), freestanding, flexible, optical membranes of Cd-free nanocrystal quantum dots. , 2012, , . | | 0 |
| 368 | Large-area semi-transparent light-sensitive nanocrystal skins., 2012,,. | | 0 |
| 369 | Efficient synthesis of plate-like crystalline hydrated tungsten trioxide thin films with highly improved electrochromic performance. Chemical Communications, 2012, 48, 365-367. | 4.1 | 63 |
| 370 | Strongly linearly polarized low threshold lasing of all organic photonic quasicrystals. Scientific Reports, 2012, 2, 627. | 3.3 | 28 |
| 371 | Blue organic light-emitting diodes based on pyrazoline phenyl derivative. Synthetic Metals, 2012, 162, 352-355. | 3.9 | 30 |
| 372 | Colloidal Nanocrystals Embedded in Macrocrystals: Robustness, Photostability, and Color Purity. Nano Letters, 2012, 12, 5348-5354. | 9.1 | 136 |
| 373 | Reordering orbitals of semiconductor multi-shell quantum dot-quantum well heteronanocrystals. Journal of Applied Physics, 2012, 111, 023713. | 2.5 | 25 |
| 374 | A bright cadmium-free, hybrid organic/quantum dot white light-emitting diode. Applied Physics Letters, 2012, 101, . | 3.3 | 64 |
| 375 | Excitonic enhancement of nonradiative energy transfer from a quantum well in the optical near field of energy gradient quantum dots. Applied Physics Letters, 2012, 100, 241109. | 3.3 | 11 |
| 376 | A two-dimensional nanopatterned thin metallic transparent conductor with high transparency from the ultraviolet to the infrared. Applied Physics Letters, 2012, 101, 181112. | 3.3 | 27 |
| 377 | On the triplet distribution and its effect on an improved phosphorescent organic light-emitting diode. Applied Physics Letters, 2012, 101, 093301. | 3.3 | 16 |
| 378 | Dye-sensitized solar cell with a pair of carbon-based electrodes. Journal Physics D: Applied Physics, 2012, 45, 165103. | 2.8 | 47 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 379 | Fluorophore-Doped Core–Multishell Spherical Plasmonic Nanocavities: Resonant Energy Transfer toward a Loss Compensation. ACS Nano, 2012, 6, 6250-6259. | 14.6 | 71 |
| 380 | Full Visible Range Covering InP/ZnS Nanocrystals with High Photometric Performance and Their Application to White Quantum Dot Lightâ€Emitting Diodes. Advanced Materials, 2012, 24, 4180-4185. | 21.0 | 283 |
| 381 | Large-Area (over 50 cm $\tilde{A}-$ 50 cm) Freestanding Films of Colloidal InP/ZnS Quantum Dots. Nano Letters, 2012, 12, 3986-3993. | 9.1 | 104 |
| 382 | Electrochromic properties of nanostructured tungsten trioxide (hydrate) films and their applications in a complementary electrochromic device. Electrochimica Acta, 2012, 63, 153-160. | 5.2 | 98 |
| 383 | UV-blocking ZnO nanostructure anti-reflective coatings. Optics Communications, 2012, 285, 3238-3241. | 2.1 | 14 |
| 384 | A fast-switching light-writable and electric-erasable negative photoelectrochromic cell based on Prussian blue films. Solar Energy Materials and Solar Cells, 2012, 98, 154-160. | 6.2 | 31 |
| 385 | Tailoring insoluble nanobelts into soluble anti-UV nanopotpourris. Nanoscale, 2011, 3, 4742. | 5.6 | 9 |
| 386 | Bifunctional highly fluorescent hollow porous microspheres made of BaMoO4 : Pr3+ nanocrystals via a template-free synthesis. Journal of Materials Chemistry, 2011, 21, 9009. | 6.7 | 24 |
| 387 | Peptide-Mediated Constructs of Quantum Dot Nanocomposites for Enzymatic Control of Nonradiative Energy Transfer. Nano Letters, 2011, 11, 1530-1539. | 9.1 | 38 |
| 388 | White-Emitting Conjugated Polymer Nanoparticles with Cross-Linked Shell for Mechanical Stability and Controllable Photometric Properties in Color-Conversion LED Applications. ACS Nano, 2011, 5, 2483-2492. | 14.6 | 57 |
| 389 | Assembly Kinetics of Nanocrystals via Peptide Hybridization. Langmuir, 2011, 27, 4867-4872. | 3.5 | 10 |
| 390 | Spatially Selective Assembly of Quantum Dot Light Emitters in an LED Using Engineered Peptides. ACS Nano, 2011, 5, 2735-2741. | 14.6 | 26 |
| 391 | Dye-sensitized solar cell with a titanium-oxide-modified carbon nanotube transparent electrode. Applied Physics Letters, 2011, 99, . | 3.3 | 71 |
| 392 | Europium (II)-Doped Microporous Zeolite Derivatives with Enhanced Photoluminescence by Isolating Active Luminescence Centers. ACS Applied Materials & Samp; Interfaces, 2011, 3, 4431-4436. | 8.0 | 43 |
| 393 | Anisotropic Emission from Multilayered Plasmon Resonator Nanocomposites of Isotropic Semiconductor Quantum Dots. ACS Nano, 2011, 5, 1328-1334. | 14.6 | 66 |
| 394 | Polarization-dependent circular Dammann grating made of azo-dye-doped liquid crystals. Applied Optics, 2011, 50, 2316. | 2.1 | 14 |
| 395 | Improved performance of organic light-emitting diodes with MoO_3 interlayer by oblique angle deposition. Optics Express, 2011, 19, 4513. | 3.4 | 14 |
| 396 | Opposite carrier dynamics and optical absorption characteristics under external electric field in nonpolar vs polar InGaN/GaN based quantum heterostructures. Optics Express, 2011, 19, 5442. | 3.4 | 9 |

| # | Article | IF | Citations |
|-----|---|------|-------------|
| 397 | Plasmonic backcontact grating for P3HT:PCBM organic solar cells enabling strong optical absorption increased in all polarizations. Optics Express, 2011, 19, 14200. | 3.4 | 81 |
| 398 | Enhanced optical absorption in nanopatterned silicon thin films with a nano-cone-hole structure for photovoltaic applications. Optics Letters, 2011, 36, 1713. | 3.3 | 68 |
| 399 | Broadband absorption enhancement in randomly positioned silicon nanowire arrays for solar cell applications. Optics Letters, 2011, 36, 1884. | 3.3 | 82 |
| 400 | High scotopic/photopic ratio white-light-emitting diodes integrated with semiconductor nanophosphors of colloidal quantum dots. Optics Letters, 2011, 36, 1893. | 3.3 | 33 |
| 401 | Warm-white light-emitting diodes integrated with colloidal quantum dots for high luminous efficacy and color rendering: reply to comment. Optics Letters, 2011, 36, 2852. | 3.3 | 7 |
| 402 | Superior warm-white light-emitting diodes integrated with quantum dot nanophosphors for high luminous efficacy and color rendering. , 2011, , . | | 0 |
| 403 | Material Binding Peptides for Nanotechnology. Molecules, 2011, 16, 1426-1451. | 3.8 | 165 |
| 404 | Semiconductor nanocrystals as rare-earth alternatives. Nature Photonics, 2011, 5, 126-126. | 31.4 | 74 |
| 405 | Quantum dot integrated LEDs using photonic and excitonic color conversion. Nano Today, 2011, 6, 632-647. | 11.9 | 245 |
| 406 | Influence of Channel Layer Thickness on the Electrical Performances of Inkjet-Printed In-Ga-Zn Oxide Thin-Film Transistors. IEEE Transactions on Electron Devices, 2011, 58, 480-485. | 3.0 | 121 |
| 407 | Morphology-Tailored Synthesis of Tungsten Trioxide (Hydrate) Thin Films and Their Photocatalytic Properties. ACS Applied Materials & Samp; Interfaces, 2011, 3, 229-236. | 8.0 | 163 |
| 408 | Geometrically distributed aperiodic circular photonic crystals with broad and isotropic photonic band gaps. Optics Communications, 2011, 284, 2239-2241. | 2.1 | 2 |
| 409 | Bright Whiteâ€Light Emitting Manganese and Copper Coâ€Doped ZnSe Quantum Dots. Angewandte Chemie - International Edition, 2011, 50, 4432-4436. | 13.8 | 17 3 |
| 410 | Photocatalytic hybrid nanocomposites of metal oxide nanoparticles enhanced towards the visible spectral range. Applied Catalysis B: Environmental, 2011, 105, 77-85. | 20.2 | 25 |
| 411 | RF-MEMS load sensors with enhanced Q-factor and sensitivity in a suspended architecture. Microelectronic Engineering, 2011, 88, 247-253. | 2.4 | 7 |
| 412 | Optimization of inverted tandem organic solar cells. Solar Energy Materials and Solar Cells, 2011, 95, 921-926. | 6.2 | 52 |
| 413 | Top-illuminated dye-sensitized solar cells with a room-temperature-processed ZnO photoanode on metal substrates and a Pt-coated Ga-doped ZnO counter electrode. Journal Physics D: Applied Physics, 2011, 44, 045102. | 2.8 | 31 |
| 414 | Volumetric plasmonic resonator architecture for thin-film solar cells. Applied Physics Letters, 2011, 98, 093117. | 3.3 | 46 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 415 | An Indium-Free Transparent Resistive Switching Random Access Memory. IEEE Electron Device Letters, 2011, 32, 797-799. | 3.9 | 28 |
| 416 | Efficient nonradiative energy transfer from InGaN/GaN nanopillars to CdSe/ZnS core/shell nanocrystals. Applied Physics Letters, 2011, 98, . | 3.3 | 24 |
| 417 | Enhanced optical characteristics of light emitting diodes by surface plasmon of Ag nanostructures. , 2011, , . | | 7 |
| 418 | Free-standing ZnO–CuO composite nanowire array films and their gas sensing properties. Nanotechnology, 2011, 22, 325704. | 2.6 | 93 |
| 419 | Quantum efficiency enhancement optimization in colloidal semiconductor quantum dot solids using nonradiative energy transfer. , 2010, , . | | 0 |
| 420 | Nonradiative resonance energy transfer directed from colloidal CdSe/ZnS quantum dots to epitaxial InGaN/GaN quantum wells for solar cells. Physica Status Solidi - Rapid Research Letters, 2010, 4, 178-180. | 2.4 | 11 |
| 421 | Nested Metamaterials for Wireless Strain Sensing. IEEE Journal of Selected Topics in Quantum Electronics, 2010, 16, 450-458. | 2.9 | 93 |
| 422 | Improved Inverted Organic Solar Cells With a Sol–Gel Derived Indium-Doped Zinc Oxide Buffer Layer. IEEE Journal of Selected Topics in Quantum Electronics, 2010, 16, 1700-1706. | 2.9 | 32 |
| 423 | Tunable nano devices fabricated by controlled deposition of gold nanoparticles via focused ion beam. Microelectronic Engineering, 2010, 87, 1363-1366. | 2.4 | 11 |
| 424 | Electrically switchable finite energy Airy beams generated by a liquid crystal cell with patterned electrode. Optics Communications, 2010, 283, 3846-3849. | 2.1 | 13 |
| 425 | Volumetric plasmonic resonators for very thin organic solar cells. , 2010, , . | | 0 |
| 426 | Electrically tunable lasing from a dye-doped two-dimensional hexagonal photonic crystal made of holographic polymer-dispersed liquid crystals. Applied Physics Letters, 2010, 97, . | 3.3 | 13 |
| 427 | Temperature effect on the lasing from a dye-doped two-dimensional hexagonal photonic crystal made of holographic polymer-dispersed liquid crystals. Journal of Applied Physics, 2010, 108, 013106. | 2.5 | 12 |
| 428 | Cascading plasmonic and nonradiative energy transfer interactions by plasmon-coupling only donor or only acceptor quantum dots of the energy transfer pairs. , 2010, , . | | 1 |
| 429 | Observation of anisotropic emission from semiconductor quantum dots in nanocomposites of metal nanoparticles. , 2010, , . | | 0 |
| 430 | FRET-assisted organic dye molecules using in conjunction with colloidal quantum dots for bio-labelling. , 2010 , , . | | 0 |
| 431 | Au-silica core/shell hybrid nanoparticles furnished with CdTe nanocrystals for enhanced plasmon-exciton interactions. , 2010 , , . | | О |
| 432 | Observation of efficient transfer from Mott–Wannier to Frenkel excitons in a hybrid semiconductor quantum dot/polymer composite at room temperature. Applied Physics Letters, 2010, 97, . | 3.3 | 8 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 433 | Photovoltaic nanopillar radial junction diode architecture enhanced by integrating semiconductor quantum dot nanocrystals as light harvesters. Applied Physics Letters, 2010, 97, 093111. | 3.3 | 20 |
| 434 | Conjugated polymer nanoparticles. Nanoscale, 2010, 2, 484. | 5.6 | 376 |
| 435 | Metamaterial-based wireless RF-MEMS strain sensors. , 2010, , . | | 17 |
| 436 | Metamaterial based telemetric strain sensing in different materials. Optics Express, 2010, 18, 5000. | 3.4 | 52 |
| 437 | Highly efficient nonradiative energy transfer mediated light harvesting in water using aqueous CdTe quantum dot antennas. Optics Express, 2010, 18, 10720. | 3.4 | 14 |
| 438 | Warm-white light-emitting diodes integrated with colloidal quantum dots for high luminous efficacy and color rendering. Optics Letters, 2010, 35, 3372. | 3.3 | 77 |
| 439 | A photometric investigation of ultra-efficient LEDs with high color rendering index and high luminous efficacy employing nanocrystal quantum dot luminophores. Optics Express, 2010, 18, 340. | 3.4 | 141 |
| 440 | Non-radiative resonance energy transfer in bi-polymer nanoparticles of fluorescent conjugated polymers. Optics Express, 2010, 18, 670. | 3.4 | 29 |
| 441 | Polar vs. nonpolar $InGaN/GaN$ quantum heterostructures: Opposite quantum confined electroabsorption and carrier dynamics behavior. , 2010, , . | | 0 |
| 442 | Hydrothermally grown nanostructured WO ₃ films and their electrochromic characteristics. Journal Physics D: Applied Physics, 2010, 43, 285501. | 2.8 | 107 |
| 443 | Controlled growth and characterization of epitaxially-laterally-overgrown InGaN/GaN quantum heterostructures., 2010,,. | | 0 |
| 444 | Non-radiative energy-transfer-driven quantum dot LEDs. , 2010, , . | | 0 |
| 445 | Light-harvesting semiconductor quantum dot nanocrystals integrated on photovoltaic radial junction nanopillars. , 2010, , . | | 1 |
| 446 | Development and Biocompatibility Characterization of a BioMEMS Sensor for Monitoring the Progression of Fracture Healing., 2009,,. | | 0 |
| 447 | On-chip integrated nanowire devices with controllable nanogap for manipulation, capturing, and electrical characterization of nanoparticles. , 2009, , . | | 0 |
| 448 | Quantum efficiency enhancement in nanocrystals using nonradiative energy transfer with optimized donor-acceptor ratio for hybrid LEDs. Applied Physics Letters, 2009, 94, 243107. | 3.3 | 21 |
| 449 | Structural tuning of color chromaticity through nonradiative energy transfer by interspacing CdTe nanocrystal monolayers. Applied Physics Letters, 2009, 94, . | 3.3 | 41 |
| 450 | Optically active bi-polymer hetero-nanoparticles. , 2009, , . | | 0 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 451 | Electric field dependence of radiative recombination lifetimes in polar InGaN/GaN quantum heterostructures., 2009,,. | | 0 |
| 452 | Highly efficient nonradiative energy transfer using charged CdSe/ZnS nanocrystals for light-harvesting in solution. Applied Physics Letters, 2009, 95, 033106. | 3.3 | 27 |
| 453 | Electric field dependent radiative decay kinetics of polar InGaN/GaN quantum heterostructures at low fields. Applied Physics Letters, 2009, 94, 211107. | 3.3 | 19 |
| 454 | Quantum dot emitters integrated with smart peptides. , 2009, , . | | 0 |
| 455 | Metamaterial-based wireless strain sensors. Applied Physics Letters, 2009, 95, . | 3.3 | 144 |
| 456 | Excitation resolved color conversion of CdSe/ZnS core/shell quantum dot solids for hybrid white light emitting diodes. Journal of Applied Physics, 2009, 105, . | 2.5 | 22 |
| 457 | Förster resonance energy transfer enhanced color-conversion using colloidal semiconductor quantum dots for solid state lighting. Applied Physics Letters, 2009, 95, 151111. | 3.3 | 19 |
| 458 | Plasmon enhanced colloidal nanocrystal composites incorporating Au nanoparticles in a repeating layered architecture., 2009,,. | | 0 |
| 459 | Architectural tuning of color chromaticity by controlled nonradiative resonance energy transfer in CdTe nanocrystal solids. , 2009, , . | | 0 |
| 460 | Efficient migration of Mott-Wannier excitons to Frenkel excitons in hybrid organic/inorganic assembly of CdSe/ZnS nanocrystals in MDMO-PPV homopolymers. , 2009, , . | | 0 |
| 461 | Circular High-Q Resonating Isotropic Strain Sensors with Large Shift of Resonance Frequency under Stress. Sensors, 2009, 9, 9444-9451. | 3.8 | 8 |
| 462 | Green/Yellow Solid-State Lighting via Radiative and Nonradiative Energy Transfer Involving Colloidal Semiconductor Nanocrystals. IEEE Journal of Selected Topics in Quantum Electronics, 2009, 15, 1163-1170. | 2.9 | 10 |
| 463 | On-Chip-Integrated Nanowire Device Platform With Controllable Nanogap for Manipulation, Capturing, and Electrical Characterization of Nanoparticles. IEEE Journal of Selected Topics in Quantum Electronics, 2009, 15, 1413-1419. | 2.9 | 2 |
| 464 | Implementation of high qualityâ€factor onâ€chip tuned microwave resonators at 7 GHz. Microwave and Optical Technology Letters, 2009, 51, 497-501. | 1.4 | 6 |
| 465 | Luminescence in quantum-confined cadmium selenide nanocrystals and nanorods in external electric fields. Semiconductors, 2009, 43, 1008-1016. | 0.5 | 20 |
| 466 | Flexible metamaterials for wireless strain sensing. Applied Physics Letters, 2009, 95, 181105. | 3.3 | 94 |
| 467 | Self-consistent computation of electronic and optical properties of a single exciton in a spherical quantum dot via matrix diagonalization method. Journal of Applied Physics, 2009, 106, . | 2.5 | 51 |
| 468 | Highly efficient FRET-based light-harvesting using nanocrystals. , 2009, , . | | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 469 | Nanocrystal integrated light emitting diodes based on radiative and nonradiative energy transfer for the green gap., 2009,,. | | O |
| 470 | Wavelength dependent color conversion of CdSe/ZnS core/shell nanocrystals for white LEDs. , 2009, , . | | 1 |
| 471 | White light generating nonradiative energy transfer directly from epitaxial quantum wells colloidal nanocrystal quantum dots., 2009,,. | | 0 |
| 472 | Design and Realization of a Fully On-Chip High-\$Q\$ Resonator at 15 GHz on Silicon. IEEE Transactions on Electron Devices, 2008, 55, 3459-3466. | 3.0 | 12 |
| 473 | White light generation by resonant nonradiative energy transfer from epitaxial InGaN/GaN quantum wells to colloidal CdSe/ZnS core/shell quantum dots. New Journal of Physics, 2008, 10, 123001. | 2.9 | 25 |
| 474 | Tuning shades of white light with multi-color quantum-dot–quantum-well emitters based on onion-like CdSe–ZnS heteronanocrystals. Nanotechnology, 2008, 19, 335203. | 2.6 | 45 |
| 475 | White emitting CdS quantum dot nanoluminophores hybridized on near-ultraviolet LEDs for high-quality white light generation and tuning. New Journal of Physics, 2008, 10, 023026. | 2.9 | 55 |
| 476 | On the origin of high quality white light emission from a hybrid organic/inorganic light emitting diode using azide functionalized polyfluorene. Journal of Materials Chemistry, 2008, 18, 3568. | 6.7 | 64 |
| 477 | Dual-color emitting quantum-dot-quantum-well CdSe-ZnS heteronanocrystals hybridized on InGaNâ^GaN light emitting diodes for high-quality white light generation. Applied Physics Letters, 2008, 92, . | 3.3 | 74 |
| 478 | White emitting polyfluorene functionalized with azide hybridized on near-UV light emitting diode for high color rendering index. Optics Express, 2008, 16, 1115. | 3.4 | 22 |
| 479 | Onion-like (CdSe)ZnS/CdSe/ZnS quantum-dot-quantum-well heteronanocrystals for investigation of multi-color emission. Optics Express, 2008, 16, 3515. | 3.4 | 59 |
| 480 | Photovoltaic nanocrystal scintillators hybridized on Si solar cells for enhanced conversion efficiency in UV. Optics Express, 2008, 16, 3537. | 3.4 | 35 |
| 481 | Quantum efficiency enhancement in film by making nanoparticles of polyfluorene. Optics Express, 2008, 16, 13391. | 3.4 | 25 |
| 482 | Resonant nonradiative energy transfer in CdSe/ZnS core/shell nanocrystal solids enhances hybrid white light emitting diodes. Optics Express, 2008, 16, 13961. | 3.4 | 39 |
| 483 | Color-converting combinations of nanocrystal emitters for warm-white light generation with high color rendering index. Applied Physics Letters, 2008, 92, . | 3.3 | 192 |
| 484 | Warm white light generating nanocrystal hybridized LEDs with high color rendering index., 2008,,. | | 0 |
| 485 | Surface-state emission enhancement in white-luminophor CdS nanocrystals using localized plasmon coupling. , 2008, , . | | 0 |
| 486 | Experimental and computational analyses of electroabsorption in polar InGaN/GaN quantum zigzag heterostructures. , 2008, , . | | 0 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 487 | How can we use nanophotonics to help in combating climate change?., 2008,,. | | 0 |
| 488 | Nanocrystal emitters for enhanced photovoltaics in UV., 2008,,. | | 0 |
| 489 | Increased quantum efficiency and reduced red-shift in polymer nanoparticle luminophors., 2008,,. | | 0 |
| 490 | White light generating semiconductor nanocrystal luminophors with high photometric quality. , 2008, , . | | 0 |
| 491 | Light-harvesting positively-charged nanocrystals for strong energy transfer to dye molecules. , 2008, , . | | 0 |
| 492 | Bio-implantable passive on-chip RF-MEMS strain sensing resonators for orthopaedic applications. Journal of Micromechanics and Microengineering, 2008, 18, 115017. | 2.6 | 42 |
| 493 | Selective enhancement of surface-state emission and simultaneous quenching of interband transition in white-luminophor CdS nanocrystals using localized plasmon coupling. New Journal of Physics, 2008, 10, 083035. | 2.9 | 39 |
| 494 | Multi-layered CdSe/ZnS/CdSe heteronanocrystals to generate and tune white light. , 2008, , . | | 1 |
| 495 | Comparative study of electroabsorption in InGaNâ [•] GaN quantum zigzag heterostructures with polarization-induced electric fields. Applied Physics Letters, 2008, 92, 201105. | 3.3 | 4 |
| 496 | Enhanced spontaneous emission in semiconductor nanocrystal solids using resonant energy transfer for integrated devices. , 2008, , . | | 0 |
| 497 | Multi-material specific, targeted self-assembly of nanocrystal emitters using genetically engineered peptides on optoelectronic microchips. , 2008, , . | | 0 |
| 498 | High Optical Efficiency of ZnO Nanoparticles., 2007,,. | | 3 |
| 499 | Investigation of Excitonic Effects in Polar InGaN/GaN Quantum Heterostructures for Enhanced Quantum Electroabsorption in Blue. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , . | 0.0 | 0 |
| 500 | White Light Generation with Azide Functionalized Polyfluorene Hybridized on Near-UV Light Emitting Diode. , 2007, , . | | 0 |
| 501 | Blue quantum electroabsorption modulators based on reversed quantum confined Stark effect with blueshift. Applied Physics Letters, 2007, 90, 011101. | 3.3 | 43 |
| 502 | Violet to deep-ultraviolet InGaNâ^•GaN and GaNâ^•AlGaN quantum structures for UV electroabsorption modulators. Journal of Applied Physics, 2007, 102, . | 2.5 | 20 |
| 503 | Comparative study of optically activated nanocomposites with photocatalytic TiO $<$ sub $>$ 2 $<$ /sub $>$ and ZnO nanoparticles for massive environmental decontamination. Journal of Nanophotonics, 2007, 1, 011685. | 1.0 | 5 |
| 504 | Nanocrystal-based hybrid white light generation with tunable colour parameters. Journal of Optics, 2007, 9, S419-S424. | 1.5 | 27 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 505 | White CdS Nanoluminophore based Tunable Hybrid Light Emitting Diodes. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , . | 0.0 | 0 |
| 506 | Near-UV InGaN/GaN-based dual-operation quantum optoelectronic devices. Proceedings of SPIE, 2007, , . | 0.8 | 0 |
| 507 | Nanocrystal hybridized scintillators for enhanced detection and imaging on Si platforms in UV. Optics Express, 2007, 15, 1128. | 3.4 | 34 |
| 508 | Localized plasmon-engineered spontaneous emission of CdSe/ZnS nanocrystals closely-packed in the proximity of Ag nanoisland films for controlling emission linewidth, peak, and intensity. Optics Express, 2007, 15, 14289. | 3.4 | 75 |
| 509 | Hybrid white light sources based on layer-by-layer assembly of nanocrystals on near-UV emitting diodes. Nanotechnology, 2007, 18, 405702. | 2.6 | 46 |
| 510 | White light generation using CdSe/ZnS core–shell nanocrystals hybridized with InGaN/GaN light emitting diodes. Nanotechnology, 2007, 18, 065709. | 2.6 | 209 |
| 511 | Localized plasmon-engineered spontaneous emission of CdSe/ZnS nanocrystals closely-packed in the proximity of Ag nanoislands. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , . | 0.0 | 0 |
| 512 | White light generation tuned by dual hybridization of nanocrystals and conjugated polymers. New Journal of Physics, 2007, 9, 362-362. | 2.9 | 36 |
| 513 | Tunable white light generating nanocyrstal-hybridized LEDs. , 2007, , . | | 0 |
| 514 | High-Quality White Light Generation using Dually Hybridized Nanocrystals and Conjugated Polymers. Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS, 2007, , . | 0.0 | 0 |
| 515 | NANOCRYSTAL HYBRIDIZED WHITE LIGHT SOURCES INTEGRATED ON NEAR UV LEDS. , 2007, , . | | 0 |
| 516 | ELECTROMODULATION OF PHOTOLUMINESCENCE FROM CdSe NANORODS FILM., 2007,,. | | 0 |
| 517 | CdSe/ZnS core-shell nanocrystal based scintillators for enhanced detection in UV., 2006, , . | | 1 |
| 518 | Blue InGaN/GaN-based Quantum Electroabsorption Modulators. , 2006, , . | | 0 |
| 519 | InGaN/GaN based LEDs with electroluminescence in violet, blue, and green tuned by epitaxial growth temperature. , 2006, , . | | 1 |
| 520 | Integrated photonic switches for nanosecond packet-switched optical wavelength conversion. Optics Express, 2006, 14, 361. | 3.4 | 14 |
| 521 | Photonic devices and systems embedded with nanocrystals. , 2006, , . | | 0 |
| 522 | Self-aligned via and trench for metal contact in III-V semiconductor devices. Journal of Vacuum Science & Technology B, 2006, 24, 1117. | 1.3 | 4 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 523 | White Light Generation with CdSe/ZnS Core-Shell Nanocrystals and InGaN/GaN Light Emitting Diodes., 2006,,. | | 2 |
| 524 | Optoelectronic switches based on diffusive conduction. Journal of Applied Physics, 2006, 100, 043107. | 2.5 | 0 |
| 525 | Size effect in optical activation of TiO2 nanoparticles in photocatalytic process. , 2006, , . | | 1 |
| 526 | Multifunctional integrated photonic switches. IEEE Journal of Selected Topics in Quantum Electronics, 2005, 11, 86-96. | 2.9 | 22 |
| 527 | Intimate monolithic integration of chip-scale photonic circuits. IEEE Journal of Selected Topics in Quantum Electronics, 2005, 11, 1255-1265. | 2.9 | 9 |
| 528 | Single ultrafast diffusive conduction based optoelectronic switch for multi-channel operation. , 2005, , . | | 0 |
| 529 | Self-Aligning Planarization and Passivation for Integration Applications in Ill–V Semiconductor Devices. IEEE Transactions on Semiconductor Manufacturing, 2005, 18, 182-189. | 1.7 | 16 |
| 530 | Multifunctional Integrated Photonic Switches for Nanosecond Packet-Switched Wavelength Conversion., 2005,,. | | 1 |
| 531 | High-speed optical switching based on diffusive conduction in an optical waveguide with surface-normal optical control. Journal of Applied Physics, 2004, 95, 2258-2263. | 2.5 | 3 |
| 532 | Optically controlled electroabsorption modulators for unconstrained wavelength conversion. Applied Physics Letters, 2004, 84, 469-471. | 3.3 | 25 |
| 533 | Scalable Wavelength-Converting Crossbar Switches. IEEE Photonics Technology Letters, 2004, 16, 2305-2307. | 2.5 | 13 |
| 534 | Dual-diode quantum-well modulator for C-band wavelength conversion and broadcasting. Optics Express, 2004, 12, 310. | 3.4 | 17 |
| 535 | Large-Signal Response of p-i-n Photodetectors Using Short Pulses With Small Spot Sizes. IEEE Journal of Quantum Electronics, 2004, 40, 143-151. | 1.9 | 4 |
| 536 | Novel planarization and passivation in the integration of III-V semiconductor devices., 2004, 5356, 81. | | 5 |
| 537 | Title is missing!. Optical and Quantum Electronics, 2001, 33, 1035-1054. | 3.3 | 15 |
| 538 | Andreev-level spectroscopy and Josephson-current switching in a three-terminal Josephson junction. Physical Review B, 1998, 58, 15120-15127. | 3.2 | 8 |
| 539 | Electrically-reconfigurable integrated photonic switches. , 0, , . | | 1 |
| 540 | Quantum confinement effects in semiconductors. , 0, , 52-91. | | 1 |

| # | Article | IF | CITATIONS |
|-----|---|----|-----------|
| 541 | Lighting with nanostructures., 0,, 229-277. | | 1 |
| 542 | Emerging nanophotonics., 0,, 380-428. | | 0 |
| 543 | Energy transfer processes. , 0, , 210-226. | | 2 |
| 544 | Semiconductor Nanocrystal Optoelectronics: from colloidal Quantum Dots to Wells. , 0, , . | | 0 |