

Xiaoming Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8040440/publications.pdf>

Version: 2024-02-01

77
papers

16,237
citations

46918

47
h-index

69108

77
g-index

78
all docs

78
docs citations

78
times ranked

15081
citing authors

#	ARTICLE	IF	CITATIONS
1	Facet-induced coordination competition for highly ordered CsPbBr ₃ nanoplatelets with strong polarized emission. Nano Research, 2022, 15, 502-509.	5.8	18
2	In Situ Fabrication of Cs ₃ Cu ₂ I ₅ : TI Nanocrystal Films for High-Resolution and Ultrastable X-ray Imaging. Journal of Physical Chemistry Letters, 2022, 13, 2862-2870.	2.1	39
3	Overcoming the Anisotropic Growth Limitations of Free-Standing Single-Crystal Halide Perovskite Films. Angewandte Chemie - International Edition, 2021, 60, 2629-2636.	7.2	24
4	Lead-Free Halide Double Perovskites: Structure, Luminescence, and Applications. Small Structures, 2021, 2, 2000071.	6.9	71
5	Armor-like passivated CsPbBr ₃ quantum dots: boosted stability with hand-in-hand ligands and enhanced performance of nuclear batteries. Journal of Materials Chemistry A, 2021, 9, 8772-8781.	5.2	13
6	Micro-patterned photoalignment of CsPbBr ₃ nanowires with liquid crystal molecule composite film for polarized emission. Nanoscale, 2021, 13, 14980-14986.	2.8	10
7	One-pot synthesis of Cs ₃ Cu ₂ I ₅ nanocrystals based on thermodynamic equilibrium. Materials Chemistry Frontiers, 2021, 5, 6152-6159.	3.2	22
8	Oriented Perovskite Growth Regulation Enables Sensitive Broadband Detection and Imaging of Polarized Photons Covering 300–1050Ånm. Advanced Materials, 2021, 33, e2003852.	11.1	32
9	Polarization improvement of CsPbClBr ₂ quantum dot film by laser direct writing technology. Optics Letters, 2021, 46, 777.	1.7	3
10	Amplifying Surface Energy Difference toward Anisotropic Growth of All-Inorganic Perovskite Single-Crystal Wires for Highly Sensitive Photodetector. Advanced Functional Materials, 2021, 31, 2101966.	7.8	21
11	Mn ²⁺ induced significant improvement and robust stability of radioluminescence in Cs ₃ Cu ₂ I ₅ for high-performance nuclear battery. Nature Communications, 2021, 12, 3879.	5.8	76
12	State of the Art and Prospects for Halide Perovskite Nanocrystals. ACS Nano, 2021, 15, 10775-10981.	7.3	705
13	Strong Polarized Photoluminescence CsPbBr ₃ Nanowire Composite Films for UV Spectral Conversion Polarization Photodetector Enhancement. ACS Applied Materials & Interfaces, 2021, 13, 36147-36156.	4.0	20
14	Nonlinear Optics in Lead Halide Perovskites: Mechanisms and Applications. ACS Photonics, 2021, 8, 113-124.	3.2	80
15	Efficient, Stable, and Tunable Cold/Warm White Light from Lead-Free Halide Double Perovskites Cs ₂ Zr _{1-x} Te _x Cl ₆ . Advanced Optical Materials, 2021, 9, 2100815.	3.6	30
16	Welding Perovskite Nanowires for Stable, Sensitive, Flexible Photodetectors. ACS Nano, 2020, 14, 2777-2787.	7.3	90
17	Single-Solvent, Ligand-Free, Gram-Scale Synthesis of Cs ₄ PbBr ₆ Perovskite Solids with Robust Green Photoluminescence. ChemNanoMat, 2020, 6, 258-266.	1.5	11
18	Synthesis of single CsPbBr ₃ @SiO ₂ core-shell particles via surface activation. Journal of Materials Chemistry C, 2020, 8, 17403-17409.	2.7	36

#	ARTICLE	IF	CITATIONS
19	All-Perovskite Integrated X-Ray Detector with Ultrahigh Sensitivity. <i>Advanced Optical Materials</i> , 2020, 8, 2000273.	3.6	61
20	Charge Transfer Boosting Moisture Resistance of Seminude Perovskite Nanocrystals via Hierarchical Alumina Modulation. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 3159-3165.	2.1	16
21	Prediction and observation of defect-induced room-temperature ferromagnetism in halide perovskites. <i>Journal of Semiconductors</i> , 2020, 41, 122501.	2.0	5
22	Lattice restraint induced ultra-large bandgap widening of ZnO nanoparticles. <i>Journal of Materials Chemistry C</i> , 2019, 7, 8969-8974.	2.7	8
23	Interfacial Tunneling Effect Enhanced CsPbBr ₃ Photodetectors Featuring High Detectivity and Stability. <i>Advanced Functional Materials</i> , 2019, 29, 1904461.	7.8	70
24	Lateral cavity enabled Fabry-Perot microlasers from all-inorganic perovskites. <i>Applied Physics Letters</i> , 2019, 115, .	1.5	21
25	Highly Luminescent and Stable Halide Perovskite Nanocrystals. <i>ACS Energy Letters</i> , 2019, 4, 673-681.	8.8	129
26	CsPbBr ₃ Quantum Dots 2.0: Benzenesulfonic Acid Equivalent Ligand Awakens Complete Purification. <i>Advanced Materials</i> , 2019, 31, e1900767.	11.1	329
27	Surface Halogen Compensation for Robust Performance Enhancements of CsPbX ₃ Perovskite Quantum Dots. <i>Advanced Optical Materials</i> , 2019, 7, 1900276.	3.6	138
28	Temperature Dependent Reflectance and Ellipsometry Studies on a CsPbBr ₃ Single Crystal. <i>Journal of Physical Chemistry C</i> , 2019, 123, 10564-10570.	1.5	37
29	Highly Efficient Carbon Dots with Reversibly Switchable Green-Red Emissions for Trichromatic White Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 16005-16014.	4.0	147
30	Origin of green luminescence in carbon quantum dots: specific emission bands originate from oxidized carbon groups. <i>New Journal of Chemistry</i> , 2018, 42, 4603-4611.	1.4	58
31	Heterogeneous Nucleation toward Polar-Solvent-Free, Fast, and One-Pot Synthesis of Highly Uniform Perovskite Quantum Dots for Wider Color Gamut Display. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800010.	1.9	49
32	Boosting Two-Dimensional MoS ₂ /CsPbBr ₃ Photodetectors via Enhanced Light Absorbance and Interfacial Carrier Separation. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 2801-2809.	4.0	207
33	Surface Chemistry of All Inorganic Halide Perovskite Nanocrystals: Passivation Mechanism and Stability. <i>Advanced Materials Interfaces</i> , 2018, 5, 1701662.	1.9	230
34	Perovskite photodetectors with both visible-infrared dual-mode response and super-narrowband characteristics towards photo-communication encryption application. <i>Nanoscale</i> , 2018, 10, 359-365.	2.8	32
35	Switching excitonic recombination and carrier trapping in cesium lead halide perovskites by air. <i>Communications Physics</i> , 2018, 1, .	2.0	59
36	Emissions at Perovskite Quantum Dot/Film Interface with Halide Anion Exchange. <i>ACS Photonics</i> , 2018, 5, 4504-4512.	3.2	17

#	ARTICLE	IF	CITATIONS
37	Space-Constrained Growth of CsPbBr ₃ Film Achieving Photodetectors with High Performance in All Figures of Merit. <i>Advanced Functional Materials</i> , 2018, 28, 1804394.	7.8	108
38	In Situ Passivation of PbBr ₆ ⁴⁻ Octahedra toward Blue Luminescent CsPbBr ₃ Nanoplatelets with Near 100% Absolute Quantum Yield. <i>ACS Energy Letters</i> , 2018, 3, 2030-2037.	8.8	402
39	All Inorganic Halide Perovskites Nanosystem: Synthesis, Structural Features, Optical Properties and Optoelectronic Applications. <i>Small</i> , 2017, 13, 1603996.	5.2	537
40	Constructing Fast Carrier Tracks into Flexible Perovskite Photodetectors To Greatly Improve Responsivity. <i>ACS Nano</i> , 2017, 11, 2015-2023.	7.3	274
41	Solution-Processed Low Threshold Vertical Cavity Surface Emitting Lasers from All-Inorganic Perovskite Nanocrystals. <i>Advanced Functional Materials</i> , 2017, 27, 1605088.	7.8	242
42	Low-Voltage Photodetectors with High Responsivity Based on Solution-Processed Micrometer-Scale All-Inorganic Perovskite Nanoplatelets. <i>Small</i> , 2017, 13, 1700364.	5.2	119
43	Quantum confinement effect of two-dimensional all-inorganic halide perovskites. <i>Science China Materials</i> , 2017, 60, 811-818.	3.5	38
44	Simple and Fast Patterning Process by Laser Direct Writing for Perovskite Quantum Dots. <i>Advanced Materials Technologies</i> , 2017, 2, 1700132.	3.0	55
45	Highly stable and flexible photodetector arrays based on low dimensional CsPbBr ₃ microcrystals and on-paper pencil-drawn electrodes. <i>Journal of Materials Chemistry C</i> , 2017, 5, 7441-7445.	2.7	51
46	Cation Exchange-Induced Dimensionality Construction: From Monolayered to Multilayered 2D Single Crystal Halide Perovskites. <i>Advanced Materials Interfaces</i> , 2017, 4, 1700441.	1.9	38
47	Solution-Grown CsPbBr ₃ /Cs ₄ PbBr ₆ Perovskite Nanocomposites: Toward Temperature-Insensitive Optical Gain. <i>Small</i> , 2017, 13, 1701587.	5.2	134
48	Amino-Mediated Anchoring Perovskite Quantum Dots for Stable and Low-Threshold Random Lasing. <i>Advanced Materials</i> , 2017, 29, 1701185.	11.1	269
49	Capping CsPbBr ₃ with ZnO to improve performance and stability of perovskite memristors. <i>Nano Research</i> , 2017, 10, 1584-1594.	5.8	134
50	Healing All-Inorganic Perovskite Films via Recyclable Dissolution-Recrystallization for Compact and Smooth Carrier Channels of Optoelectronic Devices with High Stability. <i>Advanced Functional Materials</i> , 2016, 26, 5903-5912.	7.8	296
51	Progress of Carbon Quantum Dots in Photocatalysis Applications. <i>Particle and Particle Systems Characterization</i> , 2016, 33, 457-472.	1.2	172
52	Ternary Oxide Nanocrystals: Universal Laser-Hydrothermal Synthesis, Optoelectronic and Electrochemical Applications. <i>Advanced Functional Materials</i> , 2016, 26, 5051-5060.	7.8	58
53	Remediating Defects in Carbon Nitride To Improve both Photooxidation and H ₂ Generation Efficiencies. <i>ACS Catalysis</i> , 2016, 6, 3365-3371.	5.5	148
54	Photon Driven Transformation of Cesium Lead Halide Perovskites from Few-Monolayer Nanoplatelets to Bulk Phase. <i>Advanced Materials</i> , 2016, 28, 10637-10643.	11.1	130

#	ARTICLE	IF	CITATIONS
55	Approaching the Theoretical Capacity of Li_3VO_4 via Electrochemical Reconstruction. <i>Advanced Materials Interfaces</i> , 2016, 3, 1500340.	1.9	97
56	Improving All-Inorganic Perovskite Photodetectors by Preferred Orientation and Plasmonic Effect. <i>Small</i> , 2016, 12, 5622-5632.	5.2	314
57	Rapid and High-Efficiency Laser-Alloying Formation of ZnMgO Nanocrystals. <i>Scientific Reports</i> , 2016, 6, 28131.	1.6	15
58	Monolayer and Few-Layer All-Inorganic Perovskites as a New Family of Two-Dimensional Semiconductors for Printable Optoelectronic Devices. <i>Advanced Materials</i> , 2016, 28, 4861-4869.	11.1	614
59	CsPbX_3 Quantum Dots for Lighting and Displays: Room-Temperature Synthesis, Photoluminescence Superiorities, Underlying Origins and White Light-Emitting Diodes. <i>Advanced Functional Materials</i> , 2016, 26, 2435-2445.	7.8	2,055
60	Quantum Dots: CsPbX_3 Quantum Dots for Lighting and Displays: Room-Temperature Synthesis, Photoluminescence Superiorities, Underlying Origins and White Light-Emitting Diodes (Adv.) <i>Tj ETQq07080 rgBT /59verlock 1</i>	7.8	2,055
61	Monolayer MoS_2 "Graphene Hybrid Aerogels with Controllable Porosity for Lithium-Ion Batteries with High Reversible Capacity. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 2680-2687.	4.0	191
62	Nonlinear Absorption and Low-Threshold Multiphoton Pumped Stimulated Emission from All-Inorganic Perovskite Nanocrystals. <i>Nano Letters</i> , 2016, 16, 448-453.	4.5	494
63	Carbon and Graphene Quantum Dots for Optoelectronic and Energy Devices: A Review. <i>Advanced Functional Materials</i> , 2015, 25, 4929-4947.	7.8	1,072
64	Quantum Dot Light-Emitting Diodes Based on Inorganic Perovskite Cesium Lead Halides (CsPbX_3). <i>Advanced Materials</i> , 2015, 27, 7162-7167.	11.1	2,457
65	All-Inorganic Colloidal Perovskite Quantum Dots: A New Class of Lasing Materials with Favorable Characteristics. <i>Advanced Materials</i> , 2015, 27, 7101-7108.	11.1	1,095
66	Cu-N Dopants Boost Electron Transfer and Photooxidation Reactions of Carbon Dots. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 6540-6544.	7.2	244
67	MgZnO Nanocrystals: Mechanism for Dopant-Stimulated Self-Assembly. <i>Small</i> , 2015, 11, 5097-5104.	5.2	12
68	In situ electron beam irradiation-driven formation of quantum dots. <i>RSC Advances</i> , 2015, 5, 25717-25722.	1.7	5
69	An insight into defect relaxation in metastable ZnO reflected by a unique luminescence and Raman evolutions. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 19637-19642.	1.3	22
70	Integrating large specific surface area and high conductivity in hydrogenated NiCo_2O_4 double-shell hollow spheres to improve supercapacitors. <i>NPG Asia Materials</i> , 2015, 7, e165-e165.	3.8	177
71	Two-Dimensional, Porous Nickel-Cobalt Sulfide for High-Performance Asymmetric Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 19316-19323.	4.0	234
72	Localized surface plasmon resonance of Cu nanoparticles by laser ablation in liquid media. <i>RSC Advances</i> , 2015, 5, 79738-79745.	1.7	101

#	ARTICLE	IF	CITATIONS
73	Intercrossed Carbon Nanorings with Pure Surface States as Low-Cost and Environment-Friendly Phosphors for White-Light-Emitting Diodes. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 1759-1764.	7.2	238
74	Controlling oxygen vacancies and properties of ZnO. <i>Current Applied Physics</i> , 2014, 14, 521-527.	1.1	42
75	Engineering surface states of carbon dots to achieve controllable luminescence for solid-luminescent composites and sensitive Be ²⁺ detection. <i>Scientific Reports</i> , 2014, 4, .	1.6	544
76	Strong room-temperature ferromagnetism of pure ZnO nanostructure arrays via colloidal template. <i>Journal of Materials Chemistry C</i> , 2013, 1, 6807.	2.7	32
77	Multiexciton Generation in Semiconductor Nanocrystals: A Potential Avenue Toward Efficient Solar Cells. <i>Science of Advanced Materials</i> , 2013, 5, 1585-1595.	0.1	4