Dajana D Todorović

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8041337/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Biological effects of chronic exposure of Blaptica dubia (Blattodea: Blaberidae) nymphs to static and extremely low frequency magnetic fields. Anais Da Academia Brasileira De Ciencias, 2021, 93, e20190118.	0.8	0
2	Sensitivity of midgut physiological parameters of Lymantria dispar L. larvae to benzo[a]pyrene in populations with different multigeneration contact to environmental pollutants. Environmental Pollution, 2021, 288, 117706.	7.5	5
3	Effects of fluoranthene on digestive enzymes activity and relative growth rate of larvae of lepidopteran species, Lymantria dispar L. and Euproctis chrysorrhoea L Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2021, 249, 109123.	2.6	1
4	Implications of long-term exposure of a Lymantria dispar L. population to pollution for the response of larval midgut proteases and acid phosphatases to chronic cadmium treatment. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2021, 250, 109172.	2.6	2
5	Effect of Cadmium Dietary Intake on Midgut β-Glucosidase of Lymantria dispar Larvae. Journal of Evolutionary Biochemistry and Physiology, 2020, 56, 243-251.	0.6	0
6	The impact of chronic exposure to a magnetic field on energy metabolism and locomotion of <i>Blaptica dubia</i> . International Journal of Radiation Biology, 2020, 96, 1076-1083.	1.8	6
7	Effect of fluoranthene on antioxidative defense in different tissues of Lymantria dispar and Euproctis chrysorrhoea larvae. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2019, 224, 108565.	2.6	7
8	Physiological and behavioral effects of the mycotoxin deoxynivalenol in Tenebrio molitor larvae. Journal of Stored Products Research, 2019, 83, 236-242.	2.6	13
9	Effects of dietary fluoranthene on nymphs of Blaptica dubia S. (Blattodea: Blaberidae). Environmental Science and Pollution Research, 2019, 26, 6216-6222.	5.3	10
10	Long-term exposure of cockroach Blaptica dubia (Insecta: Blaberidae) nymphs to magnetic fields of different characteristics: effects on antioxidant biomarkers and nymphal gut mass. International Journal of Radiation Biology, 2019, 95, 1185-1193.	1.8	5
11	Parameters of oxidative stress, cholinesterase activity, Cd bioaccumulation in the brain and midgut of Lymantria dispar (Lepidoptera: Lymantriidae) caterpillars from unpolluted and polluted forests. Chemosphere, 2019, 218, 416-424.	8.2	21
12	Influence of a trout farm on antioxidant defense in larvae of Ephemera danica (Insecta:) Tj ETQq0 0 0 rgBT /Overl	ock 10 Tf ! 1.1	50 ₄ 302 Td (E
13	Photonic structures improve radiative heat exchange of Rosalia alpina (Coleoptera: Cerambycidae). Journal of Thermal Biology, 2018, 76, 126-138.	2.5	5
14	Evaluation of oxidative stress biomarkers in the freshwater gammarid Gammarus dulensis exposed to trout farm outputs. Ecotoxicology and Environmental Safety, 2018, 163, 84-95.	6.0	11
15	Effects of different insecticides on the antioxidative defense system of the European Corn Borer (Ostrinia nubilalis Hübner) (Lepidoptera: Crambidae) larvae. Archives of Biological Sciences, 2018, 70, 765-773.	0.5	8
16	Cadmium and high temperature effects on brain and behaviour of Lymantria dispar L. caterpillars originating from polluted and less-polluted forests. Chemosphere, 2017, 185, 628-636.	8.2	17
17	Mesoporous silica nanoparticles SBA-15 loaded with emodin upregulate the antioxidative defense of Euproctis chrysorrhoea (L.) larvae. Turkish Journal of Biology, 2017, 41, 935-942.	0.8	6

¹⁸Short- and long-term exposure to alternating magnetic field (50 Hz, 0.5 mT) affects rat pituitary ACTH
cells: Stereological study. Environmental Toxicology, 2016, 31, 461-468.4.012

Dajana D Todorović

#	Article	IF	CITATIONS
19	Glutathione S-transferase in the midgut tissue of gypsy moth (Lymantria dispar) caterpillars exposed to dietary cadmium. Environmental Toxicology and Pharmacology, 2016, 44, 13-17.	4.0	18
20	Increased motor activity of the beetle <i><scp>L</scp>aemostenus punctatus</i> caused by a static magnetic field of 110ÂmT. Entomologia Experimentalis Et Applicata, 2016, 160, 188-194.	1.4	2
21	The trout farm effect on <i>Dinocras megacephala</i> (Plecoptera: Perlidae) larvae: Antioxidative defense. Environmental Toxicology and Chemistry, 2016, 35, 1775-1782.	4.3	6
22	Life history traits and the activity of antioxidative enzymes in <i>Lymantria dispar</i> L. (lepidoptera,) Tj ETQq0 () 0 rgBT /0 4.3	Overlock 10 Tf 12
23	Estimation of changes in fitness components and antioxidant defense of Drosophila subobscura (Insecta, Diptera) after exposure to 2.4 T strong static magnetic field. Environmental Science and Pollution Research, 2015, 22, 5305-5314.	5.3	7
24	Effects of two different waveforms of ELF MF on bioelectrical activity of antennal lobe neurons ofMorimus funereus(Insecta, Coleoptera). International Journal of Radiation Biology, 2015, 91, 435-442.	1.8	2
25	Response of α-glucosidase in gypsy moth larvae to acute and chronic dietary cadmium. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2015, 50, 285-292.	1.5	7
26	Effects of fluoranthene on the fitness-related traits and antioxidative defense in Lymantria dispar L Environmental Science and Pollution Research, 2015, 22, 10367-10374.	5.3	11
27	Effects of the static and ELF magnetic fields on the neuronal population activity in Morimus funereus (Coleoptera, Cerambycidae) antennal lobe revealed by wavelet analysis. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2015, 181, 27-35.	1.8	4
28	Adjustment of L1 neurosecretory neuron activity in response to different stressors in gypsy moth caterpillars. Archives of Biological Sciences, 2015, 67, 965-972.	0.5	1
29	The specific response of gypsy moth A1 neurosecretory neurons to different environmental stressors. Biologia (Poland), 2014, 69, 1384-1394.	1.5	1
30	Prothoracicotropic hormone-producing neurosecretory neurons and antioxidative defense in midgut of Lymantria dispar in trophic stress. Turkish Journal of Biology, 2014, 38, 403-411.	0.8	7
31	Responses of PTTHâ€producing neurosecretory neurons in <i>Lymantria dispar</i> caterpillars exposed to cadmium. Environmental Toxicology, 2014, 29, 770-779.	4.0	4
32	The influence of static magnetic field (50 mT) on development and motor behaviour of <i>Tenebrio</i> (Insecta, Coleoptera). International Journal of Radiation Biology, 2013, 89, 44-50.	1.8	16
33	Changes in the expression and current of the Na+/K+ pump in the snail nervous system after exposure to static magnetic field. Journal of Experimental Biology, 2013, 216, 3531-41.	1.7	10
34	Effects of tannic acid on trypsin and leucine aminopeptidase activities in gypsy moth larval midgut. Archives of Biological Sciences, 2013, 65, 1405-1413.	0.5	3
35	Effect of magnetic fields on antioxidative defense and fitnessâ€related traits of <i>Baculum extradentatum</i> (insecta, phasmatodea). Bioelectromagnetics, 2012, 33, 265-273.	1.6	20
36	Changes in activity of non-specific esterases in cadmium treated Lymantria dispar larvae. Ecotoxicology, 2012, 21, 370-378.	2.4	19

Dajana D Todorović

#	Article	IF	CITATIONS
37	The embryonic and post-embryonic development in two Drosophila species exposed to the static magnetic field of 60 mT. Electromagnetic Biology and Medicine, 2011, 30, 108-114.	1.4	9
38	The response of dorsomedial A1' and dorsolateral L2' neurosecretory neurons of Lymantria dispar L. caterpillars to the acute effects of magnetic fields. Archives of Biological Sciences, 2011, 63, 167-176.	0.5	4
39	The effects of tannic acid on the fitness-related traits of Lymantria dispar L. larvae. Archives of Biological Sciences, 2011, 63, 1037-1045.	0.5	12
40	Changes in Lymantria dispar protocerebral neurosecretory neurons after exposure to cadmium. Archives of Biological Sciences, 2011, 63, 1287-1292.	0.5	6
41	Effects of ghrelin on the feeding behavior of Lymantria dispar L. (Lymantriidae) caterpillars. Appetite, 2009, 53, 147-150.	3.7	10
42	Viability of old house borer (Hylotrupes bajulus) larvae exposed to a constant magnetic field of 98 mT under laboratory conditions. Archives of Biological Sciences, 2009, 61, 129-134.	0.5	7
43	A method for detecting the effect of magnetic field on activity changes of neuronal populations of Morimus funereus (coleoptera, cerambycidae). Bioelectromagnetics, 2007, 28, 238-241.	1.6	15
44	Effect of glutamate antagonists on nitric oxide production in rat brain following intrahippocampal injection. Archives of Biological Sciences, 2007, 59, 29-36.	0.5	6
45	Effects of Extremely Low Frequency (50 Hz) Magnetic Field on Development Dynamics of the Housefly (Musca domesticaL.). Electromagnetic Biology and Medicine, 2005, 24, 99-107.	1.4	5
46	Temperature and magnetic field effects on the activity of protocerebral neurosecretory neurons and corpora allata in Cerambyx cerdo L. larvae. Archives of Biological Sciences, 2005, 57, 19-24.	0.5	7