

# Thomas F Schilling

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8042266/publications.pdf>

Version: 2024-02-01

69  
papers

14,481  
citations

109137

35  
h-index

128067

60  
g-index

77  
all docs

77  
docs citations

77  
times ranked

15293  
citing authors

| #  | ARTICLE                                                                                                                                                                                                        | IF  | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1  | Stages of embryonic development of the zebrafish. <i>Developmental Dynamics</i> , 1995, 203, 253-310.                                                                                                          | 0.8 | 10,076    |
| 2  | The zebrafish <i>neckless</i> mutation reveals a requirement for <i>raldh2</i> in mesodermal signals that pattern the hindbrain. <i>Development (Cambridge)</i> , 2001, 128, 3081-3094.                        | 1.2 | 315       |
| 3  | Hedgehog signaling is required for cranial neural crest morphogenesis and chondrogenesis at the midline in the zebrafish skull. <i>Development (Cambridge)</i> , 2005, 132, 3977-3988.                         | 1.2 | 265       |
| 4  | Insights into early vasculogenesis revealed by expression of the ETS-domain transcription factor <i>Fli-1</i> in wild-type and mutant zebrafish embryos. <i>Mechanisms of Development</i> , 2000, 90, 237-252. | 1.7 | 240       |
| 5  | Complex Regulation of <i>cyp26a1</i> Creates a Robust Retinoic Acid Gradient in the Zebrafish Embryo. <i>PLoS Biology</i> , 2007, 5, e304.                                                                     | 2.6 | 213       |
| 6  | <i>lockjaw</i> encodes a zebrafish <i>tfap2a</i> required for early neural crest development. <i>Development (Cambridge)</i> , 2003, 130, 5755-5768.                                                           | 1.2 | 190       |
| 7  | Pharyngeal arch patterning in the absence of neural crest. <i>Current Biology</i> , 1999, 9, 1481-1484.                                                                                                        | 1.8 | 186       |
| 8  | Requirement for endoderm and <i>FGF3</i> in ventral head skeleton formation. <i>Development (Cambridge)</i> , 2002, 129, 4457-4468.                                                                            | 1.2 | 143       |
| 9  | Tendon development and musculoskeletal assembly: emerging roles for the extracellular matrix. <i>Development (Cambridge)</i> , 2015, 142, 4191-4204.                                                           | 1.2 | 125       |
| 10 | Molecular Dissection of Craniofacial Development Using Zebrafish. <i>Critical Reviews in Oral Biology and Medicine</i> , 2002, 13, 308-322.                                                                    | 4.4 | 118       |
| 11 | Cranial Neural Crest and Development of the Head Skeleton. , 2006, 589, 120-133.                                                                                                                               |     | 111       |
| 12 | <i>Tfap2</i> transcription factors in zebrafish neural crest development and ectodermal evolution. <i>Journal of Experimental Zoology Part B: Molecular and Developmental Evolution</i> , 2007, 308B, 679-691. | 0.6 | 110       |
| 13 | Genetic analysis of craniofacial development in the vertebrate embryo. <i>BioEssays</i> , 1997, 19, 459-468.                                                                                                   | 1.2 | 107       |
| 14 | Plasticity in Zebrafish <i>hox</i> Expression in the Hindbrain and Cranial Neural Crest. <i>Developmental Biology</i> , 2001, 231, 201-216.                                                                    | 0.9 | 107       |
| 15 | Thrombospondin-4 controls matrix assembly during development and repair of myotendinous junctions. <i>ELife</i> , 2014, 3, .                                                                                   | 2.8 | 104       |
| 16 | Origins of anteroposterior patterning and <i>Hox</i> gene regulation during chordate evolution. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2001, 356, 1599-1613.          | 1.8 | 96        |
| 17 | Combinatorial roles for BMPs and Endothelin 1 in patterning the dorsal-ventral axis of the craniofacial skeleton. <i>Development (Cambridge)</i> , 2011, 138, 5135-5146.                                       | 1.2 | 94        |
| 18 | How degrading: <i>Cyp26s</i> in hindbrain development. <i>Developmental Dynamics</i> , 2008, 237, 2775-2790.                                                                                                   | 0.8 | 91        |

| #  | ARTICLE                                                                                                                                                                                                                 | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Dynamics and precision in retinoic acid morphogen gradients. <i>Current Opinion in Genetics and Development</i> , 2012, 22, 562-569.                                                                                    | 1.5 | 88        |
| 20 | Requirements for Endothelin type-A receptors and Endothelin-1 signaling in the facial ectoderm for the patterning of skeletogenic neural crest cells in zebrafish. <i>Development (Cambridge)</i> , 2007, 134, 335-345. | 1.2 | 87        |
| 21 | Regulation of facial morphogenesis by endothelin signaling: Insights from mice and fish. <i>American Journal of Medical Genetics, Part A</i> , 2010, 152A, 2962-2973.                                                   | 0.7 | 87        |
| 22 | Mechanical force regulates tendon extracellular matrix organization and tenocyte morphogenesis through TGFbeta signaling. <i>ELife</i> , 2018, 7, .                                                                     | 2.8 | 81        |
| 23 | Gremlin 2 regulates distinct roles of BMP and Endothelin 1 signaling in dorsoventral patterning of the facial skeleton. <i>Development (Cambridge)</i> , 2011, 138, 5147-5156.                                          | 1.2 | 79        |
| 24 | Noise drives sharpening of gene expression boundaries in the zebrafish hindbrain. <i>Molecular Systems Biology</i> , 2012, 8, 613.                                                                                      | 3.2 | 78        |
| 25 | Development of Cartilage and Bone. <i>Methods in Cell Biology</i> , 2004, 76, 415-436.                                                                                                                                  | 0.5 | 77        |
| 26 | AP2-dependent signals from the ectoderm regulate craniofacial development in the zebrafish embryo. <i>Development (Cambridge)</i> , 2005, 132, 3127-3138.                                                               | 1.2 | 73        |
| 27 | Skeletal and pigment cell defects in the lockjaw mutant reveal multiple roles for zebrafish <i>fap2a</i> in neural crest development. <i>Developmental Dynamics</i> , 2004, 229, 87-98.                                 | 0.8 | 67        |
| 28 | Nipbl and Mediator Cooperatively Regulate Gene Expression to Control Limb Development. <i>PLoS Genetics</i> , 2014, 10, e1004671.                                                                                       | 1.5 | 65        |
| 29 | Robust regeneration of adult zebrafish lateral line hair cells reflects continued precursor pool maintenance. <i>Developmental Biology</i> , 2015, 402, 229-238.                                                        | 0.9 | 65        |
| 30 | Requirement for endoderm and FGF3 in ventral head skeleton formation. <i>Development (Cambridge)</i> , 2002, 129, 4457-68.                                                                                              | 1.2 | 62        |
| 31 | Fat-Dachshous Signaling Coordinates Cartilage Differentiation and Polarity during Craniofacial Development. <i>PLoS Genetics</i> , 2014, 10, e1004726.                                                                  | 1.5 | 56        |
| 32 | Understanding endothelin-1 function during craniofacial development in the mouse and zebrafish. <i>Birth Defects Research Part C: Embryo Today Reviews</i> , 2004, 72, 190-199.                                         | 3.6 | 54        |
| 33 | Independent roles for retinoic acid in segmentation and neuronal differentiation in the zebrafish hindbrain. <i>Developmental Biology</i> , 2004, 270, 186-199.                                                         | 0.9 | 51        |
| 34 | Cellular retinoic acid-binding proteins are essential for hindbrain patterning and signal robustness in zebrafish. <i>Development (Cambridge)</i> , 2012, 139, 2150-2155.                                               | 1.2 | 51        |
| 35 | Fascin1-Dependent Filopodia are Required for Directional Migration of a Subset of Neural Crest Cells. <i>PLoS Genetics</i> , 2015, 11, e1004946.                                                                        | 1.5 | 47        |
| 36 | Wnt Signaling Interacts with Bmp and Edn1 to Regulate Dorsal-Ventral Patterning and Growth of the Craniofacial Skeleton. <i>PLoS Genetics</i> , 2014, 10, e1004479.                                                     | 1.5 | 41        |

| #  | ARTICLE                                                                                                                                                                          | IF  | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Two Distinct Aquaporin Os Required for Development and Transparency of the Zebrafish Lens. , 2010, 51, 6582.                                                                     |     | 39        |
| 38 | Noise modulation in retinoic acid signaling sharpens segmental boundaries of gene expression in the embryonic zebrafish hindbrain. ELife, 2016, 5, e14034.                       | 2.8 | 39        |
| 39 | Rabconnectin-3a Regulates Vesicle Endocytosis and Canonical Wnt Signaling in Zebrafish Neural Crest Migration. PLoS Biology, 2014, 12, e1001852.                                 | 2.6 | 38        |
| 40 | Inca: a novel p21-activated kinase-associated protein required for cranial neural crest development. Development (Cambridge), 2007, 134, 1279-1289.                              | 1.2 | 36        |
| 41 | In Vivo Analysis of Aquaporin 0 Function in Zebrafish: Permeability Regulation Is Required for Lens Transparency. , 2013, 54, 5136.                                              |     | 32        |
| 42 | Developmental basis of phenotypic integration in two Lake Malawi cichlids. EvoDevo, 2016, 7, 3.                                                                                  | 1.3 | 32        |
| 43 | Cell-type heterogeneity in the early zebrafish olfactory epithelium is generated from progenitors within preplacodal ectoderm. ELife, 2018, 7, .                                 | 2.8 | 32        |
| 44 | Ligament versus bone cell identity in the zebrafish hyoid skeleton is regulated by <i>mef2ca</i> . Development (Cambridge), 2016, 143, 4430-4440.                                | 1.2 | 31        |
| 45 | An ongoing role for <i>Wnt</i> signaling in differentiating melanocytes in vivo. Pigment Cell and Melanoma Research, 2017, 30, 219-232.                                          | 1.5 | 28        |
| 46 | Bar, stripe and spot development in sand-dwelling cichlids from Lake Malawi. EvoDevo, 2019, 10, 18.                                                                              | 1.3 | 28        |
| 47 | Single-cell transcriptomic analysis of zebrafish cranial neural crest reveals spatiotemporal regulation of lineage decisions during development. Cell Reports, 2021, 37, 110140. | 2.9 | 24        |
| 48 | Aqp0a Regulates Suture Stability in the Zebrafish Lens. , 2018, 59, 2869.                                                                                                        |     | 23        |
| 49 | Considering the zebrafish in a comparative context. Journal of Experimental Zoology Part B: Molecular and Developmental Evolution, 2007, 308B, 515-522.                          | 0.6 | 22        |
| 50 | Tendon Cell Regeneration Is Mediated by Attachment Site-Resident Progenitors and BMP Signaling. Current Biology, 2020, 30, 3277-3292.e5.                                         | 1.8 | 19        |
| 51 | Cell Sorting and Noise-Induced Cell Plasticity Coordinate to Sharpen Boundaries between Gene Expression Domains. PLoS Computational Biology, 2017, 13, e1005307.                 | 1.5 | 19        |
| 52 | Mean-Independent Noise Control of Cell Fates via Intermediate States. IScience, 2018, 3, 11-20.                                                                                  | 1.9 | 16        |
| 53 | Anterior-posterior patterning and segmentation of the vertebrate head. Integrative and Comparative Biology, 2008, 48, 658-667.                                                   | 0.9 | 15        |
| 54 | Optical development in the zebrafish eye lens. FASEB Journal, 2020, 34, 5552-5562.                                                                                               | 0.2 | 15        |

| #  | ARTICLE                                                                                                                                                                                                                  | IF  | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Fishing for the signals that pattern the face. <i>Journal of Biology</i> , 2009, 8, 101.                                                                                                                                 | 2.7 | 12        |
| 56 | Endochondral growth zone pattern and activity in the zebrafish pharyngeal skeleton. <i>Developmental Dynamics</i> , 2021, 250, 74-87.                                                                                    | 0.8 | 12        |
| 57 | Neural Crest Cells in Craniofacial Skeletal Development. , 2014, , 127-151.                                                                                                                                              |     | 11        |
| 58 | Modeling craniofacial development reveals spatiotemporal constraints on robust patterning of the mandibular arch. <i>PLoS Computational Biology</i> , 2018, 14, e1006569.                                                | 1.5 | 11        |
| 59 | In vivo macromolecular crowding is differentially modulated by aquaporin 0 in zebrafish lens: Insights from a nanoenvironment sensor and spectral imaging. <i>Science Advances</i> , 2022, 8, eabj4833.                  | 4.7 | 11        |
| 60 | Zebrafish in comparative context: A symposium. <i>Integrative and Comparative Biology</i> , 2006, 46, 569-576.                                                                                                           | 0.9 | 6         |
| 61 | Zebrafish as a Model to Study Cohesin and Cohesinopathies. <i>Methods in Molecular Biology</i> , 2017, 1515, 177-196.                                                                                                    | 0.4 | 6         |
| 62 | Multiple morphogens and rapid elongation promote segmental patterning during development. <i>PLoS Computational Biology</i> , 2021, 17, e1009077.                                                                        | 1.5 | 6         |
| 63 | Pthlha and mechanical force control early patterning of growth zones in the zebrafish craniofacial skeleton. <i>Development (Cambridge)</i> , 2022, 149, .                                                               | 1.2 | 6         |
| 64 | Assessment of Zebrafish Lens Nucleus Localization and Sutural Integrity. <i>Journal of Visualized Experiments</i> , 2019, , .                                                                                            | 0.2 | 3         |
| 65 | Differences in a Single Extracellular Residue Underlie Adhesive Functions of Two Zebrafish Aqp0s. <i>Cells</i> , 2021, 10, 2005.                                                                                         | 1.8 | 2         |
| 66 | Transcriptomics reveals complex kinetics of dorsalâ€“ventral patterning gene expression in the mandibular arch. <i>Genesis</i> , 2019, 57, e23275.                                                                       | 0.8 | 0         |
| 67 | A show of Hands : Novel and conserved expression patterns of teleost hand paralogs during craniofacial, heart, fin, peripheral nervous system and gut development. <i>Developmental Dynamics</i> , 2021, 250, 1796-1809. | 0.8 | 0         |
| 68 | Ring finger protein 14 regulates betaâ€“catenin/TCFâ€“mediated transcription. <i>FASEB Journal</i> , 2010, 24, 713.7.                                                                                                    | 0.2 | 0         |
| 69 | Intracellular trafficking pathways in neural crest cell migration and fate specification. <i>FASEB Journal</i> , 2011, 25, 180.5.                                                                                        | 0.2 | 0         |