

John Lute Markley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8042635/publications.pdf>

Version: 2024-02-01

316
papers

25,359
citations

17776

65
h-index

9865

146
g-index

340
all docs

340
docs citations

340
times ranked

27048
citing authors

#	ARTICLE	IF	CITATIONS
1	CHESPA/CHESCA-SPARKY: automated NMR data analysis plugins for SPARKY to map protein allostery. <i>Bioinformatics</i> , 2021, 37, 1176-1177.	1.8	12
2	The Protein Data Bank Archive. <i>Methods in Molecular Biology</i> , 2021, 2305, 3-21.	0.4	49
3	iPick: Multiprocessing software for integrated NMR signal detection and validation. <i>Journal of Magnetic Resonance</i> , 2021, 328, 106995.	1.2	9
4	Coordination of Di-Acetylated Histone Ligands by the ATAD2 Bromodomain. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9128.	1.8	9
5	Templated Collagen α 2(I) Double Helices Maintain Their Structure. <i>Journal of the American Chemical Society</i> , 2020, 142, 1137-1141.	6.6	17
6	Structural Insights into the Recognition of Mono- and Diacetylated Histones by the ATAD2B Bromodomain. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 12799-12813.	2.9	15
7	Probabilistic identification of saccharide moieties in biomolecules and their protein complexes. <i>Scientific Data</i> , 2020, 7, 210.	2.4	4
8	Uncovering a membrane-distal conformation of KRAS available to recruit RAF to the plasma membrane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 24258-24268.	3.3	34
9	Fragment screening targeting Ebola virus nucleoprotein C-terminal domain identifies lead candidates. <i>Antiviral Research</i> , 2020, 180, 104822.	1.9	3
10	ISCU interacts with NFU1, and ISCU[4Fe-4S] transfers its Fe-S cluster to NFU1 leading to the production of holo-NFU1. <i>Journal of Structural Biology</i> , 2020, 210, 107491.	1.3	13
11	The BRPF1 bromodomain is a molecular reader of di-acetyllysine. <i>Current Research in Structural Biology</i> , 2020, 2, 104-115.	1.1	16
12	Metabolic Changes in Synaptosomes in an Animal Model of Schizophrenia Revealed by ^1H and $^1\text{H},^{13}\text{C}$ NMR Spectroscopy. <i>Metabolites</i> , 2020, 10, 79.	1.3	1
13	PISA-SPARKY: an interactive SPARKY plugin to analyze oriented solid-state NMR spectra of helical membrane proteins. <i>Bioinformatics</i> , 2020, 36, 2915-2916.	1.8	7
14	BioMagResBank (BMRB) as a Resource for Structural Biology. <i>Methods in Molecular Biology</i> , 2020, 2112, 187-218.	0.4	35
15	The cytotoxicity of gallium maltolate in glioblastoma cells is enhanced by metformin through combined action on mitochondrial complex 1. <i>Oncotarget</i> , 2020, 11, 1531-1544.	0.8	8
16	Automated evaluation of consistency within the PubChem Compound database. <i>Scientific Data</i> , 2019, 6, 190023.	2.4	15
17	Structure and evolution of the 4-helix bundle domain of Zuotin, a J-domain protein co-chaperone of Hsp70. <i>PLoS ONE</i> , 2019, 14, e0217098.	1.1	8
18	Mitochondrial metabolism promotes adaptation to proteotoxic stress. <i>Nature Chemical Biology</i> , 2019, 15, 681-689.	3.9	275

#	ARTICLE	IF	CITATIONS
19	I-PINE web server: an integrative probabilistic NMR assignment system for proteins. <i>Journal of Biomolecular NMR</i> , 2019, 73, 213-222.	1.6	50
20	Backbone resonance assignments and secondary structure of Ebola nucleoprotein 600â€“739 construct. <i>Biomolecular NMR Assignments</i> , 2019, 13, 315-319.	0.4	3
21	Function and solution structure of the Arabidopsis thaliana RALF8 peptide. <i>Protein Science</i> , 2019, 28, 1115-1126.	3.1	10
22	Announcing mandatory submission of PDBx/mmCIF format files for crystallographic depositions to the Protein Data Bank (PDB). <i>Acta Crystallographica Section D: Structural Biology</i> , 2019, 75, 451-454.	1.1	46
23	Solution structure of human myeloid-derived growth factor suggests a conserved function in the endoplasmic reticulum. <i>Nature Communications</i> , 2019, 10, 5612.	5.8	15
24	NMR-STAR: comprehensive ontology for representing, archiving and exchanging data from nuclear magnetic resonance spectroscopic experiments. <i>Journal of Biomolecular NMR</i> , 2019, 73, 5-9.	1.6	32
25	Protein Data Bank: the single global archive for 3D macromolecular structure data. <i>Nucleic Acids Research</i> , 2019, 47, D520-D528.	6.5	671
26	Tools for Enhanced NMR-Based Metabolomics Analysis. <i>Methods in Molecular Biology</i> , 2019, 2037, 413-427.	0.4	6
27	ISCU(M108I) and ISCU(D39V) Differ from Wild-Type ISCU in Their Failure To Form Cysteine Desulfurase Complexes Containing Both Frataxin and Ferredoxin. <i>Biochemistry</i> , 2018, 57, 1491-1500.	1.2	16
28	Caloric Restriction Engages Hepatic RNA Processing Mechanisms in Rhesus Monkeys. <i>Cell Metabolism</i> , 2018, 27, 677-688.e5.	7.2	56
29	PINE-SPARKY.2 for automated NMR-based protein structure research. <i>Bioinformatics</i> , 2018, 34, 1586-1588.	1.8	27
30	Interactions of iron-bound frataxin with ISCU and ferredoxin on the cysteine desulfurase complex leading to Fe-S cluster assembly. <i>Journal of Inorganic Biochemistry</i> , 2018, 183, 107-116.	1.5	51
31	Conserved Lipid and Small-Molecule Modulation of COQ8 Reveals Regulation of the Ancient Kinase-like UbiB Family. <i>Cell Chemical Biology</i> , 2018, 25, 154-165.e11.	2.5	63
32	NMR as a Tool to Investigate the Processes of Mitochondrial and Cytosolic Iron-Sulfur Cluster Biosynthesis. <i>Molecules</i> , 2018, 23, 2213.	1.7	8
33	Probing Protein-Protein Interactions Using Asymmetric Labeling and Carbonyl-Carbon Selective Heteronuclear NMR Spectroscopy. <i>Molecules</i> , 2018, 23, 1937.	1.7	9
34	Worldwide Protein Data Bank biocuration supporting open access to high-quality 3D structural biology data. <i>Database: the Journal of Biological Databases and Curation</i> , 2018, 2018, .	1.4	45
35	Architectural Features of Human Mitochondrial Cysteine Desulfurase Complexes from Crosslinking Mass Spectrometry and Small-Angle X-Ray Scattering. <i>Structure</i> , 2018, 26, 1127-1136.e4.	1.6	20
36	Applications of Parametrized NMR Spin Systems of Small Molecules. <i>Analytical Chemistry</i> , 2018, 90, 10646-10649.	3.2	23

#	ARTICLE	IF	CITATIONS
37	View from Nuclear Magnetic Resonance Spectroscopy. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1105, 19-22.	0.8	2
38	Current Solution NMR Techniques for Structure-Function Studies of Proteins and RNA Molecules. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1105, 43-58.	0.8	1
39	Mitochondrial Cysteine Desulfurase and ISD11 Coexpressed in <i>Escherichia coli</i> Yield Complex Containing Acyl Carrier Protein. <i>ACS Chemical Biology</i> , 2017, 12, 918-921.	1.6	32
40	OneDep: Unified wwPDB System for Deposition, Biocuration, and Validation of Macromolecular Structures in the PDB Archive. <i>Structure</i> , 2017, 25, 536-545.	1.6	130
41	Biomolecular NMR: Past and future. <i>Archives of Biochemistry and Biophysics</i> , 2017, 628, 3-16.	1.4	4
42	Progressive Stereo Locking (PSL): A Residual Dipolar Coupling Based Force Field Method for Determining the Relative Configuration of Natural Products and Other Small Molecules. <i>ACS Chemical Biology</i> , 2017, 12, 2157-2163.	1.6	24
43	Unique identifiers for small molecules enable rigorous labeling of their atoms. <i>Scientific Data</i> , 2017, 4, 170073.	2.4	30
44	Protein Data Bank (PDB): The Single Global Macromolecular Structure Archive. <i>Methods in Molecular Biology</i> , 2017, 1607, 627-641.	0.4	592
45	Human Mitochondrial Ferredoxin 1 (FDX1) and Ferredoxin 2 (FDX2) Both Bind Cysteine Desulfurase and Donate Electrons for Iron-Sulfur Cluster Biosynthesis. <i>Biochemistry</i> , 2017, 56, 487-499.	1.2	89
46	Spin System Modeling of Nuclear Magnetic Resonance Spectra for Applications in Metabolomics and Small Molecule Screening. <i>Analytical Chemistry</i> , 2017, 89, 12201-12208.	3.2	31
47	PDB-Dev: a Prototype System for Depositing Integrative/Hybrid Structural Models. <i>Structure</i> , 2017, 25, 1317-1318.	1.6	84
48	Chemical Genomics, Structure Elucidation, and <i>In Vivo</i> Studies of the Marine-Derived Anticlostridial Ecteinamycin. <i>ACS Chemical Biology</i> , 2017, 12, 2287-2295.	1.6	24
49	The future of NMR-based metabolomics. <i>Current Opinion in Biotechnology</i> , 2017, 43, 34-40.	3.3	651
50	Increasing rigor in NMR-based metabolomics through validated and open source tools. <i>Current Opinion in Biotechnology</i> , 2017, 43, 56-61.	3.3	20
51	NMR-Based Identification of Metabolites in Polar and Non-Polar Extracts of Avian Liver. <i>Metabolites</i> , 2017, 7, 61.	1.3	17
52	Relationship between recombinant protein expression and host metabolome as determined by two-dimensional NMR spectroscopy. <i>PLoS ONE</i> , 2017, 12, e0177233.	1.1	14
53	Broadening the functionality of a J-protein/Hsp70 molecular chaperone system. <i>PLoS Genetics</i> , 2017, 13, e1007084.	1.5	30
54	Structure-function relationships of brazzein variants with altered interactions with the human sweet taste receptor. <i>Protein Science</i> , 2016, 25, 711-719.	3.1	19

#	ARTICLE	IF	CITATIONS
55	Integrative NMR for biomolecular research. <i>Journal of Biomolecular NMR</i> , 2016, 64, 307-332.	1.6	47
56	The AUDANA algorithm for automated protein 3D structure determination from NMR NOE data. <i>Journal of Biomolecular NMR</i> , 2016, 65, 51-57.	1.6	36
57	The archiving and dissemination of biological structure data. <i>Current Opinion in Structural Biology</i> , 2016, 40, 17-22.	2.6	28
58	Structure and Function of the PriC DNA Replication Restart Protein. <i>Journal of Biological Chemistry</i> , 2016, 291, 18384-18396.	1.6	17
59	Structural/Functional Properties of Human NFU1, an Intermediate [4Fe-4S] Carrier in Human Mitochondrial Iron-Sulfur Cluster Biogenesis. <i>Structure</i> , 2016, 24, 2080-2091.	1.6	45
60	Mechanism of Histone H3K4me3 Recognition by the Plant Homeodomain of Inhibitor of Growth 3. <i>Journal of Biological Chemistry</i> , 2016, 291, 18326-18341.	1.6	26
61	Dynamical Structures of Hsp70 and Hsp70-Hsp40 Complexes. <i>Structure</i> , 2016, 24, 1014-1030.	1.6	91
62	Probabilistic validation of protein NMR chemical shift assignments. <i>Journal of Biomolecular NMR</i> , 2016, 64, 17-25.	1.6	11
63	Publication of nuclear magnetic resonance experimental data with semantic web technology and the application thereof to biomedical research of proteins. <i>Journal of Biomedical Semantics</i> , 2016, 7, 16.	0.9	9
64	NMRmix: A Tool for the Optimization of Compound Mixtures in 1D ¹ H NMR Ligand Affinity Screens. <i>Journal of Proteome Research</i> , 2016, 15, 1360-1368.	1.8	19
65	The Complex Energy Landscape of the Protein IscU. <i>Biophysical Journal</i> , 2015, 109, 1019-1025.	0.2	14
66	Solution Structural Studies of GTP:Adenosylcobinamide-Phosphateguanylyl Transferase (CobY) from <i>Methanocaldococcus jannaschii</i> . <i>PLoS ONE</i> , 2015, 10, e0141297.	1.1	3
67	Tangled web of interactions among proteins involved in iron-sulfur cluster assembly as unraveled by NMR, SAXS, chemical crosslinking, and functional studies. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 1416-1428.	1.9	32
68	NMR Exchange Format: a unified and open standard for representation of NMR restraint data. <i>Nature Structural and Molecular Biology</i> , 2015, 22, 433-434.	3.6	40
69	Human Cancer Antigen Globo H Is a Cell-Surface Ligand for Human Ribonuclease 1. <i>ACS Central Science</i> , 2015, 1, 181-190.	5.3	14
70	Outcome of the First wwPDB Hybrid/Integrative Methods Task Force Workshop. <i>Structure</i> , 2015, 23, 1156-1167.	1.6	159
71	NMRFAM-SDF: a protein structure determination framework. <i>Journal of Biomolecular NMR</i> , 2015, 62, 481-495.	1.6	4
72	Expression platforms for producing eukaryotic proteins: a comparison of E. coli cell-based and wheat germ cell-free synthesis, affinity and solubility tags, and cloning strategies. <i>Journal of Structural and Functional Genomics</i> , 2015, 16, 67-80.	1.2	12

#	ARTICLE	IF	CITATIONS
73	MolProbity for the masses of data. <i>Journal of Biomolecular NMR</i> , 2015, 63, 77-83.	1.6	44
74	ADAPT-NMR 3.0: utilization of BEST-type triple-resonance NMR experiments to accelerate the process of data collection and assignment. <i>Journal of Biomolecular NMR</i> , 2015, 62, 247-252.	1.6	0
75	NMRFAM-SPARKY: enhanced software for biomolecular NMR spectroscopy. <i>Bioinformatics</i> , 2015, 31, 1325-1327.	1.8	1,507
76	Assignments of RNase A by ADAPT-NMR and enhancer. <i>Biomolecular NMR Assignments</i> , 2015, 9, 81-88.	0.4	3
77	Metabolic Evidence of Diminished Lipid Oxidation in Women With Polycystic Ovary Syndrome. <i>Current Metabolomics</i> , 2014, 1, 269-278.	0.5	51
78	Interactions between Metal-binding Domains Modulate Intracellular Targeting of Cu(I)-ATPase ATP7B, as Revealed by Nanobody Binding. <i>Journal of Biological Chemistry</i> , 2014, 289, 32682-32693.	1.6	33
79	The Protein Data Bank archive as an open data resource. <i>Journal of Computer-Aided Molecular Design</i> , 2014, 28, 1009-1014.	1.3	114
80	PONDEROSA-C/S: client-server based software package for automated protein 3D structure determination. <i>Journal of Biomolecular NMR</i> , 2014, 60, 73-75.	1.6	49
81	Response to On prompt update of literature references in the Protein Data Bank. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2014, 70, 2780-2780.	2.5	1
82	Role of IscX in Iron-Sulfur Cluster Biogenesis in <i>Escherichia coli</i> . <i>Journal of the American Chemical Society</i> , 2014, 136, 7933-7942.	6.6	53
83	Cell-Free Protein Synthesis for Functional and Structural Studies. <i>Methods in Molecular Biology</i> , 2014, 1091, 161-178.	0.4	19
84	The Specialized Hsp70 (HscA) Interdomain Linker Binds to Its Nucleotide-Binding Domain and Stimulates ATP Hydrolysis in Both <i>cis</i> and <i>trans</i> Configurations. <i>Biochemistry</i> , 2014, 53, 7148-7159.	1.2	24
85	Nucleotide-Dependent Interactions within a Specialized Hsp70/Hsp40 Complex Involved in Fe-S Cluster Biogenesis. <i>Journal of the American Chemical Society</i> , 2014, 136, 11586-11589.	6.6	25
86	pH-Induced Conformational Change of IscU at Low pH Correlates with Protonation/Deprotonation of Two Conserved Histidine Residues. <i>Biochemistry</i> , 2014, 53, 5290-5297.	1.2	8
87	Molecular Insights into the Recognition of N-Terminal Histone Modifications by the BRPF1 Bromodomain. <i>Journal of Molecular Biology</i> , 2014, 426, 1661-1676.	2.0	64
88	Automated Cell-Free Protein Production Methods for Structural Studies. <i>Methods in Molecular Biology</i> , 2014, 1140, 117-135.	0.4	5
89	Solution Structure of the 2A Protease from a Common Cold Agent, Human Rhinovirus C2, Strain W12. <i>PLoS ONE</i> , 2014, 9, e97198.	1.1	7
90	Plant cell wall profiling by fast maximum likelihood reconstruction (FMLR) and region-of-interest (ROI) segmentation of solution-state 2D ¹ H- ¹³ C NMR spectra. <i>Biotechnology for Biofuels</i> , 2013, 6, 45.	6.2	18

#	ARTICLE	IF	CITATIONS
91	NMRbot: Python scripts enable high-throughput data collection on current Bruker BioSpin NMR spectrometers. <i>Metabolomics</i> , 2013, 9, 558-563.	1.4	21
92	Metamorphic protein IscU alternates conformations in the course of its role as the scaffold protein for iron-sulfur cluster biosynthesis and delivery. <i>FEBS Letters</i> , 2013, 587, 1172-1179.	1.3	70
93	Fast automated protein NMR data collection and assignment by ADAPT-NMR on Bruker spectrometers. <i>Journal of Magnetic Resonance</i> , 2013, 236, 83-88.	1.2	14
94	Human Mitochondrial Chaperone (mtHSP70) and Cysteine Desulfurase (NFS1) Bind Preferentially to the Disordered Conformation, Whereas Co-chaperone (HSC20) Binds to the Structured Conformation of the Iron-Sulfur Cluster Scaffold Protein (ISCU). <i>Journal of Biological Chemistry</i> , 2013, 288, 28755-28770.	1.6	50
95	Recommendations of the wwPDB NMR Validation Task Force. <i>Structure</i> , 2013, 21, 1563-1570.	1.6	151
96	[2Fe-2S]-Ferredoxin Binds Directly to Cysteine Desulfurase and Supplies an Electron for Iron-Sulfur Cluster Assembly but Is Displaced by the Scaffold Protein or Bacterial Frataxin. <i>Journal of the American Chemical Society</i> , 2013, 135, 8117-8120.	6.6	88
97	Temperature-dependent conformational change affecting Tyr11 and sweetness loops of brazzein. <i>Proteins: Structure, Function and Bioinformatics</i> , 2013, 81, 919-925.	1.5	15
98	ADAPT-NMR Enhancer: complete package for reduced dimensionality in protein NMR spectroscopy. <i>Bioinformatics</i> , 2013, 29, 515-517.	1.8	9
99	Biophysical characterization of Î±-synuclein and its controversial structure. <i>Intrinsically Disordered Proteins</i> , 2013, 1, e26255.	1.9	59
100	Dosage Effects of Salt and pH Stresses on <i>Saccharomyces cerevisiae</i> as Monitored via Metabolites by Using Two Dimensional NMR Spectroscopy. <i>Bulletin of the Korean Chemical Society</i> , 2013, 34, 3602-3608.	1.0	15
101	Specialized Hsp70 Chaperone (HscA) Binds Preferentially to the Disordered Form, whereas J-protein (HscB) Binds Preferentially to the Structured Form of the Iron-Sulfur Cluster Scaffold Protein (IscU). <i>Journal of Biological Chemistry</i> , 2012, 287, 31406-31413.	1.6	41
102	Disordered form of the scaffold protein IscU is the substrate for iron-sulfur cluster assembly on cysteine desulfurase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 454-459.	3.3	70
103	Regulation of Estrogen Receptor α N-Terminus Conformation and Function by Peptidyl Prolyl Isomerase Pin1. <i>Molecular and Cellular Biology</i> , 2012, 32, 445-457.	1.1	64
104	An automated system designed for large scale NMR data deposition and annotation: application to over 600 assigned chemical shift data entries to the BioMagResBank from the Riken Structural Genomics/Proteomics Initiative internal database. <i>Journal of Biomolecular NMR</i> , 2012, 53, 311-320.	1.6	26
105	PACSY, a relational database management system for protein structure and chemical shift analysis. <i>Journal of Biomolecular NMR</i> , 2012, 54, 169-179.	1.6	33
106	Metamorphic Protein IscU Changes Conformation by <i>cis</i> - <i>trans</i> Isomerizations of Two Peptidyl-Prolyl Peptide Bonds. <i>Biochemistry</i> , 2012, 51, 9595-9602.	1.2	31
107	Characterization of the [2Fe-2S] Cluster of <i>Escherichia coli</i> Transcription Factor IscR. <i>Biochemistry</i> , 2012, 51, 4453-4462.	1.2	85
108	Semiautomated Device for Batch Extraction of Metabolites from Tissue Samples. <i>Analytical Chemistry</i> , 2012, 84, 1809-1812.	3.2	6

#	ARTICLE	IF	CITATIONS
109	Novel NMR and MS Approaches to Metabolomics. <i>Methods in Pharmacology and Toxicology</i> , 2012, , 199-230.	0.1	4
110	Three-Dimensional Structure and Determinants of Stability of the Iron-Sulfur Cluster Scaffold Protein IscU from <i>Escherichia coli</i> . <i>Biochemistry</i> , 2012, 51, 5557-5563.	1.2	40
111	Use of NMR Saturation Transfer Difference Spectroscopy to Study Ligand Binding to Membrane Proteins. <i>Methods in Molecular Biology</i> , 2012, 914, 47-63.	0.4	38
112	PACSY database, a relational database management system for Protein structure and nuclear Magnetic Resonance chemical shift analysis. , 2012, , .		1
113	In support of the BMRB. <i>Nature Structural and Molecular Biology</i> , 2012, 19, 854-860.	3.6	6
114	Robust, Integrated Computational Control of NMR Experiments to Achieve Optimal Assignment by ADAPT-NMR. <i>PLoS ONE</i> , 2012, 7, e33173.	1.1	17
115	Databases and Software for NMR-Based Metabolomics. <i>Current Metabolomics</i> , 2012, 1, 28-40.	0.5	45
116	RNA-PAIRS: RNA probabilistic assignment of imino resonance shifts. <i>Journal of Biomolecular NMR</i> , 2012, 52, 289-302.	1.6	15
117	Tracing Metabolite Footsteps of <i>Escherichia coli</i> Along the Time Course of Recombinant Protein Expression by Two-Dimensional NMR Spectroscopy. <i>Bulletin of the Korean Chemical Society</i> , 2012, 33, 4041-4046.	1.0	8
118	Molecular Interactions in PriC-mediated DNA Replication Restart. <i>FASEB Journal</i> , 2012, 26, lb88.	0.2	0
119	Hyperfine-Shifted ¹³ C Resonance Assignments in an Iron-Sulfur Protein with Quantum Chemical Verification: Aliphatic C-H \cdot S 3-Center ⁴ -Electron Interactions. <i>Journal of the American Chemical Society</i> , 2011, 133, 1310-1316.	6.6	31
120	Measurement of Absolute Concentrations of Individual Compounds in Metabolite Mixtures by Gradient-Selective Time-Zero ¹ H- ¹³ C HSQC with Two Concentration References and Fast Maximum Likelihood Reconstruction Analysis. <i>Analytical Chemistry</i> , 2011, 83, 9352-9360.	3.2	39
121	Deconvolution of Two-Dimensional NMR Spectra by Fast Maximum Likelihood Reconstruction: Application to Quantitative Metabolomics. <i>Analytical Chemistry</i> , 2011, 83, 4871-4880.	3.2	80
122	Role of aminotransferases in glutamate metabolism of human erythrocytes. <i>Journal of Biomolecular NMR</i> , 2011, 49, 221-229.	1.6	46
123	Two-dimensional concurrent HMQC-COSY as an approach for small molecule chemical shift assignment and compound identification. <i>Journal of Biomolecular NMR</i> , 2011, 49, 291-296.	1.6	13
124	Hydrogen exchange during cell-free incorporation of deuterated amino acids and an approach to its inhibition. <i>Journal of Biomolecular NMR</i> , 2011, 51, 467-476.	1.6	26
125	Three hydrophobic amino acids in <i>Escherichia coli</i> HscB make the greatest contribution to the stability of the HscB-IscU complex. <i>BMC Biochemistry</i> , 2011, 12, 3.	4.4	31
126	PONDEROSA, an automated 3D-NOESY peak picking program, enables automated protein structure determination. <i>Bioinformatics</i> , 2011, 27, 1727-1728.	1.8	29

#	ARTICLE	IF	CITATIONS
127	Structural Characterization of Hsp12, the Heat Shock Protein from <i>Saccharomyces cerevisiae</i> , in Aqueous Solution Where It Is Intrinsically Disordered and in Detergent Micelles Where It Is Locally α -Helical. <i>Journal of Biological Chemistry</i> , 2011, 286, 43447-43453.	1.6	26
128	An NMR structural study of nickel-substituted rubredoxin. <i>Journal of Biological Inorganic Chemistry</i> , 2010, 15, 409-420.	1.1	17
129	Differences in the Structure and Dynamics of the Apo- and Palmitate-ligated Forms of <i>Aedes aegypti</i> Sterol Carrier Protein 2 (AeSCP-2). <i>Journal of Biological Chemistry</i> , 2010, 285, 17046-17053.	1.6	9
130	NMR Method for Measuring Carbon-13 Isotopic Enrichment of Metabolites in Complex Solutions. <i>Analytical Chemistry</i> , 2010, 82, 4558-4563.	3.2	38
131	Key Amino Acid Residues Involved in Multi-Point Binding Interactions between Brazzein, a Sweet Protein, and the T1R2-T1R3 Human Sweet Receptor. <i>Journal of Molecular Biology</i> , 2010, 398, 584-599.	2.0	104
132	Interactions between the human sweet-sensing T1R2-T1R3 receptor and sweeteners detected by saturation transfer difference NMR spectroscopy. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2010, 1798, 82-86.	1.4	53
133	Cell-Free Protein Synthesis Technology in NMR High-Throughput Structure Determination. <i>Methods in Molecular Biology</i> , 2010, 607, 127-147.	0.4	30
134	Why not high-throughput eukaryotic protein structures?. <i>FASEB Journal</i> , 2010, 24, lb229.	0.2	0
135	Role of band 3 in regulating metabolic flux of red blood cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 18515-18520.	3.3	109
136	Probabilistic Interaction Network of Evidence Algorithm and its Application to Complete Labeling of Peak Lists from Protein NMR Spectroscopy. <i>PLoS Computational Biology</i> , 2009, 5, e1000307.	1.5	177
137	PINE-SPARKY: graphical interface for evaluating automated probabilistic peak assignments in protein NMR spectroscopy. <i>Bioinformatics</i> , 2009, 25, 2085-2087.	1.8	107
138	rNMR: open source software for identifying and quantifying metabolites in NMR spectra. <i>Magnetic Resonance in Chemistry</i> , 2009, 47, S123-6.	1.1	169
139	The Center for Eukaryotic Structural Genomics. <i>Journal of Structural and Functional Genomics</i> , 2009, 10, 165-179.	1.2	33
140	Empirical correlation between protein backbone ^{15}N and ^{13}C secondary chemical shifts and its application to nitrogen chemical shift re-referencing. <i>Journal of Biomolecular NMR</i> , 2009, 44, 95-99.	1.6	28
141	The NMR restraints grid at BMRB for 5,266 protein and nucleic acid PDB entries. <i>Journal of Biomolecular NMR</i> , 2009, 45, 389-396.	1.6	26
142	One-Sample Approach to Determine the Relative Orientations of Proteins in Ternary and Binary Complexes from Residual Dipolar Coupling Measurements. <i>Journal of the American Chemical Society</i> , 2009, 131, 14138-14139.	6.6	9
143	Structure and Dynamics of the Iron-Sulfur Cluster Assembly Scaffold Protein IscU and Its Interaction with the Cochaperone HscB. <i>Biochemistry</i> , 2009, 48, 6062-6071.	1.2	82
144	Hyperfine-Shifted ^{13}C and ^{15}N NMR Signals from <i>Clostridium pasteurianum</i> Rubredoxin: Extensive Assignments and Quantum Chemical Verification. <i>Journal of the American Chemical Society</i> , 2009, 131, 15555-15563.	6.6	20

#	ARTICLE	IF	CITATIONS
145	Zinc-substituted <i>Desulfovibrio gigas</i> desulforedoxins: Resolving subunit degeneracy with nonsymmetric pseudocontact shifts. <i>Protein Science</i> , 2009, 11, 2464-2470.	3.1	10
146	BioMagResBank (BMRB) as a partner in the Worldwide Protein Data Bank (wwPDB): new policies affecting biomolecular NMR depositions. <i>Journal of Biomolecular NMR</i> , 2008, 40, 153-155.	1.6	117
147	Structure of the putative 32 kDa myosinase-binding protein from <i>Arabidopsis</i> (At3g16450.1) determined by SAIL-NMR. <i>FEBS Journal</i> , 2008, 275, 5873-5884.	2.2	28
148	Metabolite identification via the Madison Metabolomics Consortium Database. <i>Nature Biotechnology</i> , 2008, 26, 162-164.	9.4	591
149	Data Management in Structural Genomics: An Overview. <i>Methods in Molecular Biology</i> , 2008, 426, 49-79.	0.4	26
150	Structure of Human J-type Co-chaperone HscB Reveals a Tetracysteine Metal-binding Domain. <i>Journal of Biological Chemistry</i> , 2008, 283, 30184-30192.	1.6	38
151	Efficient and rapid protein expression and purification of small high disulfide containing sweet protein brazzein in <i>E. coli</i> . <i>Protein Expression and Purification</i> , 2008, 58, 263-268.	0.6	45
152	Direct NMR Detection of the Binding of Functional Ligands to the Human Sweet Receptor, a Heterodimeric Family 3 GPCR. <i>Journal of the American Chemical Society</i> , 2008, 130, 7212-7213.	6.6	70
153	Solution Structure of the Iron-Sulfur Cluster Cochaperone HscB and Its Binding Surface for the Iron-Sulfur Assembly Scaffold Protein IscU. <i>Biochemistry</i> , 2008, 47, 9394-9404.	1.2	42
154	Simultaneous Detection and Deconvolution of Congested NMR Spectra Containing Three Isotopically Labeled Species. <i>Journal of the American Chemical Society</i> , 2008, 130, 7818-7819.	6.6	12
155	Structural basis for RNA recognition by a type II poly(A)-binding protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 15317-15322.	3.3	19
156	How Sweet It Is: Detailed Molecular and Functional Studies of Brazzein, a Sweet Protein and Its Analogs. <i>ACS Symposium Series</i> , 2008, , 560-572.	0.5	5
157	The worldwide Protein Data Bank (wwPDB): ensuring a single, uniform archive of PDB data. <i>Nucleic Acids Research</i> , 2007, 35, D301-D303.	6.5	992
158	Remediation of the protein data bank archive. <i>Nucleic Acids Research</i> , 2007, 36, D426-D433.	6.5	136
159	BioMagResBank. <i>Nucleic Acids Research</i> , 2007, 36, D402-D408.	6.5	1,450
160	One-step purification of bacterially expressed recombinant transducin β -subunit and isotopically labeled PDE6 β -subunit for NMR analysis. <i>Protein Expression and Purification</i> , 2007, 51, 187-197.	0.6	17
161	Three-dimensional Structure Determined for a Subunit of Human tRNA Splicing Endonuclease (Sen15) Reveals a Novel Dimeric Fold. <i>Journal of Molecular Biology</i> , 2007, 366, 155-164.	2.0	19
162	Method for Determining Molar Concentrations of Metabolites in Complex Solutions from Two-Dimensional ^1H - ^{13}C NMR Spectra. <i>Analytical Chemistry</i> , 2007, 79, 9385-9390.	3.2	262

#	ARTICLE	IF	CITATIONS
163	NMR analysis goes nano. <i>Nature Biotechnology</i> , 2007, 25, 750-751.	9.4	7
164	Reply to: Building meaningful models of glycoproteins. <i>Nature Structural and Molecular Biology</i> , 2007, 14, 354-355.	3.6	24
165	Solution structure of human sorting nexin 22. <i>Protein Science</i> , 2007, 16, 807-814.	3.1	13
166	Structures of proteins of biomedical interest from the Center for Eukaryotic Structural Genomics. <i>Journal of Structural and Functional Genomics</i> , 2007, 8, 73-84.	1.2	10
167	Small-scale, semi-automated purification of eukaryotic proteins for structure determination. <i>Journal of Structural and Functional Genomics</i> , 2007, 8, 153-166.	1.2	27
168	A graphical approach to tracking and reporting target status in structural genomics. <i>Journal of Structural and Functional Genomics</i> , 2007, 8, 209-216.	1.2	5
169	HIFI-C: a robust and fast method for determining NMR couplings from adaptive 3D to 2D projections. <i>Journal of Biomolecular NMR</i> , 2007, 38, 341-351.	1.6	13
170	Carbonyl carbon label selective (CCLS) ^1H - ^{15}N HSQC experiment for improved detection of backbone ^{13}C - ^{15}N cross peaks in larger proteins. <i>Journal of Biomolecular NMR</i> , 2007, 39, 177-185.	1.6	14
171	Nearest-neighbor effects on backbone alpha and beta carbon chemical shifts in proteins. <i>Journal of Biomolecular NMR</i> , 2007, 39, 247-257.	1.6	17
172	New bioinformatics resources for metabolomics. <i>Pacific Symposium on Biocomputing Pacific Symposium on Biocomputing</i> , 2007, , 157-68.	0.7	42
173	Wheat Germ Cell-Free Expression System for Protein Production. <i>Current Protocols in Protein Science</i> , 2006, 44, Unit 5.18.	2.8	20
174	Preparation of isotopically labeled spinach acyl carrier protein for NMR structural studies. <i>Protein Expression and Purification</i> , 2006, 46, 446-455.	0.6	10
175	Wheat germ cell-free platform for eukaryotic protein production. <i>FEBS Journal</i> , 2006, 273, 4160-4169.	2.2	59
176	Probabilistic Approach to Determining Unbiased Random-coil Carbon-13 Chemical Shift Values from the Protein Chemical Shift Database. <i>Journal of Biomolecular NMR</i> , 2006, 35, 155-165.	1.6	14
177	Three-dimensional structure of the AAH26994.1 protein from <i>Mus musculus</i> , a putative eukaryotic Urm1. <i>Protein Science</i> , 2005, 14, 2095-2102.	3.1	21
178	Solution structure of a late embryogenesis abundant protein (LEA14) from <i>Arabidopsis thaliana</i> , a cellular stress-related protein. <i>Protein Science</i> , 2005, 14, 2601-2609.	3.1	104
179	^1H , ^{15}N and ^{13}C Resonance Assignments of a Protein Involved in the Autophagy Process, At4g21980.1 from <i>Arabidopsis thaliana</i> . <i>Journal of Biomolecular NMR</i> , 2005, 32, 337-337.	1.6	3
180	Linear analysis of carbon-13 chemical shift differences and its application to the detection and correction of errors in referencing and spin system identifications. <i>Journal of Biomolecular NMR</i> , 2005, 32, 13-22.	1.6	69

#	ARTICLE	IF	CITATIONS
181	BioMagResBank databases DOCR and FRED containing converted and filtered sets of experimental NMR restraints and coordinates from over 500 protein PDB structures. <i>Journal of Biomolecular NMR</i> , 2005, 32, 1-12.	1.6	50
182	Protein energetic conformational analysis from NMR chemical shifts (PECAN) and its use in determining secondary structural elements. <i>Journal of Biomolecular NMR</i> , 2005, 32, 71-81.	1.6	110
183	Probabilistic Identification of Spin Systems and their Assignments including Coilâ€“Helix Inference as Output (PISTACHIO). <i>Journal of Biomolecular NMR</i> , 2005, 32, 219-233.	1.6	53
184	¹ H, ¹⁵ N and ¹³ C Resonance Assignments of the Putative Bet v 1 Family Protein At1g24000.1 from <i>Arabidopsis thaliana</i> . <i>Journal of Biomolecular NMR</i> , 2005, 32, 335-335.	1.6	1
185	RECOORD: A recalculated coordinate database of 500+ proteins from the PDB using restraints from the BioMagResBank. <i>Proteins: Structure, Function and Bioinformatics</i> , 2005, 59, 662-672.	1.5	323
186	Comparison of cell-based and cell-free protocols for producing target proteins from the <i>Arabidopsis thaliana</i> genome for structural studies. <i>Proteins: Structure, Function and Bioinformatics</i> , 2005, 59, 633-643.	1.5	56
187	Addressing the intrinsic disorder bottleneck in structural proteomics. <i>Proteins: Structure, Function and Bioinformatics</i> , 2005, 59, 444-453.	1.5	77
188	The CCPN data model for NMR spectroscopy: Development of a software pipeline. <i>Proteins: Structure, Function and Bioinformatics</i> , 2005, 59, 687-696.	1.5	2,805
189	Changes in hydrogen-bond strengths explain reduction potentials in 10 rubredoxin variants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 14581-14586.	3.3	82
190	Highâ€“throughput automated platform for nuclear magnetic resonanceâ€“based structural proteomics. <i>Expert Review of Proteomics</i> , 2005, 2, 49-55.	1.3	30
191	High-Resolution Iterative Frequency Identification for NMR as a General Strategy for Multidimensional Data Collection. <i>Journal of the American Chemical Society</i> , 2005, 127, 12528-12536.	6.6	118
192	Solution Structure of Isoform 1 of Roadblock/LC7, a Light Chain in the Dynein Complex. <i>Journal of Molecular Biology</i> , 2005, 354, 1043-1051.	2.0	25
193	Probing the sweet determinants of brazzein: Wild-type brazzein and a tasteless variant, brazzein-ins(R18a-I18b), exhibit different pH-dependent NMR chemical shifts. <i>Biochemical and Biophysical Research Communications</i> , 2005, 335, 256-263.	1.0	6
194	Auto-induction medium for the production of [¹⁵ N]- and [¹³ C, ¹⁵ N]-labeled proteins for NMR screening and structure determination. <i>Protein Expression and Purification</i> , 2005, 40, 268-278.	0.6	91
195	Solution structure of At3g04780.1-des15, an <i>Arabidopsis thaliana</i> ortholog of the C-terminal domain of human thioredoxin-like protein. <i>Protein Science</i> , 2005, 14, 1059-1063.	3.1	11
196	Macromolecular Structure Determination by NMR Spectroscopy. <i>Methods of Biochemical Analysis</i> , 2005, , 89-113.	0.2	11
197	Cell-free protein production and labeling protocol for NMR-based structural proteomics. <i>Nature Methods</i> , 2004, 1, 149-153.	9.0	129
198	Letter to the Editor: Hypothetical protein At2g24940.1 from <i>Arabidopsis thaliana</i> has a cytochrome b5 like fold*. <i>Journal of Biomolecular NMR</i> , 2004, 30, 215-218.	1.6	14

#	ARTICLE	IF	CITATIONS
199	Production in two-liter beverage bottles of proteins for NMR structure determination labeled with either ^{15}N - or ^{13}C - ^{15}N . <i>Journal of Structural and Functional Genomics</i> , 2004, 5, 87-93.	1.2	22
200	Letter to the Editor: Solution structure of a calmodulin-like calcium-binding domain from <i>Arabidopsis thaliana</i> . <i>Journal of Biomolecular NMR</i> , 2004, 30, 451-456.	1.6	8
201	Crystal structure of At2g03760, a putative steroid sulfotransferase from <i>Arabidopsis thaliana</i> . <i>Proteins: Structure, Function and Bioinformatics</i> , 2004, 57, 854-857.	1.5	14
202	Prevention of aggregation after refolding by balanced stabilization–destabilization: production of the <i>Arabidopsis thaliana</i> protein APG8a (At4g21980) for NMR structure determination. <i>Protein Expression and Purification</i> , 2004, 34, 280-283.	0.6	10
203	Project management system for structural and functional proteomics: Sesame. <i>Journal of Structural and Functional Genomics</i> , 2003, 4, 11-23.	1.2	88
204	Mixing apparatus for preparing NMR samples under pressure. <i>Journal of Magnetic Resonance</i> , 2003, 164, 84-91.	1.2	8
205	NMR Determination of pKa Values for Asp, Glu, His, and Lys Mutants at Each Variable Contiguous Enzyme–Inhibitor Contact Position of the Turkey Ovomuroid Third Domain. <i>Biochemistry</i> , 2003, 42, 2847-2856.	1.2	41
206	Protein Inhibitors of Serine Proteinases: A Role of Backbone Structure and Dynamics in Controlling the Hydrolysis Constant. <i>Biochemistry</i> , 2003, 42, 5186-5194.	1.2	11
207	Correlation between Hydrogen Bond Lengths and Reduction Potentials in <i>Clostridium pasteurianum</i> Rubredoxin. <i>Journal of the American Chemical Society</i> , 2003, 125, 1464-1465.	6.6	30
208	Two Conformational States of Turkey Ovomuroid Third Domain at Low pH: A Three-Dimensional Structures, Internal Dynamics, and Interconversion Kinetics and Thermodynamics. <i>Biochemistry</i> , 2003, 42, 6380-6391.	1.2	16
209	Monkey Electrophysiological and Human Psychophysical Responses to Mutants of the Sweet Protein Brazzein: Delineating Brazzein Sweetness. <i>Chemical Senses</i> , 2003, 28, 491-498.	1.1	30
210	Correlation of the Sweetness of Variants of the Protein Brazzein with Patterns of Hydrogen Bonds Detected by NMR Spectroscopy. <i>Journal of Biological Chemistry</i> , 2003, 278, 31331-31339.	1.6	30
211	Macromolecular structure determination by NMR spectroscopy. <i>Methods of Biochemical Analysis</i> , 2003, 44, 89-113.	0.2	21
212	Evidence for a Strong Hydrogen Bond in the Catalytic Dyad of Transition-State Analogue Inhibitor Complexes of Chymotrypsin from Proton–Triton NMR Isotope Shifts. <i>Journal of the American Chemical Society</i> , 2002, 124, 4196-4197.	6.6	28
213	Quantum Chemical Calculations on Structural Models of the Catalytic Site of Chymotrypsin: A Comparison of Calculated Results with Experimental Data from NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2002, 124, 14373-14381.	6.6	24
214	Trans-Hydrogen-Bond $^2\text{J}_{\text{NN}}$ and $^1\text{J}_{\text{NH}}$ Couplings in the DNA A–T Base Pair: A Natural Bond Orbital Analysis. <i>Journal of the American Chemical Society</i> , 2002, 124, 1190-1191.	6.6	43
215	$^{13}\text{C}\{^{13}\text{C}\}$ 2D NMR: A Novel Strategy for the Study of Paramagnetic Proteins with Slow Electronic Relaxation Rates. <i>Journal of the American Chemical Society</i> , 2002, 124, 3204-3205.	6.6	76
216	Early formation of a beta hairpin during folding of staphylococcal nuclease H124L as detected by pulsed hydrogen exchange. <i>Protein Science</i> , 2002, 11, 82-91.	3.1	24

#	ARTICLE	IF	CITATIONS
217	Solution Structure of the Toluene 4-Monooxygenase Effector Protein (T4moD). <i>Biochemistry</i> , 2001, 40, 3512-3524.	1.2	28
218	NMR chemical shift mapping of the binding site of a protein proteinase inhibitor: changes in the ¹ H, ¹³ C and ¹⁵ N NMR chemical shifts of turkey ovomucoid third domain upon binding to bovine chymotrypsin A?. <i>Journal of Molecular Recognition</i> , 2001, 14, 166-171.	1.1	15
219	Electron-Nuclear Interactions in Two Prototypical [2Fe-2S] Proteins: Selective (Chiral) Deuteration and Analysis of ¹ H and ² H NMR Signals from the Alpha and Beta Hydrogens of Cysteiny Residues That Ligates the Iron in the Active Sites of Human Ferredoxin and Anabaena 7120 Vegetative Ferredoxin. <i>Archives of Biochemistry and Biophysics</i> , 2000, 373, 328-334.	1.4	19
220	Sweetness Determinant Sites of Brazzein, a Small, Heat-Stable, Sweet-Tasting Protein. <i>Archives of Biochemistry and Biophysics</i> , 2000, 376, 259-265.	1.4	96
221	NMR studies of retinoid-protein interactions: the conformation of [¹³ C]-beta-ionones bound to beta-lactoglobulin B. <i>Pharmaceutical Research</i> , 1999, 16, 651-659.	1.7	9
222	Redox-Dependent Magnetic Alignment of Clostridium pasteurianum Rubredoxin: Measurement of Magnetic Susceptibility Anisotropy and Prediction of Pseudocontact Shift Contributions. <i>Journal of the American Chemical Society</i> , 1999, 121, 4677-4683.	6.6	37
223	Detection and Classification of Hyperfine-Shifted ¹ H, ² H, and ¹⁵ N Resonances of the Rieske Ferredoxin Component of Toluene 4-Monooxygenase. <i>Biochemistry</i> , 1999, 38, 727-739.	1.2	37
224	Properties of the His57-Asp102 Dyad of Rat Trypsin D189S in the Zymogen, Activated Enzyme, and ± 1 -Proteinase Inhibitor Complexed Forms. <i>Archives of Biochemistry and Biophysics</i> , 1999, 362, 254-264.	1.4	18
225	Practical model fitting approaches to the direct extraction of NMR parameters simultaneously from all dimensions of multidimensional NMR spectra. <i>Journal of Biomolecular NMR</i> , 1998, 12, 277-297.	1.6	21
226	Complete ¹ H and partial ¹³ C resonance assignments at 37 and 22 degrees C for brazzein, an intensely sweet protein. <i>Journal of Biomolecular NMR</i> , 1998, 11, 231-232.	1.6	12
227	Recommendations for the presentation of NMR structures of proteins and nucleic acids. IUPAC-IUBMB-IUPAB Inter-Union Task Group on the Standardization of Data Bases of Protein and Nucleic Acid Structures Determined by NMR Spectroscopy. <i>Journal of Biomolecular NMR</i> , 1998, 12, 1-23.	1.6	347
228	Solution structure of the thermostable sweet-tasting protein brazzein. <i>Nature Structural Biology</i> , 1998, 5, 427-431.	9.7	118
229	Recommendations for the presentation of NMR structures of proteins and nucleic acids. IUPAC-IUBMB-IUPAB inter-union task group on the standardization of data bases of protein and nucleic acid structures determined by NMR spectroscopy. <i>FEBS Journal</i> , 1998, 256, 1-15.	0.2	137
230	Amplification of One-Bond ¹ H/ ² H Isotope Effects on ¹⁵ N Chemical Shifts in Clostridium pasteurianum Rubredoxin by Fermi-Contact Effects through Hydrogen Bonds. <i>Journal of the American Chemical Society</i> , 1998, 120, 4893-4894.	6.6	27
231	Inadequacies of the Point-Dipole Approximation for Describing Electron-Nuclear Interactions in Paramagnetic Proteins: Hybrid Density Functional Calculations and the Analysis of NMR Relaxation of High-Spin Iron(III) Rubredoxin. <i>Journal of Physical Chemistry B</i> , 1998, 102, 8300-8305.	1.2	30
232	NMR Investigations of Clostridium pasteurianum Rubredoxin. Origin of Hyperfine ¹ H, ² H, ¹³ C, and ¹⁵ N NMR Chemical Shifts in Iron-Sulfur Proteins As Determined by Comparison of Experimental Data with Hybrid Density Functional Calculations. <i>Journal of the American Chemical Society</i> , 1998, 120, 4806-4814.	6.6	93
233	Recommendations for the presentation of NMR structures of proteins and nucleic acids (IUPAC) Tj ETQq1 1 0.784314 rgBT / Overlock 0.9 294		
234	Probing the influence of mutations on the stability of a ferredoxin by mass spectrometry. <i>The Protein Journal</i> , 1997, 16, 527-532.	1.1	12

#	ARTICLE	IF	CITATIONS
235	Assignment of ¹ H, ¹³ C, and ¹⁵ N signals of oxidized <i>Clostridium pasteurianum</i> rubredoxin. <i>Journal of Biomolecular NMR</i> , 1997, 10, 409-410.	1.6	14
236	Assignment of ¹ H, ¹³ C, and ¹⁵ N signals of reduced <i>Clostridium pasteurianum</i> rubredoxin: oxidation state-dependent changes in chemical shifts and relaxation rates. <i>Journal of Biomolecular NMR</i> , 1997, 10, 411-412.	1.6	14
237	Solution structures of staphylococcal nuclease from multidimensional, multinuclear NMR: nuclease-H124L and its ternary complex with Ca ²⁺ and thymidine-3',5'-bisphosphate. <i>Journal of Biomolecular NMR</i> , 1997, 10, 143-164.	1.6	29
238	Protonation-State Dependence of Hydrogen Bond Strengths and Exchange Rates in a Serine Protease Catalytic Triad: <i>Bovine Chymotrypsinogen A</i> . <i>Biochemistry</i> , 1996, 35, 11092-11097.	1.2	103
239	High-Pressure Denaturation of Staphylococcal Nuclease Proline-to-Glycine Substitution Mutants. <i>Biochemistry</i> , 1996, 35, 3857-3864.	1.2	50
240	Effects of Experimentally Achievable Improvements in the Quality of NMR Distance Constraints on the Accuracy of Calculated Protein Structures. <i>Journal of Molecular Biology</i> , 1996, 258, 334-348.	2.0	13
241	Engineered Disulfide Bonds in Staphylococcal Nuclease: Effects on the Stability and Conformation of the Folded Protein. <i>Biochemistry</i> , 1996, 35, 10328-10338.	1.2	44
242	Coupling between <i>trans/cis</i> proline isomerization and protein stability in staphylococcal nuclease. <i>Protein Science</i> , 1996, 5, 1907-1916.	3.1	41
243	Approaches to the Determination of More Accurate Cross-Relaxation Rates and the Effects of Improved Distance Constraints on Protein Solution Structures. , 1996, , 73-111.		0
244	Theory and application of the maximum likelihood principle to NMR parameter estimation of multidimensional NMR data. <i>Journal of Biomolecular NMR</i> , 1995, 5, 245-58.	1.6	76
245	¹ H, ¹³ C and ¹⁵ N chemical shift referencing in biomolecular NMR. <i>Journal of Biomolecular NMR</i> , 1995, 6, 135-140.	1.6	2,216
246	Mutations of surface residues in <i>Anabaena</i> vegetative and heterocyst ferredoxin that affect thermodynamic stability as determined by guanidine hydrochloride denaturation. <i>Protein Science</i> , 1995, 4, 58-64.	3.1	12
247	Comparison of the accuracy of protein solution structures derived from conventional and network-edited NOESY data. <i>Protein Science</i> , 1995, 4, 2289-2299.	3.1	38
248	Ab Initio Calculations of Protium/Deuterium Fractionation Factors in O ₂ H ₅ ⁺ Clusters. <i>The Journal of Physical Chemistry</i> , 1995, 99, 8013-8016.	2.9	15
249	Detection and Classification of Hyperfine-Shifted ¹ H, ² H, and ¹⁵ N Resonances from the Four Cysteines That Ligand Iron in Oxidized and Reduced <i>Clostridium pasteurianum</i> Rubredoxin. <i>Journal of the American Chemical Society</i> , 1995, 117, 5347-5350.	6.6	60
250	Theoretical Studies of Protium/Deuterium Fractionation Factors and Cooperative Hydrogen Bonding in Peptides. <i>Journal of the American Chemical Society</i> , 1995, 117, 9619-9624.	6.6	41
251	NOE Measurements in the Absence of Spin Diffusion: Application to Methylene Groups in Proteins and Effects on Local Structural Parameters. <i>Journal of the American Chemical Society</i> , 1995, 117, 5610-5611.	6.6	13
252	Protein engineering for the elucidation of the mechanism of electron transfer in redox proteins. <i>Biochemical Society Transactions</i> , 1994, 22, 796-800.	1.6	10

#	ARTICLE	IF	CITATIONS
253	Calculations of one-, two- and three-bond nuclear spin-spin couplings in a model peptide and correlations with experimental data. <i>Journal of Biomolecular NMR</i> , 1994, 4, 519-542.	1.6	43
254	[3] Two-dimensional exchange spectroscopy of proteins. <i>Methods in Enzymology</i> , 1994, 239, 106-144.	0.4	32
255	[1] Practical introduction to theory and implementation of multinuclear, multidimensional nuclear magnetic resonance experiments. <i>Methods in Enzymology</i> , 1994, 239, 3-79.	0.4	79
256	Solution Structure of Turkey Ovomuroid Third Domain as Determined from Nuclear Magnetic Resonance Data. <i>Journal of Molecular Biology</i> , 1994, 242, 203-214.	2.0	34
257	Solution Structure of Reactive-site Hydrolyzed Turkey Ovomuroid Third Domain by Nuclear Magnetic Resonance and Distance Geometry Methods. <i>Journal of Molecular Biology</i> , 1994, 242, 215-230.	2.0	12
258	Hydrogen Bonding in Proteins As Studied by Amide Hydrogen D/H Fractionation Factors: Application to Staphylococcal Nuclease. <i>Biochemistry</i> , 1994, 33, 1029-1036.	1.2	97
259	A perfusion loop-gap resonator NMR probe for aerobic cell suspensions. <i>Magnetic Resonance in Medicine</i> , 1993, 29, 563-566.	1.9	2
260	Hydrogen exchange in unligated and ligated staphylococcal nuclease. <i>Biochemistry</i> , 1993, 32, 11022-11028.	1.2	94
261	Effects of amino acid substitutions on the pressure denaturation of staphylococcal nuclease as monitored by fluorescence and nuclear magnetic resonance spectroscopy. <i>Biochemistry</i> , 1993, 32, 5222-5232.	1.2	141
262	Calculation of nuclear spin-spin coupling constants with ab initio molecular orbital wave functions. <i>The Journal of Physical Chemistry</i> , 1993, 97, 11657-11665.	2.9	24
263	Overexpression and purification of avian ovomucoid third domains in <i>Escherichia coli</i> . <i>Protein Engineering, Design and Selection</i> , 1993, 6, 221-227.	1.0	17
264	Topological Editing of Cross-Relaxation Networks. <i>Israel Journal of Chemistry</i> , 1992, 32, 245-256.	1.0	16
265	Structure of the oxidized long-chain flavodoxin from <i>Anabaena 7120</i> at 2 Å resolution. <i>Protein Science</i> , 1992, 1, 1413-1427.	3.1	102
266	Two-dimensional magnetization exchange spectroscopy of <i>Anabaena 7120</i> ferredoxin. Nuclear Overhauser effect and electron self-exchange cross peaks from amino acid residues surrounding the iron-sulfur (2Fe-2S) cluster. <i>Biochemistry</i> , 1991, 30, 7363-7368.	1.2	60
267	Proton NMR spectra of vertebrate iron-sulfur [2Fe-2S] ferredoxins. Hyperfine resonances suggest different electron delocalization patterns from plant ferredoxins. <i>Biochemistry</i> , 1991, 30, 9078-9083.	1.2	39
268	Refinement of the NMR solution structure of a protein to remove distortions arising from neglect of internal motion. <i>Biochemistry</i> , 1991, 30, 3807-3811.	1.2	28
269	Elucidation of amino acid spin systems in proteins and determination of heteronuclear coupling constants by carbon-proton-proton three-dimensional NMR. <i>Journal of Magnetic Resonance</i> , 1991, 92, 434-438.	0.5	24
270	A relational database for sequence-specific protein NMR data. <i>Journal of Biomolecular NMR</i> , 1991, 1, 217-236.	1.6	355

#	ARTICLE	IF	CITATIONS
271	Two-dimensional spectra of intact tissue: Homonuclear Hartmann-Hahn spectroscopy provides increased sensitivity and information content as compared to COSY. <i>Magnetic Resonance in Medicine</i> , 1990, 15, 142-151.	1.9	11
272	Coupling between local structure and global stability of a protein: mutants of staphylococcal nuclease. <i>Biochemistry</i> , 1990, 29, 4516-4525.	1.2	58
273	Elimination of cross-relaxation effects from two-dimensional chemical-exchange spectra of macromolecules. <i>Journal of the American Chemical Society</i> , 1990, 112, 2574-2577.	6.6	44
274	¹ H, ¹³ C, and ¹⁵ N resonance assignments for a ferrocycytochrome c553 heme by multinuclear NMR spectroscopy. <i>Archives of Biochemistry and Biophysics</i> , 1990, 276, 369-373.	1.4	12
275	Two-dimensional correlated spectroscopy (COSY) of intact frog muscle: Spectral pattern characterization and lactate quantitation. <i>Magnetic Resonance in Medicine</i> , 1989, 11, 316-330.	1.9	30
276	Concerted two-dimensional NMR approaches to hydrogen-1, carbon-13, and nitrogen-15 resonance assignments in proteins. <i>Biochemistry</i> , 1989, 28, 230-236.	1.2	61
277	Hydrogen-1 NMR evidence for three interconverting forms of staphylococcal nuclease: effects of mutations and solution conditions on their distribution. <i>Biochemistry</i> , 1989, 28, 204-211.	1.2	55
278	Staphylococcal nuclease active-site amino acids: pH dependence of tyrosines and arginines by carbon-13 NMR and correlation with kinetic studies. <i>Biochemistry</i> , 1989, 28, 2116-2124.	1.2	24
279	Two-dimensional NMR studies of Kazal proteinase inhibitors. 1. Sequence-specific assignments and secondary structure of turkey ovomucoid third domain. <i>Biochemistry</i> , 1988, 27, 2519-2529.	1.2	36
280	Correlation of carbon-13 and nitrogen-15 chemical shifts in selectively and uniformly labeled proteins by heteronuclear two-dimensional NMR spectroscopy. <i>Journal of the American Chemical Society</i> , 1988, 110, 6256-6258.	6.6	104
281	NMR assignments of the four histidines of staphylococcal nuclease in native and denatured states. <i>Biochemistry</i> , 1988, 27, 2158-2165.	1.2	46
282	Two-dimensional NMR studies of Kazal proteinase inhibitors. 2. Sequence-specific assignments and secondary structure of reactive site modified turkey ovomucoid third domain. <i>Biochemistry</i> , 1988, 27, 2529-2539.	1.2	16
283	Detailed analysis of carbon-13 NMR spin systems in a uniformly carbon-13 enriched protein: flavodoxin from <i>Anabaena</i> 7120. <i>Journal of the American Chemical Society</i> , 1988, 110, 4095-4096.	6.6	27
284	Flavodoxin from <i>Anabaena</i> 7120: uniform nitrogen-15 enrichment and hydrogen-1, nitrogen-15, and phosphorus-31 NMR investigations of the flavin mononucleotide binding site in the reduced and oxidized states. <i>Biochemistry</i> , 1988, 27, 136-142.	1.2	49
285	Two-dimensional NMR strategies for carbon-carbon correlations and sequence-specific assignments in carbon-13 labeled proteins. <i>Journal of the American Chemical Society</i> , 1988, 110, 4093-4095.	6.6	54
286	NMR in Biology and Medicine edited by Shu Chien and Chien Ho. <i>Medical Physics</i> , 1987, 14, 891-892.	1.6	0
287	Hydrogen-1 nuclear magnetic resonance investigation of high-potential iron-sulfur proteins from <i>Ectothiorhodospira halophila</i> and <i>Ectothiorhodospira vacuolata</i> : a comparative study of hyperfine-shifted resonances. <i>Biochemistry</i> , 1986, 25, 60-67.	1.2	45
288	One- and two-dimensional nmr spectral analysis of the consequences of single amino acid replacements in proteins. <i>Journal of Cellular Biochemistry</i> , 1986, 30, 291-309.	1.2	9

#	ARTICLE	IF	CITATIONS
289	Turnip yellow mosaic virus and its capsid have thermal stabilities with opposite pH dependence: studies by differential scanning calorimetry and ³¹ P nuclear magnetic resonance spectroscopy. <i>Virology</i> , 1985, 146, 213-220.	1.1	17
290	Water permeability of chloroplast envelope membranes. <i>FEBS Letters</i> , 1985, 183, 353-358.	1.3	29
291	Natural abundance ¹³ C NMR spectra of human muscle, normal and diseased. <i>Magnetic Resonance in Medicine</i> , 1984, 1, 30-43.	1.9	30
292	¹ H NMR of intact muscle at 11 T. <i>FEBS Letters</i> , 1984, 165, 231-237.	1.3	56
293	Nuclear magnetic resonance studies of two-iron-two-sulfur ferredoxins. 5. Hyperfine-shifted peaks in proton and carbon-13 spectra. <i>Biochemistry</i> , 1983, 22, 6008-6010.	1.2	19
294	Connectivity of proton and carbon spectra of the blue copper protein, plastocyanin, established by two-dimensional nuclear magnetic resonance. <i>FEBS Letters</i> , 1983, 162, 52-56.	1.3	39
295	High-resolution proton nuclear magnetic resonance studies of the nickel(II) derivative of azurin. <i>Biochemistry</i> , 1982, 21, 6253-6258.	1.2	45
296	Proton NMR spectroscopy of the active site histidine of $\hat{I}\pm$ -lytic proteinase. <i>FEBS Letters</i> , 1982, 138, 233-235.	1.3	8
297	Heteronuclear (proton, carbon-13) two-dimensional chemical shift correlation NMR spectroscopy of a protein. Ferredoxin from <i>Anabaena variabilis</i> . <i>Journal of the American Chemical Society</i> , 1982, 104, 4010-4011.	6.6	33
298	Lack of Evidence for a Tetrahedral Intermediate in the Hydrolysis of Nitroanilide Substrates by Serine Proteinases. Subzero-Temperature Stopped-Flow Experiments. <i>FEBS Journal</i> , 1981, 120, 477-485.	0.2	40
299	Soybean trypsin inhibitor (Kunitz) and its complex with trypsin. Carbon-13 nuclear magnetic resonance studies of the reactive site arginine. <i>Biochemistry</i> , 1980, 19, 5703-5710.	1.2	57
300	(Diisopropylphosphoryl)serine proteinases. Proton and phosphorus-31 nuclear magnetic resonance-pH titration studies. <i>Biochemistry</i> , 1979, 18, 4108-4116.	1.2	46
301	Hydrogen bonds in serine proteinases and their complexes with protein proteinase inhibitors. Proton nuclear magnetic resonance studies. <i>Biochemistry</i> , 1978, 17, 4648-4656.	1.2	60
302	Zymogen activation in serine proteinases. Proton magnetic resonance pH titration studies of the two histidines of bovine chymotrypsinogen A and chymotrypsin A.alpha.. <i>Biochemistry</i> , 1978, 17, 4627-4640.	1.2	94
303	Active site in zymogens. Proton magnetic resonance pH titration curves of histidine-57 in porcine and bovine trypsinogens and in their complexes with bovine pancreatic trypsin inhibitor (Kunitz). <i>Biochemistry</i> , 1978, 17, 4640-4647.	1.2	28
304	Spinach plastocyanin: Comparison of reduced and oxidized forms by natural abundance carbon-13 nuclear magnetic resonance spectroscopy. <i>Biochemical and Biophysical Research Communications</i> , 1977, 78, 106-114.	1.0	19
305	The charge-relay system of serine proteinases: Proton magnetic resonance titration studies of the four histidines of porcine trypsin. <i>Journal of Molecular Biology</i> , 1976, 102, 487-509.	2.0	68
306	Correlation proton magnetic resonance studies at 250 MHz of bovine pancreatic ribonuclease. I. Reinvestigation of the histidine peak assignments. <i>Biochemistry</i> , 1975, 14, 3546-3554.	1.2	153

#	ARTICLE	IF	CITATIONS
307	Assignment of the histidine proton magnetic resonance peaks of soybean trypsin inhibitor (Kunitz) by a differential exchange technique. <i>Biochemistry</i> , 1975, 14, 3234-3237.	1.2	22
308	Correlation proton magnetic resonance studies at 250 MHz of bovine pancreatic ribonuclease. III. Mutual electrostatic interaction between histidine residues 12 and 119. <i>Biochemistry</i> , 1975, 14, 3562-3566.	1.2	43
309	Nuclear magnetic resonance studies of the copper binding sites of blue copper proteins. Oxidized, reduced, and apoplastocyanin. <i>Biochemistry</i> , 1975, 14, 4428-4433.	1.2	83
310	Observation of histidine residues in proteins by nuclear magnetic resonance spectroscopy. <i>Accounts of Chemical Research</i> , 1975, 8, 70-80.	7.6	430
311	HIGH-RESOLUTION PROTON MAGNETIC RESONANCE STUDIES OF TWO TRYPSIN INHIBITORS: SOYBEAN TRYPSIN INHIBITOR (KUNITZ) AND OVOMUCOID (HEN EGG WHITE). <i>Annals of the New York Academy of Sciences</i> , 1973, 222, 347-373.	1.8	18
312	Nuclear magnetic resonance studies of trypsin inhibitors. Histidines of virgin and modified soybean trypsin inhibitor (Kunitz). <i>Biochemistry</i> , 1973, 12, 2245-2250.	1.2	74
313	Spin Lattice Relaxation Measurements in Slowly Relaxing Complex Spectra. <i>Journal of Chemical Physics</i> , 1971, 55, 3604-3605.	1.2	261
314	Nuclear magnetic resonance studies of helix-coil transitions in polyamino acids. <i>Journal of Molecular Biology</i> , 1967, 27, 25-40.	2.0	131
315	Structural Proteomics. , 0, , 99-128.		0
316	Chapter 5. Acquisition and Post-processing of Reduced Dimensionality NMR Experiments. <i>New Developments in NMR</i> , 0, , 96-118.	0.1	2