

Pierre Dubus

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8044462/publications.pdf>

Version: 2024-02-01

120
papers

10,463
citations

66343

42
h-index

32842

100
g-index

130
all docs

130
docs citations

130
times ranked

14731
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Chronic Pancreatitis Is Essential for Induction of Pancreatic Ductal Adenocarcinoma by K-Ras Oncogenes in Adult Mice. <i>Cancer Cell</i> , 2007, 11, 291-302. | 16.8 | 1,042 |
| 2 | Cdk1 is sufficient to drive the mammalian cell cycle. <i>Nature</i> , 2007, 448, 811-815. | 27.8 | 888 |
| 3 | Cyclin-dependent kinase 2 is essential for meiosis but not for mitotic cell division in mice. <i>Nature Genetics</i> , 2003, 35, 25-31. | 21.4 | 802 |
| 4 | Mammalian Cells Cycle without the D-Type Cyclin-Dependent Kinases Cdk4 and Cdk6. <i>Cell</i> , 2004, 118, 493-504. | 28.9 | 719 |
| 5 | Loss of Cdk4 expression causes insulin-deficient diabetes and Cdk4 activation results in β -islet cell hyperplasia. <i>Nature Genetics</i> , 1999, 22, 44-52. | 21.4 | 711 |
| 6 | Tumor induction by an endogenous K-ras oncogene is highly dependent on cellular context. <i>Cancer Cell</i> , 2003, 4, 111-120. | 16.8 | 518 |
| 7 | Kallikrein 5 induces atopic dermatitis-like lesions through PAR2-mediated thymic stromal lymphopoietin expression in Netherton syndrome. <i>Journal of Experimental Medicine</i> , 2009, 206, 1135-1147. | 8.5 | 453 |
| 8 | A Synthetic Lethal Interaction between K-Ras Oncogenes and Cdk4 Unveils a Therapeutic Strategy for Non-small Cell Lung Carcinoma. <i>Cancer Cell</i> , 2010, 18, 63-73. | 16.8 | 373 |
| 9 | Genomic stability and tumour suppression by the APC/C cofactor Cdh1. <i>Nature Cell Biology</i> , 2008, 10, 802-811. | 10.3 | 331 |
| 10 | c-Raf, but Not B-Raf, Is Essential for Development of K-Ras Oncogene-Driven Non-Small Cell Lung Carcinoma. <i>Cancer Cell</i> , 2011, 19, 652-663. | 16.8 | 260 |
| 11 | Cdk2 is dispensable for cell cycle inhibition and tumor suppression mediated by p27Kip1 and p21Cip1. <i>Cancer Cell</i> , 2005, 7, 591-598. | 16.8 | 205 |
| 12 | Expression of Neurotrophins and their Receptors in Human Bone Marrow. <i>American Journal of Pathology</i> , 1999, 154, 405-415. | 3.8 | 157 |
| 13 | Cdk4 promotes adipogenesis through PPAR β activation. <i>Cell Metabolism</i> , 2005, 2, 239-249. | 16.2 | 136 |
| 14 | A Comparative Analysis of FISH, RT-PCR, PCR, and Immunohistochemistry for the Diagnosis of Mantle Cell Lymphomas. <i>Modern Pathology</i> , 2002, 15, 517-525. | 5.5 | 125 |
| 15 | <i>Helicobacter pylori</i> Infection Recruits Bone Marrow-Derived Cells That Participate in Gastric Preneoplasia in Mice. <i>Gastroenterology</i> , 2012, 142, 281-291. | 1.3 | 125 |
| 16 | Genetic rescue of Cdk4 null mice restores pancreatic β -cell proliferation but not homeostatic cell number. <i>Oncogene</i> , 2003, 22, 5261-5269. | 5.9 | 118 |
| 17 | Characterization of Biomarkers of Tumorigenic and Chemoresistant Cancer Stem Cells in Human Gastric Carcinoma. <i>Clinical Cancer Research</i> , 2017, 23, 1586-1597. | 7.0 | 117 |
| 18 | Elastase 2 is expressed in human and mouse epidermis and impairs skin barrier function in Netherton syndrome through filaggrin and lipid misprocessing. <i>Journal of Clinical Investigation</i> , 2010, 120, 871-882. | 8.2 | 114 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Protein farnesyltransferase in embryogenesis, adult homeostasis, and tumor development. <i>Cancer Cell</i> , 2005, 7, 313-324. | 16.8 | 106 |
| 20 | Inactivation of TIF1 β Cooperates with KrasG12D to Induce Cystic Tumors of the Pancreas. <i>PLoS Genetics</i> , 2009, 5, e1000575. | 3.5 | 102 |
| 21 | Mice thrive without Cdk4 and Cdk2. <i>Molecular Oncology</i> , 2007, 1, 72-83. | 4.6 | 99 |
| 22 | Verteporfin targeting YAP1/TAZ β TEAD transcriptional activity inhibits the tumorigenic properties of gastric cancer stem cells. <i>International Journal of Cancer</i> , 2020, 146, 2255-2267. | 5.1 | 97 |
| 23 | IL17 Functions through the Novel REG3 β JAK2 STAT3 Inflammatory Pathway to Promote the Transition from Chronic Pancreatitis to Pancreatic Cancer. <i>Cancer Research</i> , 2015, 75, 4852-4862. | 0.9 | 92 |
| 24 | Peroxisome Proliferator-Activated Receptor β Regulates E-Cadherin Expression and Inhibits Growth and Invasion of Prostate Cancer. <i>Molecular and Cellular Biology</i> , 2006, 26, 7561-7574. | 2.3 | 85 |
| 25 | CDKN2A β CDKN2B deletion defines an aggressive subset of cutaneous T-cell lymphoma. <i>Modern Pathology</i> , 2010, 23, 547-558. | 5.5 | 80 |
| 26 | Lysyl oxidase β like 2 represses Notch1 expression in the skin to promote squamous cell carcinoma progression. <i>EMBO Journal</i> , 2015, 34, 1090-1109. | 7.8 | 79 |
| 27 | Loss of epidermal hypoxia-inducible factor-1 β accelerates epidermal aging and affects re-epithelialization in human and mouse. <i>Journal of Cell Science</i> , 2011, 124, 4172-4183. | 2.0 | 76 |
| 28 | Evidence that an Identical T Cell Clone in Skin and Peripheral Blood Lymphocytes is an Independent Prognostic Factor in Primary Cutaneous T Cell Lymphomas. <i>Journal of Investigative Dermatology</i> , 2001, 117, 920-926. | 0.7 | 74 |
| 29 | Primary Lung Small B-Cell Lymphoma versus Lymphoid Hyperplasia. <i>American Journal of Surgical Pathology</i> , 2002, 26, 76-81. | 3.7 | 69 |
| 30 | Heterozygous deletion of the Williams β Beuren syndrome critical interval in mice recapitulates most features of the human disorder. <i>Human Molecular Genetics</i> , 2014, 23, 6481-6494. | 2.9 | 69 |
| 31 | Gastric Cancer: Advances in Carcinogenesis Research and New Therapeutic Strategies. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3418. | 4.1 | 69 |
| 32 | Hematopoietic niche drives FLT3-ITD acute myeloid leukemia resistance to quizartinib <i>via</i> STAT5-and hypoxia-dependent upregulation of AXL. <i>Haematologica</i> , 2019, 104, 2017-2027. | 3.5 | 67 |
| 33 | CDK4 is an essential insulin effector in adipocytes. <i>Journal of Clinical Investigation</i> , 2015, 126, 335-348. | 8.2 | 65 |
| 34 | β T Cells Confer Protection against Murine Cytomegalovirus (MCMV). <i>PLoS Pathogens</i> , 2015, 11, e1004702. | 4.7 | 62 |
| 35 | Lysyl oxidase family activity promotes resistance of pancreatic ductal adenocarcinoma to chemotherapy by limiting the intratumoral anticancer drug distribution. <i>Oncotarget</i> , 2016, 7, 32100-32112. | 1.8 | 59 |
| 36 | Outcome-based determination of optimal pyrosequencing assay for MGMT methylation detection in glioblastoma patients. <i>Journal of Neuro-Oncology</i> , 2014, 116, 487-496. | 2.9 | 56 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Cooperation between Cdk4 and p27kip1 in Tumor Development: A Preclinical Model to Evaluate Cell Cycle Inhibitors with Therapeutic Activity. <i>Cancer Research</i> , 2005, 65, 3846-3852. | 0.9 | 55 |
| 38 | Loss of the Methyl-CpG-Binding Protein ZBTB4 Alters Mitotic Checkpoint, Increases Aneuploidy, and Promotes Tumorigenesis. <i>Cancer Research</i> , 2017, 77, 62-73. | 0.9 | 55 |
| 39 | Bone Marrow Histopathologic and Molecular Staging in Epidermotropic T-Cell Lymphomas. <i>American Journal of Clinical Pathology</i> , 2003, 119, 414-423. | 0.7 | 51 |
| 40 | Neoplastic Cells Do Not Carry bcl2-JH Rearrangements Detected in a Subset of Primary Cutaneous Follicle Center B-cell Lymphomas. <i>American Journal of Surgical Pathology</i> , 2004, 28, 748-755. | 3.7 | 51 |
| 41 | Interphase fluorescence in situ hybridization is more sensitive than BIOMED-2 polymerase chain reaction protocol in detecting IGH-BCL2 rearrangement in both fixed and frozen lymph node with follicular lymphoma. <i>Human Pathology</i> , 2007, 38, 365-372. | 2.0 | 50 |
| 42 | Mucosal Intraepithelial T-lymphocytes in Refractory Celiac Disease: A Neoplastic Population With a Variable CD8 Phenotype. <i>American Journal of Surgical Pathology</i> , 2008, 32, 744-751. | 3.7 | 48 |
| 43 | CD30-Positive Cutaneous Large Cell Lymphomas: A Comparative Study of Clinicopathologic and Molecular Features of 16 Cases. <i>American Journal of Clinical Pathology</i> , 1996, 105, 440-450. | 0.7 | 47 |
| 44 | Acinar-to-Ductal Metaplasia Induced by Transforming Growth Factor Beta Facilitates KRAS G12D-driven Pancreatic Tumorigenesis. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2017, 4, 263-282. | 4.5 | 46 |
| 45 | The Hippo Kinase LATS2 Controls Helicobacter pylori-Induced Epithelial-Mesenchymal Transition and Intestinal Metaplasia in Gastric Mucosa. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 9, 257-276. | 4.5 | 46 |
| 46 | The RNA-Binding Protein Unr Prevents Mouse Embryonic Stem Cells Differentiation Toward the Primitive Endoderm Lineage. <i>Stem Cells</i> , 2011, 29, 1504-1516. | 3.2 | 44 |
| 47 | Low prevalence of monoclonal b cells in Helicobacter pylori gastritis patients with duodenal ulcer. <i>Human Pathology</i> , 1998, 29, 784-790. | 2.0 | 38 |
| 48 | Value of Interphase FISH for the Diagnosis of t(11;14)(q13;q32) on Skin Lesions of Mantle Cell Lymphoma. <i>American Journal of Clinical Pathology</i> , 2002, 118, 832-841. | 0.7 | 38 |
| 49 | Inactivation of p16 INK4a /CDKN2A gene may be a diagnostic feature of large B cell lymphoma leg type among cutaneous B cell lymphomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 452, 607-620. | 2.8 | 38 |
| 50 | Repurposing ciclopirox as a pharmacological chaperone in a model of congenital erythropoietic porphyria. <i>Science Translational Medicine</i> , 2018, 10, . | 12.4 | 38 |
| 51 | FGFR3 has tumor suppressor properties in cells with epithelial phenotype. <i>Molecular Cancer</i> , 2013, 12, 83. | 19.2 | 37 |
| 52 | The Cytolethal Distending Toxin Subunit CdtB of Helicobacter hepaticus Promotes Senescence and Endoreplication in Xenograft Mouse Models of Hepatic and Intestinal Cell Lines. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 268. | 3.9 | 37 |
| 53 | Transcription factor E4F1 is essential for epidermal stem cell maintenance and skin homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 21076-21081. | 7.1 | 36 |
| 54 | Essential role of the N-terminal region of TFII-I in viability and behavior. <i>BMC Medical Genetics</i> , 2010, 11, 61. | 2.1 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | The detection of Tel-TrkC chimeric transcripts is more specific than TrkC immunoreactivity for the diagnosis of congenital fibrosarcoma. <i>Journal of Pathology</i> , 2001, 193, 88-94. | 4.5 | 33 |
| 56 | True histiocytic lymphoma following B-acute lymphoblastic leukaemia: case report with evidence for a common clonal origin in both neoplasms. <i>British Journal of Haematology</i> , 2001, 113, 1047-1050. | 2.5 | 32 |
| 57 | Tif1 ³ Suppresses Murine Pancreatic Tumoral Transformation by a Smad4-Independent Pathway. <i>American Journal of Pathology</i> , 2012, 180, 2214-2221. | 3.8 | 32 |
| 58 | Alzheimer's Disease and Helicobacter pylori Infection: Inflammation from Stomach to Brain?. <i>Journal of Alzheimer's Disease</i> , 2020, 73, 801-809. | 2.6 | 32 |
| 59 | Driving the Cell Cycle to Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2003, 532, 1-11. | 1.6 | 30 |
| 60 | Leukaemia Inhibitory Factor (LIF) Inhibits Cancer Stem Cells Tumorigenic Properties through Hippo Kinases Activation in Gastric Cancer. <i>Cancers</i> , 2020, 12, 2011. | 3.7 | 30 |
| 61 | TAZ Controls Helicobacter pylori-Induced Epithelial-Mesenchymal Transition and Cancer Stem Cell-Like Invasive and Tumorigenic Properties. <i>Cells</i> , 2020, 9, 1462. | 4.1 | 29 |
| 62 | Expression of NGF receptors in normal and pathological human thymus. <i>Journal of Neuroimmunology</i> , 1998, 85, 11-21. | 2.3 | 28 |
| 63 | Genetic Characterization of the Role of the Cip/Kip Family of Proteins as Cyclin-Dependent Kinase Inhibitors and Assembly Factors. <i>Molecular and Cellular Biology</i> , 2014, 34, 1452-1459. | 2.3 | 28 |
| 64 | Î-Opioid receptor activation prevents acute hepatic inflammation and cell death. <i>Gut</i> , 2007, 56, 974-981. | 12.1 | 27 |
| 65 | Variable Behavior of iPSCs Derived from CML Patients for Response to TKI and Hematopoietic Differentiation. <i>PLoS ONE</i> , 2013, 8, e71596. | 2.5 | 26 |
| 66 | Cdk4 and Cdk6 cooperate in counteracting the INK4 family of inhibitors during murine leukemogenesis. <i>Blood</i> , 2014, 124, 2380-2390. | 1.4 | 26 |
| 67 | Primary Digestive Richter's Syndrome. <i>Modern Pathology</i> , 2001, 14, 452-457. | 5.5 | 24 |
| 68 | Mucosa-Associated Lymphoid Tissue of the Thymus. <i>American Journal of Clinical Pathology</i> , 2002, 117, 51-56. | 0.7 | 24 |
| 69 | Clinical, histological and molecular follow-up of 60 patients with gastric marginal zone lymphoma of mucosa-associated lymphoid tissue. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005, 446, 219-224. | 2.8 | 24 |
| 70 | A Defect of the INK4-Cdk4 Checkpoint and Myc Collaborate in Blastoid Mantle Cell Lymphoma-Like Lymphoma Formation in Mice. <i>American Journal of Pathology</i> , 2012, 180, 1688-1701. | 3.8 | 24 |
| 71 | Telomerase functions beyond telomere maintenance in primary cutaneous T-cell lymphoma. <i>Blood</i> , 2014, 123, 1850-1859. | 1.4 | 24 |
| 72 | Synergistic cooperation between ABT-263 and MEK1/2 inhibitor: effect on apoptosis and proliferation of acute myeloid leukemia cells. <i>Oncotarget</i> , 2016, 7, 845-859. | 1.8 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Cutaneous localization of chronic lymphocytic leukemia at the site of chickenpox. <i>Journal of the American Academy of Dermatology</i> , 1997, 36, 98-99. | 1.2 | 20 |
| 74 | E4F1 deficiency results in oxidative stress-mediated cell death of leukemic cells. <i>Journal of Experimental Medicine</i> , 2011, 208, 1403-1417. | 8.5 | 20 |
| 75 | Neonatal Thymectomy Favors <i>Helicobacter pylori</i> -Promoted Gastric Mucosa-Associated Lymphoid Tissue Lymphoma Lesions in BALB/c Mice. <i>American Journal of Pathology</i> , 2014, 184, 2174-2184. | 3.8 | 20 |
| 76 | Deletion of IQGAP1 promotes <i>Helicobacter pylori</i> -induced gastric dysplasia in mice and acquisition of cancer stem cell properties <i>in vitro</i> . <i>Oncotarget</i> , 2016, 7, 80688-80699. | 1.8 | 20 |
| 77 | Regulatory T cells may participate in <i>Helicobacter pylori</i> persistence in gastric MALT lymphoma: lessons from an animal model. <i>Oncotarget</i> , 2016, 7, 3394-3402. | 1.8 | 20 |
| 78 | Metabolic Correction of Congenital Erythropoietic Porphyria with iPSCs Free of Reprogramming Factors. <i>American Journal of Human Genetics</i> , 2012, 91, 109-121. | 6.2 | 19 |
| 79 | In vivo gene transfer targeting in pancreatic adenocarcinoma with cell surface antigens. <i>Molecular Cancer</i> , 2012, 11, 81. | 19.2 | 19 |
| 80 | Generation of induced pluripotent stem cells-derived hepatocyte-like cells for ex vivo gene therapy of primary hyperoxaluria type 1. <i>Stem Cell Research</i> , 2019, 38, 101467. | 0.7 | 19 |
| 81 | Molecular Blocking of CD23 Supports Its Role in the Pathogenesis of Arthritis. <i>PLoS ONE</i> , 2009, 4, e4834. | 2.5 | 18 |
| 82 | E2A Modulates Stemness, Metastasis, and Therapeutic Resistance of Breast Cancer. <i>Cancer Research</i> , 2021, 81, 4529-4544. | 0.9 | 18 |
| 83 | Mantle cell lymphoma-like lymphomas in <i>c-myc-3'RR/p53+/+</i> mice and <i>c-myc-3'RR/Cdk4R24C</i> mice: differential oncogenic mechanisms but similar cellular origin. <i>Oncotarget</i> , 2012, 3, 586-593. | 1.8 | 18 |
| 84 | PRIME importance of pathology expertise. <i>Nature Biotechnology</i> , 2009, 27, 24-25. | 17.5 | 17 |
| 85 | Pathology of the Laboratory Mouse. <i>Toxicologic Pathology</i> , 2011, 39, 559-562. | 1.8 | 17 |
| 86 | Liver Reptin/RUVBL2 controls glucose and lipid metabolism with opposite actions on mTORC1 and mTORC2 signalling. <i>Gut</i> , 2018, 67, 2192-2203. | 12.1 | 17 |
| 87 | Targeted gene therapy in human-induced pluripotent stem cells from a patient with primary hyperoxaluria type 1 using CRISPR/Cas9 technology. <i>Biochemical and Biophysical Research Communications</i> , 2019, 517, 677-683. | 2.1 | 17 |
| 88 | A New Animal Model of Gastric Lymphomagenesis. <i>American Journal of Pathology</i> , 2017, 187, 1473-1484. | 3.8 | 16 |
| 89 | Unr defines a novel class of nucleoplasmic reticulum, involved in mRNA translation. <i>Journal of Cell Science</i> , 2017, 130, 1796-1808. | 2.0 | 16 |
| 90 | Sequential Development of Hodgkin's Disease and CD30+ Diffuse Large B-Cell Lymphoma in a Patient With MALT-Type Lymphoma. <i>American Journal of Surgical Pathology</i> , 2002, 26, 1634-1642. | 3.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Cellular Mesoblastic Nephroma: Morphologic, Cytogenetic and Molecular Links with Congenital Fibrosarcoma. <i>Pathology Research and Practice</i> , 2003, 199, 35-40. | 2.3 | 15 |
| 92 | APRIL-producing eosinophils are involved in gastric MALT lymphomagenesis induced by <i>Helicobacter</i> sp infection. <i>Scientific Reports</i> , 2020, 10, 14858. | 3.3 | 15 |
| 93 | Expression of Trk Isoforms in Brain Regions and in the Striatum of Patients with Alzheimer's Disease. <i>Experimental Neurology</i> , 2000, 165, 285-294. | 4.1 | 14 |
| 94 | Deregulation of MicroRNAs in Gastric Lymphomagenesis Induced in the d3Tx Mouse Model of <i>Helicobacter pylori</i> Infection. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 185. | 3.9 | 14 |
| 95 | Identification of novel <i>trkA</i> variants with deletions in leucine-rich motifs of the extracellular domain. <i>Journal of Neuroimmunology</i> , 2000, 107, 42-49. | 2.3 | 13 |
| 96 | An Eighteen-Month <i>Helicobacter</i> Infection Does Not Induce Amyloid Plaques or Neuroinflammation in Brains of Wild Type C57BL/6J Mice. <i>Journal of Alzheimer's Disease</i> , 2015, 45, 1045-1050. | 2.6 | 13 |
| 97 | The Anti-Metastatic <i>nm23-1</i> Gene Is Needed for the Final Step of Mammary Duct Maturation of the Mouse Nipple. <i>PLoS ONE</i> , 2011, 6, e18645. | 2.5 | 12 |
| 98 | Differential Expression of NGF Receptors in Human Thymic Epithelial Tumors. <i>Pathology Research and Practice</i> , 1999, 195, 549-553. | 2.3 | 11 |
| 99 | Hepatic Lesions Observed in Hepatitis C Virus Transgenic Mice Infected by <i>Helicobacter hepaticus</i> . <i>Helicobacter</i> , 2013, 18, 33-40. | 3.5 | 11 |
| 100 | Characterisation of inflammatory processes in <i>Helicobacter pylori</i> -induced gastric lymphomagenesis in a mouse model. <i>Oncotarget</i> , 2015, 6, 34525-34536. | 1.8 | 11 |
| 101 | Cytolethal distending toxin induces the formation of transient messenger-rich ribonucleoprotein nuclear invaginations in surviving cells. <i>PLoS Pathogens</i> , 2019, 15, e1007921. | 4.7 | 10 |
| 102 | Orthotopic Patient-Derived Xenografts of Gastric Cancer to Decipher Drugs Effects on Cancer Stem Cells and Metastatic Dissemination. <i>Cancers</i> , 2019, 11, 560. | 3.7 | 10 |
| 103 | PLA2R1 promotes DNA damage and inhibits spontaneous tumor formation during aging. <i>Cell Death and Disease</i> , 2021, 12, 190. | 6.3 | 10 |
| 104 | Hippo in Gastric Cancer: From Signalling to Therapy. <i>Cancers</i> , 2022, 14, 2282. | 3.7 | 10 |
| 105 | Histiocytic sarcoma that mimicks benign histiocytosis. <i>Journal of Cutaneous Pathology</i> , 1996, 23, 275-283. | 1.3 | 9 |
| 106 | The CDT of <i>Helicobacter hepaticus</i> induces pro-survival autophagy and nucleoplasmic reticulum formation concentrating the RNA binding proteins UNR/CSDE1 and P62/SQSTM1. <i>PLoS Pathogens</i> , 2021, 17, e1009320. | 4.7 | 7 |
| 107 | Leukaemia inhibitory factor in gastric cancer: friend or foe?. <i>Gastric Cancer</i> , 2022, 25, 299-305. | 5.3 | 6 |
| 108 | REG3 β Plays a Key Role in IL17RA Protumoral Effectors' Response. <i>Cancer Research</i> , 2016, 76, 2051-2051. | 0.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Neonatal bone marrow transplantation prevents liver disease in a murine model of erythropoietic protoporphyria. <i>Journal of Hepatology</i> , 2011, 55, 162-170. | 3.7 | 4 |
| 110 | Generation of an Fsp1 (fibroblast-specific protein 1) Flpo transgenic mouse strain. <i>Genesis</i> , 2020, 58, e23359. | 1.6 | 4 |
| 111 | Uncovering the Anticancer Potential of Murine Cytomegalovirus against Human Colon Cancer Cells. <i>Molecular Therapy - Oncolytics</i> , 2020, 16, 250-261. | 4.4 | 4 |
| 112 | Reptin/RUVBL2 is required for hepatocyte proliferation in vivo, liver regeneration and homeostasis. <i>Liver International</i> , 2021, 41, 1423-1429. | 3.9 | 4 |
| 113 | Loxl2 and Loxl3 Paralogues Play Redundant Roles during Mouse Development. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5730. | 4.1 | 4 |
| 114 | A Solitary Minute Thyroid Lymphoma of MALT-Type Without Lymphoid Thyroiditis. <i>Endocrine Pathology</i> , 2002, 13, 235-238. | 9.0 | 1 |
| 115 | Generation of a conditional Flpo/FRT mouse model expressing constitutively active TGF β 2 in fibroblasts. <i>Scientific Reports</i> , 2020, 10, 3880. | 3.3 | 1 |
| 116 | Elastase 2A: a new player in skin barrier function. <i>Expert Review of Dermatology</i> , 2011, 6, 337-339. | 0.3 | 0 |
| 117 | Contribution of Learning Technology in the Implementation of the First Year of Medical Studies in France: Example of What Was Done at Bordeaux Medical School. , 2012, , . | | 0 |
| 118 | Mouse Models to Study the In Vivo Function of Cyclin-Dependent Kinases in Normal Homeostasis and Tumor Development. <i>Enzyme Inhibitors Series</i> , 2006, , 55-83. | 0.1 | 0 |
| 119 | Kallikrein 5 induces atopic dermatitis-like lesions through PAR2-mediated thymic stromal lymphopoietin expression in Netherton syndrome. <i>Journal of Cell Biology</i> , 2009, 185, i7-i7. | 5.2 | 0 |
| 120 | Bone Marrow Histopathologic and Molecular Staging in Epidermotropic T-Cell Lymphomas. <i>American Journal of Clinical Pathology</i> , 2003, 119, 0-0. | 0.7 | 0 |