Huan Yang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8046866/publications.pdf

Version: 2024-02-01

56	1,826	18	276875 41 g-index
papers	citations	h-index	
58	58	58	2570
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Conversion of <i>Dioscorea zingiberensis</i> saponins to prosapogenin A by enzymatic hydrolysis. Natural Product Research, 2023, 37, 1421-1428.	1.8	5
2	Analysis of the characteristic compounds of Citri Sarcodactylis Fructus from different geographical origins. Phytochemical Analysis, 2022, 33, 72-82.	2.4	9
3	Detection of amfepramone and its metabolite cathinone in human hair: Application to a uthentic cases of amfepramone use. Drug Testing and Analysis, 2022, 14, 101-109.	2.6	3
4	Inactivation mechanism of catalytic infrared against Pseudomonas aeruginosa and its decontamination application on dry green Sichuan pepper (Zanthoxylum schinifolium). Food Control, 2022, 132, 108483.	5 . 5	7
5	Confirmation of Gelsemium elegans poisoning by UHPLC–MS/MS analysis of koumine, gelsemine, and gelsenicine in hair. Journal of Pharmaceutical and Biomedical Analysis, 2022, 210, 114546.	2.8	4
6	Purification and characterization of a novel thermostable anticoagulant protein from medicinal leech Whitmania pigra Whitman. Journal of Ethnopharmacology, 2022, 288, 114990.	4.1	12
7	Preparation and characterization of oregano essential oil-loaded Dioscorea zingiberensis starch film with antioxidant and antibacterial activity and its application in chicken preservation. International Journal of Biological Macromolecules, 2022, 212, 20-30.	7.5	27
8	A species-specific triplex PCR assay for authentication of Galli Gigerii Endothelium Corneum. Mitochondrial DNA Part B: Resources, 2021, 6, 1044-1049.	0.4	1
9	Analysis of 28 hair samples from users of the hallucinogenic beverage ayahuasca. Forensic Science International, 2021, 323, 110790.	2.2	6
10	Rapid identification of <i>cervus</i> antlers by species-specific PCR assay. Natural Product Research, 2020, 34, 1315-1319.	1.8	8
11	Construction of Fe3O4@α-glucosidase magnetic nanoparticles for ligand fishing of α-glucosidase inhibitors from a natural tonic Epimedii Folium. International Journal of Biological Macromolecules, 2020, 165, 1361-1372.	7.5	22
12	Efficient and clean preparation of rare prosaikogenin D by enzymatic hydrolysis of saikosaponin B2 and response surface methodology optimization. Enzyme and Microbial Technology, 2020, 142, 109690.	3.2	3
13	Identification of signature proteins of processed Bombyx batryticatus by comparative proteomic analysis. International Journal of Biological Macromolecules, 2020, 153, 289-296.	7.5	8
14	Optimization of the extraction, preliminary characterization, and anti-inflammatory activity of crude polysaccharides from the stems of <i>Trapa quadrispinosa</i> . RSC Advances, 2019, 9, 22540-22550.	3.6	7
15	Eco-efficient biphasic enzymatic hydrolysis for the green production of rare baohuoside I. Enzyme and Microbial Technology, 2019, 131, 109431.	3.2	14
16	Harnessing multiplex PCR assay targeting specific mitochondrial DNA elements for simultaneous identification of antelope species in Cornu Saigae Tataricae. Mitochondrial DNA Part B: Resources, 2019, 4, 3222-3226.	0.4	1
17	Green production of diosgenin from <i>Discorea nipponica</i> Makino tubers based on pressurized biphase acid hydrolysis via response surface methodology optimization. Green Chemistry Letters and Reviews, 2019, 12, 79-88.	4.7	12
18	A benzo(f)quinolinium fused chromophore-based fluorescent probe for selective detection of c-myc G-Quadruplex DNA with a red emission and a large Stocks shift. Dyes and Pigments, 2019, 168, 334-340.	3.7	16

#	Article	IF	CITATIONS
19	Potentides: New Cysteineâ€Rich Peptides with Unusual Disulfide Connectivity from Potentilla anserina. ChemBioChem, 2019, 20, 1995-2004.	2.6	10
20	Convenient preparation of sagittatoside B, a rare bioactive secondary flavonol glycoside, by recyclable and integrated biphase enzymatic hydrolysis. Enzyme and Microbial Technology, 2019, 121, 51-58.	3.2	12
21	Integrated extraction and purification of total bioactive flavonoids from <i>Toona sinensis</i> leaves. Natural Product Research, 2019, 33, 3025-3028.	1.8	12
22	Efficient preparation of rare Sagittatoside A from epimedin A, by recyclable aqueous organic two-phase enzymatic hydrolysis. Natural Product Research, 2019, 33, 3095-3102.	1.8	8
23	A novel PCR-based technology for rapid and non-sequencing authentication of Bombyx batryticatus using species-specific primers. Natural Product Research, 2019, 33, 1251-1256.	1.8	7
24	Convenient preparation of 2″-O-rhamnosyl icariside II, a rare secondary flavonol glycoside, by recyclable and integrated biphase enzymatic hydrolysis. Pharmacognosy Magazine, 2019, 15, 147.	0.6	6
25	Rapid identification of medicinal leech by species-specific polymerase chain reaction technology. Pharmacognosy Magazine, 2019, 15, 410.	0.6	5
26	Development of a species-specific polymerase chain reaction-based technology for authentication of asini corii colla and taurus corii colla. Pharmacognosy Magazine, 2019, 15, 607.	0.6	5
27	Nicotine promotes atherosclerosis via ROS-NLRP3-mediated endothelial cell pyroptosis. Cell Death and Disease, 2018, 9, 171.	6.3	371
28	Establishment of a rapid method to quantify eight flavonol glycosides for quality assessment of red toon using UPLC. Acta Chromatographica, 2018, 30, 31-37.	1.3	7
29	Construction of a novel catalysis system for clean and efficient preparation of Baohuoside I from Icariin based on biphase enzymatic hydrolysis. Journal of Cleaner Production, 2018, 170, 727-734.	9.3	12
30	Melatonin prevents endothelial cell pyroptosis via regulation of long noncoding RNA MEG3/miRâ€⊋23/NLRP3 axis. Journal of Pineal Research, 2018, 64, e12449.	7.4	313
31	A novel non-sequencing approach for rapid authentication of Testudinis Carapax et Plastrum and Trionycis Carapax by species-specific primers. Royal Society Open Science, 2018, 5, 172140.	2.4	6
32	Exosomal TRIM3 is a novel marker and therapy target for gastric cancer. Journal of Experimental and Clinical Cancer Research, 2018, 37, 162.	8.6	85
33	Exosomal miRâ€423â€5p targets SUFU to promote cancer growth and metastasis and serves as a novel marker for gastric cancer. Molecular Carcinogenesis, 2018, 57, 1223-1236.	2.7	114
34	An Orally Active Bradykinin B $<$ sub $>$ 1 $<$ /sub $>$ Receptor Antagonist Engineered as a Bifunctional Chimera of Sunflower Trypsin Inhibitor. Journal of Medicinal Chemistry, 2017, 60, 504-510.	6.4	39
35	UBR2 Enriched in p53 Deficient Mouse Bone Marrow Mesenchymal Stem Cell-Exosome Promoted Gastric Cancer Progression via Wnt/ \hat{l}^2 -Catenin Pathway. Stem Cells, 2017, 35, 2267-2279.	3.2	73
36	Desensitizing Mitochondrial Permeability Transition by ERK-Cyclophilin D Axis Contributes to the Neuroprotective Effect of Gallic Acid against Cerebral Ischemia/Reperfusion Injury. Frontiers in Pharmacology, 2017, 8, 184.	3.5	39

#	Article	IF	CITATIONS
37	Comparative proteomic analysis of three gelatinous chinese medicines and their authentications by tryptic-digested peptides profiling using matrix-assisted laser desorption/ionization-time of flight/time of flight mass spectrometry. Pharmacognosy Magazine, 2017, 13, 663.	0.6	10
38	A more ecological and efficient approach for producing diosgenin from Dioscorea zingiberensis tubers via pressurized biphase acid hydrolysis. Journal of Cleaner Production, 2016, 131, 10-19.	9.3	38
39	The anti-hyperglycemic efficacy of a lipid-lowering drug Daming capsule and the underlying signaling mechanisms in a rat model of diabetes mellitus. Scientific Reports, 2016, 6, 34284.	3.3	18
40	The emerging roles of exosomes in tumor–stroma interaction. Journal of Cancer Research and Clinical Oncology, 2016, 142, 1897-1907.	2.5	67
41	miR-155-5p inhibition promotes the transition of bone marrow mesenchymal stem cells to gastric cancer tissue derived MSC-like cells via NF-κB p65 activation. Oncotarget, 2016, 7, 16567-16580.	1.8	60
42	Quantitative analysis and comparison of four major flavonol glycosides in the leaves of Toona sinensis (A. Juss.) roemer (chinese toon) from various origins by high-performance liquid chromatography-diode array detector and hierarchical clustering analysis. Pharmacognosy Magazine, 2016, 12, 270.	0.6	11
43	A novel strategy for the discrimination of gelatinous Chinese medicines based on enzymatic digestion followed by nano-flow liquid chromatography in tandem with orbitrap mass spectrum detection. International Journal of Nanomedicine, 2015, 10, 4947.	6.7	35
44	Comparative Study on Two Antioxidant Flavanol-3-O-α- <i>L</i> - Rhamnosides in the Leaves of <i>Toona sinensis</i> (Chinese Toon) from Different Production Sites by HPLC-UV. Journal of Liquid Chromatography and Related Technologies, 2015, 38, 687-691.	1.0	3
45	Effects of Acupuncture at St36 on Pharmacokinetics of <i>Schisandra</i> lignans in rats. Acupuncture in Medicine, 2015, 33, 223-229.	1.0	3
46	In situ pressurized biphase acid hydrolysis, a promising approach to produce bioactive diosgenin from the tubers of Dioscorea Zingiberensis. Pharmacognosy Magazine, 2015, 11, 636.	0.6	16
47	A novel approach for the efficient extraction of silybin from milk thistle fruits. Pharmacognosy Magazine, 2014, 10, 536.	0.6	6
48	Flavonols and derivatives of gallic acid from young leaves of Toona sinensis (A. Juss.) Roemer and evaluation of their anti-oxidant capacity by chemical methods. Pharmacognosy Magazine, 2014, 10, 185.	0.6	28
49	Neuroprotective effects of gallic acid against hypoxia/reoxygenation-induced mitochondrial dysfunctions in vitro and cerebral ischemia/reperfusion injury in vivo. Brain Research, 2014, 1589, 126-139.	2.2	103
50	Rapid quantitative analysis of diosgenin in the tubers of <i>Dioscorea zingiberensis</i> C.H. Wright by coupling cellulose enzymolysis and two-phase acid hydrolysis in tandem with HPLC-UV. Natural Product Research, 2013, 27, 1933-1935.	1.8	21
51	Validated reversed phase-high performance liquid chromatography-diode array detector method for the quantitation of Rutin, a natural immunostimulant for improving survival in aquaculture practice, in toonea sinensis folium. Pharmacognosy Magazine, 2012, 8, 49.	0.6	19
52	RP-HPLC-DAD DETERMINATION OF SIX TRITERPENES IN A HERBAL TONIC HOELEN. Journal of Liquid Chromatography and Related Technologies, 2011, 34, 1772-1782.	1.0	4
53	Anti-inflammatory and Antioxidant Activities of Oxytropis falcata Fractions and Its Possible Anti-inflammatory Mechanism. Chinese Journal of Natural Medicines, 2010, 8, 285-292.	1.3	5
54	LC Determination of Five Flavonoid Aglycones in the Tibetan Medicinal Plant Oxytropis falcata Bunge. Chromatographia, 2009, 70, 1451-1454.	1.3	2

#	Article	IF	CITATIONS
55	Preliminary studies on anti-tumor activity of 2′,4′-dihydroxychalcone isolated from Herba Oxytropis in human gastric cancer MGC-803 cells. Toxicology in Vitro, 2009, 23, 906-910.	2.4	35
56	Simultaneous determination of six active components in crude and processed Fructus Corni by high performance liquid chromatography. Journal of Pharmaceutical and Biomedical Analysis, 2008, 48, 194-197.	2.8	53