

# Yuriy Rusakov

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8051128/publications.pdf>

Version: 2024-02-01

82  
papers

1,359  
citations

394421

19  
h-index

454955

30  
g-index

87  
all docs

87  
docs citations

87  
times ranked

476  
citing authors

#	ARTICLE	IF	CITATIONS
1	Modern quantum chemical methods for calculating spin–spin coupling constants: theoretical basis and structural applications in chemistry. Russian Chemical Reviews, 2013, 82, 99-130.	6.5	107
2	Structural trends of $^{77}\text{Se}-^1\text{H}$ spin–spin coupling constants and conformational behavior of 2-substituted selenophenes. Magnetic Resonance in Chemistry, 2010, 48, 44-52.	1.9	77
3	Theoretical grounds of relativistic methods for calculation of spin–spin coupling constants in nuclear magnetic resonance spectra. Russian Chemical Reviews, 2016, 85, 356-426.	6.5	63
4	Divinyl selenide: conformational study and stereochemical behavior of its $^{77}\text{Se}-^1\text{H}$ spin–spin coupling constants. Magnetic Resonance in Chemistry, 2008, 46, 979-985.	1.9	43
5	Influence of the Introduction of Short Alkyl Chains in Poly(2-(2-Thienyl)-1 <i>H</i> -pyrrole) on Its Electrochromic Behavior. Macromolecules, 2008, 41, 6886-6894.	4.8	42
6	Conformational analysis and diastereotopic assignments in the series of selenium–containing heterocycles by means of $^{77}\text{Se}-^1\text{H}$ spin–spin coupling constants: a combined theoretical and experimental study. Magnetic Resonance in Chemistry, 2011, 49, 389-398.	1.9	42
7	On the HALA effect in the NMR carbon shielding constants of the compounds containing heavy p-elements. International Journal of Quantum Chemistry, 2016, 116, 1404-1412.	2.0	39
8	Towards the versatile DFT and MP2 computational schemes for $^{31}\text{P}$ NMR chemical shifts taking into account relativistic corrections. Magnetic Resonance in Chemistry, 2014, 52, 699-710.	1.9	38
9	Experimental and computational studies of $^{77}\text{Se}-^1\text{H}$ selenium–proton couplings in selenoglycosides. Magnetic Resonance in Chemistry, 2011, 49, 190-194.	1.9	32
10	Benchmarking SOPPA(CC2) for the calculation of indirect nuclear spin–spin coupling constants: Carbocycles. Chemical Physics, 2011, 381, 35-43.	1.9	31
11	First example of a high-level correlated calculation of the indirect spin–spin coupling constants involving tellurium: tellurophene and divinyl telluride. Physical Chemistry Chemical Physics, 2013, 15, 13101-13107.	2.8	30
12	Stereochemical behavior of $^{77}\text{Se}-^1\text{H}$ spin–spin coupling constants in pyrazolyl-1,3-diselenanes and 1,2-diselenolane. Magnetic Resonance in Chemistry, 2012, 50, 169-173.	1.9	24
13	Resonance assignments of diastereotopic $\text{CH}_2$ protons in the anomeric side chain of selenoglycosides by means of $^{77}\text{Se}-^1\text{H}$ spin–spin coupling constants. Magnetic Resonance in Chemistry, 2012, 50, 488-495.	1.9	22
14	Conformational analysis and stereochemical dependences of $^{31}\text{P}-^1\text{H}$ spin–spin coupling constants of bis(2-phenethyl)vinylphosphine and related phosphine chalcogenides. Magnetic Resonance in Chemistry, 2009, 47, 288-299.	1.9	21
15	Reaction of 2-pyridylselenenyl bromide with divinyl selenide. Chemistry of Heterocyclic Compounds, 2012, 48, 1129-1131.	1.2	21
16	Quantum chemical calculations of $^{77}\text{Se}$ and $^{125}\text{Te}$ nuclear magnetic resonance spectral parameters and their structural applications. Magnetic Resonance in Chemistry, 2021, 59, 359-407.	1.9	21
17	Conformational Analysis of 2-Formylselenophene by Means of $^{13}\text{C}-^1\text{H}$ , $^{13}\text{C}-^{13}\text{C}$ , and $^{77}\text{Se}-^1\text{H}$ Spin-Spin Coupling Constants. Australian Journal of Chemistry, 2009, 62, 734.	0.9	20
18	Open-chain unsaturated selenanyl sulfides: stereochemical structure and stereochemical behavior of their $^{77}\text{Se}-^1\text{H}$ spin–spin coupling constants. Magnetic Resonance in Chemistry, 2012, 50, 653-658.	1.9	20

#	ARTICLE	IF	CITATIONS
19	Trivinylphosphine and trivinylphosphine chalcogenides: stereochemical trends of $^{31}\text{P}$ - $^1\text{H}$ spin-spin coupling constants. <i>Magnetic Resonance in Chemistry</i> , 2010, 48, S48-S55.	1.9	19
20	MP2 calculation of $^{77}\text{Se}$ NMR chemical shifts taking into account relativistic corrections. <i>Magnetic Resonance in Chemistry</i> , 2015, 53, 485-492.	1.9	19
21	Calculation of $^{125}\text{Te}$ NMR Chemical Shifts at the Full Four-Component Relativistic Level with Taking into Account Solvent and Vibrational Corrections: A Gateway to Better Agreement with Experiment. <i>Journal of Physical Chemistry A</i> , 2017, 121, 4793-4803.	2.5	19
22	Nonempirical calculations of NMR indirect spin-spin coupling constants. Part 15: pyrrolylpyridines. <i>Magnetic Resonance in Chemistry</i> , 2006, 44, 692-697.	1.9	18
23	Conformational study of 2-arylazo-1-vinylpyrroles. <i>Magnetic Resonance in Chemistry</i> , 2007, 45, 142-151.	1.9	18
24	Benchmark calculations of $^{29}\text{Si}$ - $^1\text{H}$ spin-spin coupling constants across double bond. <i>Magnetic Resonance in Chemistry</i> , 2012, 50, 278-283.	1.9	18
25	Relativistic effects in the one-bond spin-spin coupling constants involving selenium. <i>Magnetic Resonance in Chemistry</i> , 2014, 52, 500-510.	1.9	18
26	Normal halogen dependence of $^{13}\text{C}$ NMR chemical shifts of halogenomethanes revisited at the four-component relativistic level. <i>Magnetic Resonance in Chemistry</i> , 2016, 54, 787-792.	1.9	18
27	First example of the correlated calculation of the one-bond tellurium-carbon spin-spin coupling constants: Relativistic effects, vibrational corrections, and solvent effects. <i>Journal of Computational Chemistry</i> , 2016, 37, 1367-1372.	3.3	18
28	Hierarchical Basis Sets for the Calculation of Nuclear Magnetic Resonance Spin-Spin Coupling Constants Involving Either Selenium or Tellurium Nuclei. <i>Journal of Physical Chemistry A</i> , 2019, 123, 6564-6571.	2.5	18
29	On the significant relativistic heavy atom effect on $^{13}\text{C}$ NMR chemical shifts of $\alpha^2$ - and $\beta^3$ -carbons in seleno- and telluroketones. <i>Molecular Physics</i> , 2017, 115, 3117-3127.	1.7	17
30	Long-range relativistic heavy atom effect on $^1\text{H}$ NMR chemical shifts of selenium- and tellurium-containing compounds. <i>International Journal of Quantum Chemistry</i> , 2019, 119, e25809.	2.0	17
31	Stereochemical Study of 2-Substituted N-Vinylpyrroles. <i>Australian Journal of Chemistry</i> , 2007, 60, 583.	0.9	16
32	Stereoselective synthesis of E-2-halovinyl tellanes, ditellanes and selenides based on tellurium tetrahalides, selenium dihalides and internal alkynes. <i>Journal of Organometallic Chemistry</i> , 2018, 867, 300-305.	1.8	16
33	Relativistic heavy atom effect on the $^{31}\text{P}$ NMR parameters of phosphine chalcogenides. Part 1. Chemical shifts. <i>Magnetic Resonance in Chemistry</i> , 2018, 56, 1061-1073.	1.9	16
34	Structural trends of $^{29}\text{Si}$ - $^1\text{H}$ spin-spin coupling constants across double bond. <i>Magnetic Resonance in Chemistry</i> , 2012, 50, 665-671.	1.9	15
35	Algebraic-diagrammatic construction polarization propagator approach to indirect nuclear spin-spin coupling constants. <i>Journal of Chemical Physics</i> , 2012, 137, 044119.	3.0	15
36	Stereochemical behavior of $^2J(\text{Se}, \text{H})$ and $^3J(\text{Se}, \text{H})$ spin-spin coupling constants across $\text{sp}^3$ carbons: a theoretical scrutiny. <i>Magnetic Resonance in Chemistry</i> , 2012, 50, 557-562.	1.9	15

#	ARTICLE	IF	CITATIONS
37	Oneâ€bond <sup>29</sup> Siâ€ <sup>1</sup> H spinâ€spin coupling constants in the series of halosilanes: benchmark SOPPA and DFT calculations, relativistic effects, and vibrational corrections. Magnetic Resonance in Chemistry, 2013, 51, 557-561.	1.9	15
38	Full fourâ€component relativistic calculations of the oneâ€bond <sup>77</sup> Seâ€ <sup>13</sup> C spinâ€spin coupling constants in the series of selenium heterocycles and their parent openâ€chain selenides. Magnetic Resonance in Chemistry, 2014, 52, 214-221.	1.9	15
39	Relativistic heavy atom effect on <sup>13</sup> C NMR chemical shifts initiated by adjacent multiple chalcogens. Magnetic Resonance in Chemistry, 2018, 56, 716-726.	1.9	15
40	Relativistic effect of iodine in <sup>13</sup> C NMR chemical shifts of iodomethanes from quantum chemical calculations within the framework of the full four-component relativistic Diracâ€Coulomb scheme. Russian Chemical Bulletin, 2015, 64, 2756-2762.	1.5	14
41	Stereochemical study of the sterically crowded phenylselanylalkenes by means of <sup>77</sup> Seâ€ <sup>1</sup> H spinâ€spin coupling constants. Magnetic Resonance in Chemistry, 2011, 49, 570-574.	1.9	13
42	Fourâ€component relativistic <sup>DFT</sup> calculations of <sup>77</sup> Se <sup>NMR</sup> chemical shifts: A gateway to a reliable computational scheme for the mediumâ€sized organoselenium molecules. Journal of Computational Chemistry, 2015, 36, 1756-1762.	3.3	13
43	Easy <sup>1</sup> - to <sup>2</sup> -migration of an enol moiety on a pyrrole ring. Tetrahedron Letters, 2006, 47, 3645-3648.	1.4	11
44	Facile coupling of 2â€(1â€ethylthioethenyl)pyrroles with amines: A route to 2â€(1â€aminoethenyl)pyrroles and 1â€aminoâ€3â€aminopyrrolizines. Journal of Heterocyclic Chemistry, 2007, 44, 505-513.	2.6	11
45	Relativistic Environmental Effects in <sup>29</sup> Si NMR Chemical Shifts of Halosilanes: Light Nucleus, Heavy Environment. Journal of Physical Chemistry A, 2015, 119, 5778-5789.	2.5	11
46	What Most Affects the Accuracy of <sup>125</sup> Te NMR Chemical Shift Calculations. Journal of Physical Chemistry A, 2020, 124, 6714-6725.	2.5	11
47	An efficient method for generating property-energy consistent basis sets. New pecJ- <i>n</i> ( <i>n</i> =) Tj ETQq1 1 0.784314 rgBT /Ov involving <sup>1</sup> H, <sup>13</sup> C, <sup>15</sup> N, and <sup>19</sup> F nuclei. Physical Chemistry Chemical Physics, 2021, 23, 14925-14939.	2.8	11
48	Nonempirical calculations of the oneâ€bond <sup>29</sup> Siâ€ <sup>13</sup> C spinâ€spin coupling constants taking into account relativistic and solvent corrections. Magnetic Resonance in Chemistry, 2014, 52, 413-421.	1.9	10
49	Stereochemical behavior of geminal and vicinal <sup>77</sup> Seâ€ <sup>13</sup> C spinâ€spin coupling constants studied at the SOPPA(CC2) level taking into account relativistic corrections. Magnetic Resonance in Chemistry, 2015, 53, 93-98.	1.9	10
50	Indirect relativistic bridge and substituent effects from the â€heavyâ€ environment on the oneâ€bond and twoâ€bond <sup>13</sup> Câ€ <sup>1</sup> H spinâ€spin coupling constants. Magnetic Resonance in Chemistry, 2016, 54, 39-45.	1.9	10
51	Calculation of <sup>15</sup> N and <sup>31</sup> P NMR Chemical Shifts of Azoles, Phospholes, and Phosphazoles: A Gateway to Higher Accuracy at Less Computational Cost. Journal of Physical Chemistry A, 2018, 122, 6746-6759.	2.5	10
52	Fluorescence quenching and laser photolysis of dipyrrolylbenzenes in the presence of chloromethanes. Russian Journal of General Chemistry, 2007, 77, 1386-1394.	0.8	9
53	<sup>13</sup> C- <sup>13</sup> C spin-spin coupling constants in structural studies: XL. Conformational analysis of N-vinylpyrroles. Russian Journal of Organic Chemistry, 2007, 43, 880-887.	0.8	9
54	An Effective Method for the Synthesis of 3,5-bis(halomethyl)-1,4-Oxaselenanes and their Derivatives. Chemistry of Heterocyclic Compounds, 2014, 49, 1821-1826.	1.2	9

#	ARTICLE	IF	CITATIONS
55	Geometries and NMR properties of cisplatin and transplatin revisited at the four-component relativistic level. <i>Mendeleev Communications</i> , 2019, 29, 315-317.	1.6	9
56	Correlated <i>ab initio</i> calculations of one-bond $^{31}\text{P}\text{--}^{77}\text{Se}$ and $^{31}\text{P}\text{--}^{125}\text{Te}$ spin-spin coupling constants in a series of $\text{P}\text{--}\text{Se}$ and $\text{P}\text{--}\text{Te}$ systems accounting for relativistic effects (part 2). <i>Magnetic Resonance in Chemistry</i> , 2020, 58, 929-940.	1.9	9
57	Computational $^{199}\text{Hg}$ NMR. <i>Magnetic Resonance in Chemistry</i> , 2022, 60, 929-953.	1.9	9
58	Quantum-chemical calculations of NMR chemical shifts of organic molecules: XII. Calculation of the $^{13}\text{C}$ NMR chemical shifts of fluoromethanes at the DFT level. <i>Russian Journal of Organic Chemistry</i> , 2014, 50, 160-164.	0.8	8
59	Stereochemical Dependences of $^{31}\text{P}\text{--}^{13}\text{C}$ Spin-Spin Coupling Constants of Heterocyclic Phosphines. <i>Journal of Physical Chemistry A</i> , 2019, 123, 6298-6303.	2.5	8
60	On the heavy atom on light atom relativistic effect in the NMR shielding constants of phosphine tellurides. <i>Magnetic Resonance in Chemistry</i> , 2019, 57, 1071-1083.	1.9	8
61	Efficient <i>oriented tin</i> basis sets for the correlated calculations of indirect nuclear spin-spin coupling constants. <i>Magnetic Resonance in Chemistry</i> , 2021, 59, 713-722.	1.9	8
62	$^{13}\text{C}$ - $^{13}\text{C}$ spin-spin coupling constants in structural studies: XLIII. Stereochemical study on functionalized 3-iminopyrrolizines. <i>Russian Journal of Organic Chemistry</i> , 2008, 44, 1338-1344.	0.8	7
63	On the long-range relativistic effects in the $^{15}\text{N}$ NMR chemical shifts of halogenated azines. <i>Magnetic Resonance in Chemistry</i> , 2017, 55, 990-995.	1.9	7
64	Reaction of tellurium tetrachloride with hex-3-yne. <i>Russian Chemical Bulletin</i> , 2015, 64, 2747-2748.	1.5	6
65	Calculations of $^{29}\text{Si}$ NMR shifts of organylsilanes by DFT taking into account solvent effects and relativistic corrections. <i>Russian Chemical Bulletin</i> , 2015, 64, 551-557.	1.5	6
66	Quantum-chemical calculations of NMR chemical shifts of organic molecules: XV. Relativistic calculations of $^{29}\text{Si}$ NMR chemical shifts of silanes. <i>Russian Journal of Organic Chemistry</i> , 2017, 53, 643-651.	0.8	6
67	New <i>pecS-n</i> ( <i>n</i> = 1, 2) basis sets for quantum chemical calculations of the NMR chemical shifts of H, C, N, and O nuclei. <i>Journal of Chemical Physics</i> , 2022, 156, .	3.0	6
68	Theoretical conformational analysis of unsaturated phosphines and phosphinechalcogenides. <i>Russian Journal of Organic Chemistry</i> , 2009, 45, 667-673.	0.8	5
69	Quantum-chemical calculations of NMR chemical shifts of organic molecules: XIV. Solvation effects in calculations of chemical shifts in $^{13}\text{C}$ NMR spectra of chlorine-containing compounds. <i>Russian Journal of Organic Chemistry</i> , 2014, 50, 1082-1086.	0.8	4
70	A New Basis Set for the Calculation of $^{13}\text{C}$ NMR Chemical Shifts within a Non-empirical Correlated Framework. <i>Journal of Physical Chemistry A</i> , 2020, 124, 7322-7330.	2.5	4
71	Synthesis and conformational analysis of furfuryl vinyl ethers. <i>Russian Chemical Bulletin</i> , 2008, 57, 2132-2138.	1.5	3
72	Incomparably easy migration of functionalized enol substituent in pyrrole ring. <i>Russian Journal of Organic Chemistry</i> , 2008, 44, 237-246.	0.8	3

#	ARTICLE	IF	CITATIONS
73	Theoretical conformational analysis of divinyl selenide. Russian Journal of Organic Chemistry, 2008, 44, 1418-1421.	0.8	3
74	Regioselective dehydrobromination reaction of 5-bromo-2-bromomethyl-1,3-thiaselenolane 1,1-dioxide. Russian Chemical Bulletin, 2011, 60, 196-197.	1.5	3
75	Fluorine spin-spin coupling constants of pentafluorobenzene revisited at the ab initio correlated levels. Magnetic Resonance in Chemistry, 2022, , .	1.9	3
76	4-Dimethylaminoacetophenone O-vinylloxime: Synthesis and steric structure. Russian Journal of Organic Chemistry, 2008, 44, 1497-1503.	0.8	2
77	New relativistic computational schemes for <sup>13</sup> C NMR chemical shifts. Russian Journal of Organic Chemistry, 2016, 52, 1203-1204.	0.8	2
78	Relativistic effects of chlorine in <sup>15</sup> N NMR chemical shifts of chlorine-containing amines. Russian Journal of Organic Chemistry, 2017, 53, 1738-1739.	0.8	2
79	Conformational analysis of N-vinyl-2-phenylpyrrole. Chemistry of Heterocyclic Compounds, 2009, 45, 28-34.	1.2	1
80	Dipropadienyl telluride. Russian Chemical Bulletin, 2017, 66, 2343-2344.	1.5	1
81	Two-components ion flow in a low voltage vacuum spark. , 2004, , .		0
82	10.1007/s11178-008-2009-4. , 2010, 44, 237.		0