

Juan Iovanna

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8053444/publications.pdf>

Version: 2024-02-01

408
papers

26,883
citations

12597

71
h-index

9865

146
g-index

431
all docs

431
docs citations

431
times ranked

42870
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701
2	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	4.3	3,122
3	Cannabinoid action induces autophagy-mediated cell death through stimulation of ER stress in human glioma cells. <i>Journal of Clinical Investigation</i> , 2009, 119, 1359-1372.	3.9	585
4	Tumor protein 53-induced nuclear protein 1 expression is repressed by miR-155, and its restoration inhibits pancreatic tumor development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 16170-16175.	3.3	513
5	TAp73 knockout shows genomic instability with infertility and tumor suppressor functions. <i>Genes and Development</i> , 2008, 22, 2677-2691.	2.7	378
6	Strengthened glycolysis under hypoxia supports tumor symbiosis and hexosamine biosynthesis in pancreatic adenocarcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 3919-3924.	3.3	359
7	Stratification of Pancreatic Ductal Adenocarcinomas Based on Tumor and Microenvironment Features. <i>Gastroenterology</i> , 2018, 155, 1999-2013.e3.	0.6	347
8	Cholesterol uptake disruption, in association with chemotherapy, is a promising combined metabolic therapy for pancreatic adenocarcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2473-2478.	3.3	310
9	Cannabinoids Induce Apoptosis of Pancreatic Tumor Cells via Endoplasmic Reticulum Stress-Related Genes. <i>Cancer Research</i> , 2006, 66, 6748-6755.	0.4	302
10	The stress-regulated protein p8 mediates cannabinoid-induced apoptosis of tumor cells. <i>Cancer Cell</i> , 2006, 9, 301-312.	7.7	299
11	Collagen-derived proline promotes pancreatic ductal adenocarcinoma cell survival under nutrient limited conditions. <i>Nature Communications</i> , 2017, 8, 16031.	5.8	299
12	GATA6 regulates EMT and tumour dissemination, and is a marker of response to adjuvant chemotherapy in pancreatic cancer. <i>Gut</i> , 2017, 66, 1665-1676.	6.1	212
13	Molecular cloning, sequencing and expression of the mRNA encoding human Cdx1 and Cdx2 homeobox. Down-regulation of Cdx1 and Cdx2 mRNA expression during colorectal carcinogenesis. <i>International Journal of Cancer</i> , 1997, 74, 35-44.	2.3	201
14	Cloning and Expression of the Rat p8 cDNA, a New Gene Activated in Pancreas during the Acute Phase of Pancreatitis, Pancreatic Development, and Regeneration, and Which Promotes Cellular Growth. <i>Journal of Biological Chemistry</i> , 1997, 272, 32360-32369.	1.6	195
15	DJ-1/PARK7 is an important mediator of hypoxia-induced cellular responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 1111-1116.	3.3	190
16	Role of tumor-infiltrating lymphocytes in patients with solid tumors: Can a drop dig a stone?. <i>Cellular Immunology</i> , 2019, 343, 103753.	1.4	187
17	The Pancreatitis-induced Vacuole Membrane Protein 1 Triggers Autophagy in Mammalian Cells. <i>Journal of Biological Chemistry</i> , 2007, 282, 37124-37133.	1.6	186
18	Distinct epigenetic landscapes underlie the pathobiology of pancreatic cancer subtypes. <i>Nature Communications</i> , 2018, 9, 1978.	5.8	177

#	ARTICLE	IF	CITATIONS
19	Zymophagy, a Novel Selective Autophagy Pathway Mediated by VMP1-USP9x-p62, Prevents Pancreatic Cell Death*. <i>Journal of Biological Chemistry</i> , 2011, 286, 8308-8324.	1.6	174
20	Cancer-associated fibroblast-derived annexin A6+ extracellular vesicles support pancreatic cancer aggressiveness. <i>Journal of Clinical Investigation</i> , 2016, 126, 4140-4156.	3.9	169
21	Expression of the Cdx1 and Cdx2 Homeotic Genes Leads to Reduced Malignancy in Colon Cancer-derived Cells. <i>Journal of Biological Chemistry</i> , 1998, 273, 14030-14036.	1.6	149
22	Pancreatic Adenocarcinoma Therapeutic Targets Revealed by Tumor-Stroma Cross-Talk Analyses in Patient-Derived Xenografts. <i>Cell Reports</i> , 2017, 21, 2458-2470.	2.9	148
23	Reg-2 is a motoneuron neurotrophic factor and a signalling intermediate in the CNTF survival pathway. <i>Nature Cell Biology</i> , 2000, 2, 906-914.	4.6	140
24	TP53INP1s and Homeodomain-interacting Protein Kinase-2 (HIPK2) Are Partners in Regulating p53 Activity. <i>Journal of Biological Chemistry</i> , 2003, 278, 37722-37729.	1.6	140
25	A liver stress-endocrine nexus promotes metabolic integrity during dietary protein dilution. <i>Journal of Clinical Investigation</i> , 2016, 126, 3263-3278.	3.9	138
26	Tumor Protein 53-Induced Nuclear Protein 1 Is a Major Mediator of p53 Antioxidant Function. <i>Cancer Research</i> , 2009, 69, 219-226.	0.4	135
27	Tumor necrosis factor α triggers antiapoptotic mechanisms in rat pancreatic cells through pancreatitis-associated protein I activation. <i>Gastroenterology</i> , 2000, 119, 816-828.	0.6	121
28	Heat shock protein 27 confers resistance to androgen ablation and chemotherapy in prostate cancer cells through eIF4E. <i>Oncogene</i> , 2010, 29, 1883-1896.	2.6	120
29	TP53INP1 is a novel p73 target gene that induces cell cycle arrest and cell death by modulating p73 transcriptional activity. <i>Oncogene</i> , 2005, 24, 8093-8104.	2.6	119
30	The pancreatitis-associated protein is induced by free radicals in AR4-2J cells and confers cell resistance to apoptosis. <i>Gastroenterology</i> , 1998, 114, 808-816.	0.6	116
31	PAMAM Dendrimers Mediate siRNA Delivery to Target Hsp27 and Produce Potent Antiproliferative Effects on Prostate Cancer Cells. <i>ChemMedChem</i> , 2009, 4, 1302-1310.	1.6	116
32	Human pancreatitis-associated protein. Messenger RNA cloning and expression in pancreatic diseases. <i>Journal of Clinical Investigation</i> , 1992, 90, 2284-2291.	3.9	115
33	Vemurafenib Potently Induces Endoplasmic Reticulum Stress-Mediated Apoptosis in BRAFV600E Melanoma Cells. <i>Science Signaling</i> , 2013, 6, ra7.	1.6	114
34	Cdx1 promotes differentiation in a rat intestinal epithelial cell line. <i>Gastroenterology</i> , 1999, 117, 1326-1338.	0.6	113
35	p8 Improves Pancreatic Response to Acute Pancreatitis by Enhancing the Expression of the Anti-inflammatory Protein Pancreatitis-associated Protein I. <i>Journal of Biological Chemistry</i> , 2004, 279, 7199-7207.	1.6	113
36	TAp73 regulates the spindle assembly checkpoint by modulating BubR1 activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 797-802.	3.3	113

#	ARTICLE	IF	CITATIONS
37	Serum levels of pancreatitis-associated protein as indicators of the course of acute pancreatitis. <i>Gastroenterology</i> , 1994, 106, 728-734.	0.6	110
38	Human p8 Is a HMG-I/Y-like Protein with DNA Binding Activity Enhanced by Phosphorylation. <i>Journal of Biological Chemistry</i> , 2001, 276, 2742-2751.	1.6	110
39	Regulation of apoptosis by the p8/prothymosin \hat{A} complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 2671-2676.	3.3	109
40	TP53INP1, a tumor suppressor, interacts with LC3 and ATG8-family proteins through the LC3-interacting region (LIR) and promotes autophagy-dependent cell death. <i>Cell Death and Differentiation</i> , 2012, 19, 1525-1535.	5.0	109
41	The TP53INP2 Protein Is Required for Autophagy in Mammalian Cells. <i>Molecular Biology of the Cell</i> , 2009, 20, 870-881.	0.9	107
42	Genome profiling of pancreatic adenocarcinoma. <i>Genes Chromosomes and Cancer</i> , 2011, 50, 456-465.	1.5	107
43	Pancreatic Ductal Adenocarcinoma: A Strong Imbalance of Good and Bad Immunological Cops in the Tumor Microenvironment. <i>Frontiers in Immunology</i> , 2018, 9, 1044.	2.2	107
44	Nuclear protein 1 promotes pancreatic cancer development and protects cells from stress by inhibiting apoptosis. <i>Journal of Clinical Investigation</i> , 2012, 122, 2092-2103.	3.9	102
45	Inactivation of TIF1 $\hat{3}$ Cooperates with KrasG12D to Induce Cystic Tumors of the Pancreas. <i>PLoS Genetics</i> , 2009, 5, e1000575.	1.5	102
46	Identification of a Drug Targeting an Intrinsically Disordered Protein Involved in Pancreatic Adenocarcinoma. <i>Scientific Reports</i> , 2017, 7, 39732.	1.6	101
47	Secretory pancreatic stone protein messenger RNA. Nucleotide sequence and expression in chronic calcifying pancreatitis.. <i>Journal of Clinical Investigation</i> , 1989, 84, 100-106.	3.9	99
48	Pancreatitis-associated Protein I (PAP I), an Acute Phase Protein Induced by Cytokines. <i>Journal of Biological Chemistry</i> , 1995, 270, 22417-22421.	1.6	95
49	Novel Triazole Ribonucleoside Down-Regulates Heat Shock Protein 27 and Induces Potent Anticancer Activity on Drug-Resistant Pancreatic Cancer. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 6083-6096.	2.9	95
50	Nupr1: The Swissâ€œknife of cancer. <i>Journal of Cellular Physiology</i> , 2011, 226, 1439-1443.	2.0	95
51	Arginine-Terminated Generation 4 PAMAM Dendrimer as an Effective Nanovector for Functional siRNA Delivery in Vitro and in Vivo. <i>Bioconjugate Chemistry</i> , 2014, 25, 521-532.	1.8	95
52	NUPR1, a new target in liver cancer: implication in controlling cell growth, migration, invasion and sorafenib resistance. <i>Cell Death and Disease</i> , 2016, 7, e2269-e2269.	2.7	94
53	Toll-like receptor 2 is critical for induction of Reg3 \hat{A} expression and intestinal clearance of <i>Yersinia pseudotuberculosis</i> . <i>Gut</i> , 2009, 58, 771-776.	6.1	93
54	p8 Is a New Target of Gemcitabine in Pancreatic Cancer Cells. <i>Clinical Cancer Research</i> , 2006, 12, 235-241.	3.2	92

#	ARTICLE	IF	CITATIONS
55	IL17 Functions through the Novel REG3 β -JAK2-STAT3 Inflammatory Pathway to Promote the Transition from Chronic Pancreatitis to Pancreatic Cancer. <i>Cancer Research</i> , 2015, 75, 4852-4862.	0.4	92
56	Prognostic significance of circulating PD-1, PD-L1, pan-BTN3As, BTN3A1 and BTLA in patients with pancreatic adenocarcinoma. <i>Oncolmmunology</i> , 2019, 8, e1561120.	2.1	92
57	Anti-inflammatory effects of pancreatitis associated protein in inflammatory bowel disease. <i>Gut</i> , 2005, 54, 1244-1253.	6.1	91
58	Intestinally Secreted C-Type Lectin Reg3b Attenuates Salmonellosis but Not Listeriosis in Mice. <i>Infection and Immunity</i> , 2012, 80, 1115-1120.	1.0	91
59	Epithelial IL-23R Signaling Licenses Protective IL-22 Responses in Intestinal Inflammation. <i>Cell Reports</i> , 2016, 16, 2208-2218.	2.9	89
60	Probing the human kinome for kinases involved in pancreatic cancer cell survival and gemcitabine resistance. <i>FASEB Journal</i> , 2006, 20, 1982-1991.	0.2	88
61	OGX-427 inhibits tumor progression and enhances gemcitabine chemotherapy in pancreatic cancer. <i>Cell Death and Disease</i> , 2011, 2, e221-e221.	2.7	87
62	Colitis and Colitis-Associated Cancer Are Exacerbated in Mice Deficient for Tumor Protein 53-Induced Nuclear Protein 1. <i>Molecular and Cellular Biology</i> , 2007, 27, 2215-2228.	1.1	85
63	Stress-inducible Protein p8 Is Involved in Several Physiological and Pathological Processes. <i>Journal of Biological Chemistry</i> , 2010, 285, 1577-1581.	1.6	85
64	Cloning and expression of the human p8, a nuclear protein with mitogenic activity. <i>FEBS Journal</i> , 2001, 259, 670-675.	0.2	83
65	LIF Drives Neural Remodeling in Pancreatic Cancer and Offers a New Candidate Biomarker. <i>Cancer Research</i> , 2018, 78, 909-921.	0.4	83
66	Basal-like and classical cells coexist in pancreatic cancer revealed by single-cell analysis on biopsy-derived pancreatic cancer organoids from the classical subtype. <i>FASEB Journal</i> , 2020, 34, 12214-12228.	0.2	83
67	Gemcitabine Induces the VMP1 -Mediated Autophagy Pathway to Promote Apoptotic Death in Human Pancreatic Cancer Cells. <i>Pancreatology</i> , 2010, 10, 19-26.	0.5	82
68	Cloning and Expression of the Rat Vacuole Membrane Protein 1 (VMP1), a New Gene Activated in Pancreas with Acute Pancreatitis, Which Promotes Vacuole Formation. <i>Biochemical and Biophysical Research Communications</i> , 2002, 290, 641-649.	1.0	81
69	p8-deficient fibroblasts grow more rapidly and are more resistant to adriamycin-induced apoptosis. <i>Oncogene</i> , 2002, 21, 1685-1694.	2.6	80
70	Prevalence of Microsatellite Instability in Intraductal Papillary Mucinous Neoplasms of the Pancreas. <i>Gastroenterology</i> , 2018, 154, 1061-1065.	0.6	79
71	Experimental acute pancreatitis in PAP/HIP knock-out mice. <i>Gut</i> , 2007, 56, 1091-1097.	6.1	77
72	p53-dependent expression of the stress-induced protein (SIP). <i>European Journal of Cell Biology</i> , 2002, 81, 294-301.	1.6	76

#	ARTICLE	IF	CITATIONS
73	Targeting intrinsically disordered proteins involved in cancer. Cellular and Molecular Life Sciences, 2020, 77, 1695-1707.	2.4	74
74	Targeting Mitochondrial Complex I Overcomes Chemoresistance in High OXPHOS Pancreatic Cancer. Cell Reports Medicine, 2020, 1, 100143.	3.3	74
75	Disruption of a Novel KrÄ½ppe-like Transcription Factor p300-regulated Pathway for Insulin Biosynthesis Revealed by Studies of the c.-331 INS Mutation Found in Neonatal Diabetes Mellitus. Journal of Biological Chemistry, 2011, 286, 28414-28424.	1.6	72
76	Insights into the epigenetic mechanisms controlling pancreatic carcinogenesis. Cancer Letters, 2013, 328, 212-221.	3.2	72
77	Cloning and Expression of the mRNA of Human Galectin-4, an S-type Lectin Down-Regulated in Colorectal Cancer. FEBS Journal, 1997, 248, 225-230.	0.2	71
78	Pancreatitis-Associated Protein I Suppresses NF-ÎB Activation through a JAK/STAT-Mediated Mechanism in Epithelial Cells. Journal of Immunology, 2006, 176, 3774-3779.	0.4	71
79	TP53INP1 decreases pancreatic cancer cell migration by regulating SPARC expression. Oncogene, 2011, 30, 3049-3061.	2.6	71
80	Loss of Tribbles pseudokinase-3 promotes Akt-driven tumorigenesis via FOXO inactivation. Cell Death and Differentiation, 2015, 22, 131-144.	5.0	70
81	Molecular and Functional Characterization of the Stress-induced Protein (SIP) Gene and Its Two Transcripts Generated by Alternative Splicing. Journal of Biological Chemistry, 2001, 276, 44185-44192.	1.6	69
82	New strategies and designs in pancreatic cancer research: consensus guidelines report from a European expert panel. Annals of Oncology, 2012, 23, 570-576.	0.6	69
83	p8 is critical for tumour development induced by ras V12 mutated protein and E1A oncogene. EMBO Reports, 2002, 3, 165-170.	2.0	68
84	TRB3 links ER stress to autophagy in cannabinoid antitumoral action. Autophagy, 2009, 5, 1048-1049.	4.3	68
85	New Insights Into the Regulation of Î³Î³ T Cells by BTN3A and Other BTN/BTNL in Tumor Immunity. Frontiers in Immunology, 2018, 9, 1601.	2.2	68
86	Ligand-based design identifies a potent NUPR1 inhibitor exerting anticancer activity via necroptosis. Journal of Clinical Investigation, 2019, 129, 2500-2513.	3.9	68
87	Homotypic cell cannibalism, a cellâ€death process regulated by the nuclear protein 1, opposes to metastasis in pancreatic cancer. EMBO Molecular Medicine, 2012, 4, 964-979.	3.3	67
88	Cloning, sequencing and expression of the L5, L21, L27a, L28, S5, S9, S10 and S29 human ribosomal protein mRNAs. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1995, 1262, 64-68.	2.4	66
89	Gene expression profiling of patientâ€derived pancreatic cancer xenografts predicts sensitivity to the <scp>BET</scp> bromodomain inhibitor <scp>JQ</scp> 1: implications for individualized medicine efforts. EMBO Molecular Medicine, 2017, 9, 482-497.	3.3	66
90	The Acute Phase Reaction of the Exocrine Pancreas. Digestion, 1994, 55, 65-72.	1.2	64

#	ARTICLE	IF	CITATIONS
91	Oxidative stress-induced p53 activity is enhanced by a redox-sensitive TP53INP1 SUMOylation. <i>Cell Death and Differentiation</i> , 2014, 21, 1107-1118.	5.0	64
92	Dendrimeric nanosystem consistently circumvents heterogeneous drug response and resistance in pancreatic cancer. <i>Exploration</i> , 2021, 1, 21-34.	5.4	64
93	pap, reg I? andreg I? mRNAs are concomitantly up-regulated during human colorectal carcinogenesis. , 1999, 81, 688-694.		63
94	Nupr1-Aurora Kinase A Pathway Provides Protection against Metabolic Stress-Mediated Autophagic-Associated Cell Death. <i>Clinical Cancer Research</i> , 2012, 18, 5234-5246.	3.2	63
95	Molecular Cloning, Genomic Organization, and Chromosomal Localization of the Human Pancreatitis-Associated Protein (PAP) Gene. <i>Genomics</i> , 1994, 19, 108-114.	1.3	62
96	Masitinib Combined with Standard Gemcitabine Chemotherapy: In Vitro and In Vivo Studies in Human Pancreatic Tumour Cell Lines and Ectopic Mouse Model. <i>PLoS ONE</i> , 2010, 5, e9430.	1.1	62
97	Current Knowledge on Pancreatic Cancer. <i>Frontiers in Oncology</i> , 2012, 2, 6.	1.3	62
98	Lipopolysaccharides Induce p8 mRNA Expression in Vivo and in Vitro. <i>Biochemical and Biophysical Research Communications</i> , 1999, 260, 686-690.	1.0	61
99	The HMG-I/Y-related Protein p8 Binds to p300 and Pax2trans-Activation Domain-interacting Protein to Regulate thetrans-Activation Activity of the Pax2A and Pax2B Transcription Factors on the Glucagon Gene Promoter. <i>Journal of Biological Chemistry</i> , 2002, 277, 22314-22319.	1.6	61
100	Inhibition of Transforming Growth Factor \hat{I}^2 Signaling by Halofuginone as a Modality for Pancreas Fibrosis Prevention. <i>Pancreas</i> , 2009, 38, 427-435.	0.5	61
101	Protein kinase CK2 \hat{I}^{\pm} subunit over-expression correlates with metastatic risk in breast carcinomas: Quantitative immunohistochemistry in tissue microarrays. <i>European Journal of Cancer</i> , 2011, 47, 792-801.	1.3	61
102	Down-expression of tumor protein p53-induced nuclear protein 1 in human gastric cancer. <i>World Journal of Gastroenterology</i> , 2006, 12, 691.	1.4	60
103	Emerging epigenomic landscapes of pancreatic cancer in the era of precision medicine. <i>Nature Communications</i> , 2019, 10, 3875.	5.8	59
104	Self-assembling supramolecular dendrimer nanosystem for PET imaging of tumors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 11454-11459.	3.3	58
105	Establishment of a pancreatic adenocarcinoma molecular gradient (PAMG) that predicts the clinical outcome of pancreatic cancer. <i>EBioMedicine</i> , 2020, 57, 102858.	2.7	57
106	Lipopolysaccharide directly affects pancreatic acinar cells: implications on acute pancreatitis pathophysiology. <i>Digestive Diseases and Sciences</i> , 2000, 45, 915-926.	1.1	56
107	Discovery of Novel Arylethynyltriazole Ribonucleosides with Selective and Effective Antiviral and Antiproliferative Activity. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 1144-1155.	2.9	56
108	Targeting heat shock factor 1 with a triazole nucleoside analog to elicit potent anticancer activity on drug-resistant pancreatic cancer. <i>Cancer Letters</i> , 2012, 318, 145-153.	3.2	56

#	ARTICLE	IF	CITATIONS
109	Epithelial-to-Mesenchymal Transition in Pancreatic Adenocarcinoma. <i>Scientific World Journal</i> , The, 2010, 10, 1947-1957.	0.8	55
110	A dietary flavone confers communicable protection against colitis through NLRP6 signaling independently of inflammasome activation. <i>Mucosal Immunology</i> , 2018, 11, 811-819.	2.7	55
111	Baseline plasma levels of soluble PD-1, PD-L1, and BTN3A1 predict response to nivolumab treatment in patients with metastatic renal cell carcinoma: a step toward a biomarker for therapeutic decisions. <i>Oncolmmunology</i> , 2020, 9, 1832348.	2.1	55
112	Induction of Lithostathine/regmRNA Expression by Serum from Rats with Acute Pancreatitis and Cytokines in Pancreatic Acinar AR-42J Cells. <i>Archives of Biochemistry and Biophysics</i> , 1996, 330, 129-132.	1.4	54
113	Gene expression profiling by DNA microarray analysis in mouse embryonic fibroblasts transformed by rasV12 mutated protein and the E1A oncogene. <i>Molecular Cancer</i> , 2003, 2, 19.	7.9	54
114	Deficiency of the Transcriptional Regulator p8 Results in Increased Autophagy and Apoptosis, and Causes Impaired Heart Function. <i>Molecular Biology of the Cell</i> , 2010, 21, 1335-1349.	0.9	53
115	Pancreatitis-associated protein: From a lectin to an anti-inflammatory cytokine. <i>World Journal of Gastroenterology</i> , 2007, 13, 170.	1.4	52
116	Hypoxia Induced Tumor Metabolic Switch Contributes to Pancreatic Cancer Aggressiveness. <i>Cancers</i> , 2010, 2, 2138-2152.	1.7	52
117	Pancreatic Cancerâ€nduced Cachexia Is Jak2â€ndependent in Mice. <i>Journal of Cellular Physiology</i> , 2014, 229, 1437-1443.	2.0	52
118	Stromal SLIT2 impacts on pancreatic cancer-associated neural remodeling. <i>Cell Death and Disease</i> , 2015, 6, e1592-e1592.	2.7	52
119	Identification of a second rat pancreatitis-associated protein. Messenger RNA cloning, gene structure, and expression during acute pancreatitis. <i>Biochemistry</i> , 1993, 32, 9236-9241.	1.2	51
120	Expression of the stress-induced p8 mRNA is transiently activated after culture medium change. <i>European Journal of Cell Biology</i> , 2001, 80, 720-725.	1.6	51
121	Inactivation of stress protein p8 increases murine carbon tetrachloride hepatotoxicity via preserved CYP2E1 activity. <i>Hepatology</i> , 2005, 42, 176-182.	3.6	51
122	Reg3 ^{Î²} Deficiency Impairs Pancreatic Tumor Growth by Skewing Macrophage Polarization. <i>Cancer Research</i> , 2013, 73, 5682-5694.	0.4	51
123	IL-22-induced antimicrobial peptides are key determinants of mucosal vaccine-induced protection against <i>H. pylori</i> in mice. <i>Mucosal Immunology</i> , 2017, 10, 271-281.	2.7	50
124	Cdx1 promotes cellular growth of epithelial intestinal cells through induction of the secretory protein PAP I. <i>European Journal of Cell Biology</i> , 2001, 80, 156-163.	1.6	48
125	The multifunctional family of secreted proteins containing a C-type lectin-like domain linked to a short N-terminal peptide. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2005, 1723, 8-18.	1.1	48
126	A novel mammalian trans-membrane protein reveals an alternative initiation pathway for autophagy. <i>Autophagy</i> , 2008, 4, 388-390.	4.3	48

#	ARTICLE	IF	CITATIONS
127	ArgBP2-Dependent Signaling Regulates Pancreatic Cell Migration, Adhesion, and Tumorigenicity. <i>Cancer Research</i> , 2008, 68, 4588-4596.	0.4	48
128	p8 inhibits the growth of human pancreatic cancer cells and its expression is induced through pathways involved in growth inhibition and repressed by factors promoting cell growth. <i>Molecular Cancer</i> , 2003, 2, 37.	7.9	47
129	Sequence-specific Recruitment of Heterochromatin Protein 1 via Interaction with KrÄ4ppel-like Factor 11, a Human Transcription Factor Involved in Tumor Suppression and Metabolic Diseases. <i>Journal of Biological Chemistry</i> , 2012, 287, 13026-13039.	1.6	47
130	BTN3A is a prognosis marker and a promising target for VÎ³9VÎ²2 T cells based-immunotherapy in pancreatic ductal adenocarcinoma (PDAC). <i>Oncoimmunology</i> , 2018, 7, e1372080.	2.1	47
131	Transforming growth factor Î²-1 enhances Smad transcriptional activity through activation of p8 gene expression. <i>Biochemical Journal</i> , 2001, 357, 249-253.	1.7	46
132	p8/nupr1 regulates DNAâ€repair activity after doubleâ€strand gamma irradiationâ€induced DNA damage. <i>Journal of Cellular Physiology</i> , 2009, 221, 594-602.	2.0	46
133	Transcriptomic Analysis Predicts Survival and Sensitivity to Anticancer Drugs of Patients with a Pancreatic Adenocarcinoma. <i>American Journal of Pathology</i> , 2015, 185, 1022-1032.	1.9	46
134	Pancreatic Cancer Heterogeneity Can Be Explained Beyond the Genome. <i>Frontiers in Oncology</i> , 2019, 9, 246.	1.3	46
135	Early molecular and functional changes in colonic epithelium that precede increased gut permeability during colitis development in mdr1a(âˆ™/âˆ™) mice. <i>Inflammatory Bowel Diseases</i> , 2008, 14, 620-631.	0.9	45
136	Stratification and therapeutic potential of PML in metastatic breast cancer. <i>Nature Communications</i> , 2016, 7, 12595.	5.8	45
137	The pancreatitis associated protein III (PAP III), a new member of the PAP gene family. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1993, 1216, 329-331.	2.4	44
138	Consequences of DJ-1 upregulation following p53 loss and cell transformation. <i>Oncogene</i> , 2012, 31, 664-670.	2.6	44
139	Germline copy number variation in the <i>YTHDC2</i> gene: does it have a role in finding a novel potential molecular target involved in pancreatic adenocarcinoma susceptibility?. <i>Expert Opinion on Therapeutic Targets</i> , 2014, 18, 841-850.	1.5	44
140	Inactivation of NUPR1 promotes cell death by coupling ER-stress responses with necrosis. <i>Scientific Reports</i> , 2018, 8, 16999.	1.6	44
141	Genetic inactivation of the pancreatitis-inducible gene Nupr1 impairs PanIN formation by modulating KrasG12D-induced senescence. <i>Cell Death and Differentiation</i> , 2014, 21, 1633-1641.	5.0	43
142	Pancreatic cancer chemo-resistance is driven by tumor phenotype rather than tumor genotype. <i>Heliyon</i> , 2018, 4, e01055.	1.4	43
143	Homeobox gene Cdx1 regulates Ras, Rho and PI3 kinase pathways leading to transformation and tumorigenesis of intestinal epithelial cells. <i>Oncogene</i> , 2001, 20, 4180-4187.	2.6	42
144	Mice with targeted disruption of p8gene show increased sensitivity to lipopolysaccharide and DNA microarray analysis of livers reveals an aberrant gene expression response. <i>BMC Gastroenterology</i> , 2003, 3, 25.	0.8	42

#	ARTICLE	IF	CITATIONS
145	VAV2 regulates epidermal growth factor receptor endocytosis and degradation. <i>Oncogene</i> , 2010, 29, 2528-2539.	2.6	42
146	p8 Expression controls pancreatic cancer cell migration, invasion, adhesion, and tumorigenesis. <i>Journal of Cellular Physiology</i> , 2011, 226, 3442-3451.	2.0	42
147	Pancreatic tumor cell metabolism: Focus on glycolysis and its connected metabolic pathways. <i>Archives of Biochemistry and Biophysics</i> , 2014, 545, 69-73.	1.4	42
148	Immunocytochemical localization of pancreatitis-associated protein in human small intestine. <i>Digestive Diseases and Sciences</i> , 1995, 40, 519-524.	1.1	41
149	Identification of multi- SH3 domain-containing protein interactome in pancreatic cancer: A yeast two-hybrid approach. <i>Proteomics</i> , 2008, 8, 3071-3081.	1.3	41
150	Tie1 deficiency induces endothelial-mesenchymal transition. <i>EMBO Reports</i> , 2012, 13, 431-439.	2.0	41
151	A Lymphocyte MicroRNA Signature as Predictive Biomarker of Immunotherapy Response and Plasma PD-1/PD-L1 Expression Levels in Patients with Metastatic Renal Cell Carcinoma: Pointing towards Epigenetic Reprogramming. <i>Cancers</i> , 2020, 12, 3396.	1.7	41
152	Expression of Genes Associated with Dedifferentiation and Cell Proliferation During Pancreatic Regeneration Following Acute Pancreatitis. <i>Pancreas</i> , 1992, 7, 712-718.	0.5	40
153	Targeting heat shock response pathways to treat pancreatic cancer. <i>Drug Discovery Today</i> , 2012, 17, 35-43.	3.2	40
154	Nidogen 1 and Nuclear Protein 1: novel targets of ETV5 transcription factor involved in endometrial cancer invasion. <i>Clinical and Experimental Metastasis</i> , 2015, 32, 467-478.	1.7	40
155	The promise of epigenomic therapeutics in pancreatic cancer. <i>Epigenomics</i> , 2016, 8, 831-842.	1.0	40
156	Structural and functional characterization of the mouse p8 gene: promotion of transcription by the CAAT-enhancer binding protein 1 (C/EBP 1) and C/EBP 2 trans-acting factors involves a C/EBP cis-acting element and other regions of the promoter. <i>Biochemical Journal</i> , 1999, 343, 377-383.	1.7	39
157	Novel combination of Celecoxib and proteasome inhibitor MG132 provides synergistic antiproliferative and proapoptotic effects in human liver tumor cells. <i>Cell Cycle</i> , 2010, 9, 1399-1410.	1.3	39
158	α -Lipoic Acid Protects Against Ischemia-Reperfusion Injury in Simultaneous Kidney-Pancreas Transplantation. <i>Transplantation</i> , 2016, 100, 908-915.	0.5	39
159	Intrinsically disordered chromatin protein NUPR1 binds to the C-terminal region of Polycomb RING1B. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E6332-E6341.	3.3	39
160	Overexpression of pancreatitis-associated protein (PAP) in human pancreatic ductal adenocarcinoma. <i>Digestive Diseases and Sciences</i> , 2003, 48, 459-464.	1.1	38
161	Defects in mitophagy promote redox-driven metabolic syndrome in the absence of TP 1 . <i>EMBO Molecular Medicine</i> , 2015, 7, 802-818.	3.3	38
162	TAp73 loss favors Smad-independent TGF- β signaling that drives EMT in pancreatic ductal adenocarcinoma. <i>Cell Death and Differentiation</i> , 2016, 23, 1358-1370.	5.0	38

#	ARTICLE	IF	CITATIONS
163	VMP1 expression correlates with acinar cell cytoplasmic vacuolization in arginine-induced acute pancreatitis. <i>Pancreatology</i> , 2003, 3, 69-74.	0.5	37
164	Detailed Structural-Functional Analysis of the KrÄppel-like Factor 16 (KLF16) Transcription Factor Reveals Novel Mechanisms for Silencing Sp/KLF Sites Involved in Metabolism and Endocrinology. <i>Journal of Biological Chemistry</i> , 2012, 287, 7010-7025.	1.6	37
165	FGFR3 has tumor suppressor properties in cells with epithelial phenotype. <i>Molecular Cancer</i> , 2013, 12, 83.	7.9	37
166	KrÄppel-like Factor 11 Differentially Couples to Histone Acetyltransferase and Histone Methyltransferase Chromatin Remodeling Pathways to Transcriptionally Regulate Dopamine D2 Receptor in Neuronal Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 12723-12735.	1.6	36
167	Nitric Oxide Supplementation Ameliorates Dextran Sulfate Sodium-Induced Colitis in Mice. <i>Laboratory Investigation</i> , 2002, 82, 597-608.	1.7	35
168	A Review of Kinases Implicated in Pancreatic Cancer. <i>Pancreatology</i> , 2009, 9, 738-754.	0.5	35
169	Triple negative breast carcinoma EGFR amplification is not associated with EGFR, Kras or ALK mutations. <i>British Journal of Cancer</i> , 2014, 110, 1045-1052.	2.9	35
170	Transforming growth factor Î²-1 enhances Smad transcriptional activity through activation of p8 gene expression. <i>Biochemical Journal</i> , 2001, 357, 249.	1.7	34
171	Lithostathine, an Inhibitor of CaCO ₃ Crystal Growth in Pancreatic Juice, Induces Bacterial Aggregation. <i>Pancreas</i> , 1993, 8, 597-601.	0.5	33
172	Clusterin overexpression in rat pancreas during the acute phase of pancreatitis and pancreatic development. <i>FEBS Journal</i> , 1998, 254, 282-289.	0.2	33
173	Cell growth-dependent subcellular localization of p8. <i>Journal of Cellular Biochemistry</i> , 2006, 97, 1066-1079.	1.2	33
174	Deciphering the Binding between Nupr1 and MSL1 and Their DNA-Repairing Activity. <i>PLoS ONE</i> , 2013, 8, e78101.	1.1	33
175	NUPR1 inhibitor ZZW-115 induces ferroptosis in a mitochondria-dependent manner. <i>Cell Death Discovery</i> , 2021, 7, 269.	2.0	33
176	Acute-phase response of the rat pancreas protects against further aggression with severe necrotizing pancreatitis. <i>Critical Care Medicine</i> , 1998, 26, 887-894.	0.4	33
177	Redifferentiation and apoptosis of pancreatic cells during acute pancreatitis. <i>International Journal of Gastrointestinal Cancer</i> , 1996, 20, 77-84.	0.4	32
178	Genetic inactivation of <i>Nupr1</i> acts as a dominant suppressor event in a two-hit model of pancreatic carcinogenesis. <i>Gut</i> , 2014, 63, 984-995.	6.1	32
179	Determinants of the pKa values of ionizable residues in an intrinsically disordered protein. <i>Archives of Biochemistry and Biophysics</i> , 2016, 598, 18-27.	1.4	32
180	IER3 supports KRASG12D-dependent pancreatic cancer development by sustaining ERK1/2 phosphorylation. <i>Journal of Clinical Investigation</i> , 2014, 124, 4709-4722.	3.9	32

#	ARTICLE	IF	CITATIONS
181	Expression Profiling in Pancreas during the Acute Phase of Pancreatitis Using cDNA Microarrays. <i>Biochemical and Biophysical Research Communications</i> , 2000, 277, 660-667.	1.0	31
182	Expression and cellular localization of p8 protein in thyroid neoplasms. <i>Cancer Letters</i> , 2003, 201, 237-244.	3.2	31
183	Krüppel-like Factor 11 Regulates the Expression of Metabolic Genes via an Evolutionarily Conserved Protein Interaction Domain Functionally Disrupted in Maturity Onset Diabetes of the Young. <i>Journal of Biological Chemistry</i> , 2013, 288, 17745-17758.	1.6	31
184	Further Characterization of HDAC and SIRT Gene Expression Patterns in Pancreatic Cancer and Their Relation to Disease Outcome. <i>PLoS ONE</i> , 2014, 9, e108520.	1.1	31
185	Speeding towards individualized treatment for pancreatic cancer by taking an alternative road. <i>Cancer Letters</i> , 2017, 410, 63-67.	3.2	31
186	Pancreatic Cancer Organoids for Determining Sensitivity to Bromodomain and Extra-Terminal Inhibitors (BETi). <i>Frontiers in Oncology</i> , 2019, 9, 475.	1.3	31
187	Dissecting the Anticancer Mechanism of Trifluoperazine on Pancreatic Ductal Adenocarcinoma. <i>Cancers</i> , 2019, 11, 1869.	1.7	31
188	TNF- α induces endothelial-mesenchymal transition promoting stromal development of pancreatic adenocarcinoma. <i>Cell Death and Disease</i> , 2021, 12, 649.	2.7	31
189	The WSB1 Gene Is Involved in Pancreatic Cancer Progression. <i>PLoS ONE</i> , 2008, 3, e2475.	1.1	31
190	Decreased metalloprotease 9 induction, cardiac fibrosis, and higher autophagy after pressure overload in mice lacking the transcriptional regulator p8. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 301, C1046-C1056.	2.1	30
191	Can the plasma PD-1 levels predict the presence and efficiency of tumor-infiltrating lymphocytes in patients with metastatic melanoma?. <i>Therapeutic Advances in Medical Oncology</i> , 2019, 11, 175883591984887.	1.4	30
192	Decreased expression of tumor protein p53-induced nuclear protein 1 (TP53INP1) in breast carcinoma. <i>Anticancer Research</i> , 2006, 26, 4391-5.	0.5	30
193	Changes in Gene Expression During Pancreatic Regeneration. <i>Pancreas</i> , 1991, 6, 150-156.	0.5	29
194	Rat Pancreatitis-Associated Protein Is Expressed in Relation to Severity of Experimental Pancreatitis. <i>Pancreas</i> , 1994, 9, 606-612.	0.5	29
195	Downregulation of IGF-I mRNA expression during postnatal pancreatic development and overexpression after subtotal pancreatectomy and acute pancreatitis in the rat pancreas. <i>Journal of Molecular Endocrinology</i> , 1997, 18, 233-242.	1.1	29
196	The pancreatitis-associated protein induces lung inflammation in the rat through activation of TNF- α expression in hepatocytes. <i>Journal of Pathology</i> , 2003, 199, 398-408.	2.1	29
197	Cdx1 homeobox gene during human colon cancer progression. <i>Oncogene</i> , 2003, 22, 7913-7921.	2.6	29
198	Absence of Tumor Suppressor Tumor Protein 53-Induced Nuclear Protein 1 (TP53INP1) Sensitizes Mouse Thymocytes and Embryonic Fibroblasts to Redox-Driven Apoptosis. <i>Antioxidants and Redox Signaling</i> , 2011, 15, 1639-1653.	2.5	29

#	ARTICLE	IF	CITATIONS
199	The human <i>NUPR1/p8</i> gene is transcriptionally activated by transforming growth factor β^2 via the SMAD signalling pathway. <i>Biochemical Journal</i> , 2012, 445, 285-293.	1.7	29
200	Pivotal Role of the Chromatin Protein Nupr1 in Kras-Induced Senescence and Transformation. <i>Scientific Reports</i> , 2015, 5, 17549.	1.6	29
201	Interleukin-22-deficiency and microbiota contribute to the exacerbation of <i>Toxoplasma gondii</i> -induced intestinal inflammation. <i>Mucosal Immunology</i> , 2018, 11, 1181-1190.	2.7	29
202	The Pancreatitis-associated Protein I Promoter Allows Targeting to the Pancreas of a Foreign Gene, Whose Expression Is Up-regulated during Pancreatic Inflammation. <i>Journal of Biological Chemistry</i> , 1997, 272, 5800-5804.	1.6	28
203	Pancreatic Acinar Cells Submitted to Stress Activate TNF- β Gene Expression. <i>Biochemical and Biophysical Research Communications</i> , 2000, 268, 485-490.	1.0	28
204	Targeting the Stress-Induced Protein NUPR1 to Treat Pancreatic Adenocarcinoma. <i>Cells</i> , 2019, 8, 1453.	1.8	28
205	A pancreatic ductal adenocarcinoma subpopulation is sensitive to FK866, an inhibitor of NAMPT. <i>Oncotarget</i> , 2016, 7, 53783-53796.	0.8	28
206	Deciphering the cellular source of tumor relapse identifies CD44 as a major therapeutic target in pancreatic adenocarcinoma. <i>Oncotarget</i> , 2015, 6, 7408-7423.	0.8	28
207	Autophagy and VMP1 Expression Are Early Cellular Events in Experimental Diabetes. <i>Pancreatology</i> , 2009, 9, 81-88.	0.5	27
208	Functional characterization of EZH2 β reveals the increased complexity of EZH2 isoforms involved in the regulation of mammalian gene expression. <i>Epigenetics and Chromatin</i> , 2013, 6, 3.	1.8	27
209	Soluble forms of PD-L1 and PD-1 as prognostic and predictive markers of sunitinib efficacy in patients with metastatic clear cell renal cell carcinoma. <i>Oncolmmunology</i> , 2020, 9, 1846901.	2.1	27
210	The homeobox gene Cdx1 belongs to the p53-Bcl-2 network in intestinal epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2002, 297, 607-615.	1.0	26
211	Interaction of the stress protein p8 with Jab1 is required for Jab1-dependent p27 nuclear-to-cytoplasm translocation. <i>Biochemical and Biophysical Research Communications</i> , 2006, 339, 284-289.	1.0	26
212	TAp73 is required for macrophage-mediated innate immunity and the resolution of inflammatory responses. <i>Cell Death and Differentiation</i> , 2013, 20, 293-301.	5.0	26
213	Identification of New Mechanisms of Cellular Response to Chemotherapy by Tracking Changes in Post-Translational Modifications by Ubiquitin and Ubiquitin-Like Proteins. <i>Journal of Proteome Research</i> , 2014, 13, 2478-2494.	1.8	26
214	The reg4 Gene, Amplified in the Early Stages of Pancreatic Cancer Development, Is a Promising Therapeutic Target. <i>PLoS ONE</i> , 2009, 4, e7495.	1.1	26
215	Heterogeneity of metastatic pancreatic adenocarcinoma: Lung metastasis show better prognosis than liver metastasis—a case control study. <i>Oncotarget</i> , 2016, 7, 45649-45655.	0.8	26
216	Expression of p8 protein in breast carcinoma; an inverse relationship with apoptosis. <i>Anticancer Research</i> , 2005, 25, 833-7.	0.5	26

#	ARTICLE	IF	CITATIONS
217	Localized Necrohemorrhagic Pancreatitis in the Rat after Pancreatic Interstitial Trypsin Injection. <i>Digestion</i> , 1986, 34, 68-77.	1.2	25
218	N-Aryltriazole ribonucleosides with potent antiproliferative activity against drug-resistant pancreatic cancer. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 2503-2507.	1.0	25
219	Effect of reactive oxygen and carbonyl species on crucial cellular antioxidant enzymes. <i>Chemico-Biological Interactions</i> , 2011, 190, 28-34.	1.7	25
220	A Novel Bitriazolyl Acyclonucleoside Endowed with Dual Antiproliferative and Immunomodulatory Activity. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 5642-5646.	2.9	25
221	The pancreatitis-associated protein VMP1, a key regulator of inducible autophagy, promotes KrasG12D-mediated pancreatic cancer initiation. <i>Cell Death and Disease</i> , 2016, 7, e2295-e2295.	2.7	25
222	NUPR1: A Critical Regulator of the Antioxidant System. <i>Cancers</i> , 2021, 13, 3670.	1.7	25
223	A novel arylethynyltriazole acyclonucleoside inhibits proliferation of drug-resistant pancreatic cancer cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 5979-5983.	1.0	24
224	Autophagy in Pancreatic Cancer. <i>International Journal of Cell Biology</i> , 2012, 2012, 1-7.	1.0	24
225	REG3 β modifies cell tumor function by impairing extracellular vesicle uptake. <i>Scientific Reports</i> , 2017, 7, 3143.	1.6	24
226	ZZW-115 α dependent inhibition of NUPR1 nuclear translocation sensitizes cancer cells to genotoxic agents. <i>JCI Insight</i> , 2020, 5, .	2.3	24
227	Peroxisome proliferator-activated receptor β agonist reduces the severity of post-ERCP pancreatitis in rats. <i>World Journal of Gastroenterology</i> , 2006, 12, 6458.	1.4	24
228	Ketogenic HMG CoA lyase and its product β -hydroxybutyrate promote pancreatic cancer progression. <i>EMBO Journal</i> , 2022, 41, e110466.	3.5	24
229	Prognostic Role of Plasma PD-1, PD-L1, pan-BTN3As and BTN3A1 in Patients Affected by Metastatic Gastrointestinal Stromal Tumors: Can Immune Checkpoints Act as a Sentinel for Short-Term Survival?. <i>Cancers</i> , 2021, 13, 2118.	1.7	23
230	Pancreatic changes in TNBS-induced colitis in mice. <i>Gastroenterologie Clinique Et Biologique</i> , 2003, 27, 895-900.	0.9	23
231	Pancreatitis-Associated Protein Is Upregulated in Mouse Pancreas during Acute Pancreatitis. <i>Digestion</i> , 1998, 59, 186-191.	1.2	22
232	The Stress Response of the Exocrine Pancreas. <i>Digestive Diseases</i> , 2004, 22, 239-246.	0.8	22
233	Combined inhibition of PAK7, MAP3K7 and CK2 β kinases inhibits the growth of MiaPaCa2 pancreatic cancer cell xenografts. <i>Cancer Gene Therapy</i> , 2009, 16, 731-740.	2.2	22
234	An Efficient Mixed β -Ligand Pd Catalytic System to Promote C C Coupling for the Synthesis of β -Arylamino-triazole Nucleosides. <i>Chemistry - A European Journal</i> , 2012, 18, 2221-2225.	1.7	22

#	ARTICLE	IF	CITATIONS
235	NUPR1 works against the metabolic stress-induced autophagy-associated cell death in pancreatic cancer cells. <i>Autophagy</i> , 2013, 9, 95-97.	4.3	22
236	Amphipathic helical peptides hamper protein-protein interactions of the intrinsically disordered chromatin nuclear protein 1 (NUPR1). <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2018, 1862, 1283-1295.	1.1	22
237	Combating pancreatic cancer chemoresistance by triggering multiple cell death pathways. <i>Pancreatology</i> , 2021, 21, 522-529.	0.5	22
238	Human Endogenous Retrovirus (HERV)-K env Gene Knockout Affects Tumorigenic Characteristics of nupr1 Gene in DLD-1 Colorectal Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3941.	1.8	22
239	A glycosyltransferase gene signature to detect pancreatic ductal adenocarcinoma patients with poor prognosis. <i>EBioMedicine</i> , 2021, 71, 103541.	2.7	22
240	Increased serum pancreatitis associated protein (PAP) concentration after longterm alcohol consumption: further evidence for regular subclinical pancreatic damage after heavy drinking?. <i>Gut</i> , 1995, 36, 117-120.	6.1	21
241	Upregulation of the stress-associated gene p8 in mouse models of demyelination and in multiple sclerosis tissues. <i>Glia</i> , 2006, 53, 529-537.	2.5	21
242	CIP4 is a new ArgBP2 interacting protein that modulates the ArgBP2 mediated control of WAVE1 phosphorylation and cancer cell migration. <i>Cancer Letters</i> , 2010, 288, 116-123.	3.2	21
243	E2F signature is predictive for the pancreatic adenocarcinoma clinical outcome and sensitivity to E2F inhibitors, but not for the response to cytotoxic-based treatments. <i>Scientific Reports</i> , 2018, 8, 8330.	1.6	21
244	Targeting NUPR1 with the small compound ZZW-115 is an efficient strategy to treat hepatocellular carcinoma. <i>Cancer Letters</i> , 2020, 486, 8-17.	3.2	21
245	Targeting CD44 as a novel therapeutic approach for treating pancreatic cancer recurrence. <i>Oncoscience</i> , 2015, 2, 572-575.	0.9	21
246	A subgroup of pancreatic adenocarcinoma is sensitive to the 5-aza-dC DNA methyltransferase inhibitor. <i>Oncotarget</i> , 2015, 6, 746-754.	0.8	21
247	CIN85 regulates the ability of MEKK4 to activate the p38 MAP kinase pathway. <i>Biochemical and Biophysical Research Communications</i> , 2005, 338, 808-814.	1.0	20
248	Loss of the Protein NUPR1 (p8) Leads to Delayed LHB Expression, Delayed Ovarian Maturation, and Testicular Development of a Sertoli-Cell-Only Syndrome-Like Phenotype in Mice1. <i>Biology of Reproduction</i> , 2008, 79, 598-607.	1.2	20
249	Cu ²⁺ -Mediated Selective N ⁶ -Arylation of Aminotriazole Acyclonucleosides. <i>Helvetica Chimica Acta</i> , 2009, 92, 1503-1513.	1.0	20
250	Validation of an immunohistochemical signature predictive of 8-year outcome for patients with breast carcinoma. <i>International Journal of Cancer</i> , 2012, 131, E236-43.	2.3	20
251	Nupr1 deletion protects against glucose intolerance by increasing beta cell mass. <i>Diabetologia</i> , 2013, 56, 2477-2486.	2.9	20
252	A Mycobacterium tuberculosis Dormancy Antigen Differentiates Latently Infected Bacillus Calmette-Guérin-vaccinated Individuals. <i>EBioMedicine</i> , 2015, 2, 884-890.	2.7	20

#	ARTICLE	IF	CITATIONS
253	PAP/REG3A favors perineural invasion in pancreatic adenocarcinoma and serves as a prognostic marker. <i>Cellular and Molecular Life Sciences</i> , 2017, 74, 4231-4243.	2.4	20
254	Cadherin-1 and cadherin-3 cooperation determines the aggressiveness of pancreatic ductal adenocarcinoma. <i>British Journal of Cancer</i> , 2018, 118, 546-557.	2.9	20
255	Evidencing a Pancreatic Ductal Adenocarcinoma Subpopulation Sensitive to the Proteasome Inhibitor Carfilzomib. <i>Clinical Cancer Research</i> , 2020, 26, 5506-5519.	3.2	20
256	Metabolomic profiling of pancreatic adenocarcinoma reveals key features driving clinical outcome and drug resistance. <i>EBioMedicine</i> , 2021, 66, 103332.	2.7	20
257	Effect of Camostat Mesilate on the Expression of Pancreatitis-Associated Protein (PAP), p8, and Cytokines in Rat Spontaneous Chronic Pancreatitis. <i>Pancreas</i> , 2001, 23, 134-140.	0.5	19
258	Gene expression profiling of tumours derived from rasV12/E1A-transformed mouse embryonic fibroblasts to identify genes required for tumour development. <i>Molecular Cancer</i> , 2005, 4, 4.	7.9	19
259	TP53INP1 overexpression in prostate cancer correlates with poor prognostic factors and is predictive of biological cancer relapse. <i>Prostate</i> , 2012, 72, 117-128.	1.2	19
260	Functional impact of Aurora A-mediated phosphorylation of HP1 ^β at serine 83 during cell cycle progression. <i>Epigenetics and Chromatin</i> , 2013, 6, 21.	1.8	19
261	Î±-lipoic acid reduces postreperfusion syndrome in human liver transplantation - a pilot study. <i>Transplant International</i> , 2018, 31, 1357-1368.	0.8	19
262	Targeting Fibrosis: The Bridge That Connects Pancreatitis and Pancreatic Cancer. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4970.	1.8	19
263	Expression of p8 protein in medullary thyroid carcinoma. <i>Anticancer Research</i> , 2005, 25, 3419-23.	0.5	19
264	Overexpression of the PC3/TIS21/BTG2 mRNA Is Part of the Stress Response Induced by Acute Pancreatitis in Rats. <i>Biochemical and Biophysical Research Communications</i> , 1998, 249, 562-565.	1.0	18
265	MicroRNAs in Pancreatic Ductal Adenocarcinoma: New Diagnostic and Therapeutic Clues. <i>Pancreatology</i> , 2009, 9, 66-72.	0.5	18
266	Melatonin induces reactive oxygen species generation and changes in glutathione levels and reduces viability in human pancreatic stellate cells. <i>Journal of Physiology and Biochemistry</i> , 2019, 75, 185-197.	1.3	18
267	Structural and functional characterization of the mouse p8 gene: promotion of transcription by the CAAT-enhancer binding protein Î± (C/EBPÎ±) and C/EBPÎ² trans-acting factors involves a C/EBP cis-acting element and other regions of the promoter. <i>Biochemical Journal</i> , 1999, 343, 377.	1.7	18
268	Chloroquine plays a cell-dependent role in the response to treatment of pancreatic adenocarcinoma. <i>Oncotarget</i> , 2018, 9, 30837-30846.	0.8	18
269	Developmental Regulation of Apolipoprotein B mRNA Editing Is an Autonomous Function of Small Intestine Involving Homeobox Gene Cdx1. <i>Journal of Biological Chemistry</i> , 2003, 278, 7600-7606.	1.6	17
270	p8 and Prothymosin Alpha : Unity is Strength. <i>Cell Cycle</i> , 2006, 5, 829-830.	1.3	17

#	ARTICLE	IF	CITATIONS
271	Mechanistic Insights into Self-Reinforcing Processes Driving Abnormal Histogenesis During the Development of Pancreatic Cancer. <i>American Journal of Pathology</i> , 2013, 182, 1078-1086.	1.9	17
272	Crowding Effects on the Structure and Dynamics of the Intrinsically Disordered Nuclear Chromatin Protein NUPR1. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 684622.	1.6	17
273	Mechanism of PAP I gene induction during hepatocarcinogenesis: clinical implications. <i>British Journal of Cancer</i> , 1996, 74, 1767-1775.	2.9	16
274	Expression of the Stress-Associated Protein p8 is a Requisite for Tumor Development. <i>International Journal of Gastrointestinal Cancer</i> , 2002, 31, 89-98.	0.4	16
275	Expression of Vacuole Membrane Protein 1 (VMP1) in Spontaneous Chronic Pancreatitis in the WBN/Kob Rat. <i>Pancreas</i> , 2004, 29, 225-230.	0.5	16
276	TP53INP2 is the new guest at the table of self-eating. <i>Autophagy</i> , 2009, 5, 383-384.	4.3	16
277	Methodological aspects of the molecular and histological study of prostate cancer: Focus on PTEN. <i>Methods</i> , 2015, 77-78, 25-30.	1.9	16
278	Combined AURKA and H3K9 Methyltransferase Targeting Inhibits Cell Growth By Inducing Mitotic Catastrophe. <i>Molecular Cancer Research</i> , 2017, 15, 984-997.	1.5	16
279	Upcoming Revolutionary Paths in Preclinical Modeling of Pancreatic Adenocarcinoma. <i>Frontiers in Oncology</i> , 2020, 9, 1443.	1.3	16
280	TRIB3 suppresses tumorigenesis by controlling mTORC2/AKT/FOXO signaling. <i>Molecular and Cellular Oncology</i> , 2015, 2, e980134.	0.3	16
281	Acute Pancreatitis Is Not a Cause of Chronic Pancreatitis in the Absence of Residual Duct Strictures. <i>Pancreas</i> , 1993, 8, 354-357.	0.5	15
282	Analysis of Germline Gene Copy Number Variants of Patients with Sporadic Pancreatic Adenocarcinoma Reveals Specific Variations. <i>Oncology</i> , 2013, 85, 306-311.	0.9	15
283	Evidence supporting the existence of a NUPR1-like family of helix-loop-helix chromatin proteins related to, yet distinct from, AT hook-containing HMG proteins. <i>Journal of Molecular Modeling</i> , 2014, 20, 2357.	0.8	15
284	Stress Response Gene Nupr1 Alleviates Cyclosporin A Nephrotoxicity In Vivo. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 545-556.	3.0	15
285	Design of Inhibitors of the Intrinsically Disordered Protein NUPR1: Balance between Drug Affinity and Target Function. <i>Biomolecules</i> , 2021, 11, 1453.	1.8	15
286	High level of tumour protein p53-induced nuclear protein 1 (TP53INP1) expression in anaplastic carcinoma of the thyroid. <i>Pathology</i> , 2006, 38, 545-547.	0.3	14
287	PAP1 signaling involves MAPK signal transduction. <i>Cellular and Molecular Life Sciences</i> , 2009, 66, 2195-2204.	2.4	14
288	Ligand-Mediated Highly Effective and Selective C ^α -N Coupling for Synthesizing Bioactive N-Aryltriazole Acyclonucleosides. <i>Organic Letters</i> , 2010, 12, 5712-5715.	2.4	14

#	ARTICLE	IF	CITATIONS
289	Functional Characterization of Nupr1L, A Novel p53-Regulated Isoform of the High-Mobility Group (HMG)-Related Protumoral Protein Nupr1. <i>Journal of Cellular Physiology</i> , 2015, 230, 2936-2950.	2.0	14
290	The regenerating family member 3 β instigates IL-17A-mediated neutrophil recruitment downstream of NOD1/2 signalling for controlling colonisation resistance independently of microbiota community structure. <i>Gut</i> , 2019, 68, 1190-1199.	6.1	14
291	Temporary Pseudochronic Lesions During the Recovery of Acute Necrohemorrhagic Pancreatitis in Rabbits. <i>Pancreas</i> , 1988, 3, 433-438.	0.5	13
292	Serum from Rats with Acute Pancreatitis Induces Expression of the PAP mRNA in the Pancreatic Acinar Cell Line Ar-42J. <i>Biochemical and Biophysical Research Communications</i> , 1994, 204, 238-243.	1.0	13
293	Developmental, Nutritional, and Hormonal Regulation of the Pancreatitis-Associated Protein I and III Gene Expression in the Rat Small Intestine. <i>Scandinavian Journal of Gastroenterology</i> , 1995, 30, 664-669.	0.6	13
294	PAP Gene Transcription Induced by Cycloheximide in AR4-2J Cells Involves ADP-Ribosylation. <i>Biochemical and Biophysical Research Communications</i> , 1998, 251, 710-713.	1.0	13
295	PAP I Interacts with Itself, PAP II, PAP III, and Lithostathine/regI. <i>Molecular Cell Biology Research Communications: MCBRC: Part B of Biochemical and Biophysical Research Communications</i> , 1999, 2, 150-154.	1.7	13
296	P8 expression is induced in acinar cells during chronic pancreatitis. <i>Digestive Diseases and Sciences</i> , 2001, 46, 1640-1646.	1.1	13
297	Stress Proteins and Pancreatic Cancer Metastasis. <i>Scientific World Journal</i> , The, 2010, 10, 1958-1966.	0.8	13
298	The Thymus-Specific Serine Protease TSSP/PRSS16 Is Crucial for the Antitumoral Role of CD4+ T Cells. <i>Cell Reports</i> , 2015, 10, 39-46.	2.9	13
299	P8 deficiency increases cellular ROS and induces HO-1. <i>Archives of Biochemistry and Biophysics</i> , 2015, 565, 89-94.	1.4	13
300	A Phosphorylation-Induced Switch in the Nuclear Localization Sequence of the Intrinsically Disordered NUPR1 Hampers Binding to Importin. <i>Biomolecules</i> , 2020, 10, 1313.	1.8	13
301	Newly Synthesized Amylase, Lipase and Serine Proteases Are Transported at Different Rates in Rat Pancreas. <i>Digestion</i> , 1986, 34, 178-184.	1.2	12
302	Effects of Hypercholecystokinemia Produced by Pancreaticobiliary Diversion on Pancreatic Growth and Enzyme mRNA Levels in Starved Rats. <i>Scandinavian Journal of Gastroenterology</i> , 1993, 28, 311-314.	0.6	12
303	Pancreatitis Associated Protein I (PAP-I) Alters Adhesion and Motility of Human Melanocytes and Melanoma Cells. <i>Journal of Investigative Dermatology</i> , 2001, 116, 426-433.	0.3	12
304	Assignment of tumor protein p53 induced nuclear protein 1 (TP53INP1) gene to human chromosome band 8q22 by in situ hybridization. <i>Cytogenetic and Genome Research</i> , 2002, 97, 140E-140E.	0.6	12
305	Factors released by the tumor far microenvironment are decisive for pancreatic adenocarcinoma development and progression. <i>Oncolmmunology</i> , 2017, 6, e1358840.	2.1	12
306	PML hyposumoylation is responsible for the resistance of pancreatic cancer. <i>FASEB Journal</i> , 2019, 33, 12447-12463.	0.2	12

#	ARTICLE	IF	CITATIONS
307	Genetic alterations in precancerous pancreatic lesions and their clinical implications. <i>Gastroenterologie Clinique Et Biologique</i> , 2009, 33, 1028-1035.	0.9	11
308	Dendrimers as Competitors of Protein-Protein Interactions of the Intrinsically Disordered Nuclear Chromatin Protein NUPR1. <i>Biomacromolecules</i> , 2019, 20, 2567-2576.	2.6	11
309	Surface Charge of Supramolecular Nanosystems for In Vivo Biodistribution: A MicroSPECT/CT Imaging Study. <i>Small</i> , 2020, 16, e2003290.	5.2	11
310	Human importin β 3 and its N-terminal truncated form, without the importin- β 2-binding domain, are oligomeric species with a low conformational stability in solution. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2020, 1864, 129609.	1.1	11
311	Implementing biological markers as a tool to guide clinical care of patients with pancreatic cancer. <i>Translational Oncology</i> , 2021, 14, 100965.	1.7	11
312	Rs488087 single nucleotide polymorphism as predictive risk factor for pancreatic cancers. <i>Oncotarget</i> , 2015, 6, 39855-39864.	0.8	11
313	Characterization of a Silencer Regulatory Element in the Rat PAP I Gene Which Confers Tissue-Specific Expression and Is Promoter-Dependent. <i>Archives of Biochemistry and Biophysics</i> , 1997, 340, 111-116.	1.4	10
314	Cloning of IP15, a pancreatitis-induced gene whose expression inhibits cell growth. <i>Biochemical and Biophysical Research Communications</i> , 2004, 319, 1001-1009.	1.0	10
315	Tumor Protein p53-Induced Nuclear Protein (TP53INP1) Expression in Medullary Thyroid Carcinoma: A Molecular Guide to the Optimal Extent of Surgery?. <i>World Journal of Surgery</i> , 2010, 34, 830-835.	0.8	10
316	TP53INP1 as new therapeutic target in castration-resistant prostate cancer. <i>Prostate</i> , 2012, 72, 1286-1294.	1.2	10
317	Novel role of VMP1 as modifier of the pancreatic tumor cell response to chemotherapeutic drugs. <i>Journal of Cellular Physiology</i> , 2013, 228, 1834-1843.	2.0	10
318	Deficiency of stress-associated gene <i>Nupr1</i> increases bone volume by attenuating differentiation of osteoclasts and enhancing differentiation of osteoblasts. <i>FASEB Journal</i> , 2019, 33, 8836-8852.	0.2	10
319	Designing and repurposing drugs to target intrinsically disordered proteins for cancer treatment: using NUPR1 as a paradigm. <i>Molecular and Cellular Oncology</i> , 2019, 6, e1612678.	0.3	10
320	Combined Targeting of G9a and Checkpoint Kinase 1 Synergistically Inhibits Pancreatic Cancer Cell Growth by Replication Fork Collapse. <i>Molecular Cancer Research</i> , 2020, 18, 448-462.	1.5	10
321	Ribonuclease MCPiP1 contributes to the loss of micro-RNA-200 family members in pancreatic cancer cells. <i>Oncotarget</i> , 2018, 9, 35941-35961.	0.8	10
322	Changes in Growth and Pancreatic mRNA Concentrations During Postnatal Development of Rat Pancreas. <i>Pancreas</i> , 1990, 5, 421-426.	0.5	9
323	Expression of HIP/PAP mRNA in Human Hepatoma Cell Lines. <i>Annals of the New York Academy of Sciences</i> , 2002, 963, 53-58.	1.8	9
324	Phenotypic Characterization of Mice Carrying Homozygous Deletion of KLF11, a Gene in Which Mutations Cause Human Neonatal and MODY VII Diabetes. <i>Endocrinology</i> , 2015, 156, 3581-3595.	1.4	9

#	ARTICLE	IF	CITATIONS
325	The chromatin nuclear protein NUPR1L is intrinsically disordered and binds to the same proteins as its paralogue. <i>Biochemical Journal</i> , 2018, 475, 2271-2291.	1.7	9
326	Flavonoid-alkylphospholipid conjugates elicit dual inhibition of cancer cell growth and lipid accumulation. <i>Chemical Communications</i> , 2019, 55, 8919-8922.	2.2	9
327	The NUPR1/p73 axis contributes to sorafenib resistance in hepatocellular carcinoma. <i>Cancer Letters</i> , 2021, 519, 250-262.	3.2	9
328	Regulation of NUB1 Activity through Non-Proteolytic Mdm2-Mediated Ubiquitination. <i>PLoS ONE</i> , 2017, 12, e0169988.	1.1	9
329	Cloning and Expression of the Mouse PIP49 (Pancreatitis Induced Protein 49) mRNA Which Encodes a New Putative Transmembrane Protein Activated in the Pancreas with Acute Pancreatitis. <i>Molecular Cell Biology Research Communications: MCBRC: Part B of Biochemical and Biophysical Research Communications</i> . 2000, 4, 188-193.	1.7	8
330	Dynamics of the intrinsically disordered protein NUPR1 in isolation and in its fuzzy complexes with DNA and prothymosin β . <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2019, 1867, 140252.	1.1	8
331	IFN- γ and IgG responses to Mycobacterium tuberculosis latency antigen Rv2626c differentiate remote from recent tuberculosis infection. <i>Scientific Reports</i> , 2020, 10, 7472.	1.6	8
332	Oligomerization and Phosphorylation Dependent Regulation of ArgBP2 Adaptive Capabilities and Associated Functions. <i>PLoS ONE</i> , 2014, 9, e87130.	1.1	8
333	Diurnal changes in actin mRNA levels and incorporation of 35S-methionine into actin in the rat hypothalamus. <i>Cellular and Molecular Neurobiology</i> , 1990, 10, 207-216.	1.7	7
334	Effect of carboxamide derivative IS-741 on rat spontaneous chronic pancreatitis. <i>Digestive Diseases and Sciences</i> , 2002, 47, 139-147.	1.1	7
335	Identification of Genomic Alterations Associated with the Aggressiveness of Pancreatic Cancer Using an Ultra-High-Resolution CGH Array. <i>Pancreatology</i> , 2009, 9, 267-272.	0.5	7
336	Pancreatitis-Associated Protein Does Not Predict Disease Relapse in Inflammatory Bowel Disease Patients. <i>PLoS ONE</i> , 2014, 9, e84957.	1.1	7
337	Long-term survivors after pancreatectomy for cancer: the TNM classification is outdated. <i>ANZ Journal of Surgery</i> , 2015, 85, 860-864.	0.3	7
338	Autophagy Induced during Pancreatitis Promotes KRAS-Dependent Transformation in the Pancreas. <i>Frontiers in Oncology</i> , 2016, 6, 226.	1.3	7
339	Aurora kinase B-phosphorylated HP1 functions in chromosomal instability. <i>Cell Cycle</i> , 2019, 18, 1407-1421.	1.3	7
340	The Paralogue of the Intrinsically Disordered Nuclear Protein 1 Has a Nuclear Localization Sequence that Binds to Human Importin β 3. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7428.	1.8	7
341	NUPR1 interacts with eIF2 β and is required for resolution of the ER stress response in pancreatic tissue. <i>FEBS Journal</i> , 2021, 288, 4081-4097.	2.2	7
342	Induction of Apoptosis in Human Pancreatic Cancer Stem Cells by the Endoplasmic Reticulum-Targeted Alkylphospholipid Analog Edelfosine and Potentiation by Autophagy Inhibition. <i>Cancers</i> , 2021, 13, 6124.	1.7	7

#	ARTICLE	IF	CITATIONS
343	Time-Dependent Effect of Melatonin on Actin mRNA Levels and Incorporation of 35S-Methionine Into Actin and Proteins by the Rat Hypothalamus. <i>Journal of Pineal Research</i> , 1990, 9, 51-63.	3.4	6
344	Transcriptional regulation by cholecystokinin-pancreozymin in rat pancreas. <i>Regulatory Peptides</i> , 1991, 33, 165-173.	1.9	6
345	Rapid PCR cloning and sequence determination of the rat lithostathine gene. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1993, 1174, 99-102.	2.4	6
346	Presence of Pancreatitis-Associated Protein in Pancreatic Acinar Cells of Rats Treated with Chlorophenylalanine Methyl Ester. <i>Pancreas</i> , 1996, 13, 147-153.	0.5	6
347	Overexpression of Cdx1 and Cdx2 Homeogenes Enhances Expression of the HLA-I in HT-29 Cells. <i>Molecular Cell Biology Research Communications: MCBRC: Part B of Biochemical and Biophysical Research Communications</i> , 2000, 3, 271-276.	1.7	6
348	Urinary levels of Hepatocarcinoma-intestine-pancreas/Pancreatitis-associated protein as a diagnostic biomarker in patients with bladder cancer. <i>BMC Urology</i> , 2012, 12, 24.	0.6	6
349	<scp>PAP</scp>/<scp>HIP</scp> Protein Is an Obesogenic Factor. <i>Journal of Cellular Physiology</i> , 2014, 229, 225-231.	2.0	6
350	Single and combinatorial chromatin coupling events underlies the function of transcript factor KrÄppel-like factor 11 in the regulation of gene networks. <i>BMC Molecular Biology</i> , 2014, 15, 10.	3.0	6
351	The Aurora A-HP1 ^{Î³} pathway regulates gene expression and mitosis in cells from the sperm lineage. <i>BMC Developmental Biology</i> , 2015, 15, 23.	2.1	6
352	Exploring the Complementarity of Pancreatic Ductal Adenocarcinoma Preclinical Models. <i>Cancers</i> , 2021, 13, 2473.	1.7	6
353	LDL receptor-peptide conjugate as in vivo tool for specific targeting of pancreatic ductal adenocarcinoma. <i>Communications Biology</i> , 2021, 4, 987.	2.0	6
354	KrasG12D induces changes in chromatin territories that differentially impact early nuclear reprogramming in pancreatic cells. <i>Genome Biology</i> , 2021, 22, 289.	3.8	6
355	Tumor protein p53-induced nuclear protein 1 (TP53INP1) in spontaneous chronic pancreatitis in the WBN/Kob rat: drug effects on its expression in the pancreas. <i>JOP: Journal of the Pancreas</i> , 2004, 5, 205-16.	1.5	6
356	Two transcripts are generated from the pancreatitis associated protein II gene by alternative splicing in the 5' untranslated region. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1995, 1261, 272-274.	2.4	5
357	Development of an ELISA detecting Tumor Protein 53-Induced Nuclear Protein 1 in serum of prostate cancer patients. <i>Results in Immunology</i> , 2013, 3, 51-56.	2.2	5
358	REG3 ^{Î²} Plays a Key Role in IL17RA Protumoral Effectâ€™Response. <i>Cancer Research</i> , 2016, 76, 2051-2051.	0.4	5
359	Novel triazole nucleoside analogues promote anticancer activity <i>via</i> both apoptosis and autophagy. <i>Chemical Communications</i> , 2020, 56, 10014-10017.	2.2	5
360	Expression of POU2F3 Transcription Factor Control Inflammation, Immunological Recruitment and Metastasis of Pancreatic Cancer in Mice. <i>Biology</i> , 2020, 9, 341.	1.3	5

#	ARTICLE	IF	CITATIONS
361	Differential Expression of Pancreatitis-Associated Protein and Thrombospondins in Arterial versus Venous Tissues. <i>Journal of Vascular Research</i> , 2009, 46, 551-560.	0.6	4
362	Immunohistochemical profiling of node negative breast carcinomas allows prediction of metastatic risk. <i>International Journal of Oncology</i> , 2010, 36, 889-98.	1.4	4
363	Pancreatic Cancer: Molecular, Biochemical, Chemopreventive, and Therapeutic Aspects. <i>Scientific World Journal</i> , The, 2010, 10, 1967-1970.	0.8	4
364	Pancreatitis promotes oncogenic KrasG12D-induced pancreatic transformation through activation of Nupr1. <i>Molecular and Cellular Oncology</i> , 2014, 1, e29913.	0.3	4
365	Microwave promoted C ⁴ O coupling for synthesizing O-aryloxytriazole nucleoside analogues. <i>New Journal of Chemistry</i> , 2015, 39, 3889-3893.	1.4	4
366	Optimization of a Bioluminescence Resonance Energy Transfer-Based Assay for Screening of <i>Trypanosoma cruzi</i> Protein/Protein Interaction Inhibitors. <i>Molecular Biotechnology</i> , 2018, 60, 369-379.	1.3	4
367	Mechanisms Underlying the Regulation of HP1 ³ by the NGF-PKA Signaling Pathway. <i>Scientific Reports</i> , 2018, 8, 15077.	1.6	4
368	Intrinsically disordered protein NUPR1 binds to the armadillo-repeat domain of Plakophilin 1. <i>International Journal of Biological Macromolecules</i> , 2021, 170, 549-560.	3.6	4
369	NUPR1 protects liver from lipotoxic injury by improving the endoplasmic reticulum stress response. <i>FASEB Journal</i> , 2021, 35, e21395.	0.2	4
370	Targeting REG3 ² limits pancreatic ductal adenocarcinoma progression through CTGF downregulation. <i>Cancer Letters</i> , 2021, 521, 64-70.	3.2	4
371	Amylase and Chymotrypsinogen Synthesis and Secretion by the Anesthetized Rat Pancreas. <i>Pancreas</i> , 1987, 2, 578-583.	0.5	3
372	Effect of Antioxidants on Postoperative Hyperamylasemia in Coronary Bypass Surgery. <i>Pancreas</i> , 1996, 13, 236-240.	0.5	2
373	Meaning of tumor protein 53-induced nuclear protein 1 in the molecular mechanism of gemcitabine sensitivity. <i>Molecular and Clinical Oncology</i> , 2013, 1, 100-104.	0.4	2
374	Redox-sensitive TP53INP1 SUMOylation as an oxidative stress sensor to activate TP53. <i>Molecular and Cellular Oncology</i> , 2014, 1, e964044.	0.3	2
375	Response to α cells the Reg3 ¹ (HIP/PAP) Protein Really an Obesogenic Factor? <i>Journal of Cellular Physiology</i> , 2016, 231, 2-2.	2.0	2
376	Resectable pancreatic head adenocarcinoma: Is R0 resection an illusion? Genetic evaluation of venous resection margin affirmed unrecognized disease. <i>Journal of Visceral Surgery</i> , 2017, 154, 329-333.	0.4	2
377	Targeting mitochondrial energy metabolism in PDAC is a promising strategy to overcome resistance to chemotherapy. <i>Pancreatology</i> , 2018, 18, S154.	0.5	2
378	An N-terminally Truncated Mutant of Human Chemokine CXCL14 has Biological Activity. <i>Protein and Peptide Letters</i> , 2013, 20, 955-967.	0.4	2

#	ARTICLE	IF	CITATIONS
379	IER3 in pancreatic carcinogenesis. <i>Oncotarget</i> , 2015, 6, 15712-15713.	0.8	2
380	Melatonin modulates metabolic adaptation of pancreatic stellate cells subjected to hypoxia. <i>Biochemical Pharmacology</i> , 2022, 202, 115118.	2.0	2
381	Regenerating Islet-Derived 3Î± (Reg3Î±) Is Required For Acinar Cell NFÎ±B Activation and Tissue Protection in Experimental Acute Pancreatitis (AP). <i>Journal of the American College of Surgeons</i> , 2014, 219, S26.	0.2	1
382	Squamousness gain defines pancreatic ductal adenocarcinoma hepatic metastases phenotype, and gemcitabine response. <i>European Journal of Cancer</i> , 2021, 155, 42-53.	1.3	1
383	Serum levels of pancreatitis associated protein (PAP) as an indicator of both localization and activity of Crohn's disease (CD). <i>Gastroenterology</i> , 2000, 118, A1338.	0.6	0
384	Oncogenic capacity of the Cdx1 homeotic gene. <i>Gastroenterology</i> , 2000, 118, A601.	0.6	0
385	CDX1 promotes cellular growth and increases resistance to apoptosis of epithelial intestinal cells through induction of the secretory protein PAP I. <i>Gastroenterology</i> , 2000, 118, A551.	0.6	0
386	P8 gene expression is induced in the acinar cells during chronic pancreatitis. <i>Gastroenterology</i> , 2000, 118, A428.	0.6	0
387	Pancreatic damages in TNBS-induced colitis in mice. <i>Gastroenterology</i> , 2000, 118, A1142.	0.6	0
388	Cloning and expression of the rat VMP1 (vacuole membrane protein 1) mRNA, a new gene activated in pancreas with acute pancreatitis, which promotes vacuole formation. <i>Gastroenterology</i> , 2000, 118, A195.	0.6	0
389	Different expression of HIP/PAP transcripts in human hepatoma cells. <i>Journal of Hepatology</i> , 2002, 36, 72.	1.8	0
390	Antiinflammatory effect of PAP protein in human inflammatory bowel disease. <i>Gastroenterology</i> , 2003, 124, A319.	0.6	0
391	Mice Deficient for the Stress-Induced Transcriptional Regulator p8 Have a Decreased Metalloprotease 9 Induction and Cardiac Fibrosis after Transverse Aortic Constriction. <i>Journal of Cardiac Failure</i> , 2009, 15, S39-S40.	0.7	0
392	PAP1/Reg3b dependant MAPK activation mediates pancreatic regeneration after partial pancreatectomy in mouse. <i>Journal of the American College of Surgeons</i> , 2013, 217, S19.	0.2	0
393	Labs leak staff under French law. <i>Nature</i> , 2015, 518, 35-35.	13.7	0
394	Blocking Nupr1 Protein, A Successful Approach for Pancreatic Adenocarcinoma Treatment. <i>Gastroenterology</i> , 2017, 152, S42.	0.6	0
395	Differential Therapy Based on Tumor Heterogeneity in Pancreatic Cancer. , 2018, , 1203-1217.		0
396	Bioimaging: Surface Charge of Supramolecular Nanosystems for In Vivo Biodistribution: A MicroSPECT/CT Imaging Study (Small 37/2020). <i>Small</i> , 2020, 16, 2070203.	5.2	0

#	ARTICLE	IF	CITATIONS
397	Response to the Letter to the editor regarding "Targeting NUPR1 with the small compound ZZW-115 is an efficient strategy to treat hepatocellular carcinoma" by Jiong Lin. <i>Cancer Letters</i> , 2021, 500, 161-162.	3.2	0
398	Back Cover: Dendrimeric nanosystem consistently circumvents heterogeneous drug response and resistance in pancreatic cancer (EXP2 1/2021). <i>Exploration</i> , 2021, 1, ii.	5.4	0
399	Biomarkers. <i>UNIPA Springer Series</i> , 2021, , 43-64.	0.1	0
400	P8 Protein. , 2011, , 2752-2755.		0
401	Pancreatic Cancer Genetics. , 2012, , 51-79.		0
402	P8 Protein. , 2014, , 3364-3367.		0
403	Abstract B06: Impact of intratumoral microenvironment and epithelial cells crosstalk in pancreatic carcinogenesis. , 2015, , .		0
404	Pharmacological targeting of the Aurora A and histone 3 lysine 9 methyltransferase pathways in pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, e15715-e15715.	0.8	0
405	Abstract 5203: Innovative and predictive models against cancer: an IMODI integrative approach. , 2016, , .		0
406	Differential Therapy Based on Tumor Heterogeneity in Pancreatic Cancer. , 2017, , 1-15.		0
407	Morphine, when used for treating patients with acute pancreatitis, could be more risky than previously suspected. <i>Translational Cancer Research</i> , 2017, 6, S1166-S1168.	0.4	0
408	Limitation and challenges in using pancreatic cancer-derived organoids as a preclinical tool. <i>Cancer Communications</i> , 0, , .	3.7	0