

# Ihsan A Al-Shehbaz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8053527/publications.pdf>

Version: 2024-02-01

133  
papers

5,094  
citations

117625  
34  
h-index

95266  
68  
g-index

135  
all docs

135  
docs citations

135  
times ranked

3051  
citing authors

#	ARTICLE	IF	CITATIONS
1	Brassicaceae phylogeny and trichome evolution. American Journal of Botany, 2006, 93, 607-619.	1.7	351
2	Cabbage family affairs: the evolutionary history of Brassicaceae. Trends in Plant Science, 2011, 16, 108-116.	8.8	341
3	Toward a Global Phylogeny of the Brassicaceae. Molecular Biology and Evolution, 2006, 23, 2142-2160.	8.9	337
4	A generic and tribal synopsis of the Brassicaceae (Cruciferae). Taxon, 2012, 61, 931-954.	0.7	315
5	Molecular Phylogenetics, Temporal Diversification, and Principles of Evolution in the Mustard Family (Brassicaceae). Molecular Biology and Evolution, 2010, 27, 55-71.	8.9	306
6	Resolution of Brassicaceae Phylogeny Using Nuclear Genes Uncovers Nested Radiations and Supports Convergent Morphological Evolution. Molecular Biology and Evolution, 2016, 33, 394-412.	8.9	259
7	Brassicaceae phylogeny inferred from phytochrome A and <i>ndhF</i> sequence data: tribes and trichomes revisited. American Journal of Botany, 2008, 95, 1307-1327.	1.7	193
8	The Origins of <i>Arabidopsis suecica</i> (Brassicaceae) as Indicated by Nuclear rDNA Sequences. Systematic Botany, 1996, 21, 559.	0.5	177
9	Closing the gaps: phylogenetic relationships in the Brassicaceae based on DNA sequence data of nuclear ribosomal ITS region. Plant Systematics and Evolution, 2010, 285, 209-232.	0.9	169
10	Plastome phylogeny and early diversification of Brassicaceae. BMC Genomics, 2017, 18, 176.	2.8	137
11	Molecular Systematics, Evolution, and Population Biology in the Mustard Family (Brassicaceae). Annals of the Missouri Botanical Garden, 2003, 90, 151.	1.3	136
12	Resolving the backbone of the Brassicaceae phylogeny for investigating trait diversity. New Phytologist, 2019, 222, 1638-1651.	7.3	123
13	BrassiBase: Introduction to a Novel Knowledge Database on Brassicaceae Evolution. Plant and Cell Physiology, 2014, 55, e3-e3.	3.1	117
14	<i>Arabidopsis</i> family ties: molecular phylogeny and age estimates in Brassicaceae. Taxon, 2009, 58, 425-437.	0.7	99
15	Contribution to ITS phylogeny of the Brassicaceae, with special reference to some Asian taxa. Plant Systematics and Evolution, 2009, 283, 33-56.	0.9	93
16	Brassicales phylogeny inferred from 72 plastid genes: A reanalysis of the phylogenetic localization of two paleopolyploid events and origin of novel chemical defenses. American Journal of Botany, 2018, 105, 463-469.	1.7	76
17	Phylogenetic relationships in the tribe Alysseae (Brassicaceae) based on nuclear ribosomal ITS DNA sequences. Botany, 2008, 86, 315-336.	1.0	70
18	<i>BrassiBase</i> : Tools and biological resources to study characters and traits in the Brassicaceae version 1.1. Taxon, 2012, 61, 1001-1009.	0.7	70

#	ARTICLE	IF	CITATIONS
19	The genera of Arabideae (Cruciferae; Brassicaceae) in the southeastern United States. <i>Journal of the Arnold Arboretum</i> , 1988, 69, 85-166.	0.3	69
20	PHYLOGENETIC RELATIONSHIPS IN THE TRIBES ANCHONIEAE, CHORISPOREAE, EUCLIDIEAE, AND HESPERIDEAE (BRASSICACEAE) BASED ON NUCLEAR RIBOSOMAL ITS DNA SEQUENCES. <i>Annals of the Missouri Botanical Garden</i> , 2007, 94, 56-78.	1.3	68
21	Molecular Data Indicate Complex Intra- and Intercontinental Differentiation of American Draba (Brassicaceae). <i>Annals of the Missouri Botanical Garden</i> , 2002, 89, 88.	1.3	67
22	Phylogeny of <i>Sisymbrium</i> (Brassicaceae) based on ITS sequences of nuclear ribosomal DNA. <i>Canadian Journal of Botany</i> , 2002, 80, 1002-1017.	1.1	66
23	Phylogenetic Position and Generic Limits of <i>Arabidopsis</i> (Brassicaceae) Based on Sequences of Nuclear Ribosomal DNA. <i>Annals of the Missouri Botanical Garden</i> , 2003, 90, 603.	1.3	65
24	Origin and Evolution of Diploid and Allopolyploid <i>Camelina</i> Genomes was Accompanied by Chromosome Shattering. <i>Plant Cell</i> , 2019, 31, tpc.00366.2019.	6.6	61
25	Molecular phylogeny and systematics of the genus <i>Draba</i> (Brassicaceae) and identification of its most closely related genera. <i>Molecular Phylogenetics and Evolution</i> , 2010, 55, 524-540.	2.7	60
26	Phylogenetic relationships in the tribes Schizopetaleae and Thelypodieae (Brassicaceae) based on nuclear ribosomal ITS region and plastid <i>ndhF</i> DNA sequences. <i>Botany</i> , 2009, 87, 961-985.	1.0	57
27	Taxonomic and Phylogenetic Evaluation of the American "Thlaspi" Species: Identity and Relationship to the Eurasian Genus <i>Noccaea</i> (Brassicaceae). <i>Systematic Botany</i> , 2004, 29, 375-384.	0.5	54
28	Molecular phylogeny of <i>Solmskia</i> (Brassicaceae) s.l., based on multiple nuclear and plastid DNA sequences, and its biogeographic implications. <i>Journal of Systematics and Evolution</i> , 2009, 47, 402-415.	3.1	53
29	Phylogenetic position of <i>Arabis arenicola</i> and generic limits of <i>Aphragmus</i> and <i>Eutrema</i> (Brassicaceae) based on sequences of nuclear ribosomal DNA. <i>Canadian Journal of Botany</i> , 2006, 84, 269-281.	1.1	52
30	AlyBase: database of names, chromosome numbers, and ploidy levels of Alysseae (Brassicaceae), with a new generic concept of the tribe. <i>Plant Systematics and Evolution</i> , 2015, 301, 2463-2491.	0.9	51
31	Five Additional Tribes (Aphragmeae, Biscutelleae, Calepineae, Conringiaeae, and Erysimeae) in the Brassicaceae (Cruciferae). <i>Harvard Papers in Botany</i> , 2008, 13, 165-170.	0.2	44
32	Anatolian origins and diversification of <i>Aethionema</i> , the sister lineage of the core Brassicaceae. <i>American Journal of Botany</i> , 2017, 104, 1042-1054.	1.7	40
33	Chemotaxonomic Diversity and Complexity in Seed Glucosinolates of <i>Caulanthus</i> and <i>Streptanthus</i> (Cruciferae). <i>Systematic Botany</i> , 1981, 6, 197.	0.5	39
34	Phylogeny of <i>Braya</i> and <i>Neotorularia</i> (Brassicaceae) based on nuclear ribosomal internal transcribed spacer and chloroplast <i>trnL</i> intron sequences. <i>Canadian Journal of Botany</i> , 2004, 82, 376-392.	1.1	39
35	Phylogenetic perspectives on diversification and character evolution in the species-rich genus <i>Erysimum</i> (Erysimeae; Brassicaceae) based on a densely sampled ITS approach. <i>Botanical Journal of the Linnean Society</i> , 2014, 175, 497-522.	1.6	37
36	Generic Limits in Tribe Halimolobeae and Description of the New Genus <i>Exhalimolobos</i> (Brassicaceae). <i>Systematic Botany</i> , 2007, 32, 140-156.	0.5	35

#	ARTICLE	IF	CITATIONS
37	Colonizing the American continent: Systematics of the genus <i>Arabis</i> in North America (Brassicaceae). <i>American Journal of Botany</i> , 2010, 97, 1040-1057.	1.7	35
38	Diversification patterns in the CES clade (Brassicaceae tribes Cremolobeae, Eudemeae, Schizopetaleae) in Andean South America. <i>Botanical Journal of the Linnean Society</i> , 2016, 181, 543-566.	1.6	35
39	Two New Tribes (Dontostemoneae and Malcolmiaeae) in the Brassicaceae (Cruciferae). <i>Harvard Papers in Botany</i> , 2007, 12, 429-433.	0.2	33
40	Phylogeny and multiple independent whole genome duplication events in the Brassicales. <i>American Journal of Botany</i> , 2020, 107, 1148-1164.	1.7	32
41	Seed-coat microsculpturing and its systematic application in <i>Isatis</i> (Brassicaceae) and allied genera in Iran. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2007, 202, 447-454.	1.2	31
42	Molecular Systematics of the Chinese Yinshania (Brassicaceae): Evidence from Plastid and Nuclear ITS DNA Sequence Data. <i>Annals of the Missouri Botanical Garden</i> , 2000, 87, 246.	1.3	30
43	Whole genome triplication and species radiation in the southern African tribe Heliophileae (Brassicaceae). <i>Taxon</i> , 2012, 61, 989-1000.	0.7	29
44	Nomenclatural novelties in miscellaneous Asian Brassicaceae (Cruciferae). <i>Nordic Journal of Botany</i> , 2010, 28, 646-651.	0.5	27
45	Species richness of the globally distributed, arctic-alpine genus <i>Draba</i> L. (Brassicaceae). <i>Alpine Botany</i> , 2013, 123, 97-106.	2.4	26
46	Systematics, taxonomy and biogeography of three new Asian genera of Brassicaceae tribe Arabideae: An ancient distribution circle around the Asian high mountains. <i>Taxon</i> , 2012, 61, 955-969.	0.7	25
47	<i>Camelina neglecta</i> (Brassicaceae, Camelineae), a new diploid species from Europe. <i>PhytoKeys</i> , 2019, 115, 51-57.	1.0	22
48	Phylogeny of <i>Isatis</i> (Brassicaceae) and allied genera based on ITS sequences of nuclear ribosomal DNA and morphological characters. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2010, 205, 337-343.	1.2	21
49	Molecular phylogenetics of tribe Eudemeae (Brassicaceae) and implications for its morphology and distribution. <i>Molecular Phylogenetics and Evolution</i> , 2015, 82, 43-59.	2.7	21
50	Molecular phylogeny and systematics of the tribe Chorisporae (Brassicaceae). <i>Plant Systematics and Evolution</i> , 2011, 294, 65-86.	0.9	20
51	Comparative transcriptomics with self-organizing map reveals cryptic photosynthetic differences between two accessions of North American Lake cress. <i>Scientific Reports</i> , 2018, 8, 3302.	3.3	19
52	Nomenclatural adjustments in the tribe Arabideae (Brassicaceae). <i>Plant Diversity and Evolution</i> , 2011, 129, 71-76.	1.1	16
53	A Synopsis Of An Expanded Solms-laubachia (Brassicaceae), and the Description Of Four New Species From Western China <sup>1</sup> . <i>Annals of the Missouri Botanical Garden</i> , 2008, 95, 520-538.	1.3	15
54	Phylogenetic study with nuclear and chloroplast data and ecological niche reveals Atacama (Brassicaceae), a new monotypic genus endemic from the Andes of the Atacama Desert, Chile. <i>Plant Systematics and Evolution</i> , 2015, 301, 1377-1396.	0.9	15

#	ARTICLE	IF	CITATIONS
55	An integrative study of evolutionary diversification of <i>Eutrema</i> (Eutremeae, Brassicaceae). <i>Botanical Journal of the Linnean Society</i> , 2017, 184, 204-223.	1.6	14
56	Systematic position of <i>Ivania</i> , <i>Scoliaxon</i> , and <i>Phravenia</i> (Brassicaceae). <i>Taxon</i> , 2011, 60, 1156-1164.	0.7	13
57	New species of <i>Brayopsis</i> , <i>Descurainia</i> , <i>Draba</i> , <i>Neuontobotrys</i> and <i>Weberbauera</i> (Brassicaceae) from Peru. <i>Kew Bulletin</i> , 2013, 68, 219-231.	0.9	13
58	Evolution of Tandem Repeats Is Mirroring Post-polyploid Cladogenesis in <i>Heliophila</i> (Brassicaceae). <i>Frontiers in Plant Science</i> , 2020, 11, 607893.	3.6	13
59	Molecular Phylogenetics and Taxonomy of the Genus <i>Thysanocarpus</i> (Brassicaceae). <i>Systematic Botany</i> , 2010, 35, 559-577.	0.5	12
60	Revision and tribal placement of the Argentinean genus <i>Parodiodoxa</i> (Brassicaceae). <i>Plant Systematics and Evolution</i> , 2013, 299, 305-316.	0.9	12
61	Molecular phylogeny reveals the non-monophyly of tribe <i>Yinshanieae</i> (Brassicaceae) and description of a new tribe, <i>Hillieleae</i> . <i>Plant Diversity</i> , 2016, 38, 171-182.	3.7	12
62	New or Noteworthy Species of <i>Draba</i> (Brassicaceae) from Canada and Alaska. <i>Harvard Papers in Botany</i> , 2013, 18, 101-124.	0.2	11
63	Tribal assignment of <i>Heldreichia</i> Boiss. (Brassicaceae): evidence from nuclear ITS and plastidic ndhF markers. <i>Plant Systematics and Evolution</i> , 2017, 303, 329-335.	0.9	11
64	Reinstatement of the Southern Andean Genus <i>Stenodraba</i> (Brassicaceae) Based on Molecular Data and Insights from its Environmental and Geographic Distribution. <i>Systematic Botany</i> , 2018, 43, 35-52.	0.5	11
65	The South American genera <i>Brayopsis</i> and <i>Englerocharis</i> (Brassicaceae). <i>Nordic Journal of Botany</i> , 1989, 8, 619-625.	0.5	10
66	Generic Limits of <i>Dryopetalon</i> , <i>Rollinsia</i> , <i>Sibara</i> , and <i>Thelypodiopsis</i> (Brassicaceae), and a Synopsis of <i>Dryopetalon</i> . <i>Novon</i> , 2007, 17, 397-402.	0.3	10
67	<i>Dendroarabis</i> , A Newasian Genus of Brassicaceae. <i>Harvard Papers in Botany</i> , 2008, 13, 289-291.	0.2	10
68	New insights into the taxonomy of tribe <i>Euclidieae</i> (Brassicaceae), evidence from nrITS sequence data. <i>PhytoKeys</i> , 2018, 100, 125-139.	1.0	9
69	A Synopsis of the Genus <i>Sibara</i> (Brassicaceae). <i>Harvard Papers in Botany</i> , 2010, 15, 139-147.	0.2	7
70	A Monograph of the South American Species of <i>Draba</i> (Brassicaceae). <i>Annals of the Missouri Botanical Garden</i> , 2018, 103, 463-590.	1.3	7
71	Phylogeny of <i>Euclidieae</i> (Brassicaceae) based on plastome and nuclear ribosomal DNA data. <i>Molecular Phylogenetics and Evolution</i> , 2020, 153, 106940.	2.7	7
72	The correct interpretation and lectotypification of the name <i>Cardamine fallax</i> (Brassicaceae). <i>Journal of Plant Research</i> , 2007, 120, 655-660.	2.4	6

#	ARTICLE	IF	CITATIONS
73	<i>Englerocharis dentata</i> and <i>Eudema peruviana</i> (Brassicaceae), Two New Species from Peru. Harvard Papers in Botany, 2011, 16, 275-278.	0.2	6
74	A Synopsis of the Genus Braya (Brassicaceae). Harvard Papers in Botany, 2014, 19, 161-174.	0.2	6
75	The Genus Aschersoniodoxa (Brassicaceae). Systematic Botany, 1990, 15, 387.	0.5	5
76	Aschersoniodoxa peruviana (Brassicaceae), a remarkable new species from Peru and a synopsis of the genus. Kew Bulletin, 2012, 67, 483-486.	0.9	5
77	Morphometric studies and taxonomic delimitation in Menonvillea scapigera and related species (Cremolobeae: Brassicaceae). Plant Systematics and Evolution, 2012, 298, 1961-1976.	0.9	5
78	Cardamine tianqingiae (Brassicaceae), A New Species from Gansu Province, China. Harvard Papers in Botany, 2008, 13, 89-91.	0.2	4
79	Two New Peruvian Species of <i>Draba</i> (Brassicaceae). Harvard Papers in Botany, 2009, 14, 39-41.	0.2	4
80	Weberbauera arequipa (Brassicaceae), a New Species from Peru. Novon, 2009, 19, 281-283.	0.3	4
81	Two New Species of Draba (Brassicaceae): D. cajamarcensis from Peru and D. jiulongensis from China. Rhodora, 2012, 114, 31-36.	0.1	4
82	Five New Species of <i>Lepidium</i> (Brassicaceae): <i>L. pabotii</i> (Iran), <i>L. arequipa</i> (Peru), and <i>L. lapazianum</i>, <i>L. linearilobum</i>, and <i>L. stephan-beckii</i> (Bolivia). Novon, 2017, 25, 403-413.	0.3	4
83	Molecular phylogeny of <i>Cremolobus</i> (Brassicaceae) supports the recognition of the new genus <i>Yunkia</i> and demonstrates the high habitat diversity of tribe Cremolobeae. Systematics and Biodiversity, 2020, 18, 295-314.	1.2	4
84	The South American Eremodraba (Brassicaceae). Annals of the Missouri Botanical Garden, 1990, 77, 602.	1.3	3
85	Englerocharis ancashensis (Brassicaceae), a new species from Peru and a synopsis of the genus. Kew Bulletin, 2012, 67, 251-255.	0.9	3
86	A synopsis of the genus Parrya (Brassicaceae). Kew Bulletin, 2013, 68, 457-475.	0.9	3
87	<i>Draba ucuncha</i> and <i>D. xylopoda</i> (Brassicaceae), Two New Peruvian Species from La Libertad. Novon, 2016, 25, 3-7.	0.3	3
88	Phylogenetic placement of the Peruvian-endemic genus Machaerophorus (Brassicaceae) based on molecular data and implication for its systematics. Plant Systematics and Evolution, 2019, 305, 77-87.	0.9	3
89	<p><strong><em>Iljinskaea</em></strong></p> (Brassicaceae), a new genus based on <em>Conringia planisiliqua</em>. Phytotaxa, 2021, 500, 142-146.	0.3	3
90	Nomenclatural Adjustments in Eutrema, Ceratocnemum, Rhamphospermum, and Sinapis (Brassicaceae). Tropaeolum Journal, 2022, 10, 1-10.	0.2	3

#	ARTICLE	IF	CITATIONS
91	Sisymbrium linifolium and Sisymbriopsis schugnana (Brassicaceae), two new records from Xinjiang, China. <i>PhytoKeys</i> , 2019, 119, 39-52.	1.0	3
92	Genome diploidization associates with cladogenesis, trait disparity, and plastid gene evolution. <i>Plant Physiology</i> , 2022, 190, 403-420.	4.8	3
93	A Reconsideration of the Genus <i>Eurycarpus</i> (Brassicaceae). <i>Novon</i> , 2000, 10, 346.	0.3	2
94	(1583) Proposal to conserve the name <i>Smelowskia</i> against <i>Redowskia</i> (Brassicaceae). <i>Taxon</i> , 2003, 52, 360-361.	0.7	2
95	<i>Parrya nauruaq</i> (Brassicaceae), a New Species from Alaska. <i>Novon</i> , 2007, 17, 275.	0.3	2
96	(1965) Proposal to conserve the name <i>Sibara</i> against <i>Machaerophorus</i> (Cruciferae). <i>Taxon</i> , 2010, 59, 1287-1287.	0.7	2
97	<i>Draba Henrici</i> (Brassicaceae), a New Species from Northern New Mexico. <i>Harvard Papers in Botany</i> , 2013, 18, 91-93.	0.2	2
98	<i>Aphragmus pygmaeus</i> and <i>Cardamine pseudotrifoliata</i> (Brassicaceae), New Species from Himalayan China. <i>Novon</i> , 2015, 24, 1-5.	0.3	2
99	<i>Cardamine hongdeyuana</i> (Brassicaceae), a new species from Xizang, China. <i>Kew Bulletin</i> , 2015, 70, 1.	0.9	2
100	<i>Englerocarlis cuzcoensis</i> (Brassicaceae), a New Species from Peru and a Synopsis of <i>Englerocarlis</i> . <i>Novon</i> , 2017, 25, 399-402.	0.3	2
101	<i>Pennellia yalaensis</i> (Brassicaceae: Halimolobeae), a New Species from the Andes of Northern Argentina. <i>Systematic Botany</i> , 2019, 44, 355-362.	0.5	2
102	A reevaluation of the Andean Genus <i>Petroravenia</i> (Brassicaceae: Thelypodieae) based on morphological and molecular data. <i>Journal of Systematics and Evolution</i> , 2020, 58, 43-58.	3.1	2
103	<i>Aethionema aytachii</i> (Brassicaceae): A new species from central Anatolia, Turkey. <i>Turkish Journal of Botany</i> , 0, .	1.2	2
104	(1932) Proposal to conserve the name <i>Boechera</i> against <i>Borodinia</i> (Cruciferae). <i>Taxon</i> , 2010, 59, 648-649.	0.7	1
105	A Synopsis of the South American <i>Descurainia</i> and Description of the Colombian New Species <i>D. cleefii</i> (Brassicaceae). <i>Harvard Papers in Botany</i> , 2012, 17, 221-229.	0.2	1
106	<i>Clypeola</i> is United with <i>Alyssum</i> (Brassicaceae). <i>Harvard Papers in Botany</i> , 2013, 18, 125-128.	0.2	1
107	< i>Dryopetalon stenocarpum</i> (< i>Brassicaceae</i>), a new species from Coahuila, Mexico. <i>Willdenowia</i> , 2013, 43, 121-123.	0.8	1
108	< i>Chaunanthus torulosus</i> sp. nov. (Brassicaceae) from Puebla (Mexico) and a synopsis of the genus. <i>Nordic Journal of Botany</i> , 2014, 32, 133-136.	0.5	1

#	ARTICLE	IF	CITATIONS
109	<i>Englerocharis blanca-leoniae</i> (Brassicaceae), a New Species from Puno, Peru. Harvard Papers in Botany, 2015, 20, 1-4.	0.2	1
110	(2460) Proposal to conserve the name <i>Selenia</i> Nutt. (<i>Cruciferae</i>) against <i>Selenia</i> Hill (<i>Hepaticae</i>; <i>Lunulariaceae</i>). Taxon, 2016, 65, 890-890.	0.7	1
111	Two new Peruvian species of Brayopsis (Brassicaceae; Cruciferae), and a key to the species. Phytotaxa, 2018, 383, 111.	0.3	1
112	Cardamine hunanensis (Brassicaceae), a remarkable new species from Hunan (China) with fully bracteate racemes. Phytotaxa, 2021, 512, .	0.3	1
113	The Afghan Cyphocardamum and Argentinean Lithodraba are united with Lepidium (Brassicaceae). Phytotaxa, 2021, 516, 111-114.	0.3	1
114	Molecular data reveal hidden diversity in the central Andean species <i>Weberbauera spathulifolia</i> (Thelypodieae: Brassicaceae). Botanical Journal of the Linnean Society, 2020, 193, 523-545.	1.6	1
115	<p><strong><em>Heliophila vlokii</em></strong><strong> is the correct spelling for <em>H. volkii</em> (Brassicaceae)</strong></p>. Phytotaxa, 2020, 438, 221-222.	0.3	1
116	Aubrieta necmi-aksoyi (Brassicaceae), a new species from Turkey and a key to the species of Aubrieta. Phytotaxa, 2022, 530, 251-256.	0.3	1
117	The new tribe Fourraeeae (Brassicaceae) and two Moroccan Arabis species transferred to the new genus Hurkaea. Phytotaxa, 2022, 543, .	0.3	1
118	Transfer of two Arabidella and two Cuphonotus species to the genus Lemphoria (Brassicaceae) and a description of the new species L. queenslandica. Phytotaxa, 2022, 549, 235-240.	0.3	1
119	(1678) Proposal to conserve the name Erucastrum against Kibera and Hirschfeldia (Brassicaceae ). Taxon, 2005, 54, 204-205.	0.7	0
120	(1854) Proposal to conserve the name <i>Teesdalia</i> (<i>Cruciferae</i>). Taxon, 2008, 57, 1357-1358.	0.7	0
121	A Revision of the Central American Genus <i>Romanschulzia</i> (Brassicaceae). Harvard Papers in Botany, 2013, 18, 1-12.	0.2	0
122	Streptanthus tortuosusSubsp.Truei(Brassicaceae), a New Taxon from Nevada County, California. Harvard Papers in Botany, 2013, 18, 13-15.	0.2	0
123	Transfer of Chaunanthus gracielaetoMostacillastrum(Brassicaceae). Harvard Papers in Botany, 2014, 19, 23-23.	0.2	0
124	A Revision of the Mexican Endemic Asta(Brassicaceae). Novon, 2016, 25, 8-11.	0.3	0
125	Lepidium seydelii(Brassicaceae), a New Species from Namibia. Harvard Papers in Botany, 2016, 21, 133-135.	0.2	0
126	(2585) Proposal to conserve the name <i>Hesperis pendula</i> DC. against <i>H.</i><i>pÃ©ndula</i> Murr. <i>(Cruciferae)</i>. Taxon, 2018, 67, 212-212.	0.7	0

#	ARTICLE	IF	CITATIONS
127	(2671) Proposal to conserve the name <i>Meniocus</i> (<i>Brassicaceae/Cruciferae</i>) with a conserved type. <i>Taxon</i> , 2019, 68, 166-168.	0.7	0
128	Draba ancashensis (Brassicaceae; Cruciferae), a new species from Peru and a key to the Peruvian species of the genus. <i>Phytotaxa</i> , 2019, 395, 235.	0.3	0
129	(2737) Proposal to reject the name <i>Cleome capensis</i> (<i>Cleomaceae</i>). <i>Taxon</i> , 2020, 69, 407-407.	0.7	0
130	(2776) Proposal to reject the name <i>Lunaria perennis</i> Mill. (<i>Cruciferae</i>). <i>Taxon</i> , 2020, 69, 1120-1121.	0.7	0
131	(2775) Proposal to conserve the name <i>Lepidium pumilum</i> against <i>L. descemetii</i> (<i>Cruciferae</i>). <i>Taxon</i> , 2020, 69, 1118-1120.	0.7	0
132	The correct authorship spelling of Cardamine hunanensis (Brassicaceae). <i>Phytotaxa</i> , 2021, 518, 300-300.	0.3	0
133	Corrections to the publication of Aubrieta necmi-aksoyi (Brassicaceae). <i>Phytotaxa</i> , 2022, 539, 293-293.	0.3	0