

# Ihsan A Al-Shehbaz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8053527/publications.pdf>

Version: 2024-02-01

133  
papers

5,094  
citations

117625  
34  
h-index

95266  
68  
g-index

135  
all docs

135  
docs citations

135  
times ranked

3051  
citing authors

#	ARTICLE	IF	CITATIONS
1	Aubrieta necmi-aksoyi (Brassicaceae), a new species from Turkey and a key to the species of Aubrieta. <i>Phytotaxa</i> , 2022, 530, 251-256.	0.3	1
2	Corrections to the publication of Aubrieta necmi-aksoyi (Brassicaceae). <i>Phytotaxa</i> , 2022, 539, 293-293.	0.3	0
3	The new tribe Fourraeae (Brassicaceae) and two Moroccan <i>Arabis</i> species transferred to the new genus <i>Hurkaea</i> . <i>Phytotaxa</i> , 2022, 543, .	0.3	1
4	Transfer of two <i>Arabidella</i> and two <i>Cuphonotus</i> species to the genus <i>Lemphoria</i> (Brassicaceae) and a description of the new species <i>L. queenslandica</i> . <i>Phytotaxa</i> , 2022, 549, 235-240.	0.3	1
5	Genome diploidization associates with cladogenesis, trait disparity, and plastid gene evolution. <i>Plant Physiology</i> , 2022, 190, 403-420.	4.8	3
6	<p><strong><em>Iljinskaea</em> (Brassicaceae), a new genus based on <em>Conringia planisiliqua</em></strong></p>. <i>Phytotaxa</i> , 2021, 500, 142-146.	0.3	3
7	Nomenclatural Adjustments in <i>Eutrema</i> , <i>Ceratocnemum</i> , <i>Rhamphospermum</i> , and <i>Sinapis</i> (Brassicaceae). Tj ETQq1 1 0.784314 rgBT /Ov	0.2	0
8	Cardamine hunanensis (Brassicaceae), a remarkable new species from Hunan (China) with fully bracteate racemes. <i>Phytotaxa</i> , 2021, 512, .	0.3	1
9	The Afghan <i>Cyphocardamum</i> and Argentinean <i>Lithodraba</i> are united with <i>Lepidium</i> (Brassicaceae). <i>Phytotaxa</i> , 2021, 516, 111-114.	0.3	1
10	The correct authorship spelling of <i>Cardamine hunanensis</i> (Brassicaceae). <i>Phytotaxa</i> , 2021, 518, 300-300.	0.3	0
11	A reevaluation of the Andean Genus <i>Petroravenia</i> (Brassicaceae: Thelypodieae) based on morphological and molecular data. <i>Journal of Systematics and Evolution</i> , 2020, 58, 43-58.	3.1	2
12	Phylogeny of <i>Euclidieae</i> (Brassicaceae) based on plastome and nuclear ribosomal DNA data. <i>Molecular Phylogenetics and Evolution</i> , 2020, 153, 106940.	2.7	7
13	(2737) Proposal to reject the name <i>Cleome capensis</i> (<i>Cleomaceae</i>). <i>Taxon</i> , 2020, 69, 407-407.	0.7	0
14	Phylogeny and multiple independent whole genome duplication events in the Brassicales. <i>American Journal of Botany</i> , 2020, 107, 1148-1164.	1.7	32
15	(2776) Proposal to reject the name <i>Lunaria perennis</i> Mill. (<i>Cruciferae</i>). <i>Taxon</i> , 2020, 69, 1120-1121.	0.7	0
16	(2775) Proposal to conserve the name <i>Lepidium pumilum</i> against <i>L. descemetii</i> (<i>Cruciferae</i>). <i>Taxon</i> , 2020, 69, 1118-1120.	0.7	0
17	Molecular phylogeny of <i>Cremolobus</i> (Brassicaceae) supports the recognition of the new genus <i>Yunkia</i> and demonstrates the high habitat diversity of tribe Cremolobeae. <i>Systematics and Biodiversity</i> , 2020, 18, 295-314.	1.2	4
18	Evolution of Tandem Repeats Is Mirroring Post-polyploid Cladogenesis in <i>Heliophila</i> (Brassicaceae). <i>Frontiers in Plant Science</i> , 2020, 11, 607893.	3.6	13

#	ARTICLE	IF	CITATIONS
19	Molecular data reveal hidden diversity in the central Andean species <i>Weberbauera spathulifolia</i> (Thelypodieae: Brassicaceae). Botanical Journal of the Linnean Society, 2020, 193, 523-545.	1.6	1
20	<strong><em>Heliophila volkii</em></strong> is the correct spelling for <em>H. volkii</em> (Brassicaceae). Phytotaxa, 2020, 438, 221-222.	0.3	1
21	<i>Pennellia yalaensis</i> (Brassicaceae: Halimolobeae), a New Species from the Andes of Northern Argentina. Systematic Botany, 2019, 44, 355-362.	0.5	2
22	Origin and Evolution of Diploid and Allopolyploid Camelina Genomes was Accompanied by Chromosome Shattering. Plant Cell, 2019, 31, tpc.00366.2019.	6.6	61
23	(2671) Proposal to conserve the name <i>Meniocus</i> ( <i>Brassicaceae/Cruciferae</i> ) with a conserved type. Taxon, 2019, 68, 166-168.	0.7	0
24	<i>Draba ancashensis</i> (Brassicaceae; Cruciferae), a new species from Peru and a key to the Peruvian species of the genus. Phytotaxa, 2019, 395, 235.	0.3	0
25	<i>Camelina neglecta</i> (Brassicaceae, Camelineae), a new diploid species from Europe. PhytoKeys, 2019, 115, 51-57.	1.0	22
26	Resolving the backbone of the Brassicaceae phylogeny for investigating trait diversity. New Phytologist, 2019, 222, 1638-1651.	7.3	123
27	Phylogenetic placement of the Peruvian-endemic genus <i>Machaerophorus</i> (Brassicaceae) based on molecular data and implication for its systematics. Plant Systematics and Evolution, 2019, 305, 77-87.	0.9	3
28	<i>Sisymbrium linifolium</i> and <i>Sisymbriopsis schugnana</i> (Brassicaceae), two new records from Xinjiang, China. PhytoKeys, 2019, 119, 39-52.	1.0	3
29	Brassicales phylogeny inferred from 72 plastid genes: A reanalysis of the phylogenetic localization of two paleopolyploid events and origin of novel chemical defenses. American Journal of Botany, 2018, 105, 463-469.	1.7	76
30	Comparative transcriptomics with self-organizing map reveals cryptic photosynthetic differences between two accessions of North American Lake cress. Scientific Reports, 2018, 8, 3302.	3.3	19
31	Reinstatement of the Southern Andean Genus <i>Stenodraba</i> (Brassicaceae) Based on Molecular Data and Insights from its Environmental and Geographic Distribution. Systematic Botany, 2018, 43, 35-52.	0.5	11
32	Two new Peruvian species of <i>Brayopsis</i> (Brassicaceae; Cruciferae), and a key to the species. Phytotaxa, 2018, 383, 111.	0.3	1
33	A Monograph of the South American Species of <i>Draba</i> (Brassicaceae). Annals of the Missouri Botanical Garden, 2018, 103, 463-590.	1.3	7
34	(2585) Proposal to conserve the name <i>Hesperis pendula</i> DC. against <i>H. pendlia</i> Murr. (Cruciferae). Taxon, 2018, 67, 212-212.	0.7	0
35	New insights into the taxonomy of tribe Euclidieae (Brassicaceae), evidence from nrITS sequence data. PhytoKeys, 2018, 100, 125-139.	1.0	9
36	Plastome phylogeny and early diversification of Brassicaceae. BMC Genomics, 2017, 18, 176.	2.8	137

#	ARTICLE	IF	CITATIONS
37	An integrative study of evolutionary diversification of <i>Eutrema</i> (Eutremeae, Brassicaceae). <i>Botanical Journal of the Linnean Society</i> , 2017, 184, 204-223.	1.6	14
38	Tribal assignment of <i>Heldreichia</i> Boiss. (Brassicaceae): evidence from nuclear ITS and plastidic ndhF markers. <i>Plant Systematics and Evolution</i> , 2017, 303, 329-335.	0.9	11
39	Anatolian origins and diversification of <i>&lt; i&gt;Aethionema</i> , the sister lineage of the core Brassicaceae. <i>American Journal of Botany</i> , 2017, 104, 1042-1054.	1.7	40
40	<i>Englerocharis cuzcoensis</i> (Brassicaceae), a New Species from Peru and a Synopsis of <i>Englerocharis</i> . <i>Novon</i> , 2017, 25, 399-402.	0.3	2
41	Five New Species of <i>Lepidium</i> (Brassicaceae): <i>L. pabotii</i> (Iran), <i>L. arequipa</i> (Peru), and <i>L. lapazianum</i> , <i>L. linearilobum</i> , and <i>L. stephan-beckii</i> (Bolivia). <i>Novon</i> , 2017, 25, 403-413.	0.3	4
42	(2460) Proposal to conserve the name <i>Selenia</i> Nutt. ( <i>Cruciferae</i> ) against <i>Selenia</i> Hill ( <i>Hepaticae</i> : <i>Lunulariaceae</i> ). <i>Taxon</i> , 2016, 65, 890-890.	0.7	1
43	<i>&lt; i&gt;Draba ucuncha</i> and <i>D. xylopoda</i> (Brassicaceae), Two New Peruvian Species from La Libertad. <i>Novon</i> , 2016, 25, 3-7.	0.3	3
44	A Revision of the Mexican Endemic <i>Asta</i> (Brassicaceae). <i>Novon</i> , 2016, 25, 8-11.	0.3	0
45	<i>Lepidium seydelii</i> (Brassicaceae), a New Species from Namibia. <i>Harvard Papers in Botany</i> , 2016, 21, 133-135.	0.2	0
46	Molecular phylogeny reveals the non-monophyly of tribe Yinshanieae (Brassicaceae) and description of a new tribe, Hillieae. <i>Plant Diversity</i> , 2016, 38, 171-182.	3.7	12
47	Diversification patterns in the CES clade (Brassicaceae tribes Cremolobeae, Eudemeae, Schizopetaleae) in Andean South America. <i>Botanical Journal of the Linnean Society</i> , 2016, 181, 543-566.	1.6	35
48	Resolution of Brassicaceae Phylogeny Using Nuclear Genes Uncovers Nested Radiations and Supports Convergent Morphological Evolution. <i>Molecular Biology and Evolution</i> , 2016, 33, 394-412.	8.9	259
49	<i>Aphragmus pygmaeus</i> and <i>Cardamine pseudotrifoliolata</i> (Brassicaceae), New Species from Himalayan China. <i>Novon</i> , 2015, 24, 1-5.	0.3	2
50	<i>Cardamine hongdeyuana</i> (Brassicaceae), a new species from Xizang, China. <i>Kew Bulletin</i> , 2015, 70, 1.	0.9	2
51	<i>&lt; i&gt;Englerocharis blanca-leoniae</i> (Brassicaceae), a New Species from Puno, Peru. <i>Harvard Papers in Botany</i> , 2015, 20, 1-4.	0.2	1
52	AlyBase: database of names, chromosome numbers, and ploidy levels of Alysseae (Brassicaceae), with a new generic concept of the tribe. <i>Plant Systematics and Evolution</i> , 2015, 301, 2463-2491.	0.9	51
53	Molecular phylogenetics of tribe Eudemeae (Brassicaceae) and implications for its morphology and distribution. <i>Molecular Phylogenetics and Evolution</i> , 2015, 82, 43-59.	2.7	21
54	Phylogenetic study with nuclear and chloroplast data and ecological niche reveals Atacama (Brassicaceae), a new monotypic genus endemic from the Andes of the Atacama Desert, Chile. <i>Plant Systematics and Evolution</i> , 2015, 301, 1377-1396.	0.9	15

#	ARTICLE	IF	CITATIONS
55	A Synopsis of the Genus <i>Braya</i> (Brassicaceae). Harvard Papers in Botany, 2014, 19, 161-174.	0.2	6
56	BrassiBase: Introduction to a Novel Knowledge Database on Brassicaceae Evolution. Plant and Cell Physiology, 2014, 55, e3-e3.	3.1	117
57	< i> Chaunanthus torulosus</i> sp. nov. (Brassicaceae) from Puebla (Mexico) and a synopsis of the genus. Nordic Journal of Botany, 2014, 32, 133-136.	0.5	1
58	Phylogenetic perspectives on diversification and character evolution in the species-rich genus<i>Erysimum</i>(Erysimeae; Brassicaceae) based on a densely sampled ITS approach. Botanical Journal of the Linnean Society, 2014, 175, 497-522.	1.6	37
59	Transfer of <i>Chaunanthus gracielaeto</i> <i>Mostacillastrum</i> (Brassicaceae). Harvard Papers in Botany, 2014, 19, 23-23.	0.2	0
60	A Revision of the Central American Genus<i>Romanschulzia</i>(Brassicaceae). Harvard Papers in Botany, 2013, 18, 1-12.	0.2	0
61	<i>Draba Henrici</i> (Brassicaceae), a New Species from Northern New Mexico. Harvard Papers in Botany, 2013, 18, 91-93.	0.2	2
62	New species of <i>Brayopsis</i> , <i>Descurainia</i> , <i>Draba</i> , <i>Neuontobotrys</i> and <i>Weberbauera</i> (Brassicaceae) from Peru. Kew Bulletin, 2013, 68, 219-231.	0.9	13
63	<i>Streptanthus tortuosus</i> Subsp. <i>Truei</i> (Brassicaceae), a New Taxon from Nevada County, California. Harvard Papers in Botany, 2013, 18, 13-15.	0.2	0
64	New or Noteworthy Species of<i>Draba</i>(Brassicaceae) from Canada and Alaska. Harvard Papers in Botany, 2013, 18, 101-124.	0.2	11
65	Revision and tribal placement of the Argentinean genus <i>Parodiodoxa</i> (Brassicaceae). Plant Systematics and Evolution, 2013, 299, 305-316.	0.9	12
66	A synopsis of the genus <i>Parrya</i> (Brassicaceae). Kew Bulletin, 2013, 68, 457-475.	0.9	3
67	<i>Clypeola</i> is United with<i>Alyssum</i>(Brassicaceae). Harvard Papers in Botany, 2013, 18, 125-128.	0.2	1
68	Species richness of the globally distributed, arcticâ€“alpine genus <i>Draba</i> L. (Brassicaceae). Alpine Botany, 2013, 123, 97-106.	2.4	26
69	< i> Dryopetalon stenocarpum</i>(<i>Brassicaceae</i>), a new species from Coahuila, Mexico. Willdenowia, 2013, 43, 121-123.	0.8	1
70	<i>Aschersoniodoxa peruviana</i> (Brassicaceae), a remarkable new species from Peru and a synopsis of the genus. Kew Bulletin, 2012, 67, 483-486.	0.9	5
71	Morphometric studies and taxonomic delimitation in <i>Menonvillea scapigera</i> and related species (Cremolobeae: Brassicaceae). Plant Systematics and Evolution, 2012, 298, 1961-1976.	0.9	5
72	Two New Species of <i>Draba</i> (Brassicaceae): <i>D. cajamarcensis</i> from Peru and <i>D. jiulongensis</i> from China. Rhodora, 2012, 114, 31-36.	0.1	4

#	ARTICLE	IF	CITATIONS
73	A Synopsis of the South American <i>Descurainia</i> and Description of the Colombian New Species <i>D. cleefii</i> (Brassicaceae). <i>Harvard Papers in Botany</i> , 2012, 17, 221-229.	0.2	1
74	< i>BrassiBase</i>: Tools and biological resources to study characters and traits in the Brassicaceaeâ€”version 1.1. <i>Taxon</i> , 2012, 61, 1001-1009.	0.7	70
75	Systematics, taxonomy and biogeography of three new Asian genera of Brassicaceae tribe Arabideae: An ancient distribution circle around the Asian high mountains. <i>Taxon</i> , 2012, 61, 955-969.	0.7	25
76	A generic and tribal synopsis of the Brassicaceae (Cruciferae). <i>Taxon</i> , 2012, 61, 931-954.	0.7	315
77	WholeÂ genome triplication and species radiation in the southern African tribe Heliophileae (Brassicaceae). <i>Taxon</i> , 2012, 61, 989-1000.	0.7	29
78	<i>Englerocharis ancashensis</i> (Brassicaceae), a new species from Peru and a synopsis of the genus. <i>Kew Bulletin</i> , 2012, 67, 251-255.	0.9	3
79	< i>Englerocharis dentata</i> and < i>Eudema peruviana</i> (Brassicaceae), Two New Species from Peru. <i>Harvard Papers in Botany</i> , 2011, 16, 275-278.	0.2	6
80	Cabbage family affairs: the evolutionary history of Brassicaceae. <i>Trends in Plant Science</i> , 2011, 16, 108-116.	8.8	341
81	Systematic position of < i>Ivania</i>, < i>Scoliaxon</i>, and < i>Phravienia</i> (Brassicaceae). <i>Taxon</i> , 2011, 60, 1156-1164.	0.7	13
82	Nomenclatural adjustments in the tribe Arabideae (Brassicaceae). <i>Plant Diversity and Evolution</i> , 2011, 129, 71-76.	1.1	16
83	Molecular phylogeny and systematics of the tribe Chorisporae (Brassicaceae). <i>Plant Systematics and Evolution</i> , 2011, 294, 65-86.	0.9	20
84	Molecular Phylogenetics and Taxonomy of the Genus < i>Thysanocarpus</i> (Brassicaceae). <i>Systematic Botany</i> , 2010, 35, 559-577.	0.5	12
85	Closing the gaps: phylogenetic relationships in the Brassicaceae based on DNA sequence data of nuclear ribosomal ITS region. <i>Plant Systematics and Evolution</i> , 2010, 285, 209-232.	0.9	169
86	Molecular phylogeny and systematics of the genus <i>Draba</i> (Brassicaceae) and identification of its most closely related genera. <i>Molecular Phylogenetics and Evolution</i> , 2010, 55, 524-540.	2.7	60
87	(1932) Proposal to conserve the name <i>Boechera</i> against <i>Borodinia</i> (Cruciferae). <i>Taxon</i> , 2010, 59, 648-649.	0.7	1
88	(1965) Proposal to conserve the name <i>Sibara</i> against <i>Machaerophorus</i> (Cruciferae). <i>Taxon</i> , 2010, 59, 1287-1287.	0.7	2
89	Colonizing the American continent: Systematics of the genus < i>Arabis</i> in North America (Brassicaceae). <i>American Journal of Botany</i> , 2010, 97, 1040-1057.	1.7	35
90	Molecular Phylogenetics, Temporal Diversification, and Principles of Evolution in the Mustard Family (Brassicaceae). <i>Molecular Biology and Evolution</i> , 2010, 27, 55-71.	8.9	306

#	ARTICLE	IF	CITATIONS
91	Phylogeny of <i>Isatis</i> (Brassicaceae) and allied genera based on ITS sequences of nuclear ribosomal DNA and morphological characters. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2010, 205, 337-343.	1.2	21
92	Nomenclatural novelties in miscellaneous Asian Brassicaceae (Cruciferae). <i>Nordic Journal of Botany</i> , 2010, 28, 646-651.	0.5	27
93	A Synopsis of the Genus <i>Sibara</i> (Brassicaceae). <i>Harvard Papers in Botany</i> , 2010, 15, 139-147.	0.2	7
94	< i>Arabidopsis</i> family ties: molecular phylogeny and age estimates in Brassicaceae. <i>Taxon</i> , 2009, 58, 425-437.	0.7	99
95	Two New Peruvian Species of < i>Draba</i>(Brassicaceae). <i>Harvard Papers in Botany</i> , 2009, 14, 39-41.	0.2	4
96	Molecular phylogeny of < i>Solmsâ€Laubachia</i> (Brassicaceae) s.l., based on multiple nuclear and plastid DNA sequences, and its biogeographic implications. <i>Journal of Systematics and Evolution</i> , 2009, 47, 402-415.	3.1	53
97	Contribution to ITS phylogeny of the Brassicaceae, with special reference to some Asian taxa. <i>Plant Systematics and Evolution</i> , 2009, 283, 33-56.	0.9	93
98	Phylogenetic relationships in the tribes Schizopetaleae and Thelypodieae (Brassicaceae) based on nuclear ribosomal ITS region and plastid< i>ndh</i>F DNA sequences. <i>Botany</i> , 2009, 87, 961-985.	1.0	57
99	Weberbauera arequipa (Brassicaceae), a New Species from Peru. <i>Novon</i> , 2009, 19, 281-283.	0.3	4
100	Five Additional Tribes (Aphragmeae, Biscutelleae, Calepineae, Conringiaeae, and Erysimeae) in the Brassicaceae (Cruciferae). <i>Harvard Papers in Botany</i> , 2008, 13, 165-170.	0.2	44
101	Phylogenetic relationships in the tribe Alysseae (Brassicaceae) based on nuclear ribosomal ITS DNA sequences. <i>Botany</i> , 2008, 86, 315-336.	1.0	70
102	Dendroarabis, A Newasian Genus of Brassicaceae. <i>Harvard Papers in Botany</i> , 2008, 13, 289-291.	0.2	10
103	A Synopsis Of An Expanded Solms-laubachia (Brassicaceae), and the Description Of Four New Species From Western China<sup>1</sup>. <i>Annals of the Missouri Botanical Garden</i> , 2008, 95, 520-538.	1.3	15
104	Cardamine tianqingiae (Brassicaceae), A New Species from Gansu Province, China. <i>Harvard Papers in Botany</i> , 2008, 13, 89-91.	0.2	4
105	Brassicaceae phylogeny inferred from phytochrome A and < i>ndhF</i> sequence data: tribes and trichomes revisited. <i>American Journal of Botany</i> , 2008, 95, 1307-1327.	1.7	193
106	(1854) Proposal to conserve the name < i>Teesdalia</i> (< i>Cruciferae</i>). <i>Taxon</i> , 2008, 57, 1357-1358.	0.7	0
107	Generic Limits in Tribe Halimolobeae and Description of the New Genus < i>Exhalimolobos</i> (Brassicaceae). <i>Systematic Botany</i> , 2007, 32, 140-156.	0.5	35
108	Seed-coat microsculpturing and its systematic application in <i>Isatis</i> (Brassicaceae) and allied genera in Iran. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2007, 202, 447-454.	1.2	31

#	ARTICLE	IF	CITATIONS
109	PHYLOGENETIC RELATIONSHIPS IN THE TRIBES ANCHONIEAE, CHORISPOREAE, EUCLIDIEAE, AND HESPERIDEAE (BRASSICACEAE) BASED ON NUCLEAR RIBOSOMAL ITS DNA SEQUENCES. Annals of the Missouri Botanical Garden, 2007, 94, 56-78.	1.3	68
110	Generic Limits of <i>Dryopetalon</i> , <i>Rollinsia</i> , <i>Sibara</i> , and <i>Thelypodiopsis</i> (Brassicaceae), and a Synopsis of <i>Dryopetalon</i> . Novon, 2007, 17, 397-402.	0.3	10
111	<i>Parrya nauruaq</i> (Brassicaceae), a New Species from Alaska. Novon, 2007, 17, 275.	0.3	2
112	Two New Tribes (Dontostemoneae and Malcolmieae) in the Brassicaceae (Cruciferae). Harvard Papers in Botany, 2007, 12, 429-433.	0.2	33
113	The correct interpretation and lectotypification of the name <i>Cardamine fallax</i> (Brassicaceae). Journal of Plant Research, 2007, 120, 655-660.	2.4	6
114	Toward a Global Phylogeny of the Brassicaceae. Molecular Biology and Evolution, 2006, 23, 2142-2160.	8.9	337
115	Phylogenetic position of <i>Arabis arenicola</i> and generic limits of <i>Aphragmus</i> and <i>Eutrema</i> (Brassicaceae) based on sequences of nuclear ribosomal DNA. Canadian Journal of Botany, 2006, 84, 269-281.	1.1	52
116	Brassicaceae phylogeny and trichome evolution. American Journal of Botany, 2006, 93, 607-619.	1.7	351
117	(1678) Proposal to conserve the name <i>Erucastrum</i> against <i>Kibera</i> and <i>Hirschfeldia</i> (Brassicaceae). Taxon, 2005, 54, 204-205.	0.7	0
118	Taxonomic and Phylogenetic Evaluation of the American "Thlaspi" Species: Identity and Relationship to the Eurasian Genus <i>Noccaea</i> (Brassicaceae). Systematic Botany, 2004, 29, 375-384.	0.5	54
119	Phylogeny of <i>Braya</i> and <i>Neotorularia</i> (Brassicaceae) based on nuclear ribosomal internal transcribed spacer and chloroplast <i>trnL</i> intron sequences. Canadian Journal of Botany, 2004, 82, 376-392.	1.1	39
120	Molecular Systematics, Evolution, and Population Biology in the Mustard Family (Brassicaceae). Annals of the Missouri Botanical Garden, 2003, 90, 151.	1.3	136
121	(1583) Proposal to conserve the name <i>Smelowskia</i> against <i>Redowskia</i> (Brassicaceae). Taxon, 2003, 52, 360-361.	0.7	2
122	Phylogenetic Position and Generic Limits of <i>Arabidopsis</i> (Brassicaceae) Based on Sequences of Nuclear Ribosomal DNA. Annals of the Missouri Botanical Garden, 2003, 90, 603.	1.3	65
123	Molecular Data Indicate Complex Intra- and Intercontinental Differentiation of American <i>Draba</i> (Brassicaceae). Annals of the Missouri Botanical Garden, 2002, 89, 88.	1.3	67
124	Phylogeny of <i>Sisymbrium</i> (Brassicaceae) based on ITS sequences of nuclear ribosomal DNA. Canadian Journal of Botany, 2002, 80, 1002-1017.	1.1	66
125	Molecular Systematics of the Chinese <i>Yinshania</i> (Brassicaceae): Evidence from Plastid and Nuclear Its DNA Sequence Data. Annals of the Missouri Botanical Garden, 2000, 87, 246.	1.3	30
126	A Reconsideration of the Genus <i>Eurycarpus</i> (Brassicaceae). Novon, 2000, 10, 346.	0.3	2

#	ARTICLE	IF	CITATIONS
127	The Origins of <i>Arabidopsis suecica</i> (Brassicaceae) as Indicated by Nuclear rDNA Sequences. <i>Systematic Botany</i> , 1996, 21, 559.	0.5	177
128	The Genus <i>Aschersoniodoxa</i> (Brassicaceae). <i>Systematic Botany</i> , 1990, 15, 387.	0.5	5
129	The South American <i>Eremodraba</i> (Brassicaceae). <i>Annals of the Missouri Botanical Garden</i> , 1990, 77, 602.	1.3	3
130	The South American genera <i>Brayopsis</i> and <i>Englerocharis</i> (Brassicaceae). <i>Nordic Journal of Botany</i> , 1989, 8, 619-625.	0.5	10
131	The genera of <i>Arabideae</i> (Cruciferae; Brassicaceae) in the southeastern United States. <i>Journal of the Arnold Arboretum</i> , 1988, 69, 85-166.	0.3	69
132	Chemotaxonomic Diversity and Complexity in Seed Glucosinolates of <i>Caulanthus</i> and <i>Streptanthus</i> (Cruciferae). <i>Systematic Botany</i> , 1981, 6, 197.	0.5	39
133	<i>Aethionema aytachii</i> (Brassicaceae): A new species from central Anatolia, Turkey. <i>Turkish Journal of Botany</i> , 0, .	1.2	2