

# Rosanna Parlato

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/805368/publications.pdf>

Version: 2024-02-01

64  
papers

7,433  
citations

186265

28  
h-index

123424

61  
g-index

68  
all docs

68  
docs citations

68  
times ranked

17912  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic lesions of the noradrenergic system trigger induction of oxidative stress and inflammation in the ventral midbrain. <i>Neurochemistry International</i> , 2022, 155, 105302.	3.8	3
2	Oxidative Stress in Neurodegenerative Diseases. <i>Antioxidants</i> , 2022, 11, 504.	5.1	14
3	<scp>ALS</scp> â€linked <scp>KIF5A Î”Exon27</scp> mutant causes neuronal toxicity through gainâ€ofâ€function. <i>EMBO Reports</i> , 2022, 23, .	4.5	25
4	Targeted Ablation of Primary Cilia in Differentiated Dopaminergic Neurons Reduces Striatal Dopamine and Responsiveness to Metabolic Stress. <i>Antioxidants</i> , 2021, 10, 1284.	5.1	7
5	Nucleolar stress controls mutant Huntington toxicity and monitors Huntingtonâ€™s disease progression. <i>Cell Death and Disease</i> , 2021, 12, 1139.	6.3	10
6	Structural Fuzziness of the RNA-Organizing Protein SERF Determines a Toxic Gain-of-interaction. <i>Journal of Molecular Biology</i> , 2020, 432, 930-951.	4.2	18
7	Editorial: Emerging Cellular Stress Sensors in Neurological Disorders: Closing in on the Nucleolus and the Primary Cilium. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 64.	3.7	0
8	Nucleolar stress induces a senescence-like phenotype in smooth muscle cells and promotes development of vascular degeneration. <i>Aging</i> , 2020, 12, 22174-22198.	3.1	16
9	Cav2.3 channels contribute to dopaminergic neuron loss in a model of Parkinsonâ€™s disease. <i>Nature Communications</i> , 2019, 10, 5094.	12.8	65
10	Integration of the Deacetylase SIRT1 in the Response to Nucleolar Stress: Metabolic Implications for Neurodegenerative Diseases. <i>Frontiers in Molecular Neuroscience</i> , 2019, 12, 106.	2.9	9
11	rRNA and tRNA Bridges to Neuronal Homeostasis in Health and Disease. <i>Journal of Molecular Biology</i> , 2019, 431, 1763-1779.	4.2	22
12	Stimulation of noradrenergic transmission by reboxetine is beneficial for a mouse model of progressive parkinsonism. <i>Scientific Reports</i> , 2019, 9, 5262.	3.3	19
13	Targeted Depletion of Primary Cilia in Dopaminoceptive Neurons in a Preclinical Mouse Model of Huntingtonâ€™s Disease. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 565.	3.7	10
14	InÂVivo Protein Complementation Demonstrates Presynaptic Î±-Synuclein Oligomerization and Age-Dependent Accumulation of 8â€16-mer Oligomer Species. <i>Cell Reports</i> , 2019, 29, 2862-2874.e9.	6.4	26
15	C9orf72-associated neurodegeneration in ALS-FTD: breaking new ground in ribosomal RNA and nucleolar dysfunction. <i>Cell and Tissue Research</i> , 2018, 373, 351-360.	2.9	26
16	Selektive Degeneration dopaminergener Neurone beim Parkinson-Syndrom: die zunehmende Rolle von verÄnderter KalziumhomÄ†ostase und nukleolÄrer Funktion. <i>E-Neuroforum</i> , 2018, 24, 1-14.	0.1	0
17	RNA Polymerase 1 Is Transiently Regulated by Seizures and Plays a Role in a Pharmacological Kindling Model of Epilepsy. <i>Molecular Neurobiology</i> , 2018, 55, 8374-8387.	4.0	11
18	A09â€...Stage- and cell-specific changes of nucleolar activity and integrity are associated with the progression of huntingtonâ€™s disease. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
19	Loss of Proteostasis Is a Pathomechanism in Cockayne Syndrome. <i>Cell Reports</i> , 2018, 23, 1612-1619.	6.4	42
20	Selective degeneration of dopamine neurons in Parkinson's disease: emerging roles of altered calcium homeostasis and nucleolar function. <i>E-Neuroforum</i> , 2018, 24, A1-A9.	0.1	1
21	Genetic mutations linked to Parkinson's disease differentially control nucleolar activity in pre-symptomatic mouse models. <i>DMM Disease Models and Mechanisms</i> , 2017, 10, 633-643.	2.4	21
22	Transgenic mice lacking CREB and CREM in noradrenergic and serotonergic neurons respond differently to common antidepressants on tail suspension test. <i>Scientific Reports</i> , 2017, 7, 13515.	3.3	22
23	DNA Damage, Neurodegeneration, and Synaptic Plasticity. <i>Neural Plasticity</i> , 2016, 2016, 1-2.	2.2	9
24	Editorial: Neuronal Self-Defense: Compensatory Mechanisms in Neurodegenerative Disorders. <i>Frontiers in Cellular Neuroscience</i> , 2016, 9, 499.	3.7	3
25	B26...Dissecting the role of nucleolar stress in huntington's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, A16.1-A16.	1.9	0
26	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701
27	Role of nucleolar dysfunction in neurodegenerative disorders: a game of genes?. <i>AIMS Molecular Science</i> , 2015, 2, 211-224.	0.5	12
28	CREB activity in dopamine D1 receptor expressing neurons regulates cocaine-induced behavioral effects. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 212.	2.0	18
29	Regulation of proliferation and histone acetylation in embryonic neural precursors by CREB/CREM signaling. <i>Neurogenesis (Austin, Tex )</i> , 2014, 1, e970883.	1.5	3
30	Essential role of sympathetic endothelin A receptors for adverse cardiac remodeling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 13499-13504.	7.1	30
31	A genetic mouse model for progressive ablation and regeneration of insulin producing beta-cells. <i>Cell Cycle</i> , 2014, 13, 3948-3957.	2.6	9
32	How Parkinson's disease meets nucleolar stress. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014, 1842, 791-797.	3.8	71
33	Phasic Dopaminergic Activity Exerts Fast Control of Cholinergic Interneuron Firing via Sequential NMDA, D2, and D1 Receptor Activation. <i>Journal of Neuroscience</i> , 2014, 34, 11549-11559.	3.6	49
34	Nucleolar activity in neurodegenerative diseases: a missing piece of the puzzle?. <i>Journal of Molecular Medicine</i> , 2013, 91, 541-547.	3.9	89
35	Cell Loss and Autophagy in the Extra-Adrenal Chromaffin Organ of Zuckerkandl are Regulated by Glucocorticoid Signalling. <i>Journal of Neuroendocrinology</i> , 2013, 25, 34-47.	2.6	38
36	A neuroprotective phase precedes striatal degeneration upon nucleolar stress. <i>Cell Death and Differentiation</i> , 2013, 20, 1455-1464.	11.2	68

#	ARTICLE	IF	CITATIONS
37	Impaired rRNA synthesis triggers homeostatic responses in hippocampal neurons. <i>Frontiers in Cellular Neuroscience</i> , 2013, 7, 207.	3.7	31
38	Bidirectional Regulation of Intravenous General Anesthetic Actions by $\hat{1}\pm 3$ -containing $\hat{1}^3$ -aminobutyric Acid Receptors. <i>Anesthesiology</i> , 2013, 118, 562-576.	2.5	7
39	Inactivation of Glucocorticoid Receptor in Noradrenergic System Influences Anxiety- and Depressive-Like Behavior in Mice. <i>PLoS ONE</i> , 2013, 8, e72632.	2.5	28
40	Glutamate input to noradrenergic neurons plays an essential role in the development of morphine dependence and psychomotor sensitization. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 1457-1471.	2.1	9
41	<i>Pten</i> ablation in adult dopaminergic neurons is neuroprotective in Parkinson's disease models. <i>FASEB Journal</i> , 2011, 25, 2898-2910.	0.5	106
42	New Striatal Neurons in a Mouse Model of Progressive Striatal Degeneration Are Generated in both the Subventricular Zone and the Striatal Parenchyma. <i>PLoS ONE</i> , 2011, 6, e25088.	2.5	28
43	Nucleolar Disruption in Dopaminergic Neurons Leads to Oxidative Damage and Parkinsonism through Repression of Mammalian Target of Rapamycin Signaling. <i>Journal of Neuroscience</i> , 2011, 31, 453-460.	3.6	136
44	Effects of the cell type-specific ablation of the cAMP-responsive transcription factor in noradrenergic neurons on locus coeruleus firing and withdrawal behavior after chronic exposure to morphine. <i>Journal of Neurochemistry</i> , 2010, 115, 563-573.	3.9	20
45	The Gata3 Transcription Factor Is Required for the Survival of Embryonic and Adult Sympathetic Neurons. <i>Journal of Neuroscience</i> , 2010, 30, 10833-10843.	3.6	81
46	The CREB/CREM Transcription Factors Negatively Regulate Early Synaptogenesis and Spontaneous Network Activity. <i>Journal of Neuroscience</i> , 2009, 29, 328-333.	3.6	29
47	Conditional Inactivation of Glucocorticoid Receptor Gene in Dopamine- $\hat{1}^2$ -Hydroxylase Cells Impairs Chromaffin Cell Survival. <i>Endocrinology</i> , 2009, 150, 1775-1781.	2.8	33
48	Regulation of neural migration by the CREB/CREM transcription factors and altered Dab1 levels in CREB/CREM mutants. <i>Molecular and Cellular Neurosciences</i> , 2008, 39, 519-528.	2.2	17
49	Glutamate Receptors on Dopamine Neurons Control the Persistence of Cocaine Seeking. <i>Neuron</i> , 2008, 59, 497-508.	8.1	224
50	Depolarization promotes GAD 65-mediated GABA synthesis by a post-translational mechanism in neural stem cell-derived neurons. <i>European Journal of Neuroscience</i> , 2008, 27, 269-283.	2.6	10
51	SoxE Proteins Are Differentially Required in Mouse Adrenal Gland Development. <i>Molecular Biology of the Cell</i> , 2008, 19, 1575-1586.	2.1	48
52	Activation of an Endogenous Suicide Response after Perturbation of rRNA Synthesis Leads to Neurodegeneration in Mice. <i>Journal of Neuroscience</i> , 2008, 28, 12759-12764.	3.6	81
53	Specific ablation of the transcription factor CREB in sympathetic neurons surprisingly protects against developmentally regulated apoptosis. <i>Development (Cambridge)</i> , 2007, 134, 1663-1670.	2.5	61
54	Analysis of dopamine transporter gene expression pattern and generation of DAT-iCre transgenic mice. <i>FEBS Journal</i> , 2007, 274, 3568-3577.	4.7	84

#	ARTICLE	IF	CITATIONS
55	Expression of Cre recombinase in dopaminoceptive neurons. BMC Neuroscience, 2007, 8, 4.	1.9	68
56	Target-dependent specification of the neurotransmitter phenotype:cholinergic differentiation of sympathetic neurons is mediated in vivo by gp130 signaling. Development (Cambridge), 2006, 133, 141-150.	2.5	110
57	Survival of DA neurons is independent of CREM upregulation in absence of CREB. Genesis, 2006, 44, 454-464.	1.6	47
58	Target-dependent specification of the neurotransmitter phenotype:cholinergic differentiation of sympathetic neurons is mediated in vivo by gp130 signaling. Development (Cambridge), 2006, 133, 383-383.	2.5	1
59	cAMP Response Element-Binding Protein Regulates Differentiation and Survival of Newborn Neurons in the Olfactory Bulb. Journal of Neuroscience, 2005, 25, 10105-10118.	3.6	142
60	Requirement of the forkhead gene Foxe1, a target of sonic hedgehog signaling, in hair follicle morphogenesis. Human Molecular Genetics, 2004, 13, 2595-2606.	2.9	53
61	An integrated regulatory network controlling survival and migration in thyroid organogenesis. Developmental Biology, 2004, 276, 464-475.	2.0	161
62	Role of the thyroid-stimulating hormone receptor signaling in development and differentiation of the thyroid gland. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 15462-15467.	7.1	216
63	A Preservation Method That Allows Recovery of Intact RNA from Tissues Dissected by Laser Capture Microdissection. Analytical Biochemistry, 2002, 300, 139-145.	2.4	38
64	Distribution of the titf2/foxe1 gene product is consistent with an important role in the development of foregut endoderm, palate, and hair. Developmental Dynamics, 2002, 224, 450-456.	1.8	89