## Tullio Ghi

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8053885/publications.pdf

Version: 2024-02-01

249 papers

7,165 citations

43 h-index 75 g-index

319 all docs

319 docs citations

319 times ranked

4675 citing authors

#	Article	IF	Citations
1	<scp>ISUOG</scp> Practice Guidelines: performance of firstâ€trimester fetal ultrasound scan. Ultrasound in Obstetrics and Gynecology, 2013, 41, 102-113.	1.7	465
2	ISUOG Practice Guidelines: ultrasound assessment of fetal biometry and growth. Ultrasound in Obstetrics and Gynecology, 2019, 53, 715-723.	1.7	319
3	Histopathologic features and risk factors for benignity, hyperplasia, and cancer in endometrial polyps. American Journal of Obstetrics and Gynecology, 2003, 188, 927-931.	1.3	236
4	ISUOG Practice Guidelines: intrapartum ultrasound. Ultrasound in Obstetrics and Gynecology, 2018, 52, 128-139.	1.7	194
5	Accuracy of three-dimensional ultrasound in diagnosis and classification of congenital uterine anomalies. Fertility and Sterility, 2009, 92, 808-813.	1.0	189
6	Diagnosis of station and rotation of the fetal head in the second stage of labor with intrapartum translabial ultrasound. Ultrasound in Obstetrics and Gynecology, 2009, 33, 331-336.	1.7	185
7	Diagnostic accuracy of 18F-FDG PET/CT in characterizing ovarian lesions and staging ovarian cancer: Correlation with transvaginal ultrasonography, computed tomography, and histology. Nuclear Medicine Communications, 2007, 28, 589-595.	1.1	168
8	Fetal cardiac abnormalities identified prior to 14Âweeks' gestation. Ultrasound in Obstetrics and Gynecology, 2002, 20, 22-29.	1.7	160
9	Outcome of antenatally diagnosed intracranial hemorrhage: case series and review of the literature. Ultrasound in Obstetrics and Gynecology, 2003, 22, 121-130.	1.7	159
10	Antiphospholipid antibody profile based obstetric outcomesÂof primary antiphospholipid syndrome: theÂPREGNANTS study. American Journal of Obstetrics and Gynecology, 2017, 216, 525.e1-525.e12.	1.3	131
11	Incidence of major structural cardiac defects associated with increased nuchal translucency but normal karyotype. Ultrasound in Obstetrics and Gynecology, 2001, 18, 610-614.	1.7	130
12	Diagnosis of midline anomalies of the fetal brain with the three-dimensional median view. Ultrasound in Obstetrics and Gynecology, 2006, 27, 522-529.	1.7	118
13	ISUOG Practice Guidelines: role of ultrasound in screening for and followâ€up of preâ€eclampsia. Ultrasound in Obstetrics and Gynecology, 2019, 53, 7-22.	1.7	116
14	Prenatal diagnosis and outcome of fetal posterior fossa fluid collections. Ultrasound in Obstetrics and Gynecology, 2012, 39, 625-631.	1.7	112
15	Pregnancy outcome after early detection of bacterial vaginosis. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2006, 128, 40-45.	1.1	109
16	Prenatal diagnosis of open and closed spina bifida. Ultrasound in Obstetrics and Gynecology, 2006, 28, 899-903.	1.7	108
17	Effect of Long-Term Testosterone Administration on the Endometrium of Female-to-Male (FtM) Transsexuals. Journal of Sexual Medicine, 2009, 6, 3193-3200.	0.6	108
18	ISUOG Practice Guidelines: invasive procedures for prenatal diagnosis. Ultrasound in Obstetrics and Gynecology, 2016, 48, 256-268.	1.7	102

#	Article	IF	CITATIONS
19	Fetal head–symphysis distance: a simple and reliable ultrasound index of fetal head station in labor. Ultrasound in Obstetrics and Gynecology, 2013, 41, 419-424.	1.7	98
20	Absence of the ductus venosus: report of 10 new cases and review of the literature. Ultrasound in Obstetrics and Gynecology, 2001, 18, 605-609.	1.7	90
21	Cervical and hysteroscopic injection for identification of sentinel lymph node in endometrial cancer. Gynecologic Oncology, 2008, 111, 62-67.	1.4	89
22	Prenatal diagnosis and outcome of partial agenesis and hypoplasia of the corpus callosum. Ultrasound in Obstetrics and Gynecology, 2010, 35, 35-41.	1.7	84
23	Sonographic prediction of outcome of vacuum deliveries: aÂmulticenter, prospective cohort study. American Journal of Obstetrics and Gynecology, 2017, 217, 69.e1-69.e10.	1.3	82
24	Paraovarian/paratubal cysts: comparison of transvaginal sonographic and pathological findings to establish diagnostic criteria. Ultrasound in Obstetrics and Gynecology, 2006, 28, 330-334.	1.7	74
25	Threeâ€dimensional ultrasound examination of the fetal central nervous system. Ultrasound in Obstetrics and Gynecology, 2007, 30, 233-245.	1.7	74
26	Outcomes in pregnancies with a confined placental mosaicism and implications for prenatal screening using cell-free DNA. Genetics in Medicine, 2020, 22, 309-316.	2.4	73
27	Intrapartum transperineal ultrasound assessment of fetal head progression in active second stage of labor and mode of delivery. Ultrasound in Obstetrics and Gynecology, 2013, 41, 430-435.	1.7	70
28	Cervical length and risk of antepartum bleeding in women with complete placenta previa. Ultrasound in Obstetrics and Gynecology, 2009, 33, 209-212.	1.7	69
29	The use of intrapartum ultrasound to diagnose malpositions and cephalic malpresentations. American Journal of Obstetrics and Gynecology, 2017, 217, 633-641.	1.3	68
30	Prenatal imaging of facial clefts by magnetic resonance imaging with emphasis on the posterior palate. Prenatal Diagnosis, 2003, 23, 970-975.	2.3	65
31	Effects of Testosterone Undecanoate Administered Alone or in Combination with Letrozole or Dutasteride in Female to Male Transsexuals. Journal of Sexual Medicine, 2008, 5, 2442-2453.	0.6	63
32	Threeâ€dimensional ultrasound in monitoring progression of labor: a reproducibility study. Ultrasound in Obstetrics and Gynecology, 2010, 36, 500-506.	1.7	63
33	Brainstem-vermis and brainstem-tentorium angles allow accurate categorization of fetal upward rotation of cerebellar vermis. Ultrasound in Obstetrics and Gynecology, 2012, 39, 632-635.	1.7	62
34	Sonographic pattern of fetal head descent: relationship with duration of active second stage of labor and occiput position at delivery. Ultrasound in Obstetrics and Gynecology, 2014, 44, 82-89.	1.7	62
35	Twoâ€dimensional ultrasound is accurate in the diagnosis of fetal craniofacial malformation. Ultrasound in Obstetrics and Gynecology, 2002, 19, 543-551.	1.7	61
36	Maternal cardiac function in normal twin pregnancy: a longitudinal study. Ultrasound in Obstetrics and Gynecology, 2011, 38, 575-580.	1.7	58

#	Article	IF	CITATIONS
37	Intrapartum sonography for fetal head asynclitism and transverse position: sonographic signs and comparison of diagnostic performance between transvaginal and digital examination. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 508-512.	1.5	56
38	Should the myometrial free margin still be considered a limiting factor for hysteroscopic resection of submucous fibroids? A possible answer to an old question. Fertility and Sterility, 2011, 95, 1764-1768.e1.	1.0	55
39	Cerebroplacental ratio assessment in early labor in uncomplicated term pregnancy and prediction of adverse perinatal outcome: prospective multicenter study. Ultrasound in Obstetrics and Gynecology, 2019, 53, 481-487.	1.7	52
40	Cardiovascular events following pregnancy complicated by preâ€eclampsia with emphasis on comparison between early―and lateâ€onset forms: systematic review and metaâ€onalysis. Ultrasound in Obstetrics and Gynecology, 2021, 57, 698-709.	1.7	52
41	Role of prenatal magnetic resonance imaging in fetuses with isolated mild or moderate ventriculomegaly in the era of neurosonography: international multicenter study. Ultrasound in Obstetrics and Gynecology, 2020, 56, 340-347.	1.7	50
42	How to perform ultrasound in labor: assessment of fetal occiput position. Ultrasound in Obstetrics and Gynecology, 2013, 41, 476-478.	1.7	49
43	Accurate neurosonographic prediction of brain injury in the surviving fetus after the death of a monochorionic cotwin. Ultrasound in Obstetrics and Gynecology, 2006, 27, 517-521.	1.7	48
44	Fetal cerebral Doppler changes and outcome in late preterm fetal growth restriction: prospective cohort study. Ultrasound in Obstetrics and Gynecology, 2020, 56, 173-181.	1.7	47
45	The "occiput–spine angle†a new sonographic index of fetal head deflexion during the first stage of labor. American Journal of Obstetrics and Gynecology, 2016, 215, 84.e1-84.e7.	1.3	43
46	Intrapartum sonographic imaging of fetal head asynclitism. Ultrasound in Obstetrics and Gynecology, 2012, 39, 238-240.	1.7	42
47	Sonographic demonstration of brain injury in fetuses with severe red blood cell alloimmunization undergoing intrauterine transfusions. Ultrasound in Obstetrics and Gynecology, 2004, 23, 428-431.	1.7	41
48	Randomised Italian Sonography for occiput POSition Trial Ante vacuum (R.I.S.POS.T.A.). Ultrasound in Obstetrics and Gynecology, 2018, 52, 699-705.	1.7	40
49	Inpatient <i>vs</i> outpatient management and timing of delivery of uncomplicated monochorionic monoamniotic twin pregnancy: the MONOMONO study. Ultrasound in Obstetrics and Gynecology, 2019, 53, 175-183.	1.7	40
50	Persistence of increased uterine artery resistance in the third trimester and pregnancy outcome. Ultrasound in Obstetrics and Gynecology, 2010, 36, 577-581.	1.7	39
51	A New Simple Technique for 3â€Dimensional Sonographic Assessment of the Pelvic Floor Muscles. Journal of Ultrasound in Medicine, 2015, 34, 65-72.	1.7	39
52	Diagnosis and management of fetal cardiac anomalies: 10 years of experience at a single institution. Ultrasound in Obstetrics and Gynecology, 2001, 18, 615-618.	1.7	38
53	Narrow subpubic arch angle is associated with higher risk of persistent occiput posterior position at delivery. Ultrasound in Obstetrics and Gynecology, 2016, 48, 511-515.	1.7	38
54	Development of customized fetal growth charts in twins. American Journal of Obstetrics and Gynecology, 2017, 216, 514.e1-514.e17.	1.3	38

#	Article	IF	CITATIONS
55	Three-dimensional sonographic diagnosis of ovarian pregnancy. Ultrasound in Obstetrics and Gynecology, 2005, 26, 102-104.	1.7	37
56	Prediction of spontaneous vaginal delivery in nulliparous women with a prolonged second stage of labor: the value of intrapartum ultrasound. American Journal of Obstetrics and Gynecology, 2019, 221, 642.e1-642.e13.	1.3	37
57	Difficult early sonographic diagnosis of absence of the fetal septum pellucidum. Ultrasound in Obstetrics and Gynecology, 2005, 25, 70-72.	1.7	36
58	Transvaginal sonographic appearance of peritoneal pseudocysts. Ultrasound in Obstetrics and Gynecology, 2004, 23, 284-288.	1.7	35
59	The pregnancy outcome in women with incidental diagnosis of septate uterus at first trimester scan. Human Reproduction, 2012, 27, 2671-2675.	0.9	35
60	Fetal head–symphysis distance and mode of delivery in the second stage of labor. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 1011-1017.	2.8	29
61	Agreement between two―and threeâ€dimensional transperineal ultrasound methods for assessment of fetal head–symphysis distance in active labor. Ultrasound in Obstetrics and Gynecology, 2014, 43, 183-188.	1.7	29
62	The effect of fetal sex on customized fetal growth charts. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 3768-3775.	1.5	29
63	Descent of fetal head during active pushing: secondary analysis of prospective cohort study investigating ultrasound examination before operative vaginal delivery. Ultrasound in Obstetrics and Gynecology, 2019, 54, 524-529.	1.7	29
64	The prognostic role of uterine artery Doppler studies in patients with late-onset preeclampsia. American Journal of Obstetrics and Gynecology, 2009, 201, 36.e1-36.e5.	1.3	28
65	Outcome of Conservatively Treated Microinvasive Squamous Cell Carcinoma of the Uterine Cervix During a 10-Year Follow-up. International Journal of Gynecological Cancer, 2009, 19, 33-38.	2.5	28
66	Transvaginal sonographic features of peritoneal carcinomatosis. Ultrasound in Obstetrics and Gynecology, 2005, 26, 552-557.	1.7	27
67	Intrapartum Ultrasound to Differentiate Flexion and Deflexion in Occipitoposterior Rotation. Fetal Diagnosis and Therapy, 2017, 42, 249-256.	1.4	27
68	Prenatal diagnosis of cerebral lesions acquired <i>in utero</i> and with a late appearance. Prenatal Diagnosis, 2009, 29, 389-395.	2.3	26
69	Ultrasound in labor: a caregiver's perspective. Ultrasound in Obstetrics and Gynecology, 2013, 41, 469-470.	1.7	26
70	Risk of 22q11.2 deletion in fetuses with right aortic arch and without intracardiac anomalies. Ultrasound in Obstetrics and Gynecology, 2016, 48, 200-203.	1.7	26
71	Fetal rotation during vacuum extractions for prolonged labor: a prospective cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 998-1005.	2.8	26
72	Asynclitism: a literature review of an often forgotten clinical condition. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 1890-1894.	1.5	25

#	Article	IF	CITATIONS
73	Mode of delivery in the preterm gestation and maternal and neonatal outcome. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 1424-1428.	1.5	24
74	Intrapartum threeâ€dimensional ultrasonographic imaging of face presentations: report of two cases. Ultrasound in Obstetrics and Gynecology, 2012, 40, 117-118.	1.7	24
75	Sonographic diagnosis of lateral asynclitism: a new subtype of fetal head malposition as a main determinant of early labor arrest. Ultrasound in Obstetrics and Gynecology, 2015, 45, 229-231.	1.7	24
76	Customized Fetal Growth Charts for Parents' Characteristics, Race, and Parity by Quantile Regression Analysis. Journal of Ultrasound in Medicine, 2016, 35, 83-92.	1.7	24
77	Inversion mode spatio-temporal image correlation (STIC) echocardiography in three-dimensional rendering of fetal ventricular septal defects. Ultrasound in Obstetrics and Gynecology, 2005, 26, 679-680.	1.7	23
78	Post-partum evaluation of maternal cardiac function after severe preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 696-701.	1.5	23
79	Subpubic Arch Angle and Mode of Delivery in Low-Risk Nulliparous Women. Fetal Diagnosis and Therapy, 2016, 40, 150-155.	1.4	23
80	Intrapartum sonography head transverse and asynclitic diagnosis with and without epidural analgesia initiated early during the first stage of labor. European Review for Medical and Pharmacological Sciences, 2011, 15, 518-23.	0.7	23
81	Prenatal diagnosis of a complete mole coexisting with a dichorionic twin pregnancy: Case report. Human Reproduction, 2004, 19, 1231-1234.	0.9	22
82	Threeâ€dimensional sonographic imaging of fetal bilateral cleft lip and palate in the first trimester. Ultrasound in Obstetrics and Gynecology, 2009, 34, 119-120.	1.7	22
83	Normal morphometry of fetal posterior fossa at midtrimester: brainstem–tentorium angle and brainstem–vermis angle. Prenatal Diagnosis, 2012, 32, 440-443.	2.3	22
84	How to image the fetal corpus callosum. Ultrasound in Obstetrics and Gynecology, 2013, 42, 718-720.	1.7	22
85	Maternal cardiac evaluation during uncomplicated twin pregnancy with emphasis on the diastolic function. American Journal of Obstetrics and Gynecology, 2015, 213, 376.e1-376.e8.	1.3	22
86	Maternal cardiac parameters can help in differentiating the clinical profile of preeclampsia and in predicting progression from mild to severe forms. American Journal of Obstetrics and Gynecology, 2019, 221, 633.e1-633.e9.	1.3	22
87	Weight discordance and perinatal mortality in monoamniotic twin pregnancy: analysis of MONOMONO, NorSTAMP and STORK multipleâ€pregnancy cohorts. Ultrasound in Obstetrics and Gynecology, 2020, 55, 332-338.	1.7	22
88	Three-Dimensional Power Doppler Sonography in the Diagnosis of Arteriovenous Malformation of the Uterus. Journal of Ultrasound in Medicine, 2005, 24, 727-731.	1.7	21
89	Bilateral cleft lip and palate without premaxillary protrusion is associated with lethal aneuploidies. Ultrasound in Obstetrics and Gynecology, 2009, 34, 416-418.	1.7	21
90	Intrapartum diagnosis of posterior asynclitism using twoâ€dimensional transperineal ultrasound. Ultrasound in Obstetrics and Gynecology, 2017, 49, 803-804.	1.7	21

#	Article	IF	Citations
91	Firstâ€trimester fetal neurosonography: technique and diagnostic potential. Ultrasound in Obstetrics and Gynecology, 2021, 57, 204-214.	1.7	21
92	Role of prenatal magnetic resonance imaging in fetuses with isolated anomalies of corpus callosum: multinational study. Ultrasound in Obstetrics and Gynecology, 2021, 58, 26-33.	1.7	21
93	Threeâ€dimensional transvaginal sonography in local staging of cervical carcinoma: description of a novel technique and preliminary results. Ultrasound in Obstetrics and Gynecology, 2007, 30, 778-782.	1.7	20
94	Intracervical lakes as sonographic marker of placenta accreta spectrum disorder in patients with placenta previa or lowâ€lying placenta. Ultrasound in Obstetrics and Gynecology, 2020, 55, 460-466.	1.7	20
95	Diagnosis of Severe Fetomaternal Hemorrhage with Fetal Cerebral Doppler: Case Series and Systematic Review. Fetal Diagnosis and Therapy, 2017, 41, 1-7.	1.4	19
96	The Effect of Chorionicity on Maternal Cardiac Adaptation to Uncomplicated Twin Pregnancy: A Prospective Longitudinal Study. Fetal Diagnosis and Therapy, 2019, 45, 394-402.	1.4	19
97	Sars-CoV-2 in pregnancy: Why is it better than expected?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 252, 476-478.	1.1	19
98	Ultrasound in labor: is it time for a more simplified approach?. Ultrasound in Obstetrics and Gynecology, 2013, 41, 710-711.	1.7	18
99	Uterine fistula induced by hysteroscopic resection of an embolized migrated fibroid: a rare complication after embolization of uterine fibroids. Fertility and Sterility, 2001, 75, 818-820.	1.0	17
100	Accuracy of fetal gender determination in the first trimester using threeâ€dimensional ultrasound. Ultrasound in Obstetrics and Gynecology, 2011, 37, 557-561.	1.7	17
101	Maternal cardiac function in complicated twin pregnancy: a longitudinal study. Ultrasound in Obstetrics and Gynecology, 2011, 38, 581-585.	1.7	17
102	Open fourth ventricle prior to 20 weeks' gestation: a benign finding?. Ultrasound in Obstetrics and Gynecology, 2014, 43, 154-158.	1.7	17
103	A New Method to Measure the Subpubic Arch Angle Using 3-D Ultrasound. Fetal Diagnosis and Therapy, 2015, 38, 195-199.	1.4	17
104	The use of a hybrid mannequin for the modern high-fidelity simulation in the labor ward: the Italian experience of the Ecografia Gestione Emergenze Ostetriche (EGEO) group. American Journal of Obstetrics and Gynecology, 2020, 222, 41-47.	1.3	17
105	Increased uterine artery pulsatility index at 34 weeks and outcome of pregnancy. Ultrasound in Obstetrics and Gynecology, 2011, 38, 395-399.	1.7	16
106	Current use and performance of the different fetal growth charts in the Italian population. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 252, 323-329.	1.1	15
107	Determinants of neonatal hypoglycemia after antenatal administration of corticosteroids (ACS) for lung maturation: Data from two referral centers and review of the literature. Early Human Development, 2020, 143, 104984.	1.8	15
108	Intrapartum sonographic assessment of the fetal head flexion in protracted active phase of labor and association with labor outcome: a multicenter, prospective study. American Journal of Obstetrics and Gynecology, 2021, 225, 171.e1-171.e12.	1.3	15

#	Article	IF	Citations
109	Ultrasound and color power Doppler in the detection of metastatic omentum: a prospective study. Ultrasound in Obstetrics and Gynecology, 2005, 27, 65-70.	1.7	14
110	Unilaterally increased uterine artery resistance, placental location and pregnancy outcome. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2010, 153, 143-147.	1.1	14
111	5D CNS+ Software for Automatically Imaging Axial, Sagittal, and Coronal Planes of Normal and Abnormal Second-Trimester Fetal Brains. Journal of Ultrasound in Medicine, 2016, 35, 2263-2272.	1.7	14
112	Cranial sonographic markers of fetal open spina bifida at 11 to 13 weeks of gestation. Prenatal Diagnosis, 2020, 40, 365-372.	2.3	14
113	Demonstration of the Pericallosal Artery at 11-13 Weeks of Gestation Using 3D Ultrasound. Fetal Diagnosis and Therapy, 2015, 37, 305-309.	1.4	13
114	Ultrasound in labor: clinical practice guideline and recommendation by the WAPM-World Association of Perinatal Medicine and the PMF-Perinatal Medicine Foundation. Journal of Perinatal Medicine, 2022, 50, 1007-1029.	1.4	13
115	Sonographic Diagnosis of Congenital Anomalies During the First Trimester. Placenta, 2003, 24, S84-S87.	1.5	12
116	The effect of the contents of exomphalos and nuchal translucency at 11–14 weeks on the likelihood of associated chromosomal abnormality. Prenatal Diagnosis, 2012, 32, 1066-1070.	2.3	12
117	Correlation between Subpubic Arch Angle and Mode of Delivery in Large-for-Gestational-Age Fetuses. Fetal Diagnosis and Therapy, 2018, 44, 221-227.	1.4	12
118	ISUOG Practice Guidelines for intrapartum ultrasound: application in obstetric practice and medicolegal issues. Ultrasound in Obstetrics and Gynecology, 2019, 54, 421-421.	1.7	12
119	Ultrasound prediction of adverse perinatal outcome at diagnosis of lateâ€onset fetal growth restriction. Ultrasound in Obstetrics and Gynecology, 2022, 59, 342-349.	1.7	12
120	Report of a series of healthy term newborns from convalescent mothers with COVID-19. Acta Biomedica, 2020, 91, 251-255.	0.3	12
121	Sonographic assessment of fetal occiput position during the second stage of labor: how reliable is the transperineal approach?. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 1985-1988.	1.5	11
122	Variability of Forebrain Commissures in Callosal Agenesis: A Prenatal MR Imaging Study. American Journal of Neuroradiology, 2016, 37, 521-527.	2.4	11
123	Sonographic demonstration of fetal esophagus using threeâ€dimensional ultrasound imaging. Ultrasound in Obstetrics and Gynecology, 2019, 54, 746-751.	1.7	11
124	Agreement between two 3D ultrasound techniques for the assessment of the subpubic arch angle. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 466-470.	1.5	10
125	First assessment of bone mineral density in healthy pregnant women by means of Radiofrequency Echographic Multi Spectrometry (REMS) technology. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 263, 44-49.	1.1	10
126	Ultrasound vs routine care before instrumental vaginal delivery: A systematic review and metaâ€analysis. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 1941-1948.	2.8	10

#	Article	IF	Citations
127	Role of prenatal magnetic resonance imaging in fetuses with isolated severe ventriculomegaly at neurosonography: A multicenter study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 267, 105-110.	1.1	10
128	Does ultrasound determination of fetal occiput position improve labour outcome?. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 1312-1312.	2.3	9
129	Cerebroplacental ratio in fetal surveillance: an alert bell or a crash sound?. American Journal of Obstetrics and Gynecology, 2016, 214, 297-298.	1.3	9
130	Correlation between umbilical vein-to-artery delta pH and type of intrapartum hypoxia in a cohort of acidemic neonates: A retrospective analysis of CTG findings. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 231, 25-29.	1.1	9
131	Cervical sliding sign: new sonographic marker to predict impending preterm delivery in women with uterine contractions. Ultrasound in Obstetrics and Gynecology, 2019, 54, 557-558.	1.7	9
132	Elective induction of labour in low risk nulliparous women at term: Caution is needed. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 239, 64-66.	1.1	9
133	Novel artificial intelligence approach for automatic differentiation of fetal occiput anterior and nonâ€occiput anterior positions during labor. Ultrasound in Obstetrics and Gynecology, 2022, 59, 93-99.	1.7	9
134	Thirdâ€trimester ultrasound for antenatal diagnosis of placenta accreta spectrum in women with placenta previa: results from the <scp>ADoPAD</scp> study. Ultrasound in Obstetrics and Gynecology, 2022, 60, 381-389.	1.7	9
135	Mechanisms of Fetal Adaptation to Chronic Hypoxia following Placental Insufficiency: A Review. Fetal Diagnosis and Therapy, 2022, 49, 279-292.	1.4	9
136	Pelvic relapses of uterine neoplasms: transvaginal sonographic and Doppler features. Gynecologic Oncology, 2004, 93, 441-445.	1.4	8
137	Laparoscopic treatment of interstitial twin pregnancy. Fertility and Sterility, 2009, 92, 390.e13-390.e17.	1.0	8
138	Neonatal hypoxic-ischemic encephalopathy in apparently low risk pregnancies: Retrospective analysis of the last five years at the University of Bologna. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 516-521.	1.5	8
139	The descent of the fetal head is not modified by mobile epidural analgesia: a controlled sonographic study. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 512-516.	2.8	8
140	Lateral asynclitism: introduction of a new terminolgy associated to specific fetal position of the fetal head diagnosed by ultrasound in the second stage of labor. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 1839-1841.	1.5	8
141	Does vacuum delivery carry a higher risk of shoulder dystocia? Review and meta-analysis of the literature. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 204, 62-68.	1.1	8
142	A simple sonographic finding is associated with a successful vacuum application: the fetal occiput or forehead sign. American Journal of Obstetrics & Synecology MFM, 2019, 1, 148-155.	2.6	8
143	New technique for automatic sonographic measurement of change in head–perineum distance and angle of progression during active phase of second stage of labor. Ultrasound in Obstetrics and Gynecology, 2020, 56, 597-602.	1.7	8
144	Prenatal visualisation of the torcular herophili by means of a Doppler technology highly sensitive for lowâ€velocity flow in the expert assessment of the posterior fossa: a prospective study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 347-352.	2.3	8

#	Article	IF	Citations
145	Antepartum evaluation of the obstetric conjugate at transabdominal 2D ultrasound: A feasibility study. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 1917-1923.	2.8	8
146	Prenatal diagnosis and outcome of fetuses with isolated agenesis of septum pellucidum: cohort study and metaâ€analysis. Ultrasound in Obstetrics and Gynecology, 2022, 59, 153-161.	1.7	8
147	Transient Bowel Ischaemia of the Fetus. Fetal Diagnosis and Therapy, 2005, 20, 54-57.	1.4	7
148	Congenital Cystic Eye. Journal of Craniofacial Surgery, 2011, 22, 360-363.	0.7	7
149	Sequential analysis of the normal fetal fissures with threeâ€dimensional ultrasound: a longitudinal study. Prenatal Diagnosis, 2015, 35, 493-499.	2.3	7
150	Evaluation of the uterine scar stiffness in women with previous Cesarean section by ultrasound elastography: A cohort study. Clinical Imaging, 2020, 64, 53-56.	1.5	7
151	Intrapartum fetal heart rate between 150 and 160 bpm at or after 40 weeks and labor outcome. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 548-554.	2.8	7
152	Prenatal sonographic imaging of Goldenhar syndrome associated with cystic eye. Prenatal Diagnosis, 2008, 28, 362-363.	2.3	6
153	Prenatal and Postnatal Imaging of Multiple Intracranial Lipomas: Report of a Case. Fetal Diagnosis and Therapy, 2011, 30, 160-162.	1.4	6
154	Threeâ€dimensional ultrasound is an accurate and reproducible technique for fetal crownâ€rump length measurement. Prenatal Diagnosis, 2012, 32, 220-227.	2.3	6
155	Cyst of the filum terminale: two cases detected on prenatal ultrasound. Ultrasound in Obstetrics and Gynecology, 2013, 42, 363-364.	1.7	6
156	Occurrence of Septic Shock in a Patient Submitted to Emergency Cerclage following a Negative Amniocentesis: Report of a Case. Fetal Diagnosis and Therapy, 2013, 33, 265-267.	1.4	6
157	The hippocampal commissure: a new finding at prenatal 3D ultrasound in fetuses with isolated complete agenesis of the corpus callosum. Prenatal Diagnosis, 2015, 35, 919-922.	2.3	6
158	Prenatal Diagnosis of Open Spina Bifida in Emilia-Romagna. Fetal Diagnosis and Therapy, 2015, 37, 301-304.	1.4	6
159	Cardiotocographic findings in the second stage of labor among fetuses delivered with acidemia: a comparison of two classification systems. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 203, 297-302.	1.1	6
160	Intrapartum Sonographic Diagnosis of Compound Hand-Cephalic Presentation. Ultraschall in Der Medizin, 2017, 38, 558-559.	1.5	6
161	How often an isolated cardiac disproportion predicts a coarctation of the aorta? Single center experience and systematic review of the literature. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 1350-1357.	1.5	6
162	Etiology and Prognosis of Severe Ventriculomegaly Diagnosed atÂLate Gestation. Ultraschall in Der Medizin, 2018, 39, 675-689.	1.5	6

#	Article	IF	CITATIONS
163	Sonographic knowledge of occiput position to decrease failed operative vaginal delivery: a systematic review and meta-analysis of randomized controlled trials. American Journal of Obstetrics and Gynecology, 2022, 226, 499-509.	1.3	6
164	OC242: Prenatal diagnosis of hemivertebra. Ultrasound in Obstetrics and Gynecology, 2007, 30, 441-442.	1.7	5
165	Stimulation dayâ€six serum estradiol: A predictive indicator for the probability of embryo cryopreservation in IVF/ICSI cycles. Journal of Obstetrics and Gynaecology Research, 2009, 35, 326-329.	1.3	5
166	Neonatal respiratory morbidity in twins versus singletons after elective prelabor caesarean section. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 166, 156-160.	1.1	5
167	Significance of uteroplacental Doppler at midtrimester in patients with favourable obstetric history. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 299-302.	1.5	5
168	Horizontal stomach: a new sonographic clue to the antenatal diagnosis of rightâ€sided congenital diaphragmatic hernia. Ultrasound in Obstetrics and Gynecology, 2013, 41, 340-341.	1.7	5
169	Dynamic 2-dimensional transperineal ultrasound evaluation in labor room as a screening tool for analÂsphincter injuries and anal incontinence in primiparousÂwomen. American Journal of Obstetrics & amp; Gynecology MFM, 2019, 1, 100037.	2.6	5
170	Prenatal diagnosis of fetal multiple hemivertebrae: the importance of 3D ultrasound assessment. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 1755-1757.	1.5	5
171	Longitudinal Changes of Subpubic Arch Angle throughout Pregnancy. Gynecologic and Obstetric Investigation, 2020, 85, 100-106.	1.6	5
172	Usefulness of an Intrapartum Ultrasound Simulator (IUSimâ,,¢) for Midwife Training: Results from an RCT. Fetal Diagnosis and Therapy, 2021, 48, 120-127.	1.4	5
173	Identification of large-for-gestational age fetuses using antenatal customized fetal growth charts: Can we improve the prediction of abnormal labor course?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 248, 81-88.	1.1	5
174	Intrapartum ultrasound before instrumental vaginal delivery: Clinical benefits are difficult to demonstrate. Acta Obstetricia Et Gynecologica Scandinavica, 2021, 100, 988-989.	2.8	5
175	Nuchal cord entanglement and outcome of labour induction. Journal of Prenatal Medicine, 2007, 1, 57-60.	0.2	5
176	Incidence, clinical features and perinatal outcome in anomalous fetuses with lateâ€onset growth restriction: cohort study. Ultrasound in Obstetrics and Gynecology, 2022, 60, 632-639.	1.7	5
177	Role of fetal headâ€circumferenceâ€toâ€maternalâ€height ratio in predicting Cesarean section for labor dystocia: prospective multicenter study. Ultrasound in Obstetrics and Gynecology, 2023, 61, 93-98.	1.7	5
178	Threeâ€dimensional sonograph of a monochorionic diamniotic triplet pregnancy. Journal of Clinical Ultrasound, 2012, 40, 227-230.	0.8	4
179	Prenatal diagnosis of isolated butterfly vertebra. Ultrasound in Obstetrics and Gynecology, 2014, 44, 725-726.	1.7	4
180	Caregiver's satisfaction with a video tutorial for shoulder dystocia management algorithm. Journal of Obstetrics and Gynaecology, 2015, 35, 461-464.	0.9	4

#	Article	IF	CITATIONS
181	Efficacy of ultrasound-indicated cerclage in twin pregnancies: isÂevidence-based medicine always the right choice?. American Journal of Obstetrics and Gynecology, 2016, 214, 131.	1.3	4
182	The impact of assisted reproductive technology and chorionicity in twin pregnancies complicated by obstetric cholestasis. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 1481-1484.	1.5	4
183	Threeâ€dimensional assessment of umbilical vein deviation angle for prediction of liver herniation in leftâ€sided congenital diaphragmatic hernia. Ultrasound in Obstetrics and Gynecology, 2018, 51, 214-218.	1.7	4
184	Antenatal Care of Preeclampsia: From the Inverted Pyramid to the Arrow Model?. Fetal Diagnosis and Therapy, 2018, 44, 81-84.	1.4	4
185	Sonographic confirmation of fetal position before operative vaginal delivery should be recommended in clinical guidelines. Ultrasound in Obstetrics and Gynecology, 2021, 57, 36-37.	1.7	4
186	STAN: a reappraisal of its clinical usefulness. Minerva Obstetrics and Gynecology, 2021, 73, .	1.0	4
187	Manual rotation of persistent occiput posterior position: more research is warranted. American Journal of Obstetrics & Synecology MFM, 2021, 3, 100387.	2.6	4
188	Asynclitism in the second stage of labor: prevalence, associations, and outcome. American Journal of Obstetrics & Synecology MFM, 2021, 3, 100437.	2.6	4
189	Intracranial Hemorrhage, Cysts, Tumors, and Destructive Lesions. , 2018, , 204-212.e1.		3
190	Automatic measurement of head-perineum distance during intrapartum ultrasound: description of the technique and preliminary results. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 2759-2764.	1.5	3
191	Evaluation of the cerebroplacental ratio in early labor in low-risk population. American Journal of Obstetrics and Gynecology, 2020, 223, 302-303.	1.3	3
192	Impact of ultrasound guided training in the diagnosis of the fetal head position during labor: A prospective observational study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 256, 308-313.	1.1	3
193	Intrapartum Doppler ultrasound: where are we now?. Minerva Obstetrics and Gynecology, 2021, 73, .	1.0	3
194	Intrapartum ultrasound and evidence-based medicine: a necessary but challenging marriage. American Journal of Obstetrics & Synecology MFM, 2021, 3, 100428.	2.6	3
195	Fetal heart rate pattern in term or near-term cerebral palsy: looking at the data in the right perspective. American Journal of Obstetrics and Gynecology, 2021, 225, 106.	1.3	3
196	Antenatal sonography of eustachian valve aneurysm. Ultrasound in Obstetrics and Gynecology, 2002, 20, 206-208.	1.7	2
197	Obstetric implications of fetal inherited thrombophilia in thrombophilic women. Pregnancy Hypertension, 2014, 4, 54-58.	1.4	2
198	Prenatal diagnosis versus first-trimester screening of trisomy 21 among pregnant women aged 35 or more. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 674-678.	1.5	2

#	Article	IF	Citations
199	Reduced short-term variation following antenatal administration of betamethasone: Is reduced fetal size a predisposing factor?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 216, 74-78.	1.1	2
200	Intrapartum ultrasound examination of fetal shoulder following head delivery. Ultrasound in Obstetrics and Gynecology, 2018, 52, 803-805.	1.7	2
201	Fetal Brain Tutor 4us: an app for interactive multiplanar navigation through the normal fetal brain. Ultrasound in Obstetrics and Gynecology, 2018, 51, 711-713.	1.7	2
202	Neural Tube Defects. , 2018, , 213-226.e2.		2
203	The Brain Shadowing Sign: A Clue Finding for Early Suspicion of Craniosynostosis?. Fetal Diagnosis and Therapy, 2019, 45, 357-360.	1.4	2
204	Occiput-spine angle and prediction of cesarean delivery in protracted active phase of labor: occiput position does matter. American Journal of Obstetrics and Gynecology, 2021, 225, 686.e1-686.e3.	1.3	2
205	Three-Dimensional Sonographic Evaluation of the Position of the Fetal Conus Medullaris at First Trimester. Fetal Diagnosis and Therapy, 2021, 48, 464-471.	1.4	2
206	Achieving an appropriate cesarean birth (CB) rate and analyzing the changes using the Robson Tenâ€Group Classification System (TGCS): Lessons from a Tertiary Care Hospital in Italy. Birth, 2022, 49, 430-439.	2.2	2
207	OC160: Three-dimensional ultrasonography is of limited value in diagnosing fetal spina bifida. Ultrasound in Obstetrics and Gynecology, 2007, 30, 416-416.	1.7	1
208	Apparently isolated fetal mesocardia at midtrimester: report of a series. Prenatal Diagnosis, 2009, 29, 889-891.	2.3	1
209	Ultrasonographic Cervical Length and Risk of Hemorrhage in Pregnancies With Placenta Previa. Obstetrics and Gynecology, 2010, 116, 1458.	2.4	1
210	OC27.05: Uterine sarcomas: clinical and sonographic characteristics. Ultrasound in Obstetrics and Gynecology, 2010, 36, 50-50.	1.7	1
211	The usefulness of volume NT software in measuring the fetal nasal bone at 11 to 13 + 6 weeks of gestation. Prenatal Diagnosis, 2014, 34, 500-504.	2.3	1
212	Reply. Journal of Ultrasound in Medicine, 2016, 35, 855-856.	1.7	1
213	Re: Angle of fetal head progression measured using transperineal ultrasound as a predictive factor of vacuum extraction failure. T. Bultez, T. Quibel, P. Bouhanna, T. Popowski, M. Resche-Rigon and P. Rozenberg. Ultrasound Obstet Gynecol 2016; 48: 86-91 Ultrasound in Obstetrics and Gynecology, 2016, 48. 26-27.	1.7	1
214	Self-Amputation of the Extra Digit in a Fetus with Polydactyly: First Ultrasound Demonstration. Fetal Diagnosis and Therapy, 2017, 41, 314-316.	1.4	1
215	Is the short axis view of the fetal heart useful in improving the diagnostic accuracy of outlet ventricular septal defects?. Prenatal Diagnosis, 2017, 37, 156-161.	2.3	1
216	Three-Dimensional Ultrasound of Intrauterine Devices. Journal of Obstetrics and Gynaecology Canada, 2020, 42, 1.	0.7	1

#	Article	lF	CITATIONS
217	Letter to Editor with regard to the article "Hybrid simulation for obstetrics training: A systematic review". European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 251, 278-279.	1.1	1
218	Monitoring fetal well-being in labor in late fetal growth restriction. Minerva Obstetrics and Gynecology, 2021, 73, 453-461.	1.0	1
219	Diagnostic criteria for fetal growth restriction: sensitivity, specificity and clinical role across gestation. Ultrasound in Obstetrics and Gynecology, 2021, 58, 329-329.	1.7	1
220	Hyperechoic amniotic membranes in patients with preterm premature rupture of membranes (p-PROM) and pregnancy outcome. Journal of Perinatal Medicine, 2021, 49, 311-318.	1.4	1
221	OC60: Diagnosis of midline anomalies of the fetal brain with the three-dimensional median view. Ultrasound in Obstetrics and Gynecology, 2006, 28, 376-376.	1.7	0
222	OC85: Accurate neurosonographic prediction of brain injury in the surviving fetus after the death of a monochorionic co-twin. Ultrasound in Obstetrics and Gynecology, 2006, 28, 383-383.	1.7	0
223	P22.03: Ultrasound and color power Doppler examination in the detection of metastatic omentum: a prospective study. Ultrasound in Obstetrics and Gynecology, 2006, 28, 614-614.	1.7	0
224	Response to comment on "Pregnancy outcome after early detection of bacterial vaginosis―[Eur. J. Obstet. Gynecol. Reprod. Biol. 128 (2006) 40–45]. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2007, 132, 130.	1.1	0
225	P43.06: Accuracy of transvaginal ultrasound in evaluation of solid adnexal masses. Ultrasound in Obstetrics and Gynecology, 2007, 30, 615-615.	1.7	0
226	OP22.10: 3D ultrasound evaluation of changes in the angle of progression in nulliparous women undergoing spontaneous vaginal and operative delivery. Ultrasound in Obstetrics and Gynecology, 2011, 38, 121-121.	1.7	0
227	OP22.11: 3D ultrasound evaluation of changes in the midline angle in nulliparous women undergoing spontaneous vaginal and operative delivery. Ultrasound in Obstetrics and Gynecology, 2011, 38, 121-121.	1.7	0
228	Head Rotation in Labor and Intrapartum Sonography Diagnosis with 2D and 3D., 2012, , 101-108.		0
229	Re: Preoperative assessment of submucous fibroids by three-dimensional saline contrast sonohysterography. Ultrasound in Obstetrics and Gynecology, 2012, 39, 116-117.	1.7	0
230	Reply. American Journal of Obstetrics and Gynecology, 2016, 214, 414-415.	1.3	0
231	Reply. Ultrasound in Obstetrics and Gynecology, 2017, 49, 415-417.	1.7	0
232	Impact of fetal brain ultrasound tutor smartphone application on normal anatomy learning. Prenatal Diagnosis, 2019, 39, 303-307.	2.3	0
233	Échographies 3D de dispositifs intra-utérins. Journal of Obstetrics and Gynaecology Canada, 2020, 42, 2.	0.7	0
234	International Guidelines of Intrapartum Ultrasonography in Labor and Delivery., 2021,, 635-643.		0

#	Article	IF	CITATIONS
235	Fetal Head Rotation in Labor: Intrapartum Assessment at 2D and 3D Ultrasound., 2021,, 275-283.		O
236	Anatomical Aspects in Recurrent Pregnancy Loss. , 2016, , 89-107.		0
237	Doppler Diagnosis. , 2019, , 139-170.		O
238	Sonographic features of cephalopelvic disproportion in labour arrest in occiput anterior fetuses: insights from a prospective multicentre study Zeitschrift Fur Geburtshilfe Und Neonatologie, 2021, 225, .	0.4	0
239	A Novel Artificial Intelligence Approach for the Automatic Differentiation of Fetal Occiput Anterior and non-Occiput Anterior Positions during Labor. Zeitschrift Fur Geburtshilfe Und Neonatologie, 2021, 225, .	0.4	0
240	Present and future of ultrasound in labor. American Journal of Obstetrics & Dynecology MFM, 2022, , 100629.	2.6	0
241	Prediction of cephalo-pelvic disproportion by evaluating the ratio between the head circumference and the obstetric conjugate. Zeitschrift Fur Geburtshilfe Und Neonatologie, 2021, 225, .	0.4	0
242	3D sonographic evaluation of the position of the fetal conus medullaris at 1st trimester. Zeitschrift Fur Geburtshilfe Und Neonatologie, 2021, 225, .	0.4	0
243	Ultrasound prediction of the outcome of labor induction: which is the role of the cervical sliding sign?. Zeitschrift Fur Geburtshilfe Und Neonatologie, 2021, 225, .	0.4	0
244	Intrapartum sonographic assessment of the fetal head flexion in protracted active phase of labor and association with labor outcome: a multicenter, prospective study. Zeitschrift Fur Geburtshilfe Und Neonatologie, 2021, 225, .	0.4	0
245	Antenatal corticosteroids administration and threatened preterm birth: could "wait and see― represent the optimal management in selected cases?. American Journal of Obstetrics and Gynecology, 2021, , .	1.3	0
246	Re: SARS-CoV-2 behavior, through the eyes of a perinatologist?. Journal of Perinatal Medicine, 2022, 50, 372-373.	1.4	0
247	STAN: a reappraisal of its clinical usefulness. Minerva Obstetrics and Gynecology, 2021, 73, 34-44.	1.0	0
248	Up to date management of labor. Minerva Obstetrics and Gynecology, 2021, 73, 4-5.	1.0	0
249	Ultrasound in labor: clinical practice guideline recommendation by the World Association of Perinatal Medicine (WAPM) and the Perinatal Medicine Foundation (PMF). Perinatal Journal, 2022, 30, 103-127.	0.2	0