
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8056101/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Molecular Motions in Amorphous Ibuprofen As Studied by Broadband Dielectric Spectroscopy. Journal of Physical Chemistry B, 2008, 112, 11087-11099.	2.6	152
2	Selenium-Containing Chrysin and Quercetin Derivatives: Attractive Scaffolds for Cancer Therapy. Journal of Medicinal Chemistry, 2015, 58, 4250-4265.	6.4	82
3	Synthesis and evaluation of diaryl sulfides and diaryl selenide compounds for antitubulin and cytotoxic activity. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 4669-4673.	2.2	67
4	Palladium(ii)-promoted aziridination of olefins with bromamine T as the nitrogen transfer reagent. Chemical Communications, 2001, , 405-406.	4.1	53
5	Scavenging activity of aminoantipyrines against hydroxyl radical. European Journal of Medicinal Chemistry, 2010, 45, 2258-2264.	5.5	42
6	Protein Adducts As Prospective Biomarkers of Nevirapine Toxicity. Chemical Research in Toxicology, 2010, 23, 1714-1725.	3.3	42
7	Novel Antibacterial Azelaic Acid BioMOFs. Crystal Growth and Design, 2020, 20, 370-382.	3.0	37
8	Evidence for nevirapine bioactivation in man: Searching for the first step in the mechanism of nevirapine toxicity. Toxicology, 2012, 301, 33-39.	4.2	35
9	Mg- and Mn-MOFs Boost the Antibiotic Activity of Nalidixic Acid. ACS Applied Bio Materials, 2019, 2, 2347-2354.	4.6	35
10	Amino Acid Adduct Formation by the Nevirapine Metabolite, 12-Hydroxynevirapine—A Possible Factor in Nevirapine Toxicity. Chemical Research in Toxicology, 2010, 23, 888-899.	3.3	34
11	Targeting Glutathione and Cystathionine β-Synthase in Ovarian Cancer Treatment by Selenium–Chrysin Polyurea Dendrimer Nanoformulation. Nutrients, 2019, 11, 2523.	4.1	33
12	Reactive Aldehyde Metabolites from the Anti-HIV Drug Abacavir: Amino Acid Adducts as Possible Factors in Abacavir Toxicity. Chemical Research in Toxicology, 2011, 24, 2129-2141.	3.3	31
13	Packing Interactions and Physicochemical Properties of Novel Multicomponent Crystal Forms of the Anti-Inflammatory Azelaic Acid Studied by X-ray and Solid-State NMR. Crystal Growth and Design, 2016, 16, 154-166.	3.0	30
14	Synthesis and Characterization of DNA Adducts from the HIV Reverse Transcriptase Inhibitor Nevirapine. Chemical Research in Toxicology, 2008, 21, 1443-1456.	3.3	27
15	Genotoxic and Epigenotoxic Alterations in the Lung and Liver of Mice Induced by Acrylamide: A 28 Day Drinking Water Study. Chemical Research in Toxicology, 2019, 32, 869-877.	3.3	27
16	New insights into the molecular mechanisms of chemical carcinogenesis: In vivo adduction of histone H2B by a reactive metabolite of the chemical carcinogen furan. Toxicology Letters, 2016, 264, 106-113.	0.8	26
17	Hepatocyte spheroids as a competent in vitro system for drug biotransformation studies: nevirapine as a bioactivation case study. Archives of Toxicology, 2017, 91, 1199-1211.	4.2	25
18	Bioactivation to an aldehyde metabolite—Possible role in the onset of toxicity induced by the anti-HIV drug abacavir. Toxicology Letters, 2014, 224, 416-423.	0.8	23

#	Article	IF	CITATIONS
19	Synthesis and oxidation of 2-hydroxynevirapine, a metabolite of the HIV reverse transcriptase inhibitor nevirapine. Organic and Biomolecular Chemistry, 2011, 9, 7822.	2.8	22
20	Synthesis and Biological Activity of 6-Selenocaffeine: Potential Modulator of Chemotherapeutic Drugs in Breast Cancer Cells. Molecules, 2013, 18, 5251-5264.	3.8	22
21	Differences in nevirapine biotransformation as a factor for its sex-dependent dimorphic profile of adverse drug reactions. Journal of Antimicrobial Chemotherapy, 2014, 69, 476-482.	3.0	21
22	Unmasking efavirenz neurotoxicity: Time matters to the underlying mechanisms. European Journal of Pharmaceutical Sciences, 2017, 105, 47-54.	4.0	21
23	Monitoring abacavir bioactivation in humans: Screening for an aldehyde metabolite. Toxicology Letters, 2013, 219, 59-64.	0.8	20
24	Palladium(II) mediated aziridination of olefins with bromamine-T as the nitrogen source: scope and mechanism. Tetrahedron, 2007, 63, 7009-7017.	1.9	19
25	Chlorinated Polycyclic Aromatic Hydrocarbons Associated with Drinking Water Disinfection: Synthesis, Formation under Aqueous Chlorination Conditions and Genotoxic Effects. Polycyclic Aromatic Compounds, 2014, 34, 356-371.	2.6	19
26	<i>N</i> â€terminal valine adduct from the antiâ€HIV drug abacavir in rat haemoglobin as evidence for abacavir metabolism to a reactive aldehyde <i>in vivo</i> . British Journal of Pharmacology, 2012, 167, 1353-1361.	5.4	17
27	Mass Spectrometry-Based Methodologies for Targeted and Untargeted Identification of Protein Covalent Adducts (Adductomics): Current Status and Challenges. High-Throughput, 2019, 8, 9.	4.4	17
28	Mercapturate Pathway in the Tubulocentric Perspective of Diabetic Kidney Disease. Nephron, 2019, 143, 17-23.	1.8	17
29	Use of In Vivo ¹³ C Nuclear Magnetic Resonance Spectroscopy To Elucidate <scp>l</scp> -Arabinose Metabolism in Yeasts. Applied and Environmental Microbiology, 2008, 74, 1845-1855.	3.1	15
30	Bioactivity of Isostructural Hydrogen Bonding Frameworks Built from Pipemidic Acid Metal Complexes. Molecules, 2020, 25, 2374.	3.8	14
31	The role of competitive binding to human serum albumin on efavirenz–warfarin interaction: a nuclear magnetic resonance study. International Journal of Antimicrobial Agents, 2013, 42, 443-446.	2.5	13
32	Quantification of the arylesterase activity of paraoxonase-1 in human blood. Analytical Methods, 2014, 6, 289-294.	2.7	13
33	The phenolic metabolites of the anti-HIV drug efavirenz: Evidence forÂdistinct reactivities upon oxidation with Frémy's salt. European Journal of Medicinal Chemistry, 2014, 74, 7-11.	5.5	13
34	Severe Acute Kidney Injury and Double Tubulopathy Due to Dual Toxicity Caused by Combination Antiretroviral Therapy. Kidney International Reports, 2019, 4, 494-499.	0.8	13
35	Metabolic Profile of Four Selected Cathinones in Microsome Incubations: Identification of Phase I and II Metabolites by Liquid Chromatography High Resolution Mass Spectrometry. Frontiers in Chemistry, 2020, 8, 609251.	3.6	13
36	Electronic Communication in Linear Oligo(azobenzene) Radical Anions. Journal of Physical Chemistry A, 2013, 117, 14056-14064.	2.5	12

#	Article	IF	CITATIONS
37	High resolution mass spectrometry-based methodologies for identification of Etravirine bioactivation to reactive metabolites: In vitro and in vivo approaches. European Journal of Pharmaceutical Sciences, 2018, 119, 70-82.	4.0	12
38	New Syntheses of DNA Adducts from Methylated Anilines Present in Tobacco Smoke. Chemical Research in Toxicology, 1999, 12, 1223-1233.	3.3	11
39	Differentiation of isomeric C8-substituted alkylaniline adducts of guanine by electrospray ionization and tandem quadrupole ion trap mass spectrometry. Journal of the American Society for Mass Spectrometry, 2003, 14, 1488-1492.	2.8	11
40	Gabapentin Coordination Networks: Mechanochemical Synthesis and Behavior under Shelf Conditions. Crystal Growth and Design, 2013, 13, 5007-5017.	3.0	11
41	Nevirapine Biotransformation Insights: An Integrated In Vitro Approach Unveils the Biocompetence and Glutathiolomic Profile of a Human Hepatocyte-Like Cell 3D Model. International Journal of Molecular Sciences, 2020, 21, 3998.	4.1	10
42	Singularities of nevirapine metabolism: from sex-dependent differences to idiosyncratic toxicity. Drug Metabolism Reviews, 2019, 51, 76-90.	3.6	10
43	Cysteine as a Multifaceted Player in Kidney, the Cysteine-Related Thiolome and Its Implications for Precision Medicine. Molecules, 2022, 27, 1416.	3.8	10
44	Development and validation of an HPLC-UV method for quantifying nevirapine and its main phase I metabolites in human blood. Analytical Methods, 2014, 6, 1575.	2.7	9
45	The first-line antiepileptic drug carbamazepine: Reaction with biologically relevant free radicals. Free Radical Biology and Medicine, 2018, 129, 559-568.	2.9	9
46	Identification of gallotannins and ellagitannins in aged wine spirits: A new perspective using alternative ageing technology and high-resolution mass spectrometry. Food Chemistry, 2022, 382, 132322.	8.2	9
47	Integration of cellular and molecular endpoints to assess the toxicity of polycyclic aromatic hydrocarbons in HepG2 cell line. Environmental Toxicology and Chemistry, 2017, 36, 3404-3414.	4.3	8
48	Oxidation of 2-Hydroxynevirapine, a Phenolic Metabolite of the Anti-HIV Drug Nevirapine: Evidence for an Unusual Pyridine Ring Contraction. Molecules, 2012, 17, 2616-2627.	3.8	7
49	Efavirenz biotransformation as an up-stream event of mood changes in HIV-infected patients. Toxicology Letters, 2016, 260, 28-35.	0.8	7
50	Nevirapine modulation of paraoxonase-1 in the liver: An in vitro three-model approach. European Journal of Pharmaceutical Sciences, 2016, 82, 147-153.	4.0	7
51	The mercapturomic profile of health and non-communicable diseases. High-Throughput, 2019, 8, 10.	4.4	7
52	Biomimetic oxidation of aromatic xenobiotics: synthesis of the phenolic metabolites from the anti-HIV drug efavirenz. Organic and Biomolecular Chemistry, 2012, 10, 4554.	2.8	6
53	2'-Deoxythymidine Adducts from the Anti-HIV Drug Nevirapine. Molecules, 2013, 18, 4955-4971.	3.8	6
54	A Metabolomics-Inspired Strategy for the Identification of Protein Covalent Modifications. Frontiers in Chemistry, 2019, 7, 532.	3.6	6

#	Article	IF	CITATIONS
55	Human Cystathionine \hat{I}^3 -Lyase Is Inhibited by s-Nitrosation: A New Crosstalk Mechanism between NO and H2S. Antioxidants, 2021, 10, 1391.	5.1	6
56	Sex differences in hepatic and intestinal contributions to nevirapine biotransformation in rats. Chemico-Biological Interactions, 2015, 233, 115-121.	4.0	5
57	Product ion studies of some novel arylamine adducts of deoxyguanosine by matrix-assisted laser desorption/ionization and post-source decay. , 1999, 13, 2004-2010.		4
58	Quinoid derivatives of the nevirapine metabolites 2-hydroxy- and 3-hydroxy-nevirapine: activation pathway to amino acid adducts. Toxicology Research, 2015, 4, 1565-1577.	2.1	4
59	16α-Hydroxyestrone: Mass Spectrometry-Based Methodologies for the Identification of Covalent Adducts Formed with Blood Proteins. Chemical Research in Toxicology, 2020, 33, 2147-2156.	3.3	4
60	Covalent Histone Modification by an Electrophilic Derivative of the Anti-HIV Drug Nevirapine. Molecules, 2021, 26, 1349.	3.8	4
61	Synthetic Red Blood Cell-Specific Glycolytic Intermediate 2,3-Diphosphoglycerate (2,3-DPG) Inhibits Plasmodium falciparum Development In Vitro. Frontiers in Cellular and Infection Microbiology, 2022, 12, 840968.	3.9	4
62	Glycidamide and cis-2-butene-1,4-dial (BDA) as potential carcinogens and promoters of liver cancer - An in vitro study. Food and Chemical Toxicology, 2022, 166, 113251.	3.6	4
63	Insights into the Role of Bioactivation Mechanisms in the Toxic Events Elicited by Non-nucleoside Reverse Transcriptase Inhibitors. Advances in Molecular Toxicology, 2012, 6, 1-39.	0.4	3
64	Tryptophanol-Derived Oxazolopyrrolidone Lactams as Potential Anticancer Agents against Gastric Adenocarcinoma. Pharmaceuticals, 2021, 14, 208.	3.8	3
65	A Mechanistic-Based and Non-invasive Approach to Quantify the Capability of Kidney to Detoxify Cysteine-Disulfides. Advances in Experimental Medicine and Biology, 2021, 1306, 109-120.	1.6	3
66	Sex differences in apolipoprotein A1 and nevirapine-induced toxicity. Journal of the International AIDS Society, 2014, 17, 19575.	3.0	2
67	Anti-histone antibodies in HIV-infected patients on Nevirapine-containing ANTIRETROVIRAL THERAPY. Clinical Therapeutics, 2015, 37, e142.	2.5	1
68	Special Issue "Adductomics: Elucidating the Environmental Causes of Disease". High-Throughput, 2019, 8, 17.	4.4	1
69	The 2-hydroxy-nevirapine metabolite as a candidate for boosting apolipoprotein A1 and for modulating anti-HDL antibodies. Pharmacological Research, 2021, 165, 105446.	7.1	1
70	A simple method to measure sulfonation in man using paracetamol as probe drug. Scientific Reports, 2021, 11, 9036.	3.3	1
71	Isonothoapiol: A New Phenylpropenoid from <i>Ammi huntii</i> . Natural Product Research, 1997, 11, 77-80.	0.4	0
72	Post-source decay production studies of aniline and methylaniline adducts of deoxyguanosine. Analytica Chimica Acta, 1999, 397, 257-265.	5.4	0

#	Article	IF	CITATIONS
73	Protein adduct formation: A possible factor in hypersensitivity reactions induced by the anti HIV drug abacavir. Toxicology Letters, 2010, 196, S110.	0.8	0
74	Thiol status in HIV-infected patients: The effect of nevirapine metabolism. Toxicology Letters, 2014, 229, S95.	0.8	0
75	An animal model to explore efavirenz toxicokinetics and its relation to neurological phenotype. Toxicology Letters, 2014, 229, S244.	0.8	0
76	Sex differences in hepatic and intestinal contributions for nevirapine biotransformation. Toxicology Letters, 2014, 229, S240-S241.	0.8	0
77	First in vitro evidence for a catechol metabolite from the anti-HIV drug efavirenz – A plausible role in toxicity. Toxicology Letters, 2015, 238, S360.	0.8	0
78	Toxic events induced by the antiepileptic drug carbamazepine: Is bioactivation really involved?. Toxicology Letters, 2017, 280, S241.	0.8	0
79	Phenotyping SULT in Man: a Simple Metric Using Paracetamol as Probe. FASEB Journal, 2021, 35, .	0.5	0
80	Oxidation of The Nevirapine Metabolite, 2-Hydroxy-Nevirapine, With Frémy's Salt: Unusual Pyridine Ring Contraction. , 0, , .		0
81	Enantiopure oxazoloisoindolinones: Promising small molecules for p53-based therapy with potential anticancer properties. , 0, , .		0
82	Tryptophanol-derived oxazoloisoindolinones: Novel small molecule p53 activators with promising antitumor activity. , 0, , .		0