

# Ph Gorwood

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8064682/publications.pdf>

Version: 2024-02-01

336  
papers

13,958  
citations

28274

55  
h-index

32842

100  
g-index

389  
all docs

389  
docs citations

389  
times ranked

17907  
citing authors

#	ARTICLE	IF	CITATIONS
1	Characteristics and treatment outcome of suicidal depression: Two large naturalistic cohorts of depressed outpatients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 347-364.	2.3	11
2	Common Genetic Variation and Age of Onset of Anorexia Nervosa. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 368-378.	2.2	10
3	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376.	4.1	33
4	Pupil psychosensory reflex in response to own and standardised silhouettes in patients with anorexia nervosa. <i>European Eating Disorders Review</i> , 2022, 30, 135-145.	4.1	3
5	Skin conductance while facing emotional pictures at day 7 helps predicting antidepressant response at three months in patients with a major depressive episode. <i>Psychiatry Research</i> , 2022, 309, 114401.	3.3	4
6	Experiencing eight psychotherapy approaches devoted to eating disorders in a single-day workshop increases insight and motivation to engage in care: a pilot study. <i>Eating and Weight Disorders</i> , 2022, 27, 2213-2222.	2.5	2
7	Jean Talairach (1911â€“2007). An untold story of the pioneer of stereotactic and functional neurosurgery. <i>Neurochirurgie</i> , 2022, 68, 398-408.	1.2	1
8	The role of neurotrophin genes involved in the vulnerability to gambling disorder. <i>Scientific Reports</i> , 2022, 12, 6925.	3.3	4
9	Mortality in people with schizophrenia: a systematic review and meta-analysis of relative risk and aggravating or attenuating factors. <i>World Psychiatry</i> , 2022, 21, 248-271.	10.4	156
10	Methodological considerations for ghrelin isoforms assay in clinical evaluation in anorexia nervosa. <i>Comprehensive Psychoneuroendocrinology</i> , 2022, 11, 100140.	1.7	2
11	Anorexia nervosa and gut microbiota: A systematic review and quantitative synthesis of pooled microbiological data. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 106, 110114.	4.8	49
12	The safety of agomelatine in standard medical practice in depressed patients: A 26-week international multicentre cohort study. <i>Human Psychopharmacology</i> , 2021, 36, 1-11.	1.5	5
13	What distinguish patients with compulsory treatment for severely undernourished anorexia nervosa. <i>European Eating Disorders Review</i> , 2021, 29, 144-151.	4.1	8
14	Identification and management of cardiometabolic risk in subjects with schizophrenia spectrum disorders: A Delphi expert consensus study. <i>European Psychiatry</i> , 2021, 64, e7.	0.2	15
15	Racism and mental health and the role of mental health professionals. <i>European Psychiatry</i> , 2021, 64, e42.	0.2	26
16	Mental health services during the first wave of the COVID-19 pandemic in Europe: Results from the EPA Ambassadors Survey and implications for clinical practice. <i>European Psychiatry</i> , 2021, 64, e41.	0.2	30
17	The impact of duration of illness on treatment nonresponse and drop-out: Exploring the relevance of enduring eating disorder concept. <i>European Eating Disorders Review</i> , 2021, 29, 499-513.	4.1	42
18	Value of treatment for eating disorders. <i>European Eating Disorders Review</i> , 2021, 29, 303-305.	4.1	1

#	ARTICLE	IF	CITATIONS
19	Physical exercise-related endophenotypes in anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2021, 54, 1181-1188.	4.0	8
20	Depressive-, Cognitive- or Stroke-Related Risk Factors of Post-Stroke Depression: Which One Could Better Help Clinicians and Patients?. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 1243-1251.	2.2	5
21	Increased cognitive flexibility mediates the improvement of eating disorders symptoms, depressive symptoms and level of daily life functioning in patients with anorexia nervosa treated in specialised centres. <i>European Eating Disorders Review</i> , 2021, 29, 600-610.	4.1	10
22	Lower leptin level at discharge in acute anorexia nervosa is associated with early weight loss. <i>European Eating Disorders Review</i> , 2021, 29, 634-644.	4.1	5
23	Exploring the Mechanisms of Recovery in Anorexia Nervosa through a Translational Approach: From Original Ecological Measurements in Human to Brain Tissue Analyses in Mice. <i>Nutrients</i> , 2021, 13, 2786.	4.1	4
24	Mindfulness-based cognitive therapy efficacy in reducing physiological response to emotional stimuli in patients with bipolar I disorder and the intermediate role of cognitive reactivity. <i>Journal of Clinical Psychology</i> , 2021, 77, 2442-2454.	1.9	1
25	Investigating the pathophysiology of anorexia nervosa using induced pluripotent stem cells. , 2021, , 293-323.		0
26	One year after the COVID-19: What have we learnt, what shall we do next?. <i>European Psychiatry</i> , 2021, 64, e15.	0.2	29
27	The clinical effectiveness of using a predictive algorithm to guide antidepressant treatment in primary care (PReDicT): an open-label, randomised controlled trial. <i>Neuropsychopharmacology</i> , 2021, 46, 1307-1314.	5.4	33
28	Spatial hand representation in anorexia nervosa: a controlled pilot study. <i>Scientific Reports</i> , 2021, 11, 19724.	3.3	2
29	Association Between the A118G Polymorphism of the OPRM1 Gene and Suicidal Depression in a Large Cohort of Outpatients with Depression. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 3109-3118.	2.2	2
30	Mindfulness-based cognitive therapy added to usual care improves eating behaviors in patients with bulimia nervosa and binge eating disorder by decreasing the cognitive load of words related to body shape, weight, and food. <i>European Psychiatry</i> , 2021, 64, e67.	0.2	4
31	Auto-qPCR; a python-based web app for automated and reproducible analysis of qPCR data. <i>Scientific Reports</i> , 2021, 11, 21293.	3.3	10
32	Activation syndrome induced by the antidepressant tianeptine and suicidal ideation: Evidence from a large depressed outpatient sample. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 97, 109762.	4.8	4
33	De novo deleterious variants that may alter the dopaminergic reward pathway are associated with anorexia nervosa. <i>Eating and Weight Disorders</i> , 2020, 25, 1643-1650.	2.5	8
34	The relationship between moderate to vigorous physical activity and cognitive rigidity in anorexia nervosa. <i>Psychiatry Research</i> , 2020, 284, 112703.	3.3	15
35	Does physical activity associated with chronic food restriction alleviate anxiety like behaviour, in female mice?. <i>Hormones and Behavior</i> , 2020, 124, 104807.	2.1	7
36	Corticotropin releasing hormone receptor CRHR1 gene is associated with tianeptine antidepressant response in a large sample of outpatients from real-life settings. <i>Translational Psychiatry</i> , 2020, 10, 378.	4.8	8

#	ARTICLE	IF	CITATIONS
37	Brain Stimulation in Eating Disorders: State of the Art and Future Perspectives. <i>Journal of Clinical Medicine</i> , 2020, 9, 2358.	2.4	23
38	Unexpected Association of Desacyl-Ghrelin with Physical Activity and Chronic Food Restriction: A Translational Study on Anorexia Nervosa. <i>Journal of Clinical Medicine</i> , 2020, 9, 2782.	2.4	9
39	Polymorphisms of stress pathway genes and emergence of suicidal ideation at antidepressant treatment onset. <i>Translational Psychiatry</i> , 2020, 10, 320.	4.8	7
40	The identification, assessment and management of difficult-to-treat depression: An international consensus statement. <i>Journal of Affective Disorders</i> , 2020, 267, 264-282.	4.1	133
41	Polygenic Risk Scores Shed Light on the Relationship between Schizophrenia and Cognitive Functioning: Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 341.	2.4	28
42	The consequences of the COVID-19 pandemic on mental health and implications for clinical practice. <i>European Psychiatry</i> , 2020, 63, e32.	0.2	836
43	A meta-analysis of poststroke depression risk factors comparing depressive-related factors versus others. <i>International Psychogeriatrics</i> , 2020, 32, 1331-1344.	1.0	13
44	Cholinergic dysfunction in the dorsal striatum promotes habit formation and maladaptive eating. <i>Journal of Clinical Investigation</i> , 2020, 130, 6616-6630.	8.2	29
45	Evidence for the association of the nicotinic acetylcholine receptor CHRNA5/A3/B4 gene cluster and nicotine dependence in a young population of students. <i>French Journal of Psychiatry</i> , 2020, 2-4, 49-53.	0.1	0
46	Increased expression of BDNF mRNA in the frontal cortex of autistic patients. <i>Behavioural Brain Research</i> , 2019, 359, 903-909.	2.2	11
47	Exome sequencing in a familial form of anorexia nervosa supports multigenic etiology. <i>Journal of Neural Transmission</i> , 2019, 126, 1505-1511.	2.8	7
48	Major Depressive Disorder (MDD) and Schizophrenia – Addressing Unmet Needs With Partial Agonists at the D2 Receptor: A Review. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 651-664.	2.1	10
49	Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019, 51, 1207-1214.	21.4	641
50	A Metabolic Perspective on Reward Abnormalities in Anorexia Nervosa. <i>Trends in Endocrinology and Metabolism</i> , 2019, 30, 915-928.	7.1	24
51	Induced Pluripotent Stem Cells; New Tools for Investigating Molecular Mechanisms in Anorexia Nervosa. <i>Frontiers in Nutrition</i> , 2019, 6, 118.	3.7	6
52	Clinical insight in anorexia nervosa: Associated and predictive factors. <i>Psychiatry Research</i> , 2019, 281, 112561.	3.3	24
53	Predictive factors of functional remission in patients with early to mid-stage schizophrenia treated by long acting antipsychotics and the specific role of clinical remission. <i>Psychiatry Research</i> , 2019, 281, 112560.	3.3	15
54	FKBP5 gene variants and borderline personality disorder. <i>Journal of Affective Disorders</i> , 2019, 248, 26-28.	4.1	17

#	ARTICLE	IF	CITATIONS
55	The psychometrics of the Hospital Anxiety and Depression Scale supports a shorter -12 item- version. <i>Psychiatry Research</i> , 2019, 274, 372-376.	3.3	2
56	Polymorphism A118G of opioid receptor mu 1 (OPRM1) is associated with emergence of suicidal ideation at antidepressant onset in a large naturalistic cohort of depressed outpatients. <i>Scientific Reports</i> , 2019, 9, 2569.	3.3	27
57	Anorexia nervosa is associated with Neuronatin variants. <i>Psychiatric Genetics</i> , 2019, 29, 103-110.	1.1	16
58	Reward systems and cognitions in Major Depressive Disorder. <i>CNS Spectrums</i> , 2019, 24, 64-77.	1.2	38
59	Expert Consensus on Screening and Assessment of Cognition in Psychiatry. <i>CNS Spectrums</i> , 2019, 24, 154-162.	1.2	18
60	Which sports are more at risk of physical exercise addiction: A systematic review. <i>Addictive Behaviors</i> , 2019, 93, 257-262.	3.0	71
61	Medial prefrontal disengagement during self-focus in formerly depressed patients prone to rumination. <i>Journal of Affective Disorders</i> , 2019, 247, 36-44.	4.1	23
62	Burnout in medical students before residency: A systematic review and meta-analysis. <i>European Psychiatry</i> , 2019, 55, 36-42.	0.2	248
63	A systematic review on the relationship between mental health, radicalization and mass violence. <i>European Psychiatry</i> , 2019, 56, 51-59.	0.2	69
64	Ce que signifie le d�but des probl�mes d'alcool en tant que jeune adulte. , 2019, , 205-212.		0
65	5-HT2A Receptors in Eating Disorders. , 2018, , 353-373.		1
66	Letter: Long-Term Follow-up Study of MRI-Guided Bilateral Anterior Capsulotomy in Patients With Refractory Anorexia Nervosa. <i>Neurosurgery</i> , 2018, 83, E39-E40.	1.1	1
67	Mass violence, radicalization and terrorism: A role for psychiatric profession?. <i>European Psychiatry</i> , 2018, 49, 78-80.	0.2	19
68	Netrin G1: its downregulation in the nucleus accumbens of cocaine-conditioned mice and genetic association in human cocaine dependence. <i>Addiction Biology</i> , 2018, 23, 448-460.	2.6	3
69	Attention-deficit/hyperactivity disorder symptoms and psychological comorbidity in eating disorder patients. <i>Eating and Weight Disorders</i> , 2018, 23, 513-519.	2.5	12
70	Validation of a four items version of the Functional Remission of General Schizophrenia scale (the Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 35-41.	0.2	12
71	Tianeptine is associated with lower risk of suicidal ideation worsening during the first weeks of treatment onset compared with other antidepressants: A naturalistic study. <i>Journal of Psychiatric Research</i> , 2018, 96, 167-170.	3.1	12
72	The effect of interactions between genetics and cannabis use on neurocognition. A review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 82, 95-106.	4.8	23

#	ARTICLE	IF	CITATIONS
73	Stability of the diagnosis of seasonal affective disorder in a long-term prospective study. <i>Journal of Affective Disorders</i> , 2018, 227, 353-357.	4.1	10
74	Investigation of common, low-frequency and rare genome-wide variation in anorexia nervosa. <i>Molecular Psychiatry</i> , 2018, 23, 1169-1180.	7.9	32
75	United Nations convention on the rights of persons with disabilities needs to be interpreted on the basis of scientific evidence regarding psychiatry. <i>European Psychiatry</i> , 2018, 51, 87-89.	0.2	166
76	Functional remission in schizophrenia: A FROGS-based definition and its convergent validity. <i>Psychiatry Research</i> , 2018, 268, 94-101.	3.3	8
77	Psychopathological characteristics and adverse childhood events are differentially associated with suicidal ideation and suicidal acts in mood disorders. <i>European Psychiatry</i> , 2018, 53, 31-36.	0.2	41
78	Editorial: The EPA, Brexit and beyond. <i>European Psychiatry</i> , 2017, 42, 27-28.	0.2	0
79	What do childhood attention deficit/hyperactivity symptoms in depressed adults tell us about the bipolar spectrum?. <i>Psychiatry Research</i> , 2017, 249, 244-251.	3.3	10
80	Heavy cannabis use prior psychosis in schizophrenia: clinical, cognitive and neurological evidences for a new endophenotype?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 629-638.	3.2	21
81	Self-Reported Long-Term Benefits of Mindfulness-Based Cognitive Therapy in Patients with Bipolar Disorder. <i>Journal of Alternative and Complementary Medicine</i> , 2017, 23, 534-540.	2.1	17
82	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017, 174, 850-858.	7.2	410
83	Determinants of Blood Brain-Derived Neurotrophic Factor Blood Levels in Patients with Alcohol Use Disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 1280-1287.	2.4	20
84	EPA position paper: Improving the image of psychiatry and psychiatrists. <i>European Psychiatry</i> , 2017, 42, 24-26.	0.2	1
85	Editorial: Neuroscience-based Nomenclature (NbN) Replaces the Current Label of Psychotropic Medications in <i>European Psychiatry</i> . <i>European Psychiatry</i> , 2017, 40, 123-123.	0.2	1
86	Progress in Elucidating Biomarkers of Antidepressant Pharmacological Treatment Response: A Systematic Review and Meta-analysis of the Last 15 Years. <i>Drugs</i> , 2017, 77, 1967-1986.	10.9	22
87	Epigenetics in the Remission of Anorexia Nervosa: A Follow-up Study of Whole-genome Methylation Profiles. <i>European Psychiatry</i> , 2017, 41, S102-S102.	0.2	2
88	A French psychoeducational audio-visual tool for adult patients with eating disorders. <i>European Psychiatry</i> , 2017, 41, S546-S547.	0.2	1
89	A simple attention test in the acute phase of a major depressive episode is predictive of later functional remission. <i>Depression and Anxiety</i> , 2017, 34, 159-170.	4.1	24
90	Comment "Évaluer l'apport de la mindfulness (MBCT) dans la prévention des rechutes thymiques". <i>Annales Medico-Psychologiques</i> , 2017, 175, 789-792.	0.4	0

#	ARTICLE	IF	CITATIONS
91	Impact of DRD2/ANKK1 and COMT Polymorphisms on Attention and Cognitive Functions in Schizophrenia. PLoS ONE, 2017, 12, e0170147.	2.5	23
92	The effects of using the PReDicT Test to guide the antidepressant treatment of depressed patients: study protocol for a randomised controlled trial. Trials, 2017, 18, 558.	1.6	32
93	Genetics of addictive behavior: the example of nicotine dependence. Dialogues in Clinical Neuroscience, 2017, 19, 237-245.	3.7	20
94	Is the Noradrenergic Symptom Cluster a Valid Construct in Adjunctive Treatment of Major Depressive Disorder?. Journal of Clinical Psychiatry, 2017, 78, 317-323.	2.2	3
95	L'Anorexie une nouvelle addiction? , 2017, N° 86, 30-36.		0
96	Balneotherapy Together with a Psychoeducation Program for Benzodiazepine Withdrawal: A Feasibility Study. Evidence-based Complementary and Alternative Medicine, 2016, 2016, 1-7.	1.2	8
97	Drug Addictions and Genetics of the Dopamine Pathway. , 2016, , 176-182.		2
98	New Insights in Anorexia Nervosa. Frontiers in Neuroscience, 2016, 10, 256.	2.8	144
99	SUICIDAL DEPRESSED PATIENTS RESPOND LESS WELL TO ANTIDEPRESSANTS IN THE SHORT TERM. Depression and Anxiety, 2016, 33, 483-494.	4.1	42
100	Higher reward value of starvation imagery in anorexia nervosa and association with the Val66Met BDNF polymorphism. Translational Psychiatry, 2016, 6, e829-e829.	4.8	43
101	Neurotrophin Genes and Antidepressant-Worsening Suicidal Ideation: A Prospective Case-Control Study. International Journal of Neuropsychopharmacology, 2016, 19, pyw059.	2.1	16
102	Efficacy and safety of agomelatine over one year. A French prospective observational study of depressed patients followed-up in medical practice. European Neuropsychopharmacology, 2016, 26, S456-S457.	0.7	2
103	The appropriate pharmacological management of recent-onset schizophrenia: an international panel study using the RAND/UCLA methodology. European Neuropsychopharmacology, 2016, 26, S547-S548.	0.7	0
104	The number of past manic episodes is the best predictor of antidepressant-emergent manic switch in a cohort of bipolar depressed patients. Psychiatry Research, 2016, 240, 288-294.	3.3	7
105	Differences in symptom expression between unipolar and bipolar spectrum depression: Results from a nationally representative sample using item response theory (IRT). Journal of Affective Disorders, 2016, 204, 24-31.	4.1	7
106	Gene-Tailored Treatments for Brain Disorders: Challenges and Opportunities. Public Health Genomics, 2016, 19, 170-177.	1.0	2
107	The age-dependent plasticity highlights the conceptual interface between borderline personality disorder and PTSD. European Archives of Psychiatry and Clinical Neuroscience, 2016, 266, 373-375.	3.2	10
108	Telephone-administered psychotherapy in combination with antidepressant medication for the acute treatment of major depressive disorder. Journal of Affective Disorders, 2016, 190, 6-11.	4.1	16

#	ARTICLE	IF	CITATIONS
109	Impaired decision-making in symptomatic anorexia and bulimia nervosa patients: a meta-analysis. <i>Psychological Medicine</i> , 2015, 45, 3377-3391.	4.5	75
110	Early Symptom Improvement as a Predictor of Response to Extended Release Quetiapine in Major Depressive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 706-710.	1.4	10
111	Association study between reward dependence and a functional BDNF polymorphism in adult women offspring of alcohol-dependent probands. <i>Psychiatric Genetics</i> , 2015, 25, 208-211.	1.1	8
112	The ability of early changes in motivation to predict later antidepressant treatment response. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 2875.	2.2	14
113	Cognitive control and schizophrenia: The greatest reliability of the Stroop task. <i>Psychiatry Research</i> , 2015, 227, 10-16.	3.3	20
114	Efficacité d'une démarche de psychoéducation sur l'insight de patients bipolaires I rassistants. <i>European Psychiatry</i> , 2015, 30, S156-S157.	0.2	0
115	Nurses' perceptions of medication adherence in schizophrenia: results of the ADHES cross-sectional questionnaire survey. <i>Therapeutic Advances in Psychopharmacology</i> , 2015, 5, 339-350.	2.7	14
116	Paliperidone palmitate versus oral antipsychotics in recently diagnosed schizophrenia. <i>Schizophrenia Research</i> , 2015, 169, 393-399.	2.0	115
117	Psychoéducation et TCC. <i>Annales Medico-Psychologiques</i> , 2015, 173, 85-91.	0.4	5
118	Structural correlates of COMT Val158Met polymorphism in childhood ADHD: a voxel-based morphometry study. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 190-199.	2.6	14
119	No evidence in favor of a more deleterious impact of a major depressive episode on verbal memory in older patients with antidepressant response. <i>International Psychogeriatrics</i> , 2015, 27, 1477-1484.	1.0	0
120	An increase in joy after two weeks is more specific of later antidepressant response than a decrease in sadness. <i>Journal of Affective Disorders</i> , 2015, 185, 97-103.	4.1	12
121	Hunger and Satiety Signals in Anorexia Nervosa: Neuroendocrinological and Genetic Analyses. <i>European Psychiatry</i> , 2015, 30, 361.	0.2	1
122	Progress in Mind: Focus on Alcohol Use Disorders, an Elsevier Resource Centre. <i>Psychiatry Research</i> , 2015, 226, 513-514.	3.3	7
123	Mindfulness-Based Cognitive Therapy (MBCT) et boulimie & Binge Eating Disorder. <i>European Psychiatry</i> , 2015, 30, S103-S104.	0.2	0
124	C.02.02 Augmentation therapies in MDD " what are the unmet needs?. <i>European Neuropsychopharmacology</i> , 2015, 25, S662-S663.	0.7	0
125	Les troubles des conduites alimentaires compulsifs: actualité et principes de prise en charge. <i>European Psychiatry</i> , 2015, 30, S45-S46.	0.2	0
126	Homicide and Klinefelter syndrome: a complex interaction. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 153-156.	1.7	1



#	ARTICLE	IF	CITATIONS
127	Towards a framework for treatment effectiveness in schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 1867.	2.2	18
128	New developments in human neurocognition: clinical, genetic, and brain imaging correlates of impulsivity and compulsivity. <i>CNS Spectrums</i> , 2014, 19, 69-89.	1.2	394
129	The multimodal connectivity of the hippocampal complex in auditory and visual hallucinations. <i>Molecular Psychiatry</i> , 2014, 19, 184-191.	7.9	127
130	Psychomotor retardation is a scar of past depressive episodes, revealed by simple cognitive tests. <i>European Neuropsychopharmacology</i> , 2014, 24, 1630-1640.	0.7	43
131	Genetics of borderline personality disorder: Systematic review and proposal of an integrative model. <i>Neuroscience and Biobehavioral Reviews</i> , 2014, 40, 6-19.	6.1	140
132	Morningness<i>â€“</i>eveningness and treatment response in major depressive disorder. <i>Chronobiology International</i> , 2014, 31, 283-289.	2.0	35
133	Ã‰tude piloteÂ: follow-up dâ€™un groupe de consolidation MBCT pour des patients bipolaires. Impact sur le taux de rechute. <i>European Psychiatry</i> , 2014, 29, 650-650.	0.2	0
134	Lâ€™Ã©pigÃ©otique pour les nuls. <i>European Psychiatry</i> , 2014, 29, 549-549.	0.2	0
135	E.04.02 Factors explaining suicidal behaviour and mortality in alcohol dependence. <i>European Neuropsychopharmacology</i> , 2014, 24, S149.	0.7	0
136	Poor response to antidepressants predicts new suicidal ideas and behavior in depressed outpatients. <i>European Neuropsychopharmacology</i> , 2014, 24, 1650-1658.	0.7	34
137	Adult attention-deficit/hyperactivity disorder in major depressed and bipolar subjects: role of personality traits and clinical implications. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 391-400.	3.2	25
138	A genome-wide association study of anorexia nervosa. <i>Molecular Psychiatry</i> , 2014, 19, 1085-1094.	7.9	282
139	Depression symptom clusters and their predictive value for treatment outcomes: Results from an individual patient data meta-analysis of duloxetine trials. <i>Journal of Psychiatric Research</i> , 2014, 53, 54-61.	3.1	13
140	EPA Guidance on Tobacco Dependence and Strategies for Smoking Cessation in People with Mental Illness. <i>European Psychiatry</i> , 2014, 29, 65-82.	0.2	119
141	Distorsions cognitives des joueurs de jeux de hasard et dâ€™argent hors ligne et mixtes. <i>Drogues, SantÃ© Et SociÃ©tÃ©</i> , 2014, 13, 19-37.	0.1	0
142	Do Clinical Trials of Treatment of Alcohol Dependence Adequately Enroll Participants With Co-Occurring Independent Mood and Anxiety Disorders?. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 231-237.	2.2	23
143	IntÃ©rÃ©t de la pharmacogÃ©otique en psychiatrie. , 2014, , 35-53.		0
144	Psychiatristsâ€™ perceptions of the clinical importance, assessment and management of patient functioning in schizophrenia in Europe, the Middle East and Africa. <i>Annals of General Psychiatry</i> , 2013, 12, 8.	2.7	11

#	ARTICLE	IF	CITATIONS
145	A Shorter and Multidimensional Version of the Gambling Attitudes and Beliefs Survey (GABS-23). <i>Journal of Gambling Studies</i> , 2013, 30, 349-67.	1.6	23
146	Memory deficits in late-onset schizophrenia. <i>Schizophrenia Research</i> , 2013, 151, 85-90.	2.0	14
147	Le baclofène pour les nuls. <i>European Psychiatry</i> , 2013, 28, 1-1.	0.2	0
148	P.2.f.021 6 months remission predictors of major depressive episode: data from the D-EXTENSION study. <i>European Neuropsychopharmacology</i> , 2013, 23, S407.	0.7	0
149	Improving Treatment Adherence in Your Patients with Schizophrenia. <i>Clinical Drug Investigation</i> , 2013, 33, 97-107.	2.2	38
150	Cannabis et schizophrénie: approche clinique, cognitive et neurologique dans la définition d'un nouveau phénotype. <i>European Psychiatry</i> , 2013, 28, 7-8.	0.2	46
151	C.03.01 How confidently can we predict response in patients with MDD?. <i>European Neuropsychopharmacology</i> , 2013, 23, S631.	0.7	0
152	Trouble de déficit d'attention avec ou sans hyperactivité chez des adultes souffrant d'un trouble de l'humeur: le rôle des dimensions de la personnalité. <i>European Psychiatry</i> , 2013, 28, 47-47.	0.2	0
153	The role of CBT in explicit memory bias in bipolar I patients. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013, 44, 307-311.	1.2	15
154	Is it worth assessing progress as early as week 2 to adapt antidepressive treatment strategy? Results from a study on agomelatine and a global meta-analysis. <i>European Psychiatry</i> , 2013, 28, 362-371.	0.2	28
155	P.2.f.020 Antidepressant response in two samples of depressed patients, with and without psychotic comorbidity: data from the DIMENSION study. <i>European Neuropsychopharmacology</i> , 2013, 23, S406-S407.	0.7	0
156	Why does the lifetime prevalence of major depressive disorder in the elderly appear to be lower than in younger adults? Results from a national representative sample. <i>Journal of Affective Disorders</i> , 2013, 149, 160-165.	4.1	23
157	P.2.f.017 Depression comorbid with generalised anxiety disorder. Baseline characteristics and response to treatment: data from the DIMENSION study. <i>European Neuropsychopharmacology</i> , 2013, 23, S405.	0.7	1
158	Brain-derived neurotrophic factor (BDNF) Val66Met polymorphism and its implication in executive functions in adult offspring of alcohol-dependent probands. <i>Alcohol</i> , 2013, 47, 271-274.	1.7	24
159	Novel routes to bipolar disorder drug discovery. <i>Expert Opinion on Drug Discovery</i> , 2013, 8, 907-918.	5.0	20
160	Psychiatrists' awareness of adherence to antipsychotic medication in patients with schizophrenia: results from a survey conducted across Europe, the Middle East, and Africa. <i>Patient Preference and Adherence</i> , 2013, 7, 121.	1.8	25
161	Conceptualising the neurobiology of fatigue. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 312-316.	2.3	19
162	Fatigue and occupational functioning in major depressive disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 989-991.	2.3	14

#	ARTICLE	IF	CITATIONS
163	Anorexia Nervosa and Estrogen Receptors. <i>Vitamins and Hormones</i> , 2013, 92, 141-163.	1.7	9
164	Prevalence of Subthreshold Hypomania and Impact on Internal Validity of RCTs for Major Depressive Disorder: Results from a National Epidemiological Sample. <i>PLoS ONE</i> , 2013, 8, e55448.	2.5	22
165	Suicidal Behaviours in Affective Disorders: A Deficit of Cognitive Inhibition?. <i>Canadian Journal of Psychiatry</i> , 2012, 57, 254-262.	1.9	49
166	P.2.c.018 Morningness and eveningness changes after agomelatine treatment in major depression. <i>European Neuropsychopharmacology</i> , 2012, 22, S260-S261.	0.7	0
167	Setting new standards in schizophrenia outcomes: Symptomatic remission 3years before versus after the andreasen criteria. <i>European Psychiatry</i> , 2012, 27, 170-175.	0.2	20
168	Employment and its relationship with functionality and quality of life in patients with schizophrenia: EGOFORS Study. <i>European Psychiatry</i> , 2012, 27, 422-425.	0.2	49
169	How are we assessing functioning in schizophrenia? A need for a consensus approach. <i>European Psychiatry</i> , 2012, 27, 391-395.	0.2	31
170	Time-stability of the "Functional Remission of General Schizophrenia" (FROGS) scale. <i>European Psychiatry</i> , 2012, 27, 437-441.	0.2	14
171	Estimated cost of a factitious disorder with 6-year follow-up. <i>Psychiatry Research</i> , 2012, 200, 1077-1078.	3.3	13
172	Body dissatisfaction is improved but the ideal silhouette is unchanged during weight recovery in anorexia nervosa female inpatients. <i>Eating and Weight Disorders</i> , 2012, 17, e109-e115.	2.5	26
173	Poster #171 PSYCHIATRISTS' PERCEPTIONS OF THE CLINICAL IMPORTANCE, ASSESSMENT AND MANAGEMENT OF PATIENT FUNCTIONING IN THE TREATMENT OF SCHIZOPHRENIA: RESULTS OF AN EMEA-WIDE SURVEY. <i>Schizophrenia Research</i> , 2012, 136, S247.	2.0	0
174	Cognitive dysfunction in psychiatric disorders: characteristics, causes and the quest for improved therapy. <i>Nature Reviews Drug Discovery</i> , 2012, 11, 141-168.	46.4	960
175	Genetics of dopamine receptors and drug addiction. <i>Human Genetics</i> , 2012, 131, 803-822.	3.8	93
176	Frequency of Gambling Problems among Parents of Pathological, versus Nonpathological, Casino Gamblers Using Slot Machines. <i>American Journal on Addictions</i> , 2012, 21, 86-95.	1.4	5
177	A French adaptation of the Gambling-Related Cognitions Scale (GRCS): a useful tool for assessment of irrational thoughts among gamblers. <i>Journal of Gambling Issues</i> , 2012, , .	0.3	27
178	Place des facteurs g�n�tiques dans la vuln�rabilit� au jeu pathologique. , 2012, , 107-112.		0
179	Neurobiology of Attention Deficit/Hyperactivity Disorder. <i>Pediatric Research</i> , 2011, 69, 69R-76R.	2.3	97
180	Editorial. <i>European Psychiatry</i> , 2011, 26, f1-f1.	0.2	0

#	ARTICLE	IF	CITATIONS
181	The level of associated depression and anxiety traits improves during weight regain in eating disorder patients. <i>Eating and Weight Disorders</i> , 2011, 16, e280-e284.	2.5	17
182	Presence of co-morbid substance use disorder in bipolar patients worsens their social functioning to the level observed in patients with schizophrenia. <i>Psychiatry Research</i> , 2011, 185, 129-134.	3.3	32
183	C.12.04 Changing perceptions of antidepressant efficacy. <i>European Neuropsychopharmacology</i> , 2011, 21, S636.	0.7	0
184	Parental alcohol dependence, socioeconomic disadvantage and alcohol and cannabis dependence among young adults in the community. <i>European Psychiatry</i> , 2011, 26, 13-17.	0.2	22
185	Factors associated with hospitalisation of patients with schizophrenia in four European countries. <i>European Psychiatry</i> , 2011, 26, 224-230.	0.2	12
186	Hazardous Drinking Is Associated with a Lower Risk of Coronary Heart Disease: Results from a National Representative Sample. <i>American Journal on Addictions</i> , 2011, 20, 257-263.	1.4	4
187	The executive control of attention differentiates patients with schizophrenia, their first-degree relatives and healthy controls. <i>Neuropsychologia</i> , 2011, 49, 203-208.	1.6	63
188	DSM bereavement exclusion for major depression and objective cognitive impairment. <i>Journal of Affective Disorders</i> , 2011, 130, 113-117.	4.1	16
189	Massively multiplayer online role-playing games: comparing characteristics of addict vs non-addict online recruited gamers in a French adult population. <i>BMC Psychiatry</i> , 2011, 11, 144.	2.6	142
190	Cognitive appraisal and life stress moderate the effects of the 5-HTTLPR polymorphism on amygdala reactivity. <i>Human Brain Mapping</i> , 2011, 32, 1856-1867.	3.6	41
191	Negative affectivity, self-referential processing and the cortical midline structures. <i>Social Cognitive and Affective Neuroscience</i> , 2011, 6, 426-433.	3.0	96
192	Clinical Consequences of the Role of Glutamate and Neuroplasticity in Depressive Disorder. , 2011, , 57-68.		2
193	Is DSM-IV Bereavement Exclusion for Major Depression Relevant to Treatment Response?. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 898-902.	2.2	24
194	Dr Corruble and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 1155-1156.	2.2	1
195	Primate-Accelerated Evolutionary Genes: Novel Routes to Drug Discovery in Psychiatric Disorders. <i>Current Medicinal Chemistry</i> , 2010, 17, 1300-1316.	2.4	9
196	Association of DISC1 gene with schizophrenia in families from two distinct French and Algerian populations. <i>Psychiatric Genetics</i> , 2010, 20, 298-303.	1.1	16
197	Treatment response in major depression: effects of personality dysfunction and prior depression. <i>British Journal of Psychiatry</i> , 2010, 196, 139-142.	2.8	63
198	Role of the neurotrophin network in eating disorders™ subphenotypes: Body mass index and age at onset of the disease. <i>Journal of Psychiatric Research</i> , 2010, 44, 834-840.	3.1	10

#	ARTICLE	IF	CITATIONS
199	5-HT1A gene promoter polymorphism and [18F]MPPF binding potential in healthy subjects: a PET study. Behavioral and Brain Functions, 2010, 6, 37.	3.3	9
200	Psychoeducation for patients with bipolar disorder receiving lithium: Short and long term impact on locus of control and knowledge about lithium. Journal of Affective Disorders, 2010, 123, 299-302.	4.1	22
201	SMARCA2 and other genome-wide supported schizophrenia-associated genes: regulation by REST/NRSF, network organization and primate-specific evolution. Human Molecular Genetics, 2010, 19, 2841-2857.	2.9	78
202	Review: Restoring circadian rhythms: a new way to successfully manage depression. Journal of Psychopharmacology, 2010, 24, 15-19.	4.0	38
203	In Alcohol-Dependent Drinkers, What Does the Presence of Nicotine Dependence Tell Us About Psychiatric and Addictive Disorders Comorbidity?. Alcohol and Alcoholism, 2010, 45, 167-172.	1.6	39
204	Estrogen Receptor 1 Gene (ESR1) is Associated with Restrictive Anorexia Nervosa. Neuropsychopharmacology, 2010, 35, 1818-1825.	5.4	42
205	Coalitional Affiliation Rather Than Religiosity Might Explain the Heritability of Church Attendance. American Journal of Psychiatry, 2010, 167, 215-216.	7.2	0
206	Temperament and character dimensions associated with clinical characteristics and treatment outcome in attention-deficit/hyperactivity disorder boys. Comprehensive Psychiatry, 2010, 51, 286-292.	3.1	45
207	A new definition of early age at onset in alcohol dependence. Drug and Alcohol Dependence, 2010, 108, 43-48.	3.2	26
208	A genetic schizophrenia-susceptibility region located between the ANKK1 and DRD2 genes. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 492-499.	4.8	39
209	S.14.01 Shared and specific vulnerability in substance abuse. European Neuropsychopharmacology, 2010, 20, S182-S183.	0.7	1
210	Influence of the serotonin transporter gene polymorphism, cannabis and childhood sexual abuse on phenotype of bipolar disorder: A preliminary study. European Psychiatry, 2010, 25, 323-327.	0.2	25
211	DYRK1A interacts with the REST/NRSF-SWI/SNF chromatin remodelling complex to deregulate gene clusters involved in the neuronal phenotypic traits of Down syndrome. Human Molecular Genetics, 2009, 18, 1405-1414.	2.9	128
212	French University Psychiatry and Research. International Journal of Mental Health, 2009, 38, 77-87.	1.3	3
213	A Haplotype of the Norepinephrine Transporter (Net) Gene Slc6a2 is Associated with Clinical Response to Atomoxetine in Attention-Deficit Hyperactivity Disorder (ADHD). Neuropsychopharmacology, 2009, 34, 2135-2142.	5.4	51
214	Psychometric properties of a French version of the junior temperament and character inventory. European Child and Adolescent Psychiatry, 2009, 18, 144-153.	4.7	35
215	First positive reactions to cannabis constitute a priority risk factor for cannabis dependence. Addiction, 2009, 104, 1710-1717.	3.3	42
216	Genetics and personality affect visual perspective in autobiographical memory. Consciousness and Cognition, 2009, 18, 823-830.	1.5	28

#	ARTICLE	IF	CITATIONS
217	The TaqI A DRD2 polymorphism in type II alcohol dependence: a marker of age at onset or of a familial disease?. <i>Alcohol</i> , 2009, 43, 271-275.	1.7	19
218	Differential effects of free versus imposed motor activity on alcohol consumption in C57BL/6J versus DBA/2J mice. <i>Alcohol</i> , 2009, 43, 593-601.	1.7	12
219	The "Functional Remission of General Schizophrenia" (FROGS) scale: Development and validation of a new questionnaire. <i>Schizophrenia Research</i> , 2009, 113, 218-225.	2.0	95
220	Association between triallelic polymorphism of the serotonin transporter and [18F]MPPF binding potential at 5-HT1A receptors in healthy subjects. <i>NeuroImage</i> , 2009, 47, 482-492.	4.2	25
221	Foreword to the special issue on Forensic Psychiatry. <i>European Psychiatry</i> , 2009, 24, 353-353.	0.2	0
222	S.3.01 Gene-environment interactions in neuropsychopharmacology. <i>European Neuropsychopharmacology</i> , 2009, 19, S61-S62.	0.7	0
223	P.4.07 Alcohol dependence and the endocannabinoid receptor 1 gene. <i>European Neuropsychopharmacology</i> , 2009, 19, S85-S85.	0.7	0
224	Genetics of dopamine receptors and drug addiction: a comprehensive review. <i>Behavioural Pharmacology</i> , 2009, 20, 1-17.	1.7	350
225	The Role of Genes Involved in Neuroplasticity and Neurogenesis in the Observation of a Gene-Environment Interaction (GxE) in Schizophrenia. <i>Current Molecular Medicine</i> , 2009, 9, 506-518.	1.3	59
226	The Role of Brief Motivational Intervention on Self-Efficacy and Abstinence in a Cohort of Patients with Alcohol Dependence. <i>International Journal of Psychiatry in Medicine</i> , 2009, 39, 313-323.	1.8	15
227	Is DSM-IV Bereavement Exclusion for Major Depressive Episode Relevant to Severity and Pattern of Symptoms?. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1091-1097.	2.2	42
228	The 3' Part of the Dopamine Transporter Gene ( <i>DAT1/SLC6A3</i> ) Is Associated With Withdrawal Seizures in Patients With Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 27-35.	2.4	38
229	Excess of transmission of the G allele of the -1438A/G polymorphism of the 5-HT2A receptor gene in patients with schizophrenia responsive to antipsychotics. <i>BMC Psychiatry</i> , 2008, 8, 40.	2.6	30
230	Lack of association of the dopamine transporter gene in a French ADHD sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1509-1510.	1.7	17
231	Pharmacogenetics of methylphenidate response in attention deficit/hyperactivity disorder: Association with the dopamine transporter gene ( <i>SLC6A3</i> ). <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1425-1430.	1.7	42
232	The impact of individual and methodological factors in the variability of response to methylphenidate in ADHD pharmacogenetic studies from four different continents. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1419-1424.	1.7	25
233	Association between age of onset and symptom profiles of late-life depression. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 389-394.	4.5	32
234	SLC25A12 expression is associated with neurite outgrowth and is upregulated in the prefrontal cortex of autistic subjects. <i>Molecular Psychiatry</i> , 2008, 13, 385-397.	7.9	82

#	ARTICLE	IF	CITATIONS
235	A Haplotype of the <i>DRD1</i> Gene Is Associated With Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 567-572.	2.4	74
236	Does lower response to alcohol explain the high co-morbidity between bipolar disorder and alcohol dependence?. <i>Medical Hypotheses</i> , 2008, 71, 81-84.	1.5	8
237	The <i>CNR1</i> gene as a pharmacogenetic factor for antipsychotics rather than a susceptibility gene for schizophrenia. <i>European Neuropsychopharmacology</i> , 2008, 18, 34-40.	0.7	67
238	Association of <i>NTRK3</i> and its interaction with NGF suggest an altered cross-regulation of the neurotrophin signaling pathway in eating disorders. <i>European Psychiatry</i> , 2008, 23, S182.	0.2	2
239	The <i>TAQ1A DRD2</i> Polymorphism in type II alcoholism: Marker of age at onset or of a familial disease?. <i>European Psychiatry</i> , 2008, 23, S317.	0.2	0
240	Association of <i>NTRK3</i> and its interaction with NGF suggest an altered cross-regulation of the neurotrophin signaling pathway in eating disorders. <i>Human Molecular Genetics</i> , 2008, 17, 1234-1244.	2.9	50
241	The Short Allele of the Serotonin Transporter Promoter Polymorphism Influences Relapse in Alcohol Dependence. <i>Alcohol and Alcoholism</i> , 2008, 43, 398-400.	1.6	39
242	Molecular Genetics of Alcohol Dependence and Related Endophenotypes. <i>Current Genomics</i> , 2008, 9, 444-451.	1.6	35
243	Toxic Effects of Depression on Brain Function: Impairment of Delayed Recall and the Cumulative Length of Depressive Disorder in a Large Sample of Depressed Outpatients. <i>American Journal of Psychiatry</i> , 2008, 165, 731-739.	7.2	203
244	Convergent evidence identifying MAP/microtubule affinity-regulating kinase 1 ( <i>MARK1</i> ) as a susceptibility gene for autism. <i>Human Molecular Genetics</i> , 2008, 17, 2541-2551.	2.9	78
245	The etiology of behavioral problems and competencies in very young twins.. <i>Journal of Abnormal Psychology</i> , 2008, 117, 48-62.	1.9	36
246	<i>Nrxn3</i> upregulation in the globus pallidus of mice developing cocaine addiction. <i>NeuroReport</i> , 2008, 19, 751-755.	1.2	30
247	Polymorphisms of coding trinucleotide repeats of homeogenes in neurodevelopmental psychiatric disorders. <i>Psychiatric Genetics</i> , 2008, 18, 295-301.	1.1	19
248	Neurobiological mechanisms of anhedonia. <i>Dialogues in Clinical Neuroscience</i> , 2008, 10, 291-299.	3.7	196
249	El cambio al subtipo atracÃ³n/purga de la anorexia nerviosa con frecuencia se asocia con intentos de suicidio. <i>European Psychiatry (Ed EspaÃ±ola)</i> , 2008, 15, 90-97.	0.0	0
250	<i>Nrsf</i> silencing induces molecular and subcellular changes linked to neuronal plasticity. <i>NeuroReport</i> , 2007, 18, 441-446.	1.2	17
251	Gene-environment interactions in addictive disorders: epidemiological and methodological aspects. <i>Comptes Rendus - Biologies</i> , 2007, 330, 329-338.	0.2	16
252	Paternal ages below or above 35 years old are associated with a different risk of schizophrenia in the offspring. <i>European Psychiatry</i> , 2007, 22, 22-26.	0.2	72

#	ARTICLE	IF	CITATIONS
253	Switching to the bingeing/purging subtype of anorexia nervosa is frequently associated with suicidal attempts. <i>European Psychiatry</i> , 2007, 22, 513-519.	0.2	47
254	C.15.01 Making the differential diagnosis from bipolar disorder to schizophrenia and other psychiatric diseases. <i>European Neuropsychopharmacology</i> , 2007, 17, S607.	0.7	0
255	Eating disorders: an overview of treatment responses and the potential impact of vulnerability genes and endophenotypes. <i>Expert Opinion on Pharmacotherapy</i> , 2007, 8, 2029-2044.	1.8	27
256	Escitalopram Prevents Relapse in Older Patients With Major Depressive Disorder. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 581-593.	1.2	75
257	Family trios analysis of common polymorphisms in the obestatin/ghrelin, BDNF and AGRP genes in patients with Anorexia nervosa: Association with subtype, body-mass index, severity and age of onset. <i>Psychoneuroendocrinology</i> , 2007, 32, 106-113.	2.7	108
258	Predictors of diagnostic delay in a clinical sample of French children with attention-deficit/hyperactivity disorder. <i>European Child and Adolescent Psychiatry</i> , 2007, 16, 505-509.	4.7	21
259	Meeting everyday challenges: Antipsychotic therapy in the real world. <i>European Neuropsychopharmacology</i> , 2006, 16, S156-S162.	0.7	26
260	Life events exposure before a treated major depressive episode depends on the number of past episodes. <i>European Psychiatry</i> , 2006, 21, 364-366.	0.2	11
261	Lifetime positive symptoms in patients with schizophrenia and cannabis abuse are partially explained by co-morbid addiction. <i>Schizophrenia Research</i> , 2006, 86, 284-290.	2.0	73
262	Caseâ€“control and combined family trios analysis of three polymorphisms in the ghrelin gene in European patients with anorexia and bulimia nervosa. <i>Psychiatric Genetics</i> , 2006, 16, 51-52.	1.1	40
263	Genetic and Pharmacogenetic Aspects of Alcohol-Dependence. <i>Current Pharmacogenomics and Personalized Medicine: the International Journal for Expert Reviews in Pharmacogenomics</i> , 2006, 4, 19-32.	0.3	1
264	Introduction on psychopharmacogenetics. , 2006, , 1-24.		3
265	Pharmacogenetics of alcohol-dependence. , 2006, , 177-201.		6
266	Meta-analysis of family-based association studies between the dopamine transporter gene and attention deficit hyperactivity disorder. <i>Psychiatric Genetics</i> , 2005, 15, 53-59.	1.1	86
267	Association of BDNF with restricting anorexia nervosa and minimum body mass index: a family-based association study of eight European populations. <i>European Journal of Human Genetics</i> , 2005, 13, 428-434.	2.8	131
268	Support for the association between the rare functional variant I425V of the serotonin transporter gene and susceptibility to obsessive compulsive disorder. <i>Molecular Psychiatry</i> , 2005, 10, 1059-1061.	7.9	46
269	Male-specific association between the 5-HTTLPR S allele and suicide attempts in alcohol-dependent subjects. <i>Journal of Psychiatric Research</i> , 2005, 39, 179-182.	3.1	29
270	Association between dopamine receptor D3 gene Ball polymorphism and cognitive impulsiveness in alcohol-dependent men. <i>European Psychiatry</i> , 2005, 20, 304-306.	0.2	43



#	ARTICLE	IF	CITATIONS
271	Negative symptoms of schizophrenia could explain discrepant data on the association between the 5-HT2A receptor gene and response to antipsychotics. <i>Neuroscience Letters</i> , 2005, 377, 69-74.	2.1	41
272	Family-based association study of the 5-HT transporter gene and schizophrenia. <i>International Journal of Neuropsychopharmacology</i> , 2005, 8, 87-92.	2.1	22
273	Association of BDNF with anorexia, bulimia and age of onset of weight loss in six European populations. <i>Human Molecular Genetics</i> , 2004, 13, 1205-1212.	2.9	193
274	Clinical and Etiopathogenic Specificities of the French Concept of Psychose Hallucinatoire Chronique Compared to Schizophrenia. <i>Schizophrenia Bulletin</i> , 2004, 30, 173-184.	4.3	6
275	Family-based association studies between 5-HT5A receptor gene and schizophrenia. <i>Journal of Psychiatric Research</i> , 2004, 38, 371-376.	3.1	19
276	Family-based association study of the serotonin-6 receptor gene (C267T polymorphism) in schizophrenia. , 2004, 126B, 10-15.		7
277	Eating Disorders, Serotonin Transporter Polymorphisms and Potential Treatment Response. <i>Molecular Diagnosis and Therapy</i> , 2004, 4, 9-17.	3.3	56
278	Rheumatoid arthritis and schizophrenia: a negative association at a dimensional level. <i>Schizophrenia Research</i> , 2004, 66, 21-29.	2.0	63
279	The 3' region of the DRD2 gene is involved in genetic susceptibility to schizophrenia. <i>Schizophrenia Research</i> , 2004, 67, 75-85.	2.0	115
280	Généralisation des pathologies psychiatriques de l'enfant et de l'adolescent. <i>EMC - Psychiatrie</i> , 2004, 1, 4-14.	0.1	8
281	The A9 allele of the dopamine transporter gene increases the risk of visual hallucinations during alcohol withdrawal in alcohol-dependent women. <i>Neuroscience Letters</i> , 2004, 362, 91-94.	2.1	44
282	Personnalité, tempérament et anorexie mentale. <i>Annales Medico-Psychologiques</i> , 2004, 162, 180-188.	0.4	5
283	Generalized anxiety disorder and major depressive disorder comorbidity: an example of genetic pleiotropy?. <i>European Psychiatry</i> , 2004, 19, 27-33.	0.2	96
284	Comorbilidad del trastorno de ansiedad generalizada y el trastorno depresivo mayor: ¿un ejemplo de pleiotropía genética?. <i>European Psychiatry (Ed Española)</i> , 2004, 11, 170-177.	0.0	1
285	Clinical Assessment in Psychiatric Genetics. , 2003, 77, 99-126.		2
286	The human genetics of anorexia nervosa. <i>European Journal of Pharmacology</i> , 2003, 480, 163-170.	3.5	108
287	Association Between Dopamine Receptor D1 Gene Dde I polymorphism and Sensation Seeking in Alcohol-Dependent Men. <i>Alcoholism: Clinical and Experimental Research</i> , 2003, 27, 1226-1228.	2.4	38
288	The A9 allele of the dopamine transporter gene is associated with delirium tremens and alcohol-withdrawal seizure. <i>Biological Psychiatry</i> , 2003, 53, 85-92.	1.3	82

#	ARTICLE	IF	CITATIONS
289	Impulsiveness as the intermediate link between the dopamine receptor D2 gene and alcohol dependence. <i>Psychiatric Genetics</i> , 2003, 13, 127-129.	1.1	46
290	Title is missing!. <i>Psychiatric Genetics</i> , 2003, 13, 127-129.	1.1	44
291	The 5-HT2A $\sim$ 1438G/A polymorphism in anorexia nervosa: a combined analysis of 316 trios from six European centres. <i>Molecular Psychiatry</i> , 2002, 7, 90-94.	7.9	82
292	Association of 5-HT2A receptor gene polymorphism with major affective disorders: the case of a subgroup of bipolar disorder with low suicide risk. <i>Biological Psychiatry</i> , 2002, 51, 762-765.	1.3	55
293	5-HT <sub>2A</sub> gene promoter polymorphism as a modifying rather than a vulnerability factor in anorexia nervosa. <i>European Psychiatry</i> , 2002, 17, 227-229.	0.2	37
294	Reappraisal of the serotonin 5-HT1B receptor gene in alcoholism: of mice and men. <i>Brain Research Bulletin</i> , 2002, 57, 103-107.	3.0	31
295	Male limited association of the dopamine receptor D2 gene TaqI a polymorphism and alcohol dependence. <i>American Journal of Medical Genetics Part A</i> , 2002, 112, 343-346.	2.4	37
296	The 5-HT2A $\sim$ 1438G/A polymorphism in anorexia nervosa: a combined analysis of 316 trios from six European centres. <i>Molecular Psychiatry</i> , 2002, 7, 90-94.	7.9	6
297	Marcadores biológicos para la conducta suicida en la dependencia del alcohol. <i>European Psychiatry (Ed Española)</i> , 2002, 9, 79-89.	0.0	0
298	Association and excess of transmission of a DRD2 haplotype in a sample of French schizophrenic patients.. <i>Schizophrenia Research</i> , 2001, 49, 203-212.	2.0	38
299	Clinical characteristics of familial versus sporadic alcoholism in a sample of male and female patients. <i>European Psychiatry</i> , 2001, 16, 151-156.	0.2	11
300	Biological markers for suicidal behavior in alcohol dependence. <i>European Psychiatry</i> , 2001, 16, 410-417.	0.2	33
301	The genetics of addiction: alcohol-dependence and D3 dopamine receptor gene. <i>Pathologie Et Biologie</i> , 2001, 49, 710-717.	2.2	26
302	The French concept of "psychose hallucinatoire chronique" -a preliminary form of schizophrenia? The role of late-life psychosis in the anticipation hypothesis of schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , 2001, 3, 296-303.	3.7	3
303	Características clínicas del alcoholismo familiar frente al esporádico en una muestra de pacientes masculinos y femeninos. <i>European Psychiatry (Ed Española)</i> , 2001, 8, 318-323.	0.0	0
304	Relationships between antisocial personality and alcoholism: genetic hypotheses. <i>European Psychiatry</i> , 2000, 15, 123-128.	0.2	7
305	The DRD2 gene and the risk for alcohol dependence in bipolar patients. <i>European Psychiatry</i> , 2000, 15, 103-108.	0.2	21
306	Reappraisal of the association between the DRD2 gene, alcoholism and addiction. <i>European Psychiatry</i> , 2000, 15, 90-96.	0.2	39

#	ARTICLE	IF	CITATIONS
307	P01.151 A controlled study comparing "œpsychose hallucinatoire chronique" with two matched groups of schizophrenia is consistent with the independency of the two diagnosis. European Psychiatry, 2000, 15, 360s-360s.	0.2	0
308	Serotonin transporter gene polymorphisms, alcoholism, and suicidal behavior. Biological Psychiatry, 2000, 48, 259-264.	1.3	181
309	Relaciones entre la personalidad antisocial y el alcoholismo: hip³tesis gen³ticas. European Psychiatry (Ed Espa³ola), 2000, 7, 365-371.	0.0	0
310	Nueva apreciaci³n de la asociaci³n entre el gen del DRD2, el alcoholismo y la adicci³n. European Psychiatry (Ed Espa³ola), 2000, 7, 431-438.	0.0	0
311	El gen de DRD2 y el riesgo de dependencia de alcohol en pacientes bipolares. European Psychiatry (Ed) Tj ETQq1 1 0,784314 ggBT /Overlock 10 Tf 50	0.0	0
312	Genetic factors in anorexia nervosa. European Psychiatry, 1999, 14, 189-198.	0.2	43
313	Homozygosity at the dopamine D3 receptor gene is associated with opiate dependence. Molecular Psychiatry, 1998, 3, 333-336.	7.9	101
314	Meta-analysis of DRD3 gene and schizophrenia: Ethnic heterogeneity and significant association in caucasians. , 1998, 81, 318-322.		108
315	Lack of Association between Anorexia Nervosa and D3 Dopamine Receptor Gene. Biological Psychiatry, 1998, 43, 76-78.	1.3	53
316	Anorexia Nervosa in One Monozygotic Twin. American Journal of Psychiatry, 1998, 155, 708-708.	7.2	2
317	Genetics and anorexia nervosa. Psychiatric Genetics, 1998, 8, 1-12.	1.1	50
318	Un estudio de la prevalencia anual de la esquizofrenia en la Isla Reuni³n. European Psychiatry (Ed) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.0	0
319	The impact of oestradiol on ages at onset in schizophrenia reevaluated through klinefelter syndrome. Schizophrenia Research, 1997, 23, 269-270.	2.0	6
320	A one year prevalence study of schizophrenia on Reunion Island. European Psychiatry, 1997, 12, 284-288.	0.2	6
321	Further epidemiological evidence for anticipation in schizophrenia. Biomedicine and Pharmacotherapy, 1997, 51, 376-380.	5.6	15
322	Anticipation in schizophrenia: New light on a controversial problem. European Psychiatry, 1996, 11, 221s-222s.	0.2	1
323	Anticipation in schizophrenia: new light on a controversial problem [published erratum appears in Am J Psychiatry 1997 Apr;154(4):590]. American Journal of Psychiatry, 1996, 153, 1173-1177.	7.2	52
324	Cross-Cultural Study of Schizophrenia. Psychopathology, 1996, 29, 85-94.	1.5	9

#	ARTICLE	IF	CITATIONS
325	Lack of association between alcohol-dependence and D3 dopamine receptor gene in three independent samples. American Journal of Medical Genetics Part A, 1995, 60, 529-531.	2.4	34
326	Gender and age at onset in schizophrenia: impact of family history. American Journal of Psychiatry, 1995, 152, 208-212.	7.2	86
327	Are genes coding for dopamine receptors implicated in alcoholism?. European Psychiatry, 1994, 9, 63-69.	0.2	31
328	Genetic study of dopamine D1, D2, and D4 receptors in schizophrenia. Psychiatry Research, 1994, 51, 215-230.	3.3	53
329	Pseudoautosomal region in schizophrenia: Linkage analysis of seven loci by sib-pair and lod-score methods. Psychiatry Research, 1994, 52, 135-147.	3.3	13
330	Neural symptoms induced by tricyclic antidepressants: phenomenology and pathophysiology. Acta Psychiatrica Scandinavica, 1992, 85, 249-256.	4.5	32
331	Evidence for a Pseudoautosomal Locus for Schizophrenia. British Journal of Psychiatry, 1992, 161, 59-62.	2.8	62
332	Failure to replicate linkage between chromosome 5q11-q13 markers and schizophrenia in 28 families. Psychiatry Research, 1992, 44, 171-179.	3.3	7
333	Relationship of HLA to Schizophrenia not supported in multiplex families. Psychiatry Research, 1992, 41, 99-105.	3.3	14
334	Evidence for a Pseudoautosomal Locus for Schizophrenia. British Journal of Psychiatry, 1992, 161, 55-58.	2.8	31
335	Cytogenetic studies of familial schizophrenics. Biological Psychiatry, 1991, 29, 624-625.	1.3	12
336	Are cognitive deficits in major depressive disorder progressive?. , 0, , 110-124.		2