
## Sofia Brissos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8065686/publications.pdf Version: 2024-02-01



SOFIA RDISSOS

#	Article	IF	CITATIONS
1	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data metaâ€analysis. Acta Psychiatrica Scandinavica, 2013, 128, 149-162.	4.5	481
2	The role of long-acting injectable antipsychotics in schizophrenia: a critical appraisal. Therapeutic Advances in Psychopharmacology, 2014, 4, 198-219.	2.7	224
3	Quality of life in bipolar type I disorder and schizophrenia in remission: Clinical and neurocognitive correlates. Psychiatry Research, 2008, 160, 55-62.	3.3	99
4	Symptomatic remission in schizophrenia patients: Relationship with social functioning, quality of life, and neurocognitive performance. Schizophrenia Research, 2011, 129, 133-136.	2.0	96
5	Schizophrenia patients with predominantly positive symptoms have more disturbed sleep–wake cycles measured by actigraphy. Psychiatry Research, 2011, 189, 62-66.	3.3	93
6	Insight, quality of life and cognitive functioning in euthymic patients with bipolar disorder. Journal of Affective Disorders, 2008, 110, 75-83.	4.1	82
7	Cognitive function and serum levels of brainâ€derived neurotrophic factor in patients with bipolar disorder. Bipolar Disorders, 2009, 11, 663-671.	1.9	80
8	Cognitive Performance and Quality of Life in Bipolar Disorder. Canadian Journal of Psychiatry, 2008, 53, 517-524.	1.9	76
9	The importance of measuring psychosocial functioning in schizophrenia. Annals of General Psychiatry, 2011, 10, 18.	2.7	65
10	COVID-19 in Portugal: exploring the immediate psychological impact on the general population. Psychology, Health and Medicine, 2021, 26, 44-55.	2.4	65
11	Measuring psychosocial outcomes in schizophrenia patients. Current Opinion in Psychiatry, 2011, 24, 1.	6.3	52
12	Clinical and neurocognitive correlates of insight in patients with bipolar I disorder in remission. Acta Psychiatrica Scandinavica, 2007, 117, 071028185208002-???.	4.5	39
13	The Portuguese version of the Personal and Social Performance Scale (PSP): reliability, validity, and relationship with cognitive measures in hospitalized and community schizophrenia patients. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1077-1086.	3.1	38
14	Is personal and social functioning associated with subjective quality of life in schizophrenia patients living in the community?. European Archives of Psychiatry and Clinical Neuroscience, 2011, 261, 509-517.	3.2	31
15	Treatment adherence and quality of sleep in schizophrenia outpatients. International Journal of Psychiatry in Clinical Practice, 2014, 18, 70-76.	2.4	30
16	The impact of a history of psychotic symptoms on cognitive function in euthymic bipolar patients: a comparison with schizophrenic patients and healthy controls. Revista Brasileira De Psiquiatria, 2011, 33, 353-361.	1.7	29
17	Serum homocysteine levels and cognitive functioning in euthymic bipolar patients. Journal of Affective Disorders, 2009, 113, 285-290.	4.1	25
18	Comparison between the results of the Symptom Checklist-90 in two different populations with temporal lobe epilepsy. Epilepsy and Behavior, 2003, 4, 733-739.	1.7	18

SOFIA BRISSOS

#	Article	IF	CITATIONS
19	Satisfaction with Life of Schizophrenia Outpatients and Their Caregivers: Differences between Patients with and without Self-Reported Sleep Complaints. Schizophrenia Research and Treatment, 2013, 2013, 1-3.	1.5	13
20	Bipolar disorder after traumatic brain injury. International Journal of Psychiatry in Clinical Practice, 2005, 9, 292-295.	2.4	4
21	Mental health in Portugal in times of austerity. Lancet Psychiatry,the, 2014, 1, 260.	7.4	3
22	A Case of Crying Seizures. Journal of Neuropsychiatry and Clinical Neurosciences, 2011, 23, E27-E28.	1.8	3
23	Quality of Life, Cognition, and Social Cognition in Schizophrenia. , 2016, , 25-51.		2
24	Compulsory admission to a Portuguese psychiatric hospital: retrospective study of 497 involuntary admissions. BMC Psychiatry, 2007, 7, P2.	2.6	1
25	P.1.f.009 Neurocognitive dysfunction in patients with bipolar type I disorder in remission: are mood symptoms responsible?. European Neuropsychopharmacology, 2007, 17, S301-S302.	0.7	0
26	Advances in the Pathophysiology of Episode-Related Cognitive Impairment in Bipolar Disorder. European Psychiatry, 2009, 24, .	0.2	0
27	Plasma Brain-Derived-Neurotrophic Factor levels and cognitive function in euthymic bipolar type I patients. Annals of General Psychiatry, 2010, 9, .	2.7	0
28	The portuguese version of the personal and social performance scale (PSP): reliability, validity, and relationship with cognitive measures in hospitalized and community schizophrenia patients. European Psychiatry, 2011, 26, 1442-1442.	0.2	0
29	P.3.a.002 Symptomatic remission in schizophrenia patients: relationship with social functioning, quality of life, and neurocognitive performance. European Neuropsychopharmacology, 2011, 21, S454.	0.7	0
30	P.3.f.002 Epidemiologic naturalistic study to determine the relationship between the Personal and Social Performance (PSP) scale and the perceived sleep quality in schizophrenia. European Neuropsychopharmacology, 2012, 22, S356.	0.7	0
31	Comparison of Clinical and Sociodemographic Profiles Between Patients with Bipolar Disorder and Schizophrenia/schizoaffective Disorders European Psychiatry, 2015, 30, 1149.	0.2	0