

Sofia Brissos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8065686/publications.pdf>

Version: 2024-02-01

31
papers

1,649
citations

430874

18
h-index

642732

23
g-index

34
all docs

34
docs citations

34
times ranked

2720
citing authors

#	ARTICLE	IF	CITATIONS
1	COVID-19 in Portugal: exploring the immediate psychological impact on the general population. <i>Psychology, Health and Medicine</i> , 2021, 26, 44-55.	2.4	65
2	Quality of Life, Cognition, and Social Cognition in Schizophrenia. , 2016, , 25-51.		2
3	Comparison of Clinical and Sociodemographic Profiles Between Patients with Bipolar Disorder and Schizophrenia/schizoaffective Disorders.. <i>European Psychiatry</i> , 2015, 30, 1149.	0.2	0
4	The role of long-acting injectable antipsychotics in schizophrenia: a critical appraisal. <i>Therapeutic Advances in Psychopharmacology</i> , 2014, 4, 198-219.	2.7	224
5	Treatment adherence and quality of sleep in schizophrenia outpatients. <i>International Journal of Psychiatry in Clinical Practice</i> , 2014, 18, 70-76.	2.4	30
6	Mental health in Portugal in times of austerity. <i>Lancet Psychiatry</i> ,the, 2014, 1, 260.	7.4	3
7	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 149-162.	4.5	481
8	Satisfaction with Life of Schizophrenia Outpatients and Their Caregivers: Differences between Patients with and without Self-Reported Sleep Complaints. <i>Schizophrenia Research and Treatment</i> , 2013, 2013, 1-3.	1.5	13
9	P.3.f.002 Epidemiologic naturalistic study to determine the relationship between the Personal and Social Performance (PSP) scale and the perceived sleep quality in schizophrenia. <i>European Neuropsychopharmacology</i> , 2012, 22, S356.	0.7	0
10	The Portuguese version of the Personal and Social Performance Scale (PSP): reliability, validity, and relationship with cognitive measures in hospitalized and community schizophrenia patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1077-1086.	3.1	38
11	The portuguese version of the personal and social performance scale (PSP): reliability, validity, and relationship with cognitive measures in hospitalized and community schizophrenia patients. <i>European Psychiatry</i> , 2011, 26, 1442-1442.	0.2	0
12	Symptomatic remission in schizophrenia patients: Relationship with social functioning, quality of life, and neurocognitive performance. <i>Schizophrenia Research</i> , 2011, 129, 133-136.	2.0	96
13	Schizophrenia patients with predominantly positive symptoms have more disturbed sleep wake cycles measured by actigraphy. <i>Psychiatry Research</i> , 2011, 189, 62-66.	3.3	93
14	P.3.a.002 Symptomatic remission in schizophrenia patients: relationship with social functioning, quality of life, and neurocognitive performance. <i>European Neuropsychopharmacology</i> , 2011, 21, S454.	0.7	0
15	The impact of a history of psychotic symptoms on cognitive function in euthymic bipolar patients: a comparison with schizophrenic patients and healthy controls. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 353-361.	1.7	29
16	Is personal and social functioning associated with subjective quality of life in schizophrenia patients living in the community?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 509-517.	3.2	31
17	The importance of measuring psychosocial functioning in schizophrenia. <i>Annals of General Psychiatry</i> , 2011, 10, 18.	2.7	65
18	Measuring psychosocial outcomes in schizophrenia patients. <i>Current Opinion in Psychiatry</i> , 2011, 24, 1.	6.3	52

#	ARTICLE	IF	CITATIONS
19	A Case of Crying Seizures. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2011, 23, E27-E28.	1.8	3
20	Plasma Brain-Derived-Neurotrophic Factor levels and cognitive function in euthymic bipolar type I patients. <i>Annals of General Psychiatry</i> , 2010, 9, .	2.7	0
21	Serum homocysteine levels and cognitive functioning in euthymic bipolar patients. <i>Journal of Affective Disorders</i> , 2009, 113, 285-290.	4.1	25
22	Cognitive function and serum levels of brain-derived neurotrophic factor in patients with bipolar disorder. <i>Bipolar Disorders</i> , 2009, 11, 663-671.	1.9	80
23	Advances in the Pathophysiology of Episode-Related Cognitive Impairment in Bipolar Disorder. <i>European Psychiatry</i> , 2009, 24, .	0.2	0
24	Insight, quality of life and cognitive functioning in euthymic patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2008, 110, 75-83.	4.1	82
25	Quality of life in bipolar type I disorder and schizophrenia in remission: Clinical and neurocognitive correlates. <i>Psychiatry Research</i> , 2008, 160, 55-62.	3.3	99
26	Cognitive Performance and Quality of Life in Bipolar Disorder. <i>Canadian Journal of Psychiatry</i> , 2008, 53, 517-524.	1.9	76
27	P.1.f.009 Neurocognitive dysfunction in patients with bipolar type I disorder in remission: are mood symptoms responsible?. <i>European Neuropsychopharmacology</i> , 2007, 17, S301-S302.	0.7	0
28	Compulsory admission to a Portuguese psychiatric hospital: retrospective study of 497 involuntary admissions. <i>BMC Psychiatry</i> , 2007, 7, P2.	2.6	1
29	Clinical and neurocognitive correlates of insight in patients with bipolar I disorder in remission. <i>Acta Psychiatrica Scandinavica</i> , 2007, 117, 071028185208002-???	4.5	39
30	Bipolar disorder after traumatic brain injury. <i>International Journal of Psychiatry in Clinical Practice</i> , 2005, 9, 292-295.	2.4	4
31	Comparison between the results of the Symptom Checklist-90 in two different populations with temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2003, 4, 733-739.	1.7	18