## Pietro Faccioli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8066756/publications.pdf

Version: 2024-02-01

405 papers 20,882 citations

69 h-index 122 g-index

408 all docs 408 docs citations

408 times ranked 10587 citing authors

#	Article	IF	CITATIONS
1	Heavy quarkonium: progress, puzzles, and opportunities. European Physical Journal C, 2011, 71, 1.	3.9	1,324
2	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
3	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
4	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	4.7	497
5	Study of high-p T charged particle suppression in PbPb compared to pp collisions at \$sqrt{s_{mathrm{NN}}}=2.76~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	369
6	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	3.9	355
7	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	3.9	342
8	Observation of a new boson with mass near 125 GeV in pp collisions at $q=7 $ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
9	Search for dark matter, extra dimensions, and unparticles in monojet events in protonâ $\in$ "proton collisions at $s=0$ ,	3.9	320
10	First look at the physics case of TLEP. Journal of High Energy Physics, 2014, 2014, 1.	4.7	269
11	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
12	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $q=0.9 \$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.	4.7	230
13	Suppression of non-prompt J/ $\hat{\Gamma}$ , prompt J/ $\hat{\Gamma}$ , and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt $\{\{s_{ext}\}\}\}$ = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	200
14	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
15	Measurement of the differential cross section for top quark pair production in pp collisions at $\$$ sqrt $\{s\} = 8$ ,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.	3.9	191
16	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $sqrt{s_{NN}}= 2.76$ mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	181
17	Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in proton–proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	3.9	179

#	Article	IF	Citations
19	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. European Physical Journal C, 2014, 74, 2980.	3.9	171
20	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1.	4.7	169
21	Search for dark matter and large extra dimensions in monojet events in pp collisions at sqrt s} = 7} TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	168
22	Measurement of the inclusive W and Z production cross sections in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.	4.7	158
23	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $q=0.9, 2.76, mbox{and }7~mbox{TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	154
24	Search for supersymmetry in hadronic final states with missing transverse energy using the variables $\hat{l}\pm T$ and b-quark multiplicity in pp collisions at $\frac{1}{5} = 8$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2568.	3.9	147
25	Strange particle production in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	139
26	Prompt and non-prompt J/ $\hat{l}$ production in pp collisions at $q=7$ TeV. European Physical Journal C, 2011, 71, 1.	3.9	135
27	A search for a doubly-charged Higgs boson in pp collisions at $q=7 \mod TeV$ . European Physical Journal C, 2012, 72, 1.	3.9	129
28	Measurement of differential top-quark-pair production cross sections in pp collisions at $q = 7 \text{ mathrm} $	3.9	125
29	Evidence for the 125 GeV Higgs boson decaying to a pair of Ï,, leptons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	123
30	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
31	Measurements of inclusive W and Z cross sections in pp collisions at \$ sqrt $\{s\}$ = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	122
32	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	3.9	120
33	Searches for long-lived charged particles in pp collisions at $\$ sqrt $\{s\}$ = 7 and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	118
34	Towards the experimental clarification ofÂquarkoniumÂpolarization. European Physical Journal C, 2010, 69, 657-673.	3.9	117
35	Search for a light charged Higgs boson in top quark decays in pp collisions at $\$ sqrt $\{s\}$ = 7;TeV $\$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	117
36	Charged particle multiplicities in pp interactions at $\$$ sqrt $\{s\}$ = 0.9 $\$$ , 2.36, and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	106

#	Article	IF	CITATIONS
37	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 $ \$ sqrt{s_{mathrm{N};mathrm{N}}}= $5.02 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	103
38	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
39	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\$ sqrt $\{s\}$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	100
40	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at \$ $ \{\{s_{ext}\}\}\} = 2.76 $ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	99
41	Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	3.9	98
42	Full atomistic model of prion structure and conversion. PLoS Pathogens, 2019, 15, e1007864.	4.7	98
43	Measurement of the underlying event activity at the LHC with $\$ sqrt $\{s\} = 7$ $\$ TeV and comparison with $\$ sqrt $\{s\} = 0.9$ $\$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	97
44	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	95
45	Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95
46	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	4.7	92
47	Measurements of differential and double-differential Drellâ€"Yan cross sections in protonâ€"proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	3.9	88
48	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
49	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\$ sqrt{{ $s_{mathrm{NN}}}} = 2.76 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	85
50	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $\$ sqrt{s} = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
51	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $$$ sqrt $\{$ s $\}$ $$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
52	Study of the production of charged pions, kaons, and protons in pPb collisions at $\$$ sqrt $\{s_{NN}\} = $ \$\$ s N N = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 2847.	3.9	85
53	Performance of the CMS Level-1 trigger in proton-proton collisions at â^š <i>s</i> = 13 TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.	1.2	84
54	Measurement of the single-top-quark t-channel cross section in pp collisions at $q=0$ \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	83

#	Article	IF	Citations
55	Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{smathrm } \{p\}$ ightarrow mathrm $\{W\}^{pm}+X$ pp $\hat{a}^*_1$ W $\hat{A}^*_2$ + X production at $\{x^*_1\}$ = 8\$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	3.9	83
56	Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.	3.9	83
57	Suppression and azimuthal anisotropy of prompt and nonprompt $f(s)=0$ mathrm{J}}/psi \$\$ J / $f(s)=0$ production in PbPb collisions at \$\$sqrt{ $s_{ext} {NN}}} = 2.76$$ s NN = 2.76 $$,mathrm{TeV}$$ TeV. European Physical Journal C, 2017, 77, 252.$	3.9	82
58	$J/\tilde{\Gamma}$ and $\tilde{\Gamma}(2S)$ production in pp collisions at \$ sqrt {s} = 7{ext{Tev}} \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	81
59	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81
60	Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	81
61	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ \$\$ sqrt $s=8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	78
62	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	3.9	78
63	Quarkonium production in the LHC era: A polarized perspective. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 736, 98-109.	4.1	77
64	Study of exclusive two-photon production of W+Wâ^' in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	75
65	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\frac{1}{2014}$ ,	3.9	<b>7</b> 5
66	Measurement of the $\{\{\text{mathrm}\{W\}\}^{+}\}\$ mathrm $\{W\}^{-}\}$ \$\$ W + W - cross section in pp collisions at $\{\text{s}\}$ = 8\$\$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	3.9	74
67	Measurement of the X(3872) production cross section via decays to J/l̈́le + le âˆ' in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
68	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	3.9	73
69	Measurement of the t-channel single-top-quark production cross section and of the $ V $ tb $ CKM $ matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70
70	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	3.9	70
71	Measurement of the \$ mathrm $\{t\}$ overline $\{mathrm\{t\}\}$ \$ production cross section in the dilepton channel in pp collisions at \$ sqrt $\{s\}$ =7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	69
72	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69

#	Article	IF	CITATIONS
73	Search for anomalous production of multilepton events in pp collisions at sqrt s} = 7,TeV 5. Journal of High Energy Physics, 2012, 2012, 1.	4.7	68
74	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	3.9	68
75	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\$ sqrt $\{s\}$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	68
76	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	3.9	68
77	Measurement of the \$\${mathrm {t}overline{mathrm {t}}}\$\$ t t $\hat{A}^-$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	3.9	68
78	Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt $\{\{s_{ext}NN\}\}\}$ \$ $\hat{a}\in$ %= $\hat{a}\in$ %2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
79	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\$$ sqrt $\{s\}=7$ ,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.	3.9	65
80	Kinematic distributions and nuclear effects of J/l production inÂ920ÂGeV fixed-target proton-nucleus collisions. European Physical Journal C, 2009, 60, 525-542.	3.9	64
81	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at \$sqrt{s} = 7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 2283.	3.9	64
82	Search for new physics in same-sign dilepton events in protonâ€"proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	3.9	64
83	Dominant folding pathways of a WW domain. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 2330-2335.	7.1	63
84	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
85	Measurement of the W+Wâ $^{\circ}$ cross section in pp collisions at \$sqrt{s} = 7mbox{ TeV}\$ and limits on anomalous WWÎ $^{3}$ and WWZ couplings. European Physical Journal C, 2013, 73, 1.	3.9	62
86	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ sqrt $\{s\}$ =8,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	3.9	62
87	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62
88	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
89	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $sqrt{s} = 7$ mathrm{TeV}\$ and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1.	3.9	60
90	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $q = 7$ ; {ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	59

#	Article	IF	Citations
91	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
92	Jet production rates in association with W and Z bosons in pp collisions at sqrt s = 7 extTeV} \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
93	Studies of jet mass in dijet and $W/Z$ + jet events. Journal of High Energy Physics, 2013, 2013, 1.	4.7	58
94	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\frac{s_{y}}{1000} = 5.02$ shown in pPb collisions at $\frac{s_{y}}{10000} = 5.02$ shown in pPb collisions at $\frac{s_{y}}{100000} = 5.02$ shown in pPb collisions at $\frac{s_{y}}{10000000000000000000000000000000000$	3.9	58
95	Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	3.9	58
96			

#	Article	IF	Citations
109	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
110	Measurement of the $\{m t\}$ ar $\{m t\}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\text{sqrt } \{s\} = 7 $ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	53
111	Measurement of prompt and nonprompt $\mbox{mathrm{J}/{psi}}$ production in $\mbox{mathrm {p}mathrm {p}}$ p p and $\mbox{mathrm {p}mathrm {Pb}}$ p Pb collisions at $\mbox{sqrt{s_{mathrm {NN}}}} = 5.02$ ,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	3.9	53
112	Measurement of the $\$ toverline{t} $\$ production cross section in the dilepton channel in pp collisions at $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	52
113	Measurement of double-differential cross sections for top quark pair production in pp collisions at $$$ sqrt ${s} = 8$ \$ s = 8 \$\$,ext ${TeV}$ \$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	3.9	52
114	Measurements of the $\$ mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}\$\$ p p â†' Z Z production cross section and the $\$ mathrm{Z}ightarrow 4ell \$\$ Z â†' 4 â,," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
115	Search for exclusive or semi-exclusive $\hat{I}^{3\hat{I}^{3}}$ production and observation of exclusive and semi-exclusive e+eâ° production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	51
116	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
117	First measurement of the underlying event activity atÂtheÂLHCÂwith \$sqrt{s} = 0.9\$ ÂTeV. European Physical Journal C, 2010, 70, 555-572.	3.9	50
118	Study of the underlying event at forward rapidity in pp collisions at $\frac{1}{5}=0.9,2.76$ ; mathrm{and};7; mathrm{TeV} \\$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	50
119	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 564.	3.9	50
120	Search for new physics with jets and missing transverse momentum in pp collisions at $\$ sqrt $\{s\} = 7\$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	49
121	Search for leptonic decays of $W\hat{a}\in \mathbb{R}^2$ bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	49
122	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
123	Study of Ï^′ and χ <sub><i></i></sub>	4.7	48
124	Search for new physics in events with same-sign dileptons and jets in pp collisions at sqrts = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	48
125	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	3.9	48
126	Analysis of charmonium production at fixed-target experiments in the NRQCD approach. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2006, 638, 202-208.	4.1	47

#	Article	IF	Citations
127	New approach to quarkonium polarization studies. Physical Review D, 2010, 81, .	4.7	47
128	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $\$ sqrt $\{s\}$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	47
129	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	46
130	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	46
131	Search for disappearing tracks in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46
132	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ quark $\{Te\}$ ext $\{V\}$ $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	3.9	46
133	Search for heavy bottom-like quarks in 4.9 fb $\hat{a}$ of pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
134	Search for microscopic black holes in pp collisions at $q=0$ Sqrt $q=0$ Function of High Energy Physics, 2013, 2013, 1.	4.7	44
135	Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$\$qrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	3.9	44
136	Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ $\in$ "proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	3.9	44
137	A Measurement of the Ï^′ to J/Ĩ^ production ratio in 920 GeV proton-nucleus interactions. European Physical Journal C, 2007, 49, 545-558.	3.9	43
138	Measurement of top quarkâ $\in$ antiquark pair production in association with a W or Z boson in pp collisions at $s=8$ s = 8 s,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	3.9	43
139	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
140	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in protonâ $\in$ proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	3.9	43
141	Measurement of the top-quark mass in $mathrm{t}$ overline $mathrm{t}$ events with dilepton final states in pp collisions at $q=0$ mbox $e^2$ . European Physical Journal C, 2012, 72, 1.	3.9	42
142	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	41
143	Measurement of the t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the eli/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
144	Measurement of the $\frac{t}{v}$ mathrm $t}$ overline $\frac{t}{s}$ t t $\hat{A}^-$ production cross section in the all-jets final state in pp collisions at $\frac{s}{s}$ s = 8 $\frac{t}{v}$ TeV. European Physical Journal C, 2016, 76, 128.	3.9	41

#	Article	IF	CITATIONS
145	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
146	Search for same-sign top-quark pair production at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	40
147	Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$\$ t t $\hat{A}^-$ production cross section using events in the \$\$mathrm {e}mu \$\$ e $\hat{I}$ 4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	3.9	40
148	Search for new physics in dijet angular distributions using proton–proton collisions at \$\$sqrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	3.9	40
149	Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ \$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
150	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\frac{1}{5} = 13$ ,ext $Te$ ext $V$ \$. European Physical Journal C, 2021, 81, 378.	3.9	40
151	<pre><mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>J</mml:mi><mml:mi><mml:mi>ï</mml:mi></mml:mi></mml:math>Polarization from Fixed-Target to Collider Energies. Physical Review Letters, 2009, 102, 151802.</pre>	7.8	39
152	Search for resonances in the dilepton mass distribution in pp collisions at  sqrt  = 7  TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	39
153	Inclusive b-jet production in pp collisions at $sqrt \{s\} = 7$ TeV\$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
154	Measurement of the Z $\hat{\beta}$ * + b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
155	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
156	Measurement of the ZZ production cross section and search for anomalous couplings in 2â,, "2â,, "′ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
157	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $\$ sqrt{s} $\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	39
158	Measurement of differential cross sections for $\{Z\}$ boson production in association with jets in proton-proton collisions at $\{z\}$ = 13,ext $\{TeV\}$ \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 965.	3.9	39
159	Search for heavy stable charged particles in pp collisions at	4.7	38
160	Measurement of the top-quark mass in $\mbox{mathrm{t}}\$ werline{mathrm{t}} \$ events with lepton+jets final states in pp collisions at \$ $\mbox{sqrt{s}=7 }\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	38
161	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	3.9	38
162	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\}$ = 13 $\$$ s = 13 $\$$ s,ext $\{TeV\}$ \$\$ TeV. European Physical Journal C, 2017, 77, 636.	3.9	38

#	Article	IF	CITATIONS
163	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying $\ddot{l}$ , leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
164	The electromagnetic calorimeter of the HERA-B experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 580, 1209-1226.	1.6	37
165	Measurement of the $\frac{t}{t}}$ production cross section in pp collisions at $\frac{s}{t}$ TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	3.9	37
166	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37
167	Measurement of the WZ production cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7\$\$ s = 7 and 8 \$\$,ext $\{TeV\}$ \$\$ TeV and search for anomalous triple gauge couplings at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	3.9	37
168	Measurement of the Drell-Yan cross section in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	36
169	Variational Scheme to Compute Protein Reaction Pathways Using Atomistic Force Fields with Explicit Solvent. Physical Review Letters, 2015, 114, 098103.	7.8	36
170	Atomic Detail of Protein Folding Revealed by an Ab Initio Reappraisal of Circular Dichroism. Journal of the American Chemical Society, 2018, 140, 3674-3682.	13.7	36
171	Measurement of the top-quark mass in all-jets $\frac{1}{2}$ whose $\frac{1}{2}$ where $\frac{1}{2}$ is $\frac{1}{2}$ where $\frac{1}{2}$ is $\frac{1}{2}$ where $\frac{1}{2}$ is $\frac{1}{2}$ in European Physical Journal C, 2014, 74, 2758.	3.9	35
172	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s = 7 $ \$\$ $q=7 $ \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	35
173	Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$	3.9	35
174	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	3.9	35
175	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
176	Search for microscopic black holes in pp collisions at $\$\$$ sqrt $\{s\} = \{ext\{7TeV\}\} \$\$$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
177	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or $3\%$ 43 b-quark jets in 7 TeV pp collisions using the variable $1\pm$ T. Journal of High Energy Physics, 2013, 2013, 1.	4.7	34
178	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
179	Measurement of \$\$mathrm {t}overline{mathrm {t}}\$\$ t t $\hat{A}^-$ production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	3.9	34
180	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}}\$\$ t t $\mbox{\^A}$ production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7 $\mbox{\^A}$ \$\$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34

#	Article	IF	Citations
181	Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm $\{p\}$ \$\$\$mathrm $\{p\}$ \$\$ collisions at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ \$\$. European Physical Journal C, 2018, 78, 891.	3.9	34
182	Search for single production of vector-like quarks decaying to a top quark and a \$\$mathrm {W} \$\$ W boson in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	3.9	34
183	Measurement of D0, D+, Ds + and D*+ production in fixed target 920 GeV proton–nucleus collisions. European Physical Journal C, 2007, 52, 531-542.	3.9	33
184	Measurement of the underlying event in the Drell–Yan process in proton–proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	33
185	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=0$ sqrt $q=0$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	33
186	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
187	Measurement of exclusive $\{\{\{uprho_{}^{}\}\}_{}^{}\}\{\{left(\{770\}ight)\}\}\}\}$ ^{}}} ^{0}\$\$ \$\$ a \$\$ property \$\$ appears \$\$ \$\$ appears \$\$ \$\$ appears \$\$ \$\$ \$\$ appears \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$	3.9	33
188	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	3.9	33
189	Search for top squark pair production using dilepton final states in $\{p\}$ ext $\{p\}$ s collision data collected at $\{p\}$ at $\{p\}$ s. European Physical Journal C, 2021, 81, 3.	3.9	33
190	Measurement of $\$\hox {t}{ar{hbox {t}}}$ normalised multi-differential cross sections in $\$\{ext {p}}\$ scollisions at $\$sqrt{s}=13,\{ext {TeV}\}$ s, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	3.9	33
191	Angular distributions of leptons from J/lˆâ€™s produced in 920ÂGeV fixed-target proton-nucleus collisions. European Physical Journal C, 2009, 60, 517-524.	3.9	32
192	Measurement of $\{\text{ext}\{B\}\}$ overline $\{\text{ext}\{B\}\}$ angular correlations based on secondary vertex reconstruction at $\{\text{sqrt}\{s\} = 7, \{\text{ext}\{\text{TeV}\}\}\}$ . Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
193	Search for supersymmetry in pp collisions at $\$$ sqrt $\{s\} = 7 \$$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
194	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	3.9	32
195	Measurements of the $\mbox{\$mathrm}{Z}$ \$\$ Z \$\$mathrm{Z}\$\$ Z production cross sections in the \$\$2 mathrm{I} 2u \$\$ 2   2 1/2 channel in protonâ $\mbox{\$"proton}$ collisions at \$\$sqrt{s} = 7\$\$ s = 7 and \$\$8~. European Physical Journal C, 2015, 75, 511.	3.9	32
196	Searches for pair production of third-generation squarks in $\frac{s}{13} = 13 $ , ext {TeV}\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32
197	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	31
198	Serpin latency transition at atomic resolution. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 15414-15419.	7.1	31

#	Article	IF	CITATIONS
199	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $ \text{sqrt}_{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2014, 2014, 1.	4.7	31
200	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	3.9	31
201	Search for top squark pair production in pp collisions at $s=13 $ \$\$ sqrt $s=13 $ \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
202	A multi-dimensional search for new heavy resonances decaying to boosted $\$\text{W}_{f}$ \$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\	3.9	31
203	Measurement of Bose-Einstein correlations in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	30
204	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at  sqrt  {s} = 7  TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
205	Search for a Higgs boson in the decay channel H $\hat{a}$ †' $ZZ(*)$ $\hat{a}$ †' $q$ \$ overline {ext{q}} \$ $\hat{a}$ ," $\hat{a}$ " $\hat{a}$ " + in pp collisions at \$ sqrt {s} = 7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
206	Measurement of the W-boson helicity in top-quark decays from $mathrm{t}$ overline{mathrm{t}} production in lepton+jets events in pp collisions at $q=0.3$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	30
207	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ â," $1\frac{1}{2}$ b b $\hat{A}^-$ final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	3.9	30
208	Measurements of the associated production of a Z boson and b jets in pp collisions at $\$\{qrt\{s\}\} = 8$ , ext $TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	3.9	30
209	Pharmacological inactivation of the prion protein by targeting a folding intermediate. Communications Biology, 2021, 4, 62.	4.4	30
210	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	29
211	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\$sqrt{s_{mathrm {NN}}} = 5.02, mathrm{TeV} \$$ s NN. European Physical Journal C, 2016, 76, 372.	3.9	29
212	A search for new phenomena in pp collisions at $\$\$qrt\{s\} = 13$ , ext $TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$alpha_{mathrm} T\}$ $\^{t}$ T variable. European Physical Journal C, 2017, 77, 294.	3.9	29
213	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
214	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	3.9	29
215	K*O and φ meson production in proton–nucleus interactions at \$sqrt{s}=41.6ext{GeV}\$. European Physical Journal C, 2007, 50, 315-328.	3.9	28
216	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the $\$$ mathrm{H}o mathrm{b}overline{mathrm{b}} $\$$ decay channel with leptonic $\$$ mathrm{t}overline{mathrm{t}} $\$$ decays in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28

#	Article	IF	CITATIONS
217	Measurements of differential Z boson production cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
218	Model-independent constraints on the shape parameters of dilepton angular distributions. Physical Review D, $2011, 83, \ldots$	4.7	27
219	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
220	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in protonâ $\in$ "proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	3.9	27
221	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\hat{a} \le  i\rangle = 13$ TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	1.2	27
222	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
223	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at	4.7	26
224	Determination of <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msub><mml:mi>i‡</mml:mi><mml:mi>c</mml:mi></mml:msub></mml:math> and <mml:m display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>i‡</mml:mi>imi&gt;i#b<mml:mi>b</mml:mi><mml:mi>imi&gt;imi&gt;imi&gt;imi&gt;imi&gt;imi&gt;imi&gt;imi&gt;imi&gt;</mml:mi></mml:m>	4.7	26
225	from dilepton angular distributions in radiative decays. Physical Review D, 2011, 83, .  Search for resonant \$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
226	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	3.9	26
227	Search for the standard model Higgs boson in the H → ZZ → 2â,,"2ν channel in pp collisions = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	at \$ sqrt	{ext{s}}
228	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\$ sqrt $\$ s} = 7; TeV $\$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
229	Search for $W\hat{a}\in \hat{a}$ $\hat{a}$ $\hat{a}$ to decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	26
230	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	26
231	Measurement of the inclusive jet cross section in pp collisions at $\$$ sqrt $\{s\} = 2.76$ ,ext $\{TeV\}$ \$\$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	3.9	26
232	Measurement of energy flow at large pseudorapidities in pp collisions at $\$$ sqrt $\{s\}$ = 0. $\{9\}$ $\$$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
233	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	3.9	25
234	Search for high-mass resonances in final states with a lepton and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	25

#	Article	IF	Citations
235	Measurement of the $mathrm{t}$ ar{mathrm{t}}\$ production cross section in the $\ddot{l}$ ,+jets channel in pp collisions at $q=1$ mbox{TeV}\$. European Physical Journal C, 2013, 73, 1.	3.9	24
236	Search for third-generation scalar leptoquarks in the $t\ddot{i}$ , channel in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
237	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
238	Measurements of $f^{p} {\mathrm{p}} {\mathrm{p}}$	3.9	24
239	Inclusive b-hadron production cross section with muons in pp collisions at sqrt s = 7;extTeV} \$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	23
240	Measurement of WZ and ZZ production in pp collisions at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ $\$$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	3.9	23
241	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	23
242	Measurement of the jet mass in highly boosted ${\rm Measurement} \  \  \  \  \  \  \  \  \  \  \  \  \ $	3.9	23
243	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ and $s=8$ are $s=8$ for $s=8$ and $s=8$ are $s=8$ for $s=8$ and $s=8$ for	3.9	23
244	Measurement of the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ squared from the square section of parton distribution functions. European Physical Journal C, 2017, 77, 746.	3.9	23
245	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at \$\$sqrt{s}=13,{ext {TeV}} \$\$. European Physical Journal C, 2020, 80, 752.	3.9	23
246	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
247	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	4.7	22
248	Search for physics beyond the standard model in events with $\ddot{l}$ , leptons, jets, and large transverse momentum imbalance in pp collisions at $\frac{s}{TeV}$ . European Physical Journal C, 2013, 73, 2493.	3.9	22
249	Search for t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
250	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
251	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13 $ \$\$ sqrt{ $s$ }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
252	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying $\ddot{l}$ , leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22

#	Article	IF	CITATIONS
253	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{}^{}\$\$ lepton in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	3.9	22
254	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	3.9	22
255	display="inline"> <mml:msub><mml:mi>it</mml:mi><mml:mrow><mml:mi>c</mml:mi><mml:mn>1</mml:mn> xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"&gt;<mml:mi><mml:mi>it</mml:mi><mml:mi>c</mml:mi><mml:mi></mml:mi></mml:mi></mml:mrow></mml:msub>		0.1
256	display="Inline"> Cmmls. Physical Review D. 2009, 79.  A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	2.9	21
257	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	21
258	Present knowledge of the Cabibbo-Kobayashi-Maskawa matrix. Rivista Del Nuovo Cimento, 2000, 23, 1-71.  Measurement of the kmml:math altimg="siligit" overflow="scroll"	5.7	21
259	xmins:xocs= http://www.eisevier.com/xmi/xocs/dtd xmins:xs= http://www.w3.org/2001/XMLSchema xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" Rolarization to fi/andw.niminathaltimgi=csi1ngth/oveld.low="scroll"	4.1	20
260	xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd"	4.1	20
261	xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/x Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	20
262	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\$ \sqrt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	20
263	Search for supersymmetry in pp collisions at \$sqrt{s} =7\$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	3.9	20
264	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
265	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
266	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
267	Search for rare decays of $\$$ mathrm {Z}\$\$ Z and Higgs bosons to $\$$ {mathrm {J}/psi } $\$$ \$ J / $\ddot{\Gamma}$ and a photon in proton-proton collisions at $\$$ sqrt{s}\$\$ s = 13 $\$$ ,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	3.9	20
268	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
269	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s = 7 $ \$ sqrt $s=7 $ \$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
270	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $l$ , leptons in pp collisions at $s=8$ \$\$ sqrt $s=8$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19

#	Article	IF	Citations
271	All-Atom Simulations Reveal How Single-Point Mutations Promote Serpin Misfolding. Biophysical Journal, 2018, 114, 2083-2094.	0.5	19
272	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.	3.9	19
273	The electromagnetic calorimeter of the HERA-B experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 461, 332-336.	1.6	18
274	Search for quark compositeness in dijet angular distributions from pp collisions at sqrt s = 71 5 TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	18
275	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ sqrt $\{s\} = 8$ ;ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	3.9	18
276	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.	3.9	18
277	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
278	MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	3.9	18
279	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	3.9	18
280	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	3.9	18
281	Search for stopped long-lived particles produced in pp collisions at sqrt s} = ext7TeV} \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
282	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17
283	Probing color coherence effects in pp collisions at $\$$ sqrt $\{s\}=7$ ,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901.	3.9	17
284	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
285	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
286	Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
287	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$\$qrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	3.9	17
288	Electroweak production of two jets in association with a Z boson in proton $\hat{s}$ "proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	17

#	Article	IF	Citations
289	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17
290	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at	4.7	16
291	Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ production cross section in the all-jet final state in pp collisions at \$ $\mbox{sqrt{s}=7 }$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
292	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
293	Measurement of jet multiplicity distributions in $\frac{1}{2}$ mathrm $\frac{1}{2}$ mathrm $\frac{1}{2}$ t t $\hat{A}^-$ production in pp collisions at $\frac{1}{2}$ production in pp collisions at $\frac{1}{2}$ production in pp collisions at $\frac{1}{2}$ mathrm $\frac{1}{2}$ mathrm $\frac{1}{2}$ t t $\hat{A}^-$ production in pp collisions at $\frac{1}{2}$ mathrm $1$	3.9	16
294	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm $\{e\}$ mu \$\$ e ν pair in protonâ $\in$ "proton collisions at \$\$sqrt $\{s\}=8-ext\ TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	3.9	16
295	Measurement of dijet azimuthal decorrelation in pp $\hat{a}$ collisions at $\frac{1}{s}=8$ , mathrm $TeV$ \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	3.9	16
296	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
297	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt $\{s\} = 8\{$ , mathrm $\{TeV\}\}\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	3.9	16
298	Quarkonium production at the LHC: A data-driven analysis of remarkably simple experimental patterns. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 773, 476-486.	4.1	16
299	Measurement of associated Z + charm production in proton–proton collisions at \$\$\$qrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	3.9	16
300	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ . European Physical Journal C, 2019, 79, 886.	3.9	16
301	Search for a fermiophobic Higgs boson in pp collisions at sqrt s} = 7 TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
302	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
303	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
304	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
305	Self-consistent calculation of protein folding pathways. Journal of Chemical Physics, 2017, 147, 064108.	3.0	15
306	Measurement of the t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15

#	Article	IF	Citations
307	Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 $ \$\$ sqrt $s=13 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
308	Barkas Effect for Antiproton Stopping inH2. Physical Review Letters, 2002, 89, 183201.	7.8	14
309	Improved measurement of the bb $\hat{A}$ -production cross section in 920ÅGeV fixed-target proton-nucleus collisions. Physical Review D, 2006, 73, .	4.7	14
310	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	14
311	Search for associated production of dark matter with a Higgs boson decaying to b b $\hat{A}^-$ \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
312	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
313	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\$$ sqrt $\$$ =13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
314	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 $\hat{a}$ — ( 5840 ) 0 and \$\${mathrm {B}}		

#	Article	IF	CITATIONS
325	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	12
326	Folding Mechanism of Proteins Im7 and Im9: Insight from All-Atom Simulations in Implicit and Explicit Solvent. Journal of Physical Chemistry B, 2016, 120, 9297-9307.	2.6	12
327	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$\$$ sqrt $\{s\}=13$ $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
328	Search for dark matter produced in association with a Higgs boson decaying to $\hat{I}^3\hat{I}^3$ or $\hat{I}_3$ , $\hat{I}_3$ , $\hat{I}_3$ at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
329	From identical S- and P-wave \$\$p_mathrm{T}\$\$ p T spectra to maximally distinct polarizations: probing NRQCD with \$\$chi \$\$ χ. European Physical Journal C, 2018, 78, 268.	3.9	12
330	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$\$qrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	3.9	12
331	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
332	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\$$ sqrt $\{s\}=13$ ,ext $\{TeV\}$ $\$$ . European Physical Journal C, 2019, 79, 893.	3.9	12
333	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
334	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
335	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at \$sqrt{s}= 7\$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	11
336	Search for the standard model Higgs boson in the H $\hat{a}^{\dagger}$ ZZ $\hat{a}^{\dagger}$ $\hat{a}^{\dagger}$ , " $\hat{a}^{\dagger}$ ", " $\hat{a}^{\dagger}$ " decay channel in pp collisions at $\hat{a}^{\dagger}$ = $\hat{a}^{\dagger}$ , {ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	Sgart 4.7	11
337	Measurement of the $Z\hat{l}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
338	Search for electroweak production of charginos in final states with two $\ddot{l}$ , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
339	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
340	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in protonâ€"proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	3.9	11
341	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	3.9	11
342	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	3.9	11

#	Article	IF	Citations
343	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at sqrt s = 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	10
344	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s=2.76$ \$\$ sqrt{s}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	10
345	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13 $ sqrt $\{s\}=13 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
346	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at \$\$\$qrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	3.9	10
347	Measurement of the \$\$mathrm {Z}/gamma ^{*} ightarrow au au \$\$ Z / $\hat{I}^3$ â^— â†' $\hat{I}$ ,, $\hat{I}$ , cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708.	3.9	10
348	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
349	All-atom simulation of the HET-s prion replication. PLoS Computational Biology, 2020, 16, e1007922.	3.2	10
350	Evidence for \$\$ext {W}ext {W}\$\$ production from double-parton interactions in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 1.	3.9	10
351	CKM matrix: the â€~over-consistent' picture of the unitarity triangle. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 462, 313-317.	1.6	9
352	QUESTIONS AND PROSPECTS IN QUARKONIUM POLARIZATION MEASUREMENTS FROM PROTON–PROTON TO NUCLEUS–NUCLEUS COLLISIONS. Modern Physics Letters A, 2012, 27, 1230022.	1.2	9
353	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\$$ sqrt $\{s\}$ = 13~hbox $\{TeV\}$ \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.	3.9	9
354	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ qrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	3.9	9
355	Search for a heavy vector resonance decaying to a $\frac{T}{T} = 13$ , where $T = 13$ , we have $T = 13$ , where $T $	3.9	9
356	Rotation-invariant observables in parity-violating decays of vector particles to fermion pairs. Physical Review D, 2010, 82, .	4.7	8
357	Observation of cmml:math xmlns:mml="http://www.w3.org/1998/Math/Math/ML" display="inline"> cmml:msub> cmml:mi> it cc/mml:mi> c/mml:msub> c/mml:math> and cmml:mi> xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> cmml:mi> cc/mml:mi> cc/mml:msub> cmml:mi> inline"> cmml:mi> cc/mml:mi> cc/mml:msub> cmml:mi> cc/mml:mi> cc/mml:msub> cc/	ath 4.7	8
358	Suppression via dilepton polarization measurements. Physical Review D, 2012, 85, .  Search for a heavy resonance decaying into a Z boson and a Z or W boson in 2â,, "2q final states at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
359	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 1$ and $f(x) = 1$ and 3-jet events in $f(x) = 1$ an	3.9	8
360	xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="htt. Physics Letters, Sectio	4.1	7

#	Article	IF	Citations
361	Measurement of the ï' production cross section in 920 GeV fixed-target proton–nucleus collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2006, 638, 13-21.	4.1	7
362	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	7
363	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
364	Computing Reaction Pathways of Rare Biomolecular Transitions using Atomistic Force-Fields. Biophysical Chemistry, 2016, 208, 62-67.	2.8	7
365	Universal kinematic scaling as a probe of factorized long-distance effects in high-energy quarkonium production. European Physical Journal C, 2018, 78, 1.	3.9	7
366	Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at $\$$ sqrt $\{s\} = 5.02\$$ and 13TeV. European Physical Journal C, 2020, 80, 718.	3.9	7
367	Measurement of the cross section for production of $\$$ boverline b $X$ $\$$ decaying to muons in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	6
368	Comparison of the $Z/\hat{i}^3$ $\hat{a}^-$ + jets to $\hat{i}^3$ + jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	6
369	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13 $ \$ sqrt{ $s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6
370	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $\mbox{mathrm}_{p}\$ collisions at $\$ = 8,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 969.	3.9	6
371	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
372	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
373	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$\$ sqrt $s = 8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
374	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 $ \$ sqrt{ $s$ }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5
375	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
376	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 $ \$ sqrt $s=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
377	Search for the pair production of light top squarks in the $e\hat{A}\pm\hat{1}\frac{1}{4}\hat{a}$ final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
378	Slow Escape from a Helical Misfolded State of the Pore-Forming Toxin Cytolysin A. Jacs Au, 2021, 1, 1217-1230.	7.9	5

#	Article	IF	Citations
379	Measurement of energy flow at large pseudorapidities in pp collisions at ( sqrt $\{s\}$ = 0. $\{9\}$ ) and 7 TeV. , 2011, 2011, 1.		5
380	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5
381	Microscopically computing free-energy profiles and transition path time of rare macromolecular transitions. Physical Review E, 2012, 86, 061916.	2.1	4
382	The fate of quarkonia in heavy-ion collisions at LHC energies: a unified description of the sequential suppression patterns. European Physical Journal C, 2018, 78, 1.	3.9	4
383	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	3.9	4
384	From prompt to direct $\frac{J}{psi} $ production: new insights on the $\frac{c}{1} $ and $\frac{c}{2} $ polarizations and feed-down contributions from a global-fit analysis of mid-rapidity LHC data. European Physical Journal C, 2020, 80, 1.	3.9	4
385	Bottom production cross section from double muonic decays of b-flavoured hadrons in 920 GeV proton-nucleus collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2007, 650, 103-110.	4.1	3
386	Luminosity determination at HERA-B. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 582, 401-412.	1.6	3
387	V0 production in p+A collisions at \$sqrt{s}=41.6\$ ÂGeV. European Physical Journal C, 2009, 61, 207-221.	3.9	3
388	Search for top quark partners with charge $5/3$ in proton-proton collisions at $s = 13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
389	NRQCD colour-octet expansion vs. LHC quarkonium production: signs of a hierarchy puzzle?. European Physical Journal C, 2019, 79, 1.	3.9	3
390	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\hat{a}$ is = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	1.2	3
391	Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = 8 TeV., 2014, 2014, 1.		3
392	Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell ) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,ext {TeV} )., 2018, 78, 1.		3
393	A radiation tolerant phototube power supply for the electromagnetic calorimeter of the HERA-experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2006, 560, 539-545.	1.6	2
394	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	3.9	2
395	Measurements of angular distance and momentum ratio distributions in three-jet and $\{Z\}$ + two-jet final states in $\{p\}$ ext $\{p\}$ collisions. European Physical Journal C, 2021, 81, 852.	3.9	2
396	Heavy quarkonium: progress, puzzles, and opportunities. Advances in the Physics of Particles and Nuclei, 2011, , 1-178.	0.1	2

## PIETRO FACCIOLI

#	Article	lF	CITATIONS
397	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ( $sqrt{s}=8$ ) TeV. , 2013, 2013, 1.		2
398	Quarkonium Production and Absorption in Proton-Nucleus collisions. Lecture Notes in Physics, 2009, , 199-218.	0.7	1
399	Quarkonium polarization in pp and p-nucleus collisions. Nuclear Physics A, 2011, 855, 116-124.	1.5	1
400	Quarkonium polarization measurements. Nuclear Physics, Section B, Proceedings Supplements, 2011, 214, 97-102.	0.4	1
401	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	3.9	1
402	CMS status and spin physics at the LHC. Journal of Physics: Conference Series, 2011, 295, 012013.	0.4	0
403	Minimal physical constraints on the angular distributions of two-body boson decays. Physical Review D, 2013, 88, .	4.7	0
404	A change of perspective in quarkonium production: All data are equal, but some are more equal than others. Nuclear Physics A, 2014, 932, 466-471.	1.5	0
405	How Theoretical Nuclear Physics Can Help Discover New Drugs. Nuclear Physics News, 2021, 31, 29-32.	0.4	O