## Shon Lewis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8072423/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cognitive function in early-phase schizophrenia-spectrum disorder: IQ subtypes, brain volume and immune markers. Psychological Medicine, 2022, , 1-10.	4.5	3
2	The EMPOWER blended digital intervention for relapse prevention in schizophrenia: a feasibility cluster randomised controlled trial in Scotland and Australia. Lancet Psychiatry,the, 2022, 9, 477-486.	7.4	13
3	Digital smartphone intervention to recognise and manage early warning signs in schizophrenia to prevent relapse: the EMPOWER feasibility cluster RCT. Health Technology Assessment, 2022, 26, 1-174.	2.8	16
4	Digital screening for postnatal depression: mixed methods proof-of-concept study. BMC Pregnancy and Childbirth, 2022, 22, .	2.4	2
5	Acceptability of reducing sedentariness using a mobile-phone application based on â€~if then' plans for people with psychosis: A focus-group study conducted in North West England, UK. International Journal of Social Psychiatry, 2022, 68, 1100-1107.	3.1	2
6	Impaired verbal memory function is related to anterior cingulate glutamate levels in schizophrenia: findings from the STRATA study. , 2022, 8, .		1
7	Deconstructing depression and negative symptoms of schizophrenia; differential and longitudinal immune correlates, and response to minocycline treatment. Brain, Behavior, and Immunity, 2021, 91, 498-504.	4.1	28
8	Symptom Remission and Brain Cortical Networks at First Clinical Presentation of Psychosis: The OPTiMiSE Study. Schizophrenia Bulletin, 2021, 47, 444-455.	4.3	9
9	Adaptive Symptom Monitoring Using Hidden Markov Models – An Application in Ecological Momentary Assessment. IEEE Journal of Biomedical and Health Informatics, 2021, 25, 1770-1780.	6.3	8
10	Dopamine and Glutamate in Antipsychotic-Responsive Compared With Antipsychotic-Nonresponsive Psychosis: A Multicenter Positron Emission Tomography and Magnetic Resonance Spectroscopy Study (STRATA). Schizophrenia Bulletin, 2021, 47, 505-516.	4.3	51
11	Peripheral immune markers and antipsychotic non-response in psychosis. Schizophrenia Research, 2021, 230, 1-8.	2.0	29
12	Digital mental health in China: a systematic review. Psychological Medicine, 2021, 51, 2552-2570.	4.5	28
13	Cross-sectional study comparing cognitive function in treatment responsive versus treatment non-responsive schizophrenia: evidence from the STRATA study. BMJ Open, 2021, 11, e054160.	1.9	2
14	Co-designing new tools for collecting, analysing and presenting patient experience data in NHS services: working in partnership with patients and carers. Research Involvement and Engagement, 2021, 7, 85.	2.9	5
15	Evidence-based guidelines for the pharmacological treatment of schizophrenia: Updated recommendations from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2020, 34, 3-78.	4.0	259
16	A longitudinal comparison of two neurocognitive test batteries in patients with schizophrenia and healthy volunteers: Time effects on neuropsychological performance and their relation to functional outcome. Schizophrenia Research, 2020, 216, 347-356.	2.0	6
17	Early Signs Monitoring to Prevent Relapse in Psychosis and Promote Well-Being, Engagement, and Recovery: Protocol for a Feasibility Cluster Randomized Controlled Trial Harnessing Mobile Phone Technology Blended With Peer Support. JMIR Research Protocols, 2020, 9, e15058.	1.0	24
18	Smartphone-Enhanced Symptom Management In Psychosis: Open, Randomized Controlled Trial. Journal of Medical Internet Research, 2020, 22, e17019.	4.3	25

#	Article	IF	CITATIONS
19	Developing a Theory-Informed Smartphone App for Early Psychosis: Learning Points From a Multidisciplinary Collaboration. Frontiers in Psychiatry, 2020, 11, 602861.	2.6	12
20	Digital methods to enhance the usefulness of patient experience data in services for long-term conditions: the DEPEND mixed-methods study. Health Services and Delivery Research, 2020, 8, 1-128.	1.4	3
21	Cluster Hidden Markov Models: An Application to Ecological Momentary Assessment of Schizophrenia. , 2019, , .		1
22	Remission from antipsychotic treatment in first episode psychosis related to longitudinal changes in brain glutamate. NPJ Schizophrenia, 2019, 5, 12.	3.6	28
23	"They Are Not Hard-to-Reach Clients. We Have Just Got Hard-to-Reach Services.―Staff Views of Digital Health Tools in Specialist Mental Health Services Frontiers in Psychiatry, 2019, 10, 344.	2.6	64
24	Stress and cognitive biases in schizotypy: A two-site study of bias against disconfirmatory evidence and jumping to conclusions. European Psychiatry, 2019, 62, 20-27.	0.2	7
25	Stratification and prediction of remission in first-episode psychosis patients: the OPTiMiSE cohort study. Translational Psychiatry, 2019, 9, 20.	4.8	52
26	Digital biomarkers from geolocation data in bipolar disorder and schizophrenia: a systematic review. Journal of the American Medical Informatics Association: JAMIA, 2019, 26, 1412-1420.	4.4	45
27	Blending active and passive digital technology methods to improve symptom monitoring in early psychosis. Microbial Biotechnology, 2019, 13, 1271-1275.	1.7	27
28	Towards a consensus around standards for smartphone apps andÂdigital mental health. World Psychiatry, 2019, 18, 97-98.	10.4	237
29	Minocycline for negative symptoms of schizophrenia and possible mechanistic actions: the BeneMin RCT. Efficacy and Mechanism Evaluation, 2019, 6, 1-66.	0.7	2
30	A Theory-Informed Digital Health Intervention in People with Severe Mental Health Problems. Studies in Health Technology and Informatics, 2019, 264, 526-530.	0.3	8
31	Actissist: Proof-of-Concept Trial of a Theory-Driven Digital Intervention for Psychosis. Schizophrenia Bulletin, 2018, 44, 1070-1080.	4.3	160
32	The COMMAND trial of cognitive therapy to prevent harmful compliance with command hallucinations: predictors of outcome and mediators of change. Psychological Medicine, 2018, 48, 1966-1974.	4.5	23
33	The benefit of minocycline on negative symptoms of schizophrenia in patients with recent-onset psychosis (BeneMin): a randomised, double-blind, placebo-controlled trial. Lancet Psychiatry,the, 2018, 5, 885-894.	7.4	133
34	The COMMAND trial of cognitive therapy for harmful compliance with command hallucinations (CTCH): a qualitative study of acceptability and tolerability in the UK. BMJ Open, 2018, 8, e021657.	1.9	8
35	Digital interventions in severe mental health problems: lessons from the Actissist development and trial. World Psychiatry, 2018, 17, 230-231.	10.4	21
36	Early Psychosis Service User Views on Digital Technology: Qualitative Analysis. JMIR Mental Health, 2018, 5, e10091.	3.3	57

#	Article	IF	CITATIONS
37	Culturally-adapted Family Intervention (CaFI) for African-Caribbeans diagnosed with schizophrenia and their families: a feasibility study protocol of implementation and acceptability. Pilot and Feasibility Studies, 2016, 2, 39.	1.2	27
38	Antidepressant Controlled Trial For Negative Symptoms In Schizophrenia (ACTIONS): a double-blind, placebo-controlled, randomised clinical trial. Health Technology Assessment, 2016, 20, 1-46.	2.8	25
39	Using mobile technology to deliver a cognitive behaviour therapy-informed intervention in early psychosis (Actissist): study protocol for a randomised controlled trial. Trials, 2015, 16, 404.	1.6	38
40	Technological innovations in mental healthcare: harnessing the digital revolution. British Journal of Psychiatry, 2015, 206, 263-265.	2.8	272
41	The Optimization of Treatment and Management of Schizophrenia in Europe (OPTiMiSE) Trial: Rationale for its Methodology and a Review of the Effectiveness of Switching Antipsychotics. Schizophrenia Bulletin, 2015, 41, 549-558.	4.3	47
42	The Promise of Biological Markers for Treatment Response in First-Episode Psychosis: A Systematic Review. Schizophrenia Bulletin, 2015, 41, 559-573.	4.3	93
43	Calibration and cross-validation of MCCB and CogState in schizophrenia. Psychopharmacology, 2015, 232, 3873-3882.	3.1	31
44	Stratified medicine for mental disorders. European Neuropsychopharmacology, 2014, 24, 5-50.	0.7	152
45	Cognitive behaviour therapy to prevent harmful compliance with command hallucinations (COMMAND): a randomised controlled trial. Lancet Psychiatry,the, 2014, 1, 23-33.	7.4	120
46	Mood variability predicts the course of suicidal ideation in individuals with first and second episode psychosis. Psychiatry Research, 2013, 206, 240-245.	3.3	16
47	Psychotic Experiences and Psychotic Disorders at Age 18 in Relation to Psychotic Experiences at Age 12 in a Longitudinal Population-Based Cohort Study. American Journal of Psychiatry, 2013, 170, 742-750.	7.2	273
48	Pathways to Violent Behavior During First-Episode Psychosis. JAMA Psychiatry, 2013, 70, 1287.	11.0	99
49	Reducing duration of untreated psychosis: care pathways to early intervention in psychosis services. British Journal of Psychiatry, 2013, 203, 58-64.	2.8	135
50	A Comparison of Two Delivery Modalities of a Mobile Phone-Based Assessment for Serious Mental Illness: Native Smartphone Application vs Text-Messaging Only Implementations. Journal of Medical Internet Research, 2013, 15, e60.	4.3	128
51	A treatment approach to the patient with first-episode schizophrenia. , 2012, , 237-251.		0
52	A treatment approach to the patient with first-episode schizophrenia. , 2012, , 237-251.		0
53	Auditory false perceptions are mediated by psychosis risk factors. Cognitive Neuropsychiatry, 2011, 16, 289-302.	1.3	36
54	The negative and positive self: a longitudinal study examining self-esteem, paranoia and negative symptoms in individuals with first-episode psychosis. Microbial Biotechnology, 2011, 5, 150-155.	1.7	33

#	Article	IF	CITATIONS
55	A multi-centre, randomised controlled trial of cognitive therapy to prevent harmful compliance with command hallucinations. BMC Psychiatry, 2011, 11, 155.	2.6	18
56	Distress and Metacognition in Psychosis Prone Individuals. Journal of Nervous and Mental Disease, 2010, 198, 99-104.	1.0	30
57	Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised controlled trial. BMJ: British Medical Journal, 2010, 341, c6325-c6325.	2.3	187
58	Prediction of Psychosis in Adolescents and Young Adults at High Risk. Archives of General Psychiatry, 2010, 67, 241.	12.3	575
59	Duration of untreated psychosis. , 2009, , 125-146.		3
60	Second-generation antipsychotics: a therapeutic downturn?. Psychological Medicine, 2009, 39, 1603.	4.5	3
61	Evaluating integrated MI and CBT for people with psychosis and substance misuse: Recruitment, retention and sample characteristics of the MIDAS trial. Addictive Behaviors, 2009, 34, 859-866.	3.0	42
62	Assessing illicit substance use in schizophrenia: The relationship between self report and detection by hair analysis. Schizophrenia Research, 2009, 114, 180-181.	2.0	7
63	A Randomized Controlled Trial of the Cost-Utility of Second-Generation Antipsychotics in People with Psychosis and Eligible for Clozapine. Value in Health, 2008, 11, 549-562.	0.3	27
64	CATIE and CUtLASS: can we handle the truth?. British Journal of Psychiatry, 2008, 192, 161-163.	2.8	130
65	Cost-effectiveness of first- v. second-generation antipsychotic drugs: results from a randomised controlled trial in schizophrenia responding poorly to previous therapy. British Journal of Psychiatry, 2007, 191, 14-22.	2.8	97
66	Hallucination proneness, schizotypy and meta-cognition. Behaviour Research and Therapy, 2007, 45, 1401-1408.	3.1	29
67	Cognitive and neural processes in non-clinical auditory hallucinations. British Journal of Psychiatry, 2007, 191, s76-s81.	2.8	92
68	The Psychotic Symptom Rating Scales (PSYRATS): Their usefulness and properties in first episode psychosis. Schizophrenia Research, 2007, 89, 119-122.	2.0	136
69	Prospects for a cognitive-developmental account of psychotic experiences. British Journal of Clinical Psychology, 2007, 46, 155-173.	3.5	72
70	First- vs Second-Generation Antipsychotic Drugs in Schizophrenia—Reply. Archives of General Psychiatry, 2007, 64, 979.	12.3	6
71	Suicide behaviour over 18 months in recent onset schizophrenic patients: The effects of CBT. Schizophrenia Research, 2006, 83, 15-27.	2.0	80
72	Influence of age on outcome of psychological treatments in first-episode psychosis. British Journal of Psychiatry, 2006, 188, 250-254.	2.8	55

#	Article	IF	CITATIONS
73	Identification of young people at risk of psychosis. Advances in Psychiatric Treatment, 2006, 12, 249-255.	0.5	10
74	Association Between Duration of Untreated Psychosis and Outcome in Cohorts of First-Episode Patients. Archives of General Psychiatry, 2005, 62, 975.	12.3	1,303
75	Attitudes to atypical and conventional antipsychotic drug treatment in clinicians participating in the cutlass study. International Journal of Psychiatry in Clinical Practice, 2005, 9, 35-40.	2.4	6
76	Psychological Interventions in Early Psychosis. Schizophrenia Bulletin, 2005, 31, 697-704.	4.3	49
77	The Presence of Neurological Soft Signs Along the Psychosis Proneness Continuum. Schizophrenia Bulletin, 2005, 32, 573-577.	4.3	60
78	Cannabis use prior to first onset psychosis predicts spared neurocognition at 10-year follow-up. Schizophrenia Research, 2005, 75, 135-137.	2.0	112
79	Essential elements of an early intervention service for psychosis: the opinions of expert clinicians. BMC Psychiatry, 2004, 4, 17.	2.6	64
80	Cognitive–behavioural therapy in first-episode and early schizophrenia. British Journal of Psychiatry, 2004, 184, 231-239.	2.8	243
81	Neurocognitive function and outcome in first-episode schizophrenia: a 10-year follow-up of an epidemiological cohort. Schizophrenia Research, 2003, 65, 75-86.	2.0	181
82	The evolution of symptoms in the early course of non-affective psychosis. Schizophrenia Research, 2003, 63, 171-179.	2.0	45
83	ls treatment research in people at high risk of psychosis ethical?. Journal of Mental Health, 2003, 12, 359-362.	1.9	1
84	Cognitive–behavioural therapy and motivational intervention for schizophrenia and substance misuse. British Journal of Psychiatry, 2003, 183, 418-426.	2.8	204
85	Randomised controlled trial of cognitive-behavioural therapy in early schizophrenia: Acute-phase outcomes. British Journal of Psychiatry, 2002, 181, s91-s97.	2.8	311
86	Postcode prescribing in psychiatry. Psychiatric Bulletin, 2000, 24, 420-422.	0.3	14
87	Cognitive Behavioral Intervention for Individuals with Severe Mental Illness Who Have a Substance Misuse Problem. Psychiatric Rehabilitation Skills, 2000, 4, 216-233.	0.1	16
88	Lack of normal pattern of cerebral asymmetry in familial schizophrenic patients and their relatives — The Maudsley Family Study. Schizophrenia Research, 1999, 40, 111-120.	2.0	82
89	Duration of treatment in schizophrenia. Journal of Forensic Psychiatry Psychology, 1999, 10, 491-496.	0.3	0
90	Randomised controlled effectiveness trial of a needs-based psychosocial intervention service for carers of people with schizophrenia. British Journal of Psychiatry, 1999, 174, 505-511.	2.8	126

#	Article	IF	CITATIONS
91	Brain changes in schizophrenia. British Journal of Psychiatry, 1998, 173, 132-138.	2.8	102
92	Research and development in the NHS. British Journal of Psychiatry, 1998, 172, 194-196.	2.8	0
93	Which atypical antipsychotic?. British Journal of Psychiatry, 1998, 172, 106-109.	2.8	49
94	Individual cognitive–behavioural interventions in early psychosis. British Journal of Psychiatry, 1998, 172, 101-106.	2.8	46
95	The Maudsley family study I: Structural brain changes on magnetic resonance imaging in familial schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 1997, 21, 1297-1315.	4.8	20
96	Doctor-patient interactions in oncology. Social Science and Medicine, 1996, 42, 1511-1519.	3.8	347
97	No news is not good news: Information preferences of patients with cancer. Psycho-Oncology, 1995, 4, 197-202.	2.3	216
98	Increased Intracerebral Cerebrospinal Fluid Spaces Predict Unemployment and Negative Symptoms in Psychotic Illness a Prospective Study. British Journal of Psychiatry, 1995, 166, 750-758.	2.8	41
99	Correlates of left-handedness in a large sample of schizophrenic patients. Schizophrenia Research, 1995, 18, 37-41.	2.0	27
100	ICD-10: A Neuropsychiatrist's Nightmare?. British Journal of Psychiatry, 1994, 164, 157-158.	2.8	11
101	Age at Onset, Sex, and Familial Psychiatric Morbidity in Schizophrenia. British Journal of Psychiatry, 1994, 165, 466-473.	2.8	151
102	Information preferences of patients with cancer. Lancet, The, 1994, 344, 1576.	13.7	61
103	Cannabis and acute psychosis. Schizophrenia Research, 1994, 13, 161-167.	2.0	96
104	Low Birth Weight and Schizophrenia. British Journal of Psychiatry, 1994, 165, 357-362.	2.8	109
105	Life Events and Psychosis. British Journal of Psychiatry, 1993, 162, 72-79.	2.8	255
106	Sex differences in the familial risk of schizophrenia: data from Rüdin's study. British Journal of Psychiatry, 1992, 161, 131-132.	2.8	2
107	Sex and Schizophrenia: Vive la Différence. British Journal of Psychiatry, 1992, 161, 445-450.	2.8	95
108	Pre-morbid Adjustment and Personality in Psychosis. British Journal of Psychiatry, 1991, 158, 171-176.	2.8	193

#	Article	IF	CITATIONS
109	The right stuff? a prospective controlled trial of trainees' research. Psychiatric Bulletin, 1991, 15, 478-480.	0.3	15
110	Delusional Misidentification, AIDS and the Right Hemisphere. British Journal of Psychiatry, 1990, 157, 608-610.	2.8	33
111	The Heredity of Behavior Disorders in Adults and Children By S. G. Vandenburg, S. M. Singer and D. L. Pauls New York: Plenum. 1986. Pp 301. \$35.00 British Journal of Psychiatry, 1987, 151, 277-277.	2.8	0
112	Transient Psychosis: Diagnosis, Management and Evaluation. Edited by Joe. P. Tupin, Uriel Halbreich and Jesus J. Pena. New York: Brunner/Mazel. 1984. Pp. 307. \$30.00 British Journal of Psychiatry, 1985, 146, 226-226.	2.8	0
113	Falling Incidence of Schizophrenia?. British Journal of Psychiatry, 1985, 146, 560-561.	2.8	3
114	Baseline levels of C-reactive protein and proinflammatory cytokines are not associated with early response to amisulpride in patients with First Episode Psychosis: the OPTiMiSE cohort study. Schizophrenia Bulletin Open, 0, , .	1.7	2