

Dennis A Hesselink

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8077079/publications.pdf>

Version: 2024-02-01

147
papers

5,324
citations

94433

37
h-index

102487

66
g-index

147
all docs

147
docs citations

147
times ranked

5189
citing authors

#	ARTICLE	IF	CITATIONS
1	Monitoring intracellular tacrolimus concentrations and its relationship with rejection in the early phase after renal transplantation. <i>Clinical Biochemistry</i> , 2022, 101, 9-15.	1.9	9
2	The use of freeze-dried blood samples affects the results of a dried blood spot analysis. <i>Clinical Biochemistry</i> , 2022, 104, 70-73.	1.9	5
3	Clinical and Molecular Profiling to Develop a Potential Prediction Model for the Response to Alemtuzumab Therapy for Acute Kidney Transplant Rejection. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 111, 1155-1164.	4.7	2
4	Model-Based Tacrolimus Follow-up Dosing in Adult Renal Transplant Recipients: A Simulation Trial. <i>Therapeutic Drug Monitoring</i> , 2022, 44, 606-614.	2.0	7
5	Association Between the Intracellular Tacrolimus Concentration in CD3+ T Lymphocytes and CD14+ Monocytes and Acute Kidney Transplant Rejection. <i>Therapeutic Drug Monitoring</i> , 2022, 44, 625-632.	2.0	5
6	A Novel High-throughput Droplet Digital PCR-based Indel Quantification Method for the Detection of Circulating Donor-derived Cell-free DNA After Kidney Transplantation. <i>Transplantation</i> , 2022, 106, 1777-1786.	1.0	7
7	High Tacrolimus Inpatient Variability and Subtherapeutic Immunosuppression are Associated With Adverse Kidney Transplant Outcomes. <i>Therapeutic Drug Monitoring</i> , 2022, 44, 369-376.	2.0	5
8	Validation of a dried blood spot method to measure tacrolimus concentrations in small volumes of mouse blood. <i>Bioanalysis</i> , 2022, 14, 441-449.	1.5	1
9	A randomized crossover study comparing different tacrolimus formulations to reduce inpatient variability in tacrolimus exposure in kidney transplant recipients. <i>Clinical and Translational Science</i> , 2022, 15, 930-941.	3.1	7
10	Immune Subsets From Ficoll Density Gradient Separation in Kidney Transplant Recipients. <i>Transplantation Direct</i> , 2022, 8, e1319.	1.6	3
11	A Population Pharmacokinetic Model of Whole-Blood and Intracellular Tacrolimus in Kidney Transplant Recipients. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2022, 47, 523-535.	1.6	4
12	Body composition is associated with tacrolimus pharmacokinetics in kidney transplant recipients. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 1273-1287.	1.9	2
13	Iron deficiency after kidney transplantation. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1976-1985.	0.7	11
14	Monitoring the tacrolimus concentration in peripheral blood mononuclear cells of kidney transplant recipients. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1918-1929.	2.4	20
15	Determining the therapeutic range for ribavirin in transplant recipients with chronic hepatitis E virus infection. <i>Journal of Viral Hepatitis</i> , 2021, 28, 431-435.	2.0	7
16	Advanced in vitro Research Models to Study the Role of Endothelial Cells in Solid Organ Transplantation. <i>Frontiers in Immunology</i> , 2021, 12, 607953.	4.8	2
17	Circulating cell-free nucleosomes as biomarker for kidney transplant rejection: a pilot study. <i>Clinical Epigenetics</i> , 2021, 13, 32.	4.1	6
18	Avoiding Tacrolimus Underexposure and Overexposure with a Dosing Algorithm for Renal Transplant Recipients: A Single Arm Prospective Intervention Trial. <i>Clinical Pharmacology and Therapeutics</i> , 2021, 110, 169-178.	4.7	24

#	ARTICLE	IF	CITATIONS
19	A 2020 Banff Antibody-mediated Injury Working Group examination of international practices for diagnosing antibody-mediated rejection in kidney transplantation – a cohort study. <i>Transplant International</i> , 2021, 34, 488-498.	1.6	15
20	Personalized Therapy for Mycophenolate: Consensus Report by the International Association of Therapeutic Drug Monitoring and Clinical Toxicology. <i>Therapeutic Drug Monitoring</i> , 2021, 43, 150-200.	2.0	89
21	Circulating endothelial cells transiently increase in peripheral blood after kidney transplantation. <i>Scientific Reports</i> , 2021, 11, 8915.	3.3	4
22	Delayed graft function and rejection are risk factors for cytomegalovirus breakthrough infection in kidney transplant recipients. <i>Pharmacological Research</i> , 2021, 167, 105565.	7.1	7
23	Cholesterol Embolization Syndrome After Kidney Transplantation: A Case Series and Systematic Review. <i>Transplantation Direct</i> , 2021, 7, e717.	1.6	0
24	Pre-transplant donor-reactive IL-21 producing T cells as a tool to identify an increased risk for acute rejection. <i>Scientific Reports</i> , 2021, 11, 12445.	3.3	7
25	Therapeutic drug monitoring of immunosuppressive drugs in hepatology and gastroenterology. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2021, 54-55, 101756.	2.4	12
26	Rationale and design of the OPTIMIZE trial: OPen label multicenter randomized trial comparing standard IMMunosuppression with tacrolimus and mycophenolate mofetil with a low exposure tacrolimus regimen in combination with everolimus in de novo renal transplantation in Elderly patients. <i>BMC Nephrology</i> , 2021, 22, 208.	1.8	6
27	Pitfalls in the Detection of Donor-Derived Cell-Free DNA in Transplant Recipients. <i>Clinical Chemistry</i> , 2021, 67, 1030-1032.	3.2	3
28	A systematic review and meta-analysis of enzyme-linked immunosorbent spot (ELISPOT) assay for BK polyomavirus immune response monitoring after kidney transplantation. <i>Journal of Clinical Virology</i> , 2021, 140, 104848.	3.1	7
29	Care for the organ transplant recipient on the intensive care unit. <i>Journal of Critical Care</i> , 2021, 64, 37-44.	2.2	2
30	Implementation of donation after circulatory death kidney transplantation can safely enlarge the donor pool: A systematic review and meta-analysis. <i>International Journal of Surgery</i> , 2021, 92, 106021.	2.7	26
31	Donor-specific ELISPOT assay for predicting acute rejection and allograft function after kidney transplantation: A systematic review and meta-analysis. <i>Clinical Biochemistry</i> , 2021, 94, 1-11.	1.9	10
32	Urinary Extracellular Vesicles Are a Novel Tool to Monitor Allograft Function in Kidney Transplantation: A Systematic Review. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10499.	4.1	8
33	A comparison of two different analytical methods for donor-derived cell-free DNA quantification. <i>Clinical Biochemistry</i> , 2021, 96, 82-84.	1.9	1
34	Development and Validation of Hematocrit Level Measurement in Dried Blood Spots Using Near-Infrared Spectroscopy. <i>Therapeutic Drug Monitoring</i> , 2021, 43, 351-357.	2.0	18
35	Serum magnesium, hepatocyte nuclear factor 1 β genotype and post-transplant diabetes mellitus: a prospective study. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 176-183.	0.7	3
36	Utility of immunohistochemistry with C3d in C3 glomerulopathy. <i>Modern Pathology</i> , 2020, 33, 431-439.	5.5	8

#	ARTICLE	IF	CITATIONS
37	A Population Pharmacokinetic Model Does Not Predict the Optimal Starting Dose of Tacrolimus in Pediatric Renal Transplant Recipients in a Prospective Study: Lessons Learned and Model Improvement. <i>Clinical Pharmacokinetics</i> , 2020, 59, 591-603.	3.5	14
38	Costimulation Blockade in Kidney Transplant Recipients. <i>Drugs</i> , 2020, 80, 33-46.	10.9	21
39	Clinical Relevance of Arteriolar C4d Staining in Patients With Chronic-active Antibody-mediated Rejection: A Pilot Study. <i>Transplantation</i> , 2020, 104, 1085-1094.	1.0	1
40	Measuring Intracellular Concentrations of Calcineurin Inhibitors: Expert Consensus from the International Association of Therapeutic Drug Monitoring and Clinical Toxicology Expert Panel. <i>Therapeutic Drug Monitoring</i> , 2020, 42, 665-670.	2.0	22
41	Donor-derived cell-free DNA as a biomarker for rejection after kidney transplantation: a systematic review and meta-analysis. <i>Transplant International</i> , 2020, 33, 1626-1642.	1.6	30
42	Acquired haemophilia A after alemtuzumab therapy. <i>Haemophilia</i> , 2020, 26, e337-e339.	2.1	7
43	Usage of Tacrolimus and Mycophenolic Acid During Conception, Pregnancy, and Lactation, and Its Implications for Therapeutic Drug Monitoring: A Systematic Critical Review. <i>Therapeutic Drug Monitoring</i> , 2020, 42, 518-531.	2.0	25
44	Immunosuppression Has Long-Lasting Effects on Circulating Follicular Regulatory T Cells in Kidney Transplant Recipients. <i>Frontiers in Immunology</i> , 2020, 11, 1972.	4.8	18
45	Molecular Analysis of Renal Allograft Biopsies: Where Do We Stand and Where Are We Going?. <i>Transplantation</i> , 2020, 104, 2478-2486.	1.0	8
46	COVID-19 in solid organ transplant recipients: a single-center experience. <i>Transplant International</i> , 2020, 33, 1099-1105.	1.6	71
47	The pharmacogenetics of tacrolimus and its implications for personalized therapy in kidney transplant recipients. <i>Expert Review of Precision Medicine and Drug Development</i> , 2020, 5, 313-316.	0.7	4
48	Comparison of Alemtuzumab and Anti-thymocyte Globulin Treatment for Acute Kidney Allograft Rejection. <i>Frontiers in Immunology</i> , 2020, 11, 1332.	4.8	10
49	Incidence of end-stage renal disease after heart transplantation and effect of its treatment on survival. <i>ESC Heart Failure</i> , 2020, 7, 533-541.	3.1	29
50	Guillain-Barré syndrome and chronic inflammatory demyelinating polyradiculoneuropathy after alemtuzumab therapy in kidney transplant recipients. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2020, 7, .	6.0	11
51	Pharmacologic Treatment of Transplant Recipients Infected With SARS-CoV-2: Considerations Regarding Therapeutic Drug Monitoring and Drug-Drug Interactions. <i>Therapeutic Drug Monitoring</i> , 2020, 42, 360-368.	2.0	48
52	Protein and calorie restriction may improve outcomes in living kidney donors and kidney transplant recipients. <i>Aging</i> , 2020, 12, 12441-12467.	3.1	13
53	Evidence-based practice: Guidance for using everolimus in combination with low-exposure calcineurin inhibitors as initial immunosuppression in kidney transplant patients. <i>Transplantation Reviews</i> , 2019, 33, 191-199.	2.9	12
54	Impact of low tacrolimus exposure and high tacrolimus intra-patient variability on the development of <i>de novo</i> anti-HLA donor-specific antibodies in kidney transplant recipients. <i>Expert Review of Clinical Immunology</i> , 2019, 15, 1323-1331.	3.0	24

#	ARTICLE	IF	CITATIONS
55	Oxalate deposition in renal allograft biopsies within 3 months after transplantation is associated with allograft dysfunction. <i>PLoS ONE</i> , 2019, 14, e0214940.	2.5	4
56	Exploring the neuroregenerative potential of tacrolimus. <i>Expert Review of Clinical Pharmacology</i> , 2019, 12, 1047-1057.	3.1	24
57	The Number of Donor-Specific IL-21 Producing Cells Before and After Transplantation Predicts Kidney Graft Rejection. <i>Frontiers in Immunology</i> , 2019, 10, 748.	4.8	29
58	Characterization of donor and recipient CD8+ tissue-resident memory T cells in transplant nephrectomies. <i>Scientific Reports</i> , 2019, 9, 5984.	3.3	40
59	Parathyroidectomy versus cinacalcet for tertiary hyperparathyroidism; a retrospective analysis. <i>Langenbeck's Archives of Surgery</i> , 2019, 404, 71-79.	1.9	20
60	Targeted Proteomic Analysis Detects Acute T Cell-Mediated Kidney Allograft Rejection in Belatacept-Treated Patients. <i>Therapeutic Drug Monitoring</i> , 2019, 41, 243-248.	2.0	1
61	High Inpatient Variability in Tacrolimus Exposure Is Not Associated With Immune-mediated Graft Injury After Liver Transplantation. <i>Transplantation</i> , 2019, 103, 2329-2337.	1.0	15
62	Therapeutic Drug Monitoring of Tacrolimus-Personalized Therapy: Second Consensus Report. <i>Therapeutic Drug Monitoring</i> , 2019, 41, 261-307.	2.0	374
63	Immunomics of Renal Allograft Acute T Cell-Mediated Rejection Biopsies of Tacrolimus- and Belatacept-Treated Patients. <i>Transplantation Direct</i> , 2019, 5, e418.	1.6	14
64	A population pharmacokinetic model to predict the individual starting dose of tacrolimus in adult renal transplant recipients. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 601-615.	2.4	56
65	Highly sensitive and rapid determination of tacrolimus in peripheral blood mononuclear cells by liquid chromatography-tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2019, 33, e4416.	1.7	23
66	Surgical Safety and Efficacy of Third Kidney Transplantation in the Ipsilateral Iliac Fossa. <i>Annals of Transplantation</i> , 2019, 24, 132-138.	0.9	13
67	Detection of a rare <i>CYP3A4</i> variant in a transplant patient characterized by a tacrolimus poor metabolizer phenotype. <i>Pharmacogenomics</i> , 2018, 19, 305-310.	1.3	7
68	Dosing ribavirin in hepatitis E-infected solid organ transplant recipients. <i>Pharmacological Research</i> , 2018, 130, 308-315.	7.1	16
69	Preoperative right heart hemodynamics predict postoperative acute kidney injury after heart transplantation. <i>Intensive Care Medicine</i> , 2018, 44, 588-597.	8.2	52
70	Characterization of ectopic lymphoid structures in different types of acute renal allograft rejection. <i>Clinical and Experimental Immunology</i> , 2018, 192, 224-232.	2.6	42
71	Improved Glucose Tolerance in a Kidney Transplant Recipient With Type 2 Diabetes Mellitus After Switching From Tacrolimus To Belatacept: A Case Report and Review of Potential Mechanisms. <i>Transplantation Direct</i> , 2018, 4, e350.	1.6	8
72	Personalized immunosuppression in elderly renal transplant recipients. <i>Pharmacological Research</i> , 2018, 130, 303-307.	7.1	29

#	ARTICLE	IF	CITATIONS
73	A Population Pharmacokinetic Model to Predict the Individual Starting Dose of Tacrolimus Following Pediatric Renal Transplantation. <i>Clinical Pharmacokinetics</i> , 2018, 57, 475-489.	3.5	48
74	Review of the Clinical Pharmacokinetics and Pharmacodynamics of Alemtuzumab and Its Use in Kidney Transplantation. <i>Clinical Pharmacokinetics</i> , 2018, 57, 191-207.	3.5	58
75	Pre-operative proteinuria in left ventricular assist devices and clinical outcome. <i>Journal of Heart and Lung Transplantation</i> , 2018, 37, 124-130.	0.6	17
76	Co-inhibitory profile and cytotoxicity of CD57+PD-1 ^{hi} T cells in end-stage renal disease patients. <i>Clinical and Experimental Immunology</i> , 2018, 191, 363-372.	2.6	6
77	Prediction of Free from Total Mycophenolic Acid Concentrations in Stable Renal Transplant Patients: A Population-Based Approach. <i>Clinical Pharmacokinetics</i> , 2018, 57, 877-893.	3.5	20
78	Acute kidney injury and 1-year mortality after left ventricular assist device implantation. <i>Journal of Heart and Lung Transplantation</i> , 2018, 37, 116-123.	0.6	33
79	Liquid Biopsies to Monitor Solid Organ Transplant Function: A Review of New Biomarkers. <i>Therapeutic Drug Monitoring</i> , 2018, 40, 515-525.	2.0	39
80	Analysis of NFATc1 amplification in T cells for pharmacodynamic monitoring of tacrolimus in kidney transplant recipients. <i>PLoS ONE</i> , 2018, 13, e0201113.	2.5	11
81	Response: Commentary: Belatacept Does Not Inhibit Follicular T Cell-Dependent B-Cell Differentiation in Kidney Transplantation. <i>Frontiers in Immunology</i> , 2018, 9, 466.	4.8	0
82	CYP3A5 and ABCB1 polymorphisms in living donors do not impact clinical outcome after kidney transplantation. <i>Pharmacogenomics</i> , 2018, 19, 895-903.	1.3	7
83	Tacrolimus intra-patient variability is not associated with chronic active antibody mediated rejection. <i>PLoS ONE</i> , 2018, 13, e0196552.	2.5	29
84	The Efficacy of Rabbit Anti-Thymocyte Globulin for Acute Kidney Transplant Rejection in Patients Using Calcineurin Inhibitor and Mycophenolate Mofetil-Based Immunosuppressive Therapy. <i>Annals of Transplantation</i> , 2018, 23, 577-590.	0.9	9
85	Progress of Immunosuppressive regimen after kidney transplantation. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, SY52-1.	0.0	0
86	Chlorthalidone Versus Amlodipine for Hypertension in Kidney Transplant Recipients Treated With Tacrolimus: A Randomized Crossover Trial. <i>American Journal of Kidney Diseases</i> , 2017, 69, 796-804.	1.9	40
87	Systematic review of surgical and medical treatment for tertiary hyperparathyroidism. <i>British Journal of Surgery</i> , 2017, 104, 804-813.	0.3	51
88	A New CYP3A5*3 and CYP3A4*22 Cluster Influencing Tacrolimus Target Concentrations: A Population Approach. <i>Clinical Pharmacokinetics</i> , 2017, 56, 963-975.	3.5	69
89	Effect of Age and Renal Function on Survival After Left Ventricular Assist Device Implantation. <i>American Journal of Cardiology</i> , 2017, 120, 2221-2225.	1.6	16
90	The combination of CYP3A4*22 and CYP3A5*3 single-nucleotide polymorphisms determines tacrolimus dose requirement after kidney transplantation. <i>Pharmacogenetics and Genomics</i> , 2017, 27, 313-322.	1.5	52

#	ARTICLE	IF	CITATIONS
91	Differential T Cell Signaling Pathway Activation by Tacrolimus and Belatacept after Kidney Transplantation: Post Hoc Analysis of a Randomised-Controlled Trial. <i>Scientific Reports</i> , 2017, 7, 15135.	3.3	11
92	Pharmacokinetic considerations related to therapeutic drug monitoring of tacrolimus in kidney transplant patients. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2017, 13, 1225-1236.	3.3	95
93	The pharmacokinetics and pharmacodynamics of mycophenolate mofetil in younger and elderly renal transplant recipients. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 812-822.	2.4	30
94	Overweight Kidney Transplant Recipients Are at Risk of Being Overdosed Following Standard Bodyweight-Based Tacrolimus Starting Dose. <i>Transplantation Direct</i> , 2017, 3, e129.	1.6	30
95	Tacrolimus Updated Guidelines through popPK Modeling: How to Benefit More from CYP3A Pre-emptive Genotyping Prior to Kidney Transplantation. <i>Frontiers in Pharmacology</i> , 2017, 8, 358.	3.5	44
96	Targeting the Monocyte Macrophage Lineage in Solid Organ Transplantation. <i>Frontiers in Immunology</i> , 2017, 8, 153.	4.8	63
97	Belatacept Does Not Inhibit Follicular T Cell-Dependent B-Cell Differentiation in Kidney Transplantation. <i>Frontiers in Immunology</i> , 2017, 8, 641.	4.8	25
98	The Effect of Tacrolimus and Mycophenolic Acid on CD14+ Monocyte Activation and Function. <i>PLoS ONE</i> , 2017, 12, e0170806.	2.5	39
99	Down-Regulation of Surface CD28 under Belatacept Treatment: An Escape Mechanism for Antigen-Reactive T-Cells. <i>PLoS ONE</i> , 2016, 11, e0148604.	2.5	27
100	Alemtuzumab as Antirejection Therapy. <i>Transplantation Direct</i> , 2016, 2, e83.	1.6	15
101	A Randomized Controlled Trial Comparing the Efficacy of Cyp3a5 Genotype-Based With Body-Weight-Based Tacrolimus Dosing After Living Donor Kidney Transplantation. <i>American Journal of Transplantation</i> , 2016, 16, 2085-2096.	4.7	129
102	A high inpatient variability in tacrolimus exposure is associated with poor long-term outcome of kidney transplantation. <i>Transplant International</i> , 2016, 29, 1158-1167.	1.6	108
103	Variations in DNA methylation of interferon gamma and programmed death 1 in allograft rejection after kidney transplantation. <i>Clinical Epigenetics</i> , 2016, 8, 116.	4.1	22
104	Neutrophil gelatinase-associated lipocalin (NGAL) predicts the occurrence of malaria-induced acute kidney injury. <i>Malaria Journal</i> , 2016, 15, 464.	2.3	17
105	Consideration of the ethnic prevalence of genotypes in the clinical use of tacrolimus. <i>Pharmacogenomics</i> , 2016, 17, 1737-1740.	1.3	26
106	Pharmacogenetic Biomarkers Predictive of the Pharmacokinetics and Pharmacodynamics of Immunosuppressive Drugs. <i>Therapeutic Drug Monitoring</i> , 2016, 38, S57-S69.	2.0	54
107	Uremia-Associated Premature Aging of T Cells Does Not Predict Infectious Complications After Renal Transplantation. <i>American Journal of Transplantation</i> , 2016, 16, 2324-2333.	4.7	17
108	Pharmacogenetic aspects of the use of tacrolimus in renal transplantation: recent developments and ethnic considerations. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2016, 12, 555-565.	3.3	106

#	ARTICLE	IF	CITATIONS
109	Lung Transplantation in Gaucher Disease. <i>Chest</i> , 2016, 149, e1-e5.	0.8	16
110	Hepatitis E virus genotype 3 infection in a tertiary referral center in the Netherlands: Clinical relevance and impact on patient morbidity. <i>Journal of Clinical Virology</i> , 2016, 74, 82-87.	3.1	15
111	Loss of CD28 on Peripheral T Cells Decreases the Risk for Early Acute Rejection after Kidney Transplantation. <i>PLoS ONE</i> , 2016, 11, e0150826.	2.5	46
112	Seen from the moon we are all the same size: Deceased donation in the Netherlands. <i>Netherlands Journal of Medicine</i> , 2016, 74, 282-4.	0.5	0
113	Acute kidney injury in imported <i>Plasmodium falciparum</i> malaria. <i>Malaria Journal</i> , 2015, 14, 523.	2.3	40
114	Primary Cytomegalovirus Infection Significantly Impacts Circulating T Cells in Kidney Transplant Recipients. <i>American Journal of Transplantation</i> , 2015, 15, 3143-3156.	4.7	28
115	Renal transplantation reducing risk and improving outcome. <i>Nature Reviews Nephrology</i> , 2015, 11, 72-73.	9.6	4
116	Fifteen-year survival of a polycystic kidney transplant. <i>Transplant International</i> , 2015, 28, 870-871.	1.6	1
117	Intra-patient variability in tacrolimus exposure: Causes, consequences for clinical management. <i>Transplantation Reviews</i> , 2015, 29, 78-84.	2.9	161
118	Pharmacokinetics and pharmacodynamics of immunosuppressive drugs in elderly kidney transplant recipients. <i>Transplantation Reviews</i> , 2015, 29, 224-230.	2.9	24
119	Improved long-term survival in Dutch heart transplant patients despite increasing donor age: the Rotterdam experience. <i>Transplant International</i> , 2015, 28, 962-971.	1.6	36
120	Dosing algorithms for initiation of immunosuppressive drugs in solid organ transplant recipients. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2015, 11, 921-936.	3.3	28
121	When a zero mismatch is no longer superior. <i>Transplant International</i> , 2015, 28, 398-400.	1.6	0
122	The Role of Pharmacogenetics in the Disposition of and Response to Tacrolimus in Solid Organ Transplantation. <i>Clinical Pharmacokinetics</i> , 2014, 53, 123-139.	3.5	186
123	Practicability of Pharmacogenetics in Transplantation Medicine. <i>Clinical Pharmacology and Therapeutics</i> , 2014, 95, 262-264.	4.7	13
124	Pharmacogenetics and immunosuppressive drugs in solid organ transplantation. <i>Nature Reviews Nephrology</i> , 2014, 10, 725-731.	9.6	77
125	Validation of an LC-MS/MS method for the quantification of mycophenolic acid in human kidney transplant biopsies. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 945-946, 171-177.	2.3	18
126	Improving long-term outcomes of kidney transplantation: The pressure is on. <i>Netherlands Journal of Medicine</i> , 2014, 72, 248-50.	0.5	6

#	ARTICLE	IF	CITATIONS
127	Tacrolimus Predose Concentrations Do Not Predict the Risk of Acute Rejection After Renal Transplantation: A Pooled Analysis From Three Randomized-Controlled Clinical Trials. <i>American Journal of Transplantation</i> , 2013, 13, 1253-1261.	4.7	117
128	Genetic Polymorphisms in ABCB1 Influence the Pharmacodynamics of Tacrolimus. <i>Therapeutic Drug Monitoring</i> , 2013, 35, 459-465.	2.0	43
129	Validation of an LC-MS/MS Method to Measure Tacrolimus in Rat Kidney and Liver Tissue and Its Application to Human Kidney Biopsies. <i>Therapeutic Drug Monitoring</i> , 2013, 35, 617-623.	2.0	31
130	Measurement of Cyclosporine A in Rat Tissues and Human Kidney Transplant Biopsies—A Method Suitable for Small ($\leq 1\text{ mg}$) Samples. <i>Therapeutic Drug Monitoring</i> , 2011, 33, 688-693.	2.0	15
131	The Pharmacogenetics of Calcineurin Inhibitor-Related Nephrotoxicity. <i>Therapeutic Drug Monitoring</i> , 2010, 32, 387-393.	2.0	59
132	A drug transporter for all ages? ABCB1 and the developmental pharmacogenetics of cyclosporine. <i>Pharmacogenomics</i> , 2008, 9, 783-789.	1.3	15
133	CYP3A5 genotype is not associated with a higher risk of acute rejection in tacrolimus-treated renal transplant recipients. <i>Pharmacogenetics and Genomics</i> , 2008, 18, 339-348.	1.5	110
134	Genetic and nongenetic determinants of between-patient variability in the pharmacokinetics of mycophenolic acid. <i>Clinical Pharmacology and Therapeutics</i> , 2005, 78, 317-321.	4.7	61
135	The effects of renal transplantation on circulating dendritic cells. <i>Clinical and Experimental Immunology</i> , 2005, 140, 384-393.	2.6	31
136	Cyclosporine Interacts with Mycophenolic Acid by Inhibiting the Multidrug Resistance-Associated Protein 2. <i>American Journal of Transplantation</i> , 2005, 5, 987-994.	4.7	278
137	The pharmacogenetics of calcineurin inhibitors: one step closer toward individualized immunosuppression?. <i>Pharmacogenomics</i> , 2005, 6, 323-337.	1.3	82
138	The effects of chronic kidney disease and renal replacement therapy on circulating dendritic cells. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 1868-1873.	0.7	49
139	The relative importance of cyclosporine exposure in heart, kidney or liver transplant recipients on maintenance therapy. <i>Transplant International</i> , 2004, 17, 495-504.	1.6	5
140	Population pharmacokinetics of cyclosporine in kidney and heart transplant recipients and the influence of ethnicity and genetic polymorphisms in the and genes. <i>Clinical Pharmacology and Therapeutics</i> , 2004, 76, 545-556.	4.7	153
141	The use of cyclosporine in renal transplantation. <i>Transplantation Proceedings</i> , 2004, 36, S99-S106.	0.6	21
142	Experience with cyclosporine in endogenous uveitis posterior. <i>Transplantation Proceedings</i> , 2004, 36, S372-S377.	0.6	25
143	The relative importance of cyclosporine exposure in heart, kidney or liver transplant recipients on maintenance therapy. <i>Transplant International</i> , 2004, 17, 495-504.	1.6	1
144	Genetic polymorphisms of the CYP3A4, CYP3A5, and MDR-1 genes and pharmacokinetics of the calcineurin inhibitors cyclosporine and tacrolimus. <i>Clinical Pharmacology and Therapeutics</i> , 2003, 74, 245-254.	4.7	580

#	ARTICLE	IF	CITATIONS
145	Tacrolimus dose requirement in renal transplant recipients is significantly higher when used in combination with corticosteroids. <i>British Journal of Clinical Pharmacology</i> , 2003, 56, 327-330.	2.4	70
146	Profiles of the acute-phase reactants C-reactive protein and ferritin related to the disease course of patients with systemic lupus erythematosus. <i>Scandinavian Journal of Rheumatology</i> , 2003, 32, 151-155.	1.1	28
147	Personalized anti-rejection therapy with alemtuzumab for kidney transplant recipients. <i>Pharmacogenomics</i> , 0, , .	1.3	0