

Manuel Garcia Sanchez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8082080/publications.pdf>

Version: 2024-02-01

158
papers

1,273
citations

567281

15
h-index

477307

29
g-index

160
all docs

160
docs citations

160
times ranked

1104
citing authors

#	ARTICLE	IF	CITATIONS
1	Level Variability of Radio Signals Propagating Through Fire: Experimental measurements and results. IEEE Antennas and Propagation Magazine, 2022, 64, 62-69.	1.4	2
2	Effect of Space Diversity for Fading Mitigation at 40 and 60 GHz Indoor Channels. , 2022, , .		1
3	Frequency dependence of fire-induced signal level variability. , 2022, , .		0
4	A Wideband Radio Channel Sounder for Non-Stationary Channels: Design, Implementation and Testing. Electronics (Switzerland), 2021, 10, 1838.	3.1	0
5	Dual-Band Single-Layer Fractal Frequency Selective Surface for 5G Applications. Electronics (Switzerland), 2021, 10, 2880.	3.1	7
6	Radio Channel Scattering in a 28 GHz Small Cell at a Bus Stop: Characterization and Modelling. Electronics (Switzerland), 2020, 9, 1556.	3.1	1
7	A Comparison of Empirical and Ray-Tracing Models for Indoor Radio-Wave Propagation [Wireless Corner]. IEEE Antennas and Propagation Magazine, 2020, 62, 107-115.	1.4	3
8	Validation of 3D simulation tool for radio channel modeling at 60 GHz: A meeting point for empirical and simulation-based models. Measurement: Journal of the International Measurement Confederation, 2020, 163, 108038.	5.0	5
9	Millimeter-Wave Communications. Electronics (Switzerland), 2020, 9, 251.	3.1	7
10	RMS Delay Spread vs. Coherence Bandwidth from 5G Indoor Radio Channel Measurements at 3.5 GHz Band. Sensors, 2020, 20, 750.	3.8	23
11	Uncertainty Assessment of a Small Rectangular Anechoic Chamber: From Design to Operation. IEEE Transactions on Antennas and Propagation, 2020, 68, 4871-4880.	5.1	8
12	A 3-D Model for Millimeter-Wave Propagation Through Vegetation Media Using Ray-Tracing. IEEE Transactions on Antennas and Propagation, 2019, 67, 4313-4318.	5.1	10
13	Computing the Influence of Environmental Conditions in Electromagnetic Measurements Uncertainty. IEEE Transactions on Antennas and Propagation, 2019, 67, 4084-4090.	5.1	2
14	Wideband Performance Comparison between the 40 GHz and 60 GHz Frequency Bands for Indoor Radio Channels. Electronics (Switzerland), 2019, 8, 1234.	3.1	5
15	Uncertainty in Field-Level Measurements of LTE Signals Associated With User Load. IEEE Antennas and Wireless Propagation Letters, 2018, 17, 596-599.	4.0	1
16	Empirical Modeling of Radiowave Angular Power Distributions in Different Propagation Environments at 60 GHz for 5G. Electronics (Switzerland), 2018, 7, 365.	3.1	3
17	Will COTS RF Front-Ends Really Cope With 5G Requirements at mmWave?. IEEE Access, 2018, 6, 38745-38769.	4.2	13
18	A 2D Ray-Tracing Based Model for Wave Propagation Through Forests at Micro-and Millimeter Wave Frequencies. IEEE Access, 2018, 6, 32097-32108.	4.2	15

#	ARTICLE	IF	CITATIONS
19	A Two-Dimensional Ray-Tracing-Based Model for Propagation Through Vegetation: A practical assessment using ornamental plants at 60 GHz. [Wireless Corner]. IEEE Antennas and Propagation Magazine, 2017, 59, 145-150.	1.4	3
20	Identifying radio waves direction of arrival by Doppler deviation along linear paths at 5.8 GHz. , 2017, , .		0
21	Analysis of electromagnetic measurements in intercomparisons with low number of participants. , 2017, , .		0
22	Microcellular Radio Channel Characterization at 60 GHz for 5G Communications. IEEE Antennas and Wireless Propagation Letters, 2017, 16, 1476-1479.	4.0	14
23	Millimeter wave radio channel characterization for 5G vehicle-to-vehicle communications. Measurement: Journal of the International Measurement Confederation, 2017, 95, 223-229.	5.0	53
24	Input parameter extraction method for point scatterer formulation in vegetation media at millimetre-wave frequencies. IET Microwaves, Antennas and Propagation, 2017, 11, 165-170.	1.4	0
25	Physical-layer frequency-based schemes to improve 5.8 GHz links in presence of people moving. , 2017, , .		0
26	A feasibility study on the extension of the point scatterer formulation to raised canopy forests. , 2016, , .		0
27	Signaling Through Scattered Vegetation: Empirical Loss Modeling for Low Elevation Angle Satellite Paths Obstructed by Isolated Thin Trees. IEEE Vehicular Technology Magazine, 2016, 11, 22-28.	3.4	15
28	An UTD ray tracing model for satellite-to-helicopter aeronautical radio channel analysis. , 2016, , .		1
29	Experimental assessment of propagation models over sea for UHF and X bands. , 2016, , .		5
30	A Three-Dimensional Directive Antenna Pattern Interpolation Method. IEEE Antennas and Wireless Propagation Letters, 2016, 15, 881-884.	4.0	14
31	Experimental assessment of excess loss prediction models for satellite-to-Earth radio links shadowed by single in-leaf trees. IET Microwaves, Antennas and Propagation, 2016, 10, 141-146.	1.4	1
32	Wideband Analysis of the Satellite Communication Channel at Ku- and X-Bands. IEEE Transactions on Vehicular Technology, 2016, 65, 2787-2790.	6.3	18
33	Measuring <i>in-situ</i> reflection coefficients due to road pavements at 5.9 GHz. Electronics Letters, 2016, 52, 2072-2074.	1.0	4
34	Extension of the dRET Model to Forests of Thin Cylinders. IEEE Transactions on Antennas and Propagation, 2015, 63, 4049-4056.	5.1	3
35	A Simple Model for Average Reradiation Patterns of Single Trees Based on Weighted Regression at 60 GHz. IEEE Transactions on Antennas and Propagation, 2015, 63, 5113-5118.	5.1	9
36	Stacked CPW-fed antenna for satellite applications with gain enhancement. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
37	Development of 3D human tissues phantoms for analysis of frequency dispersion and human body interaction at 60GHz. , 2015, , .		0
38	Design of compact wideband multi-band and ultrawideband band pass filters based on coupled half wave resonators with reduced coupling gap. IET Microwaves, Antennas and Propagation, 2015, 9, 1786-1792.	1.4	12
39	High speed transmission at 60 GHz for 5G communications. , 2015, , .		2
40	Detection of malicious base station attacks through the carrier analysis. , 2015, , .		1
41	Single notched-band UWB antenna for WLAN environment using complementary split ring resonators CSRR and spiral resonator CSR. , 2015, , .		4
42	Selectivity improvement in dual-band band pass filter by coupled complementary split ring resonators. , 2015, , .		1
43	Microstrip antenna for 5G broadband communications: Overview of design issues. , 2015, , .		46
44	Design of compact multiband bandpass filter with suppression of second harmonic spurious by coupling gap reduction. Journal of Electromagnetic Waves and Applications, 2015, 29, 1813-1828.	1.6	4
45	Debilities of the UMTS Security Mode Set-Up Procedure and Attacks against UMTS/HSPA Device. Advances in Information Security, Privacy, and Ethics Book Series, 2015, , 1-45.	0.5	0
46	Comparison of power fading models due to vegetation for a satellite-to-earth radiolink at Ku band. , 2014, , .		0
47	A 2D Ray-Tracing Based Model for Micro- and Millimeter-Wave Propagation Through Vegetation. IEEE Transactions on Antennas and Propagation, 2014, 62, 6443-6453.	5.1	28
48	A simple graphical calculator based on a new synthesis formulas to design a bandpass filters for wireless applications. , 2014, , .		0
49	Estimation of diversity improvement for satellite-to-helicopter radio channel at Ku-Band. , 2014, , .		3
50	Experimental verification of a new analytical procedure to design a compact bandpass filters for ISM and WiMAX applications. , 2014, , .		0
51	Ultra wideband and tri-band antennas for satellite applications at C-, X-, and Ku bands. , 2014, , .		9
52	The influence of gender in the adoption of engineering studies. , 2014, , .		0
53	Development of a calculator for Edge and Parallel Coupled Microstrip band pass filters. , 2014, , .		2
54	Seeking clues to promote the participation of women in electrical engineering studies. , 2014, , .		2

#	ARTICLE	IF	CITATIONS
55	Measurement, Characterization, and Modeling of the Helicopter Satellite Communication Radio Channel. IEEE Transactions on Antennas and Propagation, 2014, 62, 3776-3785.	5.1	13
56	Elimination of Impulsive Noise by Double Detection in Long Term Evolution Handsets. IEEE Transactions on Vehicular Technology, 2014, , 1-1.	6.3	5
57	Reconciling the ETSI coverage requirements for DVB-T with the ITU-R recommendations. Telecommunication Systems, 2014, 57, 217-222.	2.5	4
58	Statistical model for satellite to helicopter radio channel. , 2014, , .		1
59	A Cognitive Mobile BTS Solution with Software-Defined Radioelectric Sensing. Sensors, 2013, 13, 2051-2075.	3.8	1
60	Wideband Channel Characterization for Low-Elevation Satellites in L-Band. IEEE Transactions on Antennas and Propagation, 2013, 61, 2231-2240.	5.1	7
61	L-band LMS impairment mitigation by using diversity at the receiver. , 2013, , .		0
62	Improving Capability of Detecting Impulsive Noise. IEEE Transactions on Electromagnetic Compatibility, 2013, 55, 66-73.	2.2	7
63	Production, measurement and simulation of a low mass flex cable for multi gigabit/s readout for the LHCb VELO upgrade. Journal of Instrumentation, 2013, 8, C01018-C01018.	1.2	1
64	From the Farm to Fork. , 2013, , 237-270.		0
65	Real-Time Traceability with Sensing in RFID Applications. , 2013, , 213-236.		0
66	Detecting man-made noise by using its wideband characteristic. , 2012, , .		0
67	SimuMANET: Collaborative development of an open-source based remote tool for the lab. , 2012, , .		0
68	Time-Variant Radio Channel Characterization and Modelling of Vegetation Media at Millimeter-Wave Frequency. IEEE Transactions on Antennas and Propagation, 2012, 60, 1557-1568.	5.1	15
69	Characterization of baseband demodulated man-made noise. , 2012, , .		0
70	Impulsive noise remotion by inspection of the masked tones at PLC receivers. , 2012, , .		0
71	Cell interleaving against impulsive noise in OFDM. IEEE Transactions on Consumer Electronics, 2012, 58, 269-273.	3.6	6
72	Using polarization diversity to detect and analyze impulsive noise. IEEE Electromagnetic Compatibility Magazine, 2012, 1, 39-45.	0.1	0

#	ARTICLE	IF	CITATIONS
73	Experimental distribution functions for analysis of coherence bandwidth fluctuations for a fixed broadband wireless access system. IET Microwaves, Antennas and Propagation, 2012, 6, 450.	1.4	0
74	Semi-Markov Model for Low-Elevation Satellite"Earth Radio Propagation Channel. IEEE Transactions on Antennas and Propagation, 2012, 60, 2481-2490.	5.1	14
75	Eliminating man-made noise from PLC systems by taking advantage of the masked tones. , 2012, , .		1
76	Method to Cancel Impulsive Noise From Power-Line Communication Systems by Processing the Information in the Idle Carriers. IEEE Transactions on Power Delivery, 2012, 27, 2421-2422.	4.3	10
77	How to exploit bandwidth to detect impulsive noise. , 2012, , .		0
78	Performance Analysis of Polarization Diversity for Indoor Scenarios at 41.4%GHz and 61.5%GHz. International Journal of Antennas and Propagation, 2012, 2012, 1-8.	1.2	6
79	EXTENDED OPTIMAL FILTERS FOR ADAPTIVE-ONTRANSMIT RADAR SYSTEMS USING BINARY CODES. Progress in Electromagnetics Research, 2012, 130, 41-66.	4.4	2
80	Performance analysis of angle diversity for direction finding in 2.4"GHz tracking applications. IET Communications, 2012, 6, 147.	2.2	2
81	Evaluation of the Performance of Polarization Diversity Estimated from Measurements at One Polarization. Communications in Computer and Information Science, 2012, , 410-423.	0.5	0
82	SimuMANET. , 2012, , 408-443.		1
83	ENXENO: LEGO" Robots from University Lab to K-12 Classroom. Elektronika Ir Elektrotehnika, 2012, 118, .	0.8	0
84	Radio-Electric Validation of an Electronic Cowbell Based on ZigBee Technology. IEEE Antennas and Propagation Magazine, 2011, 53, 40-44.	1.4	11
85	Urban Cellular Network Planning Imbalances in Wooded Streets and Parks [Wireless Corner]. IEEE Antennas and Propagation Magazine, 2011, 53, 197-204.	1.4	3
86	Analysis of channel capacity for fixed broadband multimedia systems at 40"GHz. IET Microwaves, Antennas and Propagation, 2011, 5, 637.	1.4	1
87	Analysis of the performance of vegetation barriers to reduce electromagnetic pollution. IET Microwaves, Antennas and Propagation, 2011, 5, 651.	1.4	13
88	Viability of a coastal tracking and distress beacon system based on cellular phone networks. IET Microwaves, Antennas and Propagation, 2011, 5, 1265.	1.4	2
89	Shrub-blown time variability in attenuation and scattering at cellular frequencies. IET Microwaves, Antennas and Propagation, 2010, 4, 526.	1.4	12
90	PROPAGATION ANALYSIS AND DEPLOYMENT OF A WIRELESS SENSOR NETWORK IN A FOREST. Progress in Electromagnetics Research, 2010, 106, 121-145.	4.4	41

#	ARTICLE	IF	CITATIONS
91	SENSOR AREA NETWORK FOR ACTIVE RTLS IN RFID TRACKING APPLICATIONS AT 2.4GHZ. Progress in Electromagnetics Research, 2010, 110, 43-58.	4.4	6
92	Design of a pseudorandom reference codes for reduced sidelobes and spectrally clean out-of-band emissions using an extended optimal filtering approach. , 2010, , .		0
93	Generating Impulsive Noise [Wireless Corner. IEEE Antennas and Propagation Magazine, 2010, 52, 168-173.	1.4	8
94	Intrasymbol interference in OFDM. IEEE Transactions on Consumer Electronics, 2010, 56, 447-449.	3.6	0
95	Platform for teaching of location technologies based on Zigbee Wireless Sensor Networks by learning-through-play theory. , 2010, , .		2
96	ARaCS: Educational software for radio channel characterization with swept-time delay cross-correlation sounders. , 2009, , .		0
97	Incidence angle estimation algorithm for a low-cost AoA BASED INDOOR location system. Digest / IEEE Antennas and Propagation Society International Symposium, 2009, , .	0.0	1
98	Radioelectric propagation in mature wet forests at 5.8 GHz. Digest / IEEE Antennas and Propagation Society International Symposium, 2009, , .	0.0	2
99	Real-time method for human presence detection by using micro-Doppler signatures information at 24GHz. Digest / IEEE Antennas and Propagation Society International Symposium, 2009, , .	0.0	3
100	Reducing electromagnetic pollution by shrub lines supported by lattice structures. Electronics Letters, 2009, 45, 664.	1.0	4
101	Indoor Radio Reception at 60 GHz: Fading Mitigation Using Diversity Techniques. IEEE Transactions on Antennas and Propagation, 2009, 57, 2934-2939.	5.1	7
102	Depolarization Due to Scattering on Walls in the 5 GHz Band. IEEE Transactions on Antennas and Propagation, 2009, 57, 1804-1812.	5.1	12
103	Mitigation of impulsive noise in digital video broadcasting terrestrial using orthogonal polarization reception. IEEE Transactions on Consumer Electronics, 2009, 55, 1798-1804.	3.6	10
104	Using Vegetation Barriers to Improving Wireless Network Isolation and Security. Communications in Computer and Information Science, 2009, , 428-438.	0.5	3
105	Measurement and Analysis of Propagation Mechanisms at 40 GHz: Viability of Site Shielding Forced by Obstacles. IEEE Transactions on Vehicular Technology, 2008, 57, 3369-3380.	6.3	81
106	Space diversity performance in indoor radio channels at 40 GHz. Electronics Letters, 2008, 44, 1209.	1.0	4
107	Low sidelobe level radar techniques using Golay based coded sequences. , 2008, , .		5
108	Wind effect on the scattering from vegetation at cellular phone frequencies. , 2007, , .		2

#	ARTICLE	IF	CITATIONS
109	Interference and impairments in radio communication systems due to industrial shot noise. , 2007, , .		18
110	Measurement and analysis of scattering from periodic surfaces at 5.8 GHz. , 2007, , .		0
111	Measurement and analysis of depolarization generated by scattering over constructive obstacles at 5.8 GHz. , 2007, , .		1
112	Development of a Tracking and Automatic Distress Generation System for Coastal Fleet Ships. , 2007, , .		2
113	A Study of the Correlation Between Horizontal and Vertical Polarizations of Impulsive Noise in UHF. IEEE Transactions on Vehicular Technology, 2007, 56, 2844-2849.	6.3	14
114	Modelling and Measuring Reflection Due to Flat Dielectric Surfaces at 5.8 GHz. IEEE Transactions on Antennas and Propagation, 2007, 55, 1139-1147.	5.1	14
115	Design and implementation of a golay-based GPR system for improved subsurface imaging. , 2007, , .		3
116	Improvement of Wideband Radio Channel Swept Time-Delay Cross-Correlation Sounders by Using Golay Sequences. IEEE Transactions on Vehicular Technology, 2007, 56, 362-368.	6.3	16
117	Study of wideband propagation in millimetric band. , 2006, , .		0
118	Wind Incidence Effects on Channel Dynamics in Vegetation Media at 40 GHz. , 2006, , .		4
119	WLANs site shielding by means of trees and shrubbery. , 2006, , .		2
120	Simulation of Radio Channel and Modulation Schemes Using Markov Chains. , 2006, , 325-334.		0
121	Novel Procedure to Determine Statistical Functions of Impulsive Noise. IEEE Transactions on Electromagnetic Compatibility, 2005, 47, 559-568.	2.2	14
122	Vegetal barriers for minimising electromagnetic pollution at cellular phone bands. Electronics Letters, 2005, 41, 340.	1.0	12
123	Electromagnetic field level temporal variation in urban areas. Electronics Letters, 2005, 41, 233.	1.0	17
124	Benefits of using Golay sequences in channel swept time cross-correlation sounders. , 2005, , .		7
125	Estimating channel performance for time invariant channels. Electronics Letters, 2004, 40, 746.	1.0	4
126	Fixing Limits to Free-Access Areas Around Broadcast Antennas. IEEE Transactions on Antennas and Propagation, 2004, 52, 2802-2806.	5.1	1

#	ARTICLE	IF	CITATIONS
127	Performance evaluation of W-CDMA in actual impulsive noise scenarios using adaptive antennas. IET Communications, 2004, 151, 589.	1.0	7
128	Wide-Band Measurements of Nondeterministic Effects on the BRAN Indoor Radio Channel. IEEE Transactions on Vehicular Technology, 2004, 53, 1167-1175.	6.3	10
129	Urban Wide-Band Measurement of the UMTS Electromagnetic Environment. IEEE Transactions on Vehicular Technology, 2004, 53, 1014-1022.	6.3	21
130	Measurements and analysis of the indoor wideband millimeter wave wireless radio channel and frequency diversity characterization. IEEE Transactions on Antennas and Propagation, 2003, 51, 2974-2986.	5.1	12
131	DETERMINATION OF SAFETY VOLUMES FOR MEDIUM-FREQUENCY EMISSIONS UNDER STANDARD LIMITS OF HUMAN EXPOSURE. Journal of Electromagnetic Waves and Applications, 2003, 17, 1605-1611.	1.6	2
132	Cochannel and adjacent channel interference in actual terrestrial TV scenarios - part I: field measurements. IEEE Transactions on Broadcasting, 2002, 48, 111-115.	3.2	12
133	Cochannel and adjacent channel interference in actual terrestrial TV scenarios - part II: MATV systems laboratory tests. IEEE Transactions on Broadcasting, 2002, 48, 116-122.	3.2	5
134	Open-hexagon tilted patch antenna for terrestrial digital TV reception. Microwave and Optical Technology Letters, 2002, 32, 56-60.	1.4	0
135	Inside-outside lift power-level statistics at universal mobile telecommunications system (UMTS) frequency. Microwave and Optical Technology Letters, 2002, 32, 122-124.	1.4	0
136	Shot noise in actual urban and industrial environments. Microwave and Optical Technology Letters, 2002, 34, 112-115.	1.4	5
137	Wideband measurements for Multimedia Wireless System radio links. Microwave and Optical Technology Letters, 2002, 34, 224-227.	1.4	1
138	Permittivity and Conductivity Measurements of Building Materials at 5.8 GHz and 41.5 GHz. Wireless Personal Communications, 2002, 20, 93-100.	2.7	30
139	Validation of a Wideband Simulation Tool for Indoor Radio Propagation. Kluwer International Series in Engineering and Computer Science, 2002, , 301-331.	0.2	0
140	Furniture effects on the wideband indoor radio channel at microwave frequencies. Microwave and Optical Technology Letters, 2001, 29, 336-340.	1.4	3
141	Spatial diversity analysis for digital TV systems. IEEE Transactions on Broadcasting, 2001, 47, 198-206.	3.2	10
142	RMS delay and coherence bandwidth measurements in indoor radio channels in the UHF band. IEEE Transactions on Vehicular Technology, 2001, 50, 515-525.	6.3	98
143	Measuring, modeling, and characterizing of indoor radio channel at 5.8 GHz. IEEE Transactions on Vehicular Technology, 2001, 50, 526-535.	6.3	51
144	Frequency dependence of dielectric constant of construction materials in microwave and millimeter-wave bands. Microwave and Optical Technology Letters, 2001, 30, 123-124.	1.4	0

#	ARTICLE	IF	CITATIONS
145	Modeling and measuring depolarization by building obstacles in the 41.5 GHz band. Microwave and Optical Technology Letters, 2000, 24, 34-36.	1.4	8
146	An improved method to process measured radio-channel impulse responses. Microwave and Optical Technology Letters, 2000, 24, 158-162.	1.4	4
147	Study of a frequency diversity system for indoor digital TV. IEEE Transactions on Broadcasting, 2000, 46, 165-170.	3.2	4
148	Analysis of polarization diversity at digital TV indoor receivers. IEEE Transactions on Broadcasting, 2000, 46, 233-239.	3.2	6
149	Coherence bandwidth characterization in an urban microcell at 62.4 GHz. IEEE Transactions on Vehicular Technology, 2000, 49, 607-613.	6.3	11
150	Building material characterization from complex transmissivity measurements at 5.8 GHz. IEEE Transactions on Antennas and Propagation, 2000, 48, 1269-1271.	5.1	32
151	Impulsive noise measurements and characterization in a UHF digital TV channel. IEEE Transactions on Electromagnetic Compatibility, 1999, 41, 124-136.	2.2	100
152	Experimental analysis of propagation at 62 GHz in suburban mobile radio microcells. IEEE Transactions on Vehicular Technology, 1999, 48, 576-588.	6.3	11
153	Normal-incidence transmission of radio waves through building materials in the 5.8 GHz frequency band. Microwave and Optical Technology Letters, 1999, 23, 7-12.	1.4	6
154	EGPROM: An empirical-geometrical propagation model to simulate radio wave propagation and diversity reception. Computer Applications in Engineering Education, 1999, 7, 120-132.	3.4	0
155	Coherence bandwidth measurements in a suburban microcell at 62.4 GHz. Electronics Letters, 1998, 34, 329.	1.0	3
156	Coherence bandwidth measurements in an indoor microcell at 62.4 GHz. Electronics Letters, 1998, 34, 429.	1.0	3
157	Analysis of millimetric wave propagation in a sub-urban microcell. Electronics Letters, 1997, 33, 530.	1.0	0
158	Modelling of Propagation in Outdoor Microcells at 62.4GHz. , 1997, , .		0