
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8082384/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Gas separation membranes obtained by partial pyrolysis of polyimides exhibiting polyethylene oxide moieties. Polymer, 2022, 247, 124789.	1.8	4
2	Highly Permeable Mixed Matrix Membranes of Thermally Rearranged Polymers and Porous Polymer Networks for Gas Separations. ACS Applied Polymer Materials, 2021, 3, 5224-5235.	2.0	14
3	Porous Organic Polymers Containing Active Metal Centers for Suzuki–Miyaura Heterocoupling Reactions. ACS Applied Materials & Interfaces, 2020, 12, 56974-56986.	4.0	23
4	Gas separation properties of aromatic polyimides with bulky groups. Comparison of experimental and simulated results. Journal of Membrane Science, 2020, 602, 117959.	4.1	26
5	New Materials for Gas Separation Applications: Mixed Matrix Membranes Made from Linear Polyimides and Porous Polymer Networks Having Lactam Groups. Industrial & Engineering Chemistry Research, 2019, 58, 9585-9595.	1.8	22
6	Thermally rearranged polybenzoxazoles made from poly(ortho-hydroxyamide)s. Characterization and evaluation as gas separation membranes. Reactive and Functional Polymers, 2018, 127, 38-47.	2.0	29
7	Effect of sodium hypochlorite exposure on polysulfone recycled UF membranes and their surface characterization. Polymer Degradation and Stability, 2018, 150, 46-56.	2.7	35
8	Thermally Rearranged Polybenzoxazoles Containing Bulky Adamantyl Groups from Ortho-Substituted Precursor Copolyimides. Macromolecules, 2018, 51, 1605-1619.	2.2	36
9	Microporous Polymer Networks for Carbon Capture Applications. ACS Applied Materials & Interfaces, 2018, 10, 26195-26205.	4.0	41
10	Synthesis, characterization and studies of properties of six polyimides derived from two new aromatic diamines containing a central silicon atom. European Polymer Journal, 2017, 91, 354-367.	2.6	17
11	Aromatic poly(ether ether ketone)s capable of crosslinking <i>via</i> UV irradiation to improve gas separation performance. RSC Advances, 2017, 7, 55371-55381.	1.7	10
12	Pluronic-assisted hydrothermal synthesis of microporous polyimides. Application as supports for heterogenized transition metal catalysts. Microporous and Mesoporous Materials, 2017, 239, 287-295.	2.2	1
13	Polyiminopyridines based networks as supports to heterogenize iron(II) complexes. Application as efficient and selective ecofriendly catalysts ChemistrySelect, 2016, 1, 396-402.	0.7	2
14	High-productivity gas separation membranes derived from pyromellitic dianhydride and nonlinear diamines. Journal of Membrane Science, 2016, 501, 191-198.	4.1	25
15	Gas separation membranes made through thermal rearrangement of ortho-methoxypolyimides. RSC Advances, 2015, 5, 102261-102276.	1.7	21
16	Gas transport properties of new aromatic polyimides based on 3,8-diphenylpyrene-1,2,6,7-tetracarboxylic dianhydride. Journal of Membrane Science, 2015, 476, 442-448.	4.1	40
17	Gas Transport Coefficients of Phthalide-Containing High-Tg Glassy Polymers Determined by Gas-Flux and NMR Measurements. Macromolecules, 2015, 48, 2585-2592.	2.2	8
18	New aromatic polyamides and polyimides having an adamantane bulky group. Materials Today Communications, 2015, 5, 23-31.	0.9	36

#	Article	IF	CITATIONS
19	Thermally rearranged polybenzoxazoles and poly(benzoxazole-co-imide)s from ortho-hydroxyamine monomers for high performance gas separation membranes. Journal of Membrane Science, 2015, 493, 329-339.	4.1	35
20	Palladium-heterogenized porous polyimide materials as effective and recyclable catalysts for reactions in water. Green Chemistry, 2015, 17, 466-473.	4.6	56
21	Hydrophilic porous asymmetric ultrafiltration membranes of aramid-g-PEO copolymers. Journal of Membrane Science, 2014, 454, 233-242.	4.1	20
22	First Preâ€Functionalised Polymeric Aromatic Framework from Mononitrotetrakis(iodophenyl)methane and its Applications. Chemistry - A European Journal, 2014, 20, 5111-5120.	1.7	35
23	Thermally rearranged polybenzoxazoles membranes with biphenyl moieties: Monomer isomeric effect. Journal of Membrane Science, 2014, 450, 369-379.	4.1	80
24	Gas separation properties of mixed-matrix membranes containing porous polyimides fillers. Journal of Membrane Science, 2013, 447, 403-412.	4.1	28
25	Local chain mobility dependence on molecular structure in polyimides with bulky side groups: Correlation with gas separation properties. Journal of Membrane Science, 2013, 434, 121-129.	4.1	46
26	Thermal degradation of crosslinked copolyimide membranes to obtain productive gas separation membranes. Polymer Degradation and Stability, 2013, 98, 743-750.	2.7	10
27	Thermally Segregated Copolymers with PPO Blocks for Nitrogen Removal from Natural Gas. Industrial & Engineering Chemistry Research, 2013, 52, 4312-4322.	1.8	16
28	Novel efficient catalysts based on imine-linked mesoporous polymers for hydrogenation and cyclopropanation reactions. Journal of Materials Chemistry, 2012, 22, 24637.	6.7	34
29	Thermally treated copoly(ether-imide)s made from bpda and alifatic plus aromatic diamines. GAS separation properties with different aromatic diamimes. Journal of Membrane Science, 2012, 387-388, 54-65.	4.1	36
30	Preparation and gas separation properties of partially pyrolyzed membranes (PPMs) derived from copolyimides containing polyethylene oxide side chains. Journal of Membrane Science, 2012, 409-410, 200-211.	4.1	23
31	Preparation and properties of catalyzed polyimide/dicyanate semiâ€interpenetrating networks for polymer gas membrane with suppressed CO ₂ â€plasticization. Journal of Applied Polymer Science, 2012, 124, 713-722.	1.3	3
32	Synthesis, Characterization, and Gas Separation Properties of Novel Copolyimides Containing Adamantyl Ester Pendant Groups. Macromolecules, 2011, 44, 2780-2790.	2.2	58
33	Effect of 3,5-diaminobenzoic acid content, casting solvent, and physical aging on gas permeation properties of copolyimides containing pendant acid groups. Macromolecular Research, 2011, 19, 797-808.	1.0	18
34	Linear polyisophthalamides from the trifunctional monomer 5-hydroxyisophthalic acid. A convenient approach towards functionalized aromatic polymers. European Polymer Journal, 2011, 47, 1054-1064.	2.6	10
35	Design of gas separation membranes derived of rigid aromatic polyimides. 1. Polymers from diamines containing di-tert-butyl side groups. Journal of Membrane Science, 2010, 365, 145-153.	4.1	86
36	Partially pyrolyzed membranes (PPMs) derived from copolyimides having carboxylic acid groups. Preparation and gas transport properties. Journal of Membrane Science, 2010, 349, 385-392.	4.1	34

#	Article	IF	CITATIONS
37	Physical properties of films made of copoly(ether-imide)s with long poly(ethylene oxide) segments. European Polymer Journal, 2010, 46, 2352-2364.	2.6	25
38	Synthesis and properties of new aromatic polyisophthalamides with adamantylamide pendent groups. Journal of Polymer Science Part A, 2010, 48, 1743-1751.	2.5	45
39	Novel Aromatic Polyimides Derived from 5′- <i>t</i> -Butyl-2′-pivaloylimino-3,4,3′′,4′′- <i>m</i> -terphenyltetracarboxylic Dianhydride with I Application on Gas Separation Processes. Macromolecules, 2010, 43, 2268-2275.	P ote ntial	50
40	An Improved Method for Preparing Very High Molecular Weight Polyimides. Macromolecules, 2009, 42, 5892-5894.	2.2	33
41	New liquid absorbents for the removal of CO2 from gas mixtures. Energy and Environmental Science, 2009, 2, 883.	15.6	83
42	Microwave-Induced Synthesis of Aromatic Polyamides by the Phosphorylation Reaction. Australian Journal of Chemistry, 2009, 62, 250.	0.5	14
43	Fluorenyl cardo copolyimides containing poly(ethylene oxide) segments: Synthesis, characterization, and evaluation of properties. Journal of Polymer Science Part A, 2008, 46, 8170-8178.	2.5	22
44	Sulfonated polynaphthalimides with benzimidazole pendant groups. Polymer, 2008, 49, 3875-3883.	1.8	40
45	Thermal treatment of poly(ethylene oxide)-segmented copolyimide based membranes: An effective way to improve the gas separation properties. Journal of Membrane Science, 2008, 323, 53-59.	4.1	54
46	Synthesis and evaluation of properties of novel poly(benzimidazoleâ€amide)s. Journal of Polymer Science Part A, 2008, 46, 7566-7577.	2.5	24
47	Monomer Reactivity and Steric Factors affecting the Synthesis of Aromatic Polyamides. High Performance Polymers, 2007, 19, 592-602.	0.8	7
48	Experimental and Theoretical Study of an Improved Activated Polycondensation Method for Aromatic Polyimides. Macromolecules, 2007, 40, 8225-8232.	2.2	45
49	Thin-film polyimide/indium tin oxide composites for photovoltaic applications. Journal of Applied Polymer Science, 2007, 103, 3491-3497.	1.3	25
50	Synthesis and Properties of Novel Polyimides Bearing Sulfonated Benzimidazole Pendant Groups. Macromolecular Rapid Communications, 2007, 28, 616-622.	2.0	24
51	Gas separation of 6FDA–6FpDA membranesEffect of the solvent on polymer surfaces and permselectivity. Journal of Membrane Science, 2007, 293, 22-28.	4.1	68
52	Chemical modification of copolyimides with bulky pendent groups: Effect of modification on solubility and thermal stability. Polymer Degradation and Stability, 2007, 92, 2294-2299.	2.7	48
53	Effect of pendent oxyethylene moieties on the properties of aromatic polyisophthalamides. Journal of Polymer Science Part A, 2007, 45, 4671-4683.	2.5	19
54	Water vapor sorption and diffusion in sulfonated aromatic polyamides. Journal of Polymer Science, Part B: Polymer Physics, 2007, 45, 2007-2014.	2.4	11

#	Article	IF	CITATIONS
55	Synthesis and characterization of new aromatic polyamides bearing crown ethers or their dipodal counterparts in the pendant structure. II. Benzo-15-crown-5 andortho-bis[2-(2-ethoxyethoxy)ethoxy]benzene. Journal of Polymer Science Part A, 2006, 44, 4063-4075.	2.5	25
56	Synthesis, characterization, and properties of new sequenced poly(ether amide)s based on 2-(4-aminophenyl)-5-aminobenzimidazole and 2-(3-aminophenyl)-5-aminobenzimidazole. Journal of Polymer Science Part A, 2006, 44, 1414-1423.	2.5	27
57	Thermal effect on polyethyleneoxide-containing copolyimide membranes for CO2/N2 separation. Desalination, 2006, 199, 188-190.	4.0	22
58	Permeability and selectivity of 6FDA-6FpDA gas membranes prepared from different solvents. Desalination, 2006, 200, 225-226.	4.0	9
59	Effect of substituents on the permeation properties of polyamide membranes. Journal of Membrane Science, 2006, 280, 659-665.	4.1	76
60	Novel Cobalt (II) Phthalocyanine-Containing Polyimides: Synthesis, Characterization, Thermal and Optical Properties. Macromolecular Rapid Communications, 2006, 27, 1852-1858.	2.0	17
61	Synthesis and properties evaluation of novel halogenated polyimides designed to prepare functional polymers. Polymer, 2005, 46, 11247-11254.	1.8	6
62	Synthesis, characterization, and water sorption properties of new aromatic polyamides containing benzimidazole and ethylene oxide moieties. Journal of Polymer Science Part A, 2005, 43, 112-121.	2.5	88
63	Polyisophthalamides with heteroaromatic pendent rings: Synthesis, physical properties, and water uptake. Journal of Polymer Science Part A, 2005, 43, 5300-5311.	2.5	45
64	Molecular structure–dynamics relationships in glassy poly(isophthalamide)s as revealed by wide angle x-ray scattering, dielectric loss spectroscopy, and molecular modelling. Journal of Chemical Physics, 2004, 120, 8815-8823.	1.2	2
65	Soluble Polyamides and Polyimides Functionalized with Benzo-15-Crown-5-Pendant Groups. Macromolecular Rapid Communications, 2004, 25, 592-597.	2.0	42
66	Soluble Polyimides from a New Dianhydride: 5′-tert-Butyl-m-terphenyl-3,4,3″,4″-tetracarboxylic Acid Dianhydride. Macromolecular Rapid Communications, 2003, 24, 686-691.	2.0	14
67	Gas separation properties of aromatic polyimides. Journal of Membrane Science, 2003, 215, 61-73.	4.1	108
68	Designing aromatic polyamides and polyimides for gas separation membranes. Macromolecular Symposia, 2003, 199, 293-306.	0.4	36
69	Gas separation properties of new poly(aryl ether ketone)s with pendant groups. Journal of Membrane Science, 2002, 205, 73-81.	4.1	16
70	Synthesis and characterization of halogen-containing poly(ether ketone ketone)s. Journal of Polymer Science Part A, 2002, 40, 2601-2608.	2.5	6
71	Synthesis and characterization of aromatic polyamides containing alkylphthalimido pendent groups. Journal of Polymer Science Part A, 2002, 40, 3711-3724.	2.5	61
72	Novel aromatic polyamides with 1,3-benzoazole groups in the main chain. 1. Polymers derived from 2-(4-carboxyphenyl) benzoxazole-5- and 6-carboxylic acids. Synthesis and characterization. Polymer, 2001, 42, 7933-7941.	1.8	14

#	Article	IF	CITATIONS
73	Synthesis and characterization of new soluble polyamides derived from 2,6-bis(4-aminophenyl)-3,5-dimethyltetrahydro-4H-pyran-4-one. Journal of Polymer Science Part A, 2001, 39, 1825-1832.	2.5	25
74	Synthesis and characterization of new soluble aromatic polyamides derived from 1,4-Bis(4-carboxyphenoxy)-2, 5-di-tert-butylbenzene. Journal of Polymer Science Part A, 2001, 39, 475-485.	2.5	72
75	Thermotropic Aromatic Poly(amide-ether)s. Macromolecular Chemistry and Physics, 2001, 202, 1298-1305.	1.1	21
76	Thermal and Mechanical Properties of Halogen-Containing Aromatic Polyamides. Macromolecular Chemistry and Physics, 2001, 202, 3142-3148.	1.1	24
77	Study of oligo(aryl ether ketone)s as models for aromatic polyketones. Macromolecular Chemistry and Physics, 2000, 201, 427-434.	1.1	4
78	Synthesis and characterization of new soluble aromatic polyamides based on 4-(1-adamantyl)-1, 3-bis(4-aminophenoxy)benzene. Journal of Polymer Science Part A, 2000, 38, 1014-1023.	2.5	66
79	The relationship between nonexponential relaxation and molecular stiffness in aromatic model compounds. Journal of Chemical Physics, 2000, 112, 5254-5256.	1.2	2
80	Gas separation properties of pendent phenyl substituted aromatic polyamides containing sulfone and hexafluoroisopropylidene groups. Polymer, 1999, 40, 5715-5722.	1.8	41
81	Synthesis and characterization of novel polyimides with bulky pendant groups. Journal of Polymer Science Part A, 1999, 37, 805-814.	2.5	106
82	Novel polyimides withp-nitrophenyl pendant groups. Synthesis and characterization. Journal of Polymer Science Part A, 1999, 37, 3377-3384.	2.5	4
83	Aromatic polyamides and polyimides derived from 3,3?-diaminobiphenyl: Synthesis, characterization, and molecular simulation study. Journal of Polymer Science Part A, 1999, 37, 4646-4655.	2.5	13
84	Relaxation behavior in model compounds of poly(aryl-ether-ketone-ketone) as revealed by dielectric spectroscopy. Journal of Chemical Physics, 1999, 110, 10134-10140.	1.2	5
85	Synthesis of novel polyaryl(ether-ketones) withtert-butyl pendent groups. Journal of Polymer Science Part A, 1998, 36, 1251-1256.	2.5	5
86	Quantum semiempirical study on the reactivity of silylated diamines in the synthesis of aromatic polyamides. Macromolecular Theory and Simulations, 1998, 7, 41-48.	0.6	14
87	Thermal behavior of aliphatic-aromatic poly(ether-amide)s. Journal of Applied Polymer Science, 1998, 67, 975-981.	1.3	20
88	Blends of poly(ether imide) and an aromatic poly(ether amide): Phase behavior and CO2 transport properties. Journal of Applied Polymer Science, 1998, 68, 2141-2149.	1.3	11
89	Miscibility and interactions in a mixture of poly(ethylene oxide) and an aromatic poly(ether amide). Polymer, 1998, 39, 1035-1042.	1.8	19
90	Polarity and Conformational Characteristics of Semialiphatic Poly(imideâ^'ester)s. Macromolecules, 1998, 31, 1972-1978.	2.2	2

#	Article	IF	CITATIONS
91	Electrical Properties of Modified Aromatic Polyamide Membranes. Separation Science and Technology, 1997, 32, 2189-2199.	1.3	5
92	Quantum semiempirical study of the reactivity of monomers in the synthesis of aromatic polyamides and polyimides. Macromolecular Symposia, 1997, 122, 197-202.	0.4	3
93	Synthesis of Aromatic Polyisophthalamides byin SituSilylation of Aromatic Diaminesâ€. Macromolecules, 1997, 30, 2507-2508.	2.2	37
94	Layer structures: 7. Thermotropic poly(ester-imide)s based on trimellitic anhydride and branched diamino alkane spacers. Polymer, 1997, 38, 5677-5683.	1.8	6
95	Synthesis and characterization of aliphatic-aromatic poly(ether amide)s. Macromolecular Chemistry and Physics, 1997, 198, 727-737.	1.1	28
96	Synthesis and characterization of halogen-containing polyisophthalamides. Macromolecular Chemistry and Physics, 1997, 198, 3293-3303.	1.1	8
97	Dielectric relaxation of LC-thermotropic poly(ester imide)s. Journal of Polymer Science, Part B: Polymer Physics, 1997, 35, 203-212.	2.4	4
98	Relaxation behavior of aliphatic-aromatic poly(ether amide)s as revealed by dynamic mechanical and dielectric methods. Journal of Polymer Science, Part B: Polymer Physics, 1997, 35, 457-468.	2.4	9
99	Dielectric relaxation studies of aromatic polyamides. Journal of Polymer Science, Part B: Polymer Physics, 1997, 35, 919-927.	2.4	6
100	Aliphatic-aromatic poly(ether amide)s containing oxyethylene units. Synthesis and characterization. Journal of Polymer Science Part A, 1996, 34, 659-667.	2.5	10
101	Synthesis and characterization of novel poly(amide imide)s. Journal of Applied Polymer Science, 1996, 61, 923-928.	1.3	5
102	Determination of some electrical parameters for two novel aliphatic-aromatic polyamide membranes. Journal of Membrane Science, 1996, 114, 51-57.	4.1	35
103	LC-poly(ester-amide-imide)s derived from trimellitic acid and 4-aminobenzoic acid. Polymer, 1996, 37, 3101-3109.	1.8	15
104	Thermally stable polymers: Novel aromatic polyamides. Advanced Materials, 1995, 7, 148-151.	11.1	35
105	Gas separation properties of aromatic polyamides with sulfone groups. Polymer, 1995, 36, 793-800.	1.8	53
106	Rheological features of thermotropic and isotropic poly(ester imide)s. Polymer, 1995, 36, 1683-1687.	1.8	4
107	Synthesis and properties of aromatic polyamides with oligobenzamide pendent groups. I. Poly-5-(4-benzoylamino-1-benzoylamino)isophthalamides. Journal of Polymer Science Part A, 1995, 33, 1987-1994.	2.5	28
108	Gas separation properties of aromatic polyamides containing hexafluoroisopropylidene groups. Journal of Membrane Science, 1995, 104, 231-241.	4.1	66

#	Article	IF	CITATIONS
109	A comparative analysis of flux limit models for ultrafiltration membranes. Journal of Membrane Science, 1995, 108, 129-142.	4.1	23
110	Polyisopthalamides with pendent heterocyclic groups: 3. Pyridine pendent groups. Polymer, 1995, 36, 1113-1116.	1.8	7
111	Liquid-Crystalline Polyimides. 12. Fully Aromatic Thermotropic Poly(Ester-imide)s Derived from Diphenylether-3,3′,4,4′-Tetracarboxylic Imide. Journal of Macromolecular Science - Pure and Applied Chemistry, 1995, 32, 311-330.	1.2	13
112	Aromatic polyamides with pendent heterocycles: 2. Benzoxazole groups. Polymer, 1994, 35, 1317-1321.	1.8	21
113	Polyimides from 3,4:3″,4″-m-terphenyltetracarboxylic dianhydride. Synthesis and characterization. Macromolecular Rapid Communications, 1994, 15, 417-424.	2.0	11
114	Aromatic polyamides with benzothiazole pendent groups: synthesis, nuclear magnetic resonance structural study and evaluation of properties. Polymer, 1994, 35, 872-877.	1.8	33
115	Liquid crystal polyimides: 17. thermotropic poly(ester imide)s based on trimellitimide and diamino oligoether spacers. Polymer, 1994, 35, 5577-5585.	1.8	16
116	Theoretical Study of the Synthesis of Aromatic Polyethers by the Nucleophilic Aromatic Substitution between Fluoro Aromatic Compounds and Phenoxides. Macromolecules, 1994, 27, 7164-7170.	2.2	35
117	Stereospecificity in the Reaction of Tetrahydrobetacarboline-3-carboxylic Acids with Isocyanates and Isothiocyanates. Kinetic vs Thermodynamic Control. Journal of Organic Chemistry, 1994, 59, 1583-1585.	1.7	21
118	Conformational Properties of Model Compounds of Imide-Ether Molecular Chains. Macromolecules, 1994, 27, 7689-7694.	2.2	0
119	Layer Structures. 2. Influence of Spacers on Chain Packing and Phase Transitions of Poly(ester-imide)s Derived from N-(4-Carboxyphenyl)trimellitimide. Macromolecules, 1994, 27, 2540-2547.	2.2	57
120	Linear polyesters of diethylene glycol with cis- and trans-4-cyclohexene-1,2-dicarboxylic acid. Synthesis, characterization and NMR structural study. European Polymer Journal, 1993, 29, 1345-1350.	2.6	0
121	Quantum semiempirical studies on the formation of aromatic polyamides, 1. Effect of structural parameters of diamines on the polyamidation reaction. Die Makromolekulare Chemie Theory and Simulations, 1993, 2, 815-827.	1.0	7
122	Comparative study of the behaviour of experimental polyamide UF membranes. The effect of polyvinylpyrrolidone used as an additive. Journal of Membrane Science, 1993, 81, 31-42.	4.1	15
123	Polyisophthalamides with benzoyl pendent groups: Synthesis, characterization, and evaluation of properties. Journal of Polymer Science Part A, 1993, 31, 1203-1210.	2.5	10
124	Polyisophthalamides with phenylsulfonyl pendent groups. Journal of Polymer Science Part A, 1993, 31, 1383-1392.	2.5	11
125	Conformational studies on model compounds of polyamides with ether groups in their structure. The Journal of Physical Chemistry, 1993, 97, 8669-8674.	2.9	1
126	Polyisophthalamides with phenylthio pendent groups. Journal of Polymer Science Part A, 1992, 30, 1327-1333.	2.5	25

#	Article	IF	CITATIONS
127	Ammonia sensitivity of Pt/GaAs Schottky barrier diodes. Improvement of the sensor with an organic layer. Sensors and Actuators B: Chemical, 1992, 8, 249-252.	4.0	9
128	Synthesis, polymerization and copolymerization of N-(2-acryloyloxyethyl)phthalimide. Polymer, 1992, 33, 1090-1095.	1.8	3
129	Lc-polyimides—6. Thermotropic poly(ester-imide)s derived from N-(4-carboxyphenyl) trimellitimide and various diphenols. European Polymer Journal, 1992, 28, 261-265.	2.6	25
130	Semi-interpenetrating polymer networks of maleimide end-capped oligoesters. Polymer, 1991, 32, 2210-2214.	1.8	2
131	LC-polyimides: 5. Poly(ester-imide)s derived from N-(4-carboxyphenyl) trimellitimide and α,ï‰-dihydroxyalkanes. Polymer, 1991, 32, 942-949.	1.8	64
132	Curing of nadimide end-capped oligoesters. European Polymer Journal, 1990, 26, 763-766.	2.6	1
133	Kinetic study of the crosslinking reaction of flexible bismaleimides. Polymer, 1990, 31, 1955-1959.	1.8	22
134	Synthesis and characterization of imide end-capped oligoesters of terephthalic acid and 2-methyl-2-propyl-1,3-propanediol. Journal of Applied Polymer Science, 1990, 41, 163-176.	1.3	4
135	Title is missing!. Die Makromolekulare Chemie, 1990, 191, 537-547.	1.1	62
136	Polyisophthalamides with pendant phenyl groups. Die Makromolekulare Chemie Rapid Communications, 1990, 11, 471-476.	1.1	12
137	Synthesis and characterization of imide end-capped oligomers of poly(diethyleneglycol terephthalate). Journal of Applied Polymer Science, 1989, 38, 1745-1759.	1.3	13
138	Fully aromatic poly(ether-esters). Journal of Polymer Science, Polymer Letters Edition, 1988, 26, 313-317.	0.4	3
139	Polyisophthalamides with phenoxy pendant groups. Polymer, 1988, 29, 1142-1145.	1.8	35
140	Birefringence, thermoelastic, and dielectric studies on cycloaliphatic polyesters. Macromolecules, 1988, 21, 2128-2132.	2.2	4
141	Crossâ€linkable polyester imides. British Polymer Journal, 1987, 19, 453-458.	0.7	6
142	Conformational characteristics of phthalic acid based polyesters. Macromolecules, 1987, 20, 1641-1645.	2.2	21
143	Curing reaction of diepoxyimides. A DSC study. European Polymer Journal, 1987, 23, 961-965.	2.6	13
144	Conformational characteristics of aromatic polyesters: Comparative study of the polarity of poly(propyleneglycol terephthalate) and poly(ethyleneglycol terephthalate). Journal of Polymer Science, Part B: Polymer Physics, 1987, 25, 2403-2407.	2.4	4

#	Article	IF	CITATIONS
145	Crosslinkable copolyisophthalamides. Angewandte Makromolekulare Chemie, 1986, 139, 113-122.	0.3	5
146	Aromatic polyisophthalamides with oxybenzoyl pendent groups. Journal of Polymer Science Part A, 1986, 24, 483-493.	2.5	23
147	Configurational properties of polyesters with cyclohexane rings incorporated in the main chain. Macromolecules, 1985, 18, 1583-1587.	2.2	10
148	Crosslinkable polyamide–imides. Journal of Applied Polymer Science, 1985, 30, 61-69.	1.3	28
149	Aromatic polyisophthalamides with iminobenzoyl pendant groups. European Polymer Journal, 1985, 21, 1013-1019.	2.6	54
150	Poly(m-phenylene isophthalamides)-containing nitro groups. Journal of Polymer Science: Polymer Chemistry Edition, 1984, 22, 1531-1533.	0.8	9
151	Ring-opening polymerization of 2-methyloxetane: NMR spectroscopy and configurational and dielectric properties of the polymer. Macromolecules, 1984, 17, 1891-1895.	2.2	2
152	Ring-opening polymerization of 3-methyloxetane: NMR spectroscopy and configurational properties of the polymer. Macromolecules, 1984, 17, 1431-1436.	2.2	15
153	Copolyamide-imides of controlled microstructure. Effect of reaction conditions on regularity and properties. European Polymer Journal, 1983, 19, 667-671.	2.6	17
154	Title is missing!. Die Makromolekulare Chemie Rapid Communications, 1982, 3, 505-508.	1.1	3
155	Comblike polymers with long n-alkyl side chains: A route to the gamma transition of polyethylene. Journal of Macromolecular Science - Physics, 1980, 18, 625-636.	0.4	5
156	Free-Radical Copolymerizations of N-Phenyl Maleimide. Journal of Macromolecular Science Part A, Chemistry, 1977, 11, 267-286.	0.4	161