

Peter A Van Aken

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8086147/publications.pdf>

Version: 2024-02-01

400
papers

19,243
citations

11651

70
h-index

13771

129
g-index

424
all docs

424
docs citations

424
times ranked

21142
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Single-layered Ultrasmall Nanoplates of MoS ₂ Embedded in Carbon Nanofibers with Excellent Electrochemical Performance for Lithium and Sodium Storage. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 2152-2156. | 13.8 | 826 |
| 2 | Reversible Storage of Lithium in Silver-coated Three-dimensional Macroporous Silicon. <i>Advanced Materials</i> , 2010, 22, 2247-2250. | 21.0 | 558 |
| 3 | Encapsulation of Sn@carbon Nanoparticles in Bamboo-like Hollow Carbon Nanofibers as an Anode Material in Lithium-based Batteries. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 6485-6489. | 13.8 | 551 |
| 4 | Nitrogen doped porous carbon fibres as anode materials for sodium ion batteries with excellent rate performance. <i>Nanoscale</i> , 2014, 6, 1384-1389. | 5.6 | 542 |
| 5 | Carbon-Coated Na ₃ V ₂ (PO ₄) ₃ Embedded in Porous Carbon Matrix: An Ultrafast Na-Storage Cathode with the Potential of Outperforming Li Cathodes. <i>Nano Letters</i> , 2014, 14, 2175-2180. | 9.1 | 446 |
| 6 | Tin Nanoparticles Encapsulated in Porous Multichannel Carbon Microtubes: Preparation by Single-Nozzle Electrospinning and Application as Anode Material for High-Performance Li-Based Batteries. <i>Journal of the American Chemical Society</i> , 2009, 131, 15984-15985. | 13.7 | 404 |
| 7 | Uniform yolk-shell Sn ₄ P ₃ @C nanospheres as high-capacity and cycle-stable anode materials for sodium-ion batteries. <i>Energy and Environmental Science</i> , 2015, 8, 3531-3538. | 30.8 | 401 |
| 8 | Self-Supported Li ₄ Ti ₅ O ₁₂ 1D Nanotube Arrays as High-Rate and Long-Life Anode Materials for Flexible Li-Ion Batteries. <i>Nano Letters</i> , 2014, 14, 2597-2603. | 9.1 | 397 |
| 9 | Magnetization study of nanograined pure and Mn-doped ZnO films: Formation of a ferromagnetic grain-boundary foam. <i>Physical Review B</i> , 2009, 79, . | 3.2 | 343 |
| 10 | Dual-functionalized Double Carbon Shells Coated Silicon Nanoparticles for High Performance Lithium-ion Batteries. <i>Advanced Materials</i> , 2017, 29, 1605650. | 21.0 | 325 |
| 11 | MOF-derived Hollow Co ₉ S ₈ Nanoparticles Embedded in Graphitic Carbon Nanocages with Superior Li-ion Storage. <i>Small</i> , 2016, 12, 2354-2364. | 10.0 | 306 |
| 12 | Quantification of ferrous/ferric ratios in minerals: new evaluation schemes of Fe L 2,3 electron energy-loss near-edge spectra. <i>Physics and Chemistry of Minerals</i> , 2002, 29, 188-200. | 0.8 | 303 |
| 13 | Peapod-like Li ₃ VO ₄ /N-doped Carbon Nanowires with Pseudocapacitive Properties as Advanced Materials for High-energy Lithium-ion Capacitors. <i>Advanced Materials</i> , 2017, 29, 1700142. | 21.0 | 298 |
| 14 | Exfoliation of a non-van der Waals material from iron ore hematite. <i>Nature Nanotechnology</i> , 2018, 13, 602-609. | 31.5 | 295 |
| 15 | Facile Solid-state Growth of 3D Well-interconnected Nitrogen-rich Carbon Nanotube-graphene Hybrid Architectures for Lithium-sulfur Batteries. <i>Advanced Functional Materials</i> , 2016, 26, 1112-1119. | 14.9 | 281 |
| 16 | Quantitative determination of iron oxidation states in minerals using Fe L 2,3 -edge electron energy-loss near-edge structure spectroscopy. <i>Physics and Chemistry of Minerals</i> , 1998, 25, 323-327. | 0.8 | 279 |
| 17 | A Germanium-carbon Nanocomposite Material for Lithium Batteries. <i>Advanced Materials</i> , 2008, 20, 3079-3083. | 21.0 | 271 |
| 18 | Electrospun Na ₃ V ₂ (PO ₄) ₃ /C nanofibers as stable cathode materials for sodium-ion batteries. <i>Nanoscale</i> , 2014, 6, 5081. | 5.6 | 266 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Synthesizing Porous NaTi ₂ (PO ₄) ₃ Nanoparticles Embedded in 3D Graphene Networks for High-Rate and Long Cycle-Life Sodium Electrodes. ACS Nano, 2015, 9, 6610-6618. | 14.6 | 260 |
| 20 | Facile Synthesis of Highly Porous Ni-Sn Intermetallic Microcages with Excellent Electrochemical Performance for Lithium and Sodium Storage. Nano Letters, 2014, 14, 6387-6392. | 9.1 | 257 |
| 21 | Energy Storage Materials from Nature through Nanotechnology: A Sustainable Route from Reed Plants to a Silicon Anode for Lithium-Ion Batteries. Angewandte Chemie - International Edition, 2015, 54, 9632-9636. | 13.8 | 245 |
| 22 | Peapod-Like Carbon-Encapsulated Cobalt Chalcogenide Nanowires as Cycle-Stable and High-Rate Materials for Sodium-Ion Anodes. Advanced Materials, 2016, 28, 7276-7283. | 21.0 | 237 |
| 23 | Oxygen-evolving catalytic atoms on metal carbides. Nature Materials, 2021, 20, 1240-1247. | 27.5 | 235 |
| 24 | An interface clusters mixture model for the structure of amorphous silicon monoxide (SiO). Journal of Non-Crystalline Solids, 2003, 320, 255-280. | 3.1 | 231 |
| 25 | â€œNanoâ€œPearlâ€œStringâ€œ-TiNb ₂ O ₇ as Anodes for Rechargeable Lithium Batteries. Advanced Energy Materials, 2013, 3, 49-53. | 19.5 | 220 |
| 26 | High Performance Graphene/Ni ₂ P Hybrid Anodes for Lithium and Sodium Storage through 3D Yolk-Shell-Like Nanostructural Design. Advanced Materials, 2017, 29, 1604015. | 21.0 | 220 |
| 27 | Hollow Carbon Nanospheres with a High Rate Capability for Lithium-Based Batteries. ChemSusChem, 2012, 5, 400-403. | 6.8 | 215 |
| 28 | Low-Temperature Ionic-Liquid-Based Synthesis of Nanostructured Iron-Based Fluoride Cathodes for Lithium Batteries. Advanced Materials, 2010, 22, 3650-3654. | 21.0 | 209 |
| 29 | High Power-High Energy Sodium Battery Based on Threefold Interpenetrating Network. Advanced Materials, 2016, 28, 2409-2416. | 21.0 | 205 |
| 30 | Carbon-Encapsulated Pyrite as Stable and Earth-Abundant High Energy Cathode Material for Rechargeable Lithium Batteries. Advanced Materials, 2014, 26, 6025-6030. | 21.0 | 201 |
| 31 | Ge/C Nanowires as High-Capacity and Long-Life Anode Materials for Li-Ion Batteries. ACS Nano, 2014, 8, 7051-7059. | 14.6 | 198 |
| 32 | 3D V ₆ O ₁₃ Nanotextiles Assembled from Interconnected Nanogrooves as Cathode Materials for High-Energy Lithium Ion Batteries. Nano Letters, 2015, 15, 1388-1394. | 9.1 | 194 |
| 33 | A General Strategy to Fabricate Carbon-Coated 3D Porous Interconnected Metal Sulfides: Case Study of SnS/C Nanocomposite for High-Performance Lithium and Sodium Ion Batteries. Advanced Science, 2015, 2, 1500200. | 11.2 | 193 |
| 34 | An FeF ₃ ·0.5H ₂ O Polytype: A Microporous Framework Compound with Intersecting Tunnels for Li and Na Batteries. Journal of the American Chemical Society, 2013, 135, 11425-11428. | 18.7 | 177 |
| 35 | A high-performance self-powered broadband photodetector based on a CH ₃ NH ₃ PbI ₃ perovskite/ZnO nanorod array heterostructure. Journal of Materials Chemistry C, 2016, 4, 7302-7308. | 5.5 | 159 |
| 36 | Fast Li Storage in MoS ₂ -Graphene-Carbon Nanotube Nanocomposites: Advantageous Functional Integration of 0D, 1D, and 2D Nanostructures. Advanced Energy Materials, 2015, 5, 1401170. | 19.5 | 155 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | High Lithium Storage Performance of FeS Nanodots in Porous Graphitic Carbon Nanowires. <i>Advanced Functional Materials</i> , 2015, 25, 2335-2342. | 14.9 | 148 |
| 38 | Mössbauer and ELNES spectroscopy of (Mg,Fe)(Si,Al)O ₃ perovskite: a highly oxidised component of the lower mantle. <i>Contributions To Mineralogy and Petrology</i> , 2000, 138, 17-26. | 3.1 | 143 |
| 39 | A Lamellar Hybrid Assembled from Metal Disulfide Nanowall Arrays Anchored on a Carbon Layer: In Situ Hybridization and Improved Sodium Storage. <i>Advanced Materials</i> , 2016, 28, 7774-7782. | 21.0 | 142 |
| 40 | Toroidal Plasmonic Eigenmodes in Oligomer Nanocavities for the Visible. <i>Nano Letters</i> , 2012, 12, 5239-5244. | 9.1 | 141 |
| 41 | A High Power "High Energy Na ₃ V ₂ (PO ₄) ₂ F ₃ Sodium Cathode: Investigation of Transport Parameters, Rational Design and Realization. <i>Chemistry of Materials</i> , 2017, 29, 5207-5215. | 6.7 | 141 |
| 42 | Surface plasmon modes of a single silver nanorod: an electron energy loss study. <i>Optics Express</i> , 2011, 19, 15371. | 3.4 | 126 |
| 43 | Ultrathin Ti ₂ Nb ₂ O ₉ Nanosheets with Pseudocapacitive Properties as Superior Anode for Sodium-Ion Batteries. <i>Advanced Materials</i> , 2018, 30, e1804378. | 21.0 | 117 |
| 44 | Charge separation and transport in La _{0.6} Sr _{0.4} Co _{0.2} Fe _{0.8} O _{3-δ} and ion-doping ceria heterostructure material for new generation fuel cell. <i>Nano Energy</i> , 2017, 37, 195-202. | 16.0 | 115 |
| 45 | A Sulfur "Limonene" Based Electrode for Lithium "Sulfur Batteries: High Performance by Self-Protection. <i>Advanced Materials</i> , 2018, 30, e1706643. | 21.0 | 114 |
| 46 | A High Capacity Cathode for Lithium Batteries Consisting of Porous Microspheres of Highly Amorphized Iron Fluoride Densified from Its Open Parent Phase. <i>Advanced Energy Materials</i> , 2013, 3, 113-119. | 19.5 | 111 |
| 47 | 1s2p Resonant Inelastic X-ray Scattering of Iron Oxides. <i>Journal of Physical Chemistry B</i> , 2005, 109, 20751-20762. | 2.6 | 108 |
| 48 | Dopant Segregation and Space Charge Effects in Proton-Conducting BaZrO ₃ Perovskites. <i>Journal of Physical Chemistry C</i> , 2012, 116, 2453-2461. | 3.1 | 106 |
| 49 | Band-gap measurements of direct and indirect semiconductors using monochromated electrons. <i>Physical Review B</i> , 2007, 75, . | 3.2 | 103 |
| 50 | Cross-Linking Hollow Carbon Sheet Encapsulated CuP ₂ Nanocomposites for High Energy Density Sodium-Ion Batteries. <i>ACS Nano</i> , 2018, 12, 7018-7027. | 14.6 | 99 |
| 51 | Preparation and characterization of Sm and Ca co-doped ceria "La _{0.6} Sr _{0.4} Co _{0.2} Fe _{0.8} O _{3-δ} semiconductor-ionizer composites for electrolyte-layer-free fuel cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 15426-15436. | 10.7 | 97 |
| 52 | Theory and applications of toroidal moments in electrodynamics: their emergence, characteristics, and technological relevance. <i>Nanophotonics</i> , 2018, 7, 93-110. | 6.0 | 96 |
| 53 | In situ reduction and coating of SnS ₂ nanobelts for free-standing SnS@polypyrrole-nanobelt/carbon-nanotube paper electrodes with superior Li-ion storage. <i>Journal of Materials Chemistry A</i> , 2015, 3, 5259-5265. | 10.3 | 92 |
| 54 | Possibly Mixed Valency of Uranium in UNi _{5-x} Cu _x . <i>Physical Review Letters</i> , 1975, 34, 1457-1460. | 7.8 | 91 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Graphene-Protected 3D Sb-based Anodes Fabricated via Electrostatic Assembly and Confinement Replacement for Enhanced Lithium and Sodium Storage. <i>Small</i> , 2015, 11, 6026-6035. | 10.0 | 87 |
| 56 | Oxidation state of iron in hydrous mantle phases: implications for subduction and mantle oxygen fugacity. <i>Physics of the Earth and Planetary Interiors</i> , 2004, 143-144, 157-169. | 1.9 | 85 |
| 57 | 3D Honeycomb Architecture Enables a High-Rate and Long-Life Iron (III) Fluoride-Lithium Battery. <i>Advanced Materials</i> , 2019, 31, e1905146. | 21.0 | 84 |
| 58 | High-Pressure Synthesis of Crystalline Carbon Nitride Imide, C ₂ N ₂ (NH). <i>Angewandte Chemie - International Edition</i> , 2007, 46, 1476-1480. | 13.8 | 82 |
| 59 | Resonant wedge-plasmon modes in single-crystalline gold nanoplatelets. <i>Physical Review B</i> , 2011, 83, . | 3.2 | 81 |
| 60 | Phase Boundary Propagation in Large LiFePO ₄ Single Crystals on Delithiation. <i>Journal of the American Chemical Society</i> , 2012, 134, 2988-2992. | 13.7 | 81 |
| 61 | Hierarchical Metal Sulfide/Carbon Spheres: A Generalized Synthesis and High Sodium-Storage Performance. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 7238-7243. | 13.8 | 80 |
| 62 | Tiny Li ₄ Ti ₅ O ₁₂ nanoparticles embedded in carbon nanofibers as high-capacity and long-life anode materials for both Li-ion and Na-ion batteries. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 20813. | 2.8 | 78 |
| 63 | Elucidating the Mechanism of an RbF Post Deposition Treatment in CIGS Thin Film Solar Cells. <i>Solar Rrl</i> , 2018, 2, 1800156. | 5.8 | 78 |
| 64 | Direct imaging of surface plasmon resonances on single triangular silver nanoprisms at optical wavelength using low-loss EFTEM imaging. <i>Optics Letters</i> , 2009, 34, 1003. | 3.3 | 77 |
| 65 | A novel germanium/carbon nanotubes nanocomposite for lithium storage material. <i>Electrochimica Acta</i> , 2010, 55, 985-988. | 5.2 | 77 |
| 66 | Visualization of Multipolar Longitudinal and Transversal Surface Plasmon Modes in Nanowire Dimers. <i>ACS Nano</i> , 2011, 5, 9845-9853. | 14.6 | 77 |
| 67 | The seebeck coefficient of YbAl ₂ and YbAl ₃ . <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 1974, 49, 246-248. | 2.1 | 75 |
| 68 | Experimental realization of graded L1-FePt/Fe composite media with perpendicular magnetization. <i>Journal of Applied Physics</i> , 2008, 104, . | 2.5 | 74 |
| 69 | The effect of ozonation on the toxicity and biodegradability of 2,4-dichlorophenol-containing wastewater. <i>Chemical Engineering Journal</i> , 2015, 280, 728-736. | 12.7 | 73 |
| 70 | Engineering nanostructured electrode materials for high performance sodium ion batteries: a case study of a 3D porous interconnected WS ₂ /C nanocomposite. <i>Journal of Materials Chemistry A</i> , 2015, 3, 20487-20493. | 10.3 | 71 |
| 71 | An efficient, simple, and precise way to map strain with nanometer resolution in semiconductor devices. <i>Applied Physics Letters</i> , 2010, 96, . | 3.3 | 69 |
| 72 | Metal-Organic Framework-Derived Nanoconfinements of CoF ₂ and Mixed-Conducting Wiring for High-Performance Metal Fluoride-Lithium Battery. <i>ACS Nano</i> , 2021, 15, 1509-1518. | 14.6 | 69 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Toughening through Nature-Adapted Nanoscale Design. <i>Nano Letters</i> , 2009, 9, 4103-4108. | 9.1 | 66 |
| 74 | Kondo Sidebands in CeAl ₃ and Related Pseudobinary Compounds. <i>Physical Review B</i> , 1971, 3, 1662-1670. | 3.2 | 64 |
| 75 | Excitation of Mesoscopic Plasmonic Tapers by Relativistic Electrons: Phase Matching versus Eigenmode Resonances. <i>ACS Nano</i> , 2015, 9, 7641-7648. | 14.6 | 61 |
| 76 | Metal-organic framework-derived high conductivity Fe ₃ C with porous carbon on graphene as advanced anode materials for aqueous battery-supercapacitor hybrid devices. <i>Journal of Power Sources</i> , 2020, 448, 227403. | 7.8 | 60 |
| 77 | Fe-Mg partitioning between ringwoodite and magnesiowüstite and the effect of pressure, temperature and oxygen fugacity. <i>Physics and Chemistry of Minerals</i> , 2001, 28, 455-470. | 0.8 | 59 |
| 78 | Iron oxidation state in lower mantle mineral assemblages. <i>Earth and Planetary Science Letters</i> , 2004, 222, 435-449. | 4.4 | 59 |
| 79 | Core level electron energy-loss spectra of minerals: pre-edge fine structures at the oxygen K-edge. <i>Physics and Chemistry of Minerals</i> , 1998, 25, 494-498. | 0.8 | 58 |
| 80 | Oxygen octahedra picker: A software tool to extract quantitative information from STEM images. <i>Ultramicroscopy</i> , 2016, 168, 46-52. | 1.9 | 55 |
| 81 | Hybridized Metal Slit Eigenmodes as an Illustration of Babinet's Principle. <i>ACS Nano</i> , 2011, 5, 6701-6706. | 14.6 | 54 |
| 82 | Synthetic tourmaline (olenite) with excess boron replacing silicon in the tetrahedral site: I. Synthesis conditions, chemical and spectroscopic evidence. <i>European Journal of Mineralogy</i> , 2000, 12, 529-541. | 1.3 | 53 |
| 83 | High-temperature superconductivity in space-charge regions of lanthanum cuprate induced by two-dimensional doping. <i>Nature Communications</i> , 2015, 6, 8586. | 12.8 | 53 |
| 84 | Fuel-Free Nanocapacitor-Like Motors Actuated Under Visible Light. <i>Advanced Functional Materials</i> , 2018, 28, 1705862. | 14.9 | 52 |
| 85 | Top-down synthesis of interconnected two-dimensional carbon/antimony hybrids as advanced anodes for sodium storage. <i>Energy Storage Materials</i> , 2018, 10, 122-129. | 18.0 | 50 |
| 86 | Natural Vermiculite Enables High-Performance in Lithium-Sulfur Batteries via Electrical Double Layer Effects. <i>Advanced Functional Materials</i> , 2019, 29, 1902820. | 14.9 | 50 |
| 87 | Delithiation Study of LiFePO ₄ Crystals Using Electron Energy-Loss Spectroscopy. <i>Electrochemical and Solid-State Letters</i> , 2009, 12, A151. | 2.2 | 49 |
| 88 | Grain-boundary types in chalcopyrite-type thin films and their correlations with film texture and electrical properties. <i>Thin Solid Films</i> , 2009, 517, 2545-2549. | 1.8 | 49 |
| 89 | A Carbon/Titanium Vanadium Nitride Composite for Lithium Storage. <i>ChemPhysChem</i> , 2010, 11, 3219-3223. | 2.1 | 49 |
| 90 | Nano-crystallization in LaF ₃ -Na ₂ O-Al ₂ O ₃ -SiO ₂ glass. <i>Journal of Crystal Growth</i> , 2009, 311, 4350-4355. | 1.5 | 48 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Rapid and Up-Scalable Fabrication of Free-Standing Metal Oxide Nanosheets for High-Performance Lithium Storage. <i>Small</i> , 2015, 11, 2011-2018. | 10.0 | 48 |
| 92 | The Importance of Grain Boundaries for the Time-Dependent Mobility Degradation in Organic Thin-Film Transistors. <i>Chemistry of Materials</i> , 2009, 21, 4949-4954. | 6.7 | 47 |
| 93 | Compositional and electrical properties of line and planar defects in Cu(In,Ga)Se ₂ thin films for solar cells – a review. <i>Physica Status Solidi - Rapid Research Letters</i> , 2016, 10, 363-375. | 2.4 | 47 |
| 94 | Sample tilt effects on atom column position determination in ABF-STEM imaging. <i>Ultramicroscopy</i> , 2016, 160, 110-117. | 1.9 | 47 |
| 95 | Experimental investigation of smectite interaction with metal iron at 80 ÅC: Structural characterization of newly formed Fe-rich phyllosilicates. <i>American Mineralogist</i> , 2012, 97, 864-871. | 1.9 | 46 |
| 96 | Cerium reduction at the interface between ceria and yttria-stabilised zirconia and implications for interfacial oxygen non-stoichiometry. <i>APL Materials</i> , 2014, 2, . | 5.1 | 46 |
| 97 | Long-range charge-density-wave proximity effect at cuprate/manganate interfaces. <i>Nature Materials</i> , 2016, 15, 831-834. | 27.5 | 46 |
| 98 | Au-Ag Hybrid Nanoparticle Patterns of Tunable Size and Density on Glass and Polymeric Supports. <i>Langmuir</i> , 2012, 28, 1562-1568. | 3.5 | 45 |
| 99 | Electron energy losses in Ag nanoholes from localized surface plasmon resonances to rings of fire. <i>Optics Letters</i> , 2009, 34, 2150. | 3.3 | 44 |
| 100 | Microanalysis of Fe ³⁺ / Fe in oxide and silicate minerals by investigation of electron energy-loss near-edge structures (ELNES) at the Fe M _{2,3} edge. <i>Physics and Chemistry of Minerals</i> , 1999, 26, 584-590. | 0.8 | 43 |
| 101 | Multichannel hollow TiO ₂ nanofibers fabricated by single-nozzle electrospinning and their application for fast lithium storage. <i>Electrochemistry Communications</i> , 2013, 28, 54-57. | 4.7 | 43 |
| 102 | Wedge Dyakonov Waves and Dyakonov Plasmons in Topological Insulator Bi ₂ Se ₃ Probed by Electron Beams. <i>ACS Nano</i> , 2016, 10, 6988-6994. | 14.6 | 43 |
| 103 | The origin of high-mismatch orientation relationships for ultra-thin oxide overgrowths. <i>Acta Materialia</i> , 2007, 55, 6027-6037. | 7.9 | 42 |
| 104 | Annihilation of structural defects in chalcogenide absorber films for high-efficiency solar cells. <i>Energy and Environmental Science</i> , 2016, 9, 1818-1827. | 30.8 | 42 |
| 105 | Multipole Surface Plasmon Resonances in Conductively Coupled Metal Nanowire Dimers. <i>ACS Nano</i> , 2012, 6, 9711-9717. | 14.6 | 39 |
| 106 | Evolution of order in amorphous-to-crystalline phase transformation of MgF ₂ . <i>Journal of Applied Crystallography</i> , 2013, 46, 1105-1116. | 4.5 | 39 |
| 107 | Direct Observation of Huge Flexoelectric Polarization around Crack Tips. <i>Nano Letters</i> , 2020, 20, 88-94. | 9.1 | 39 |
| 108 | The modification of MoO ₃ nanoparticles supported on mesoporous SBA-15: characterization using X-ray scattering, N ₂ physisorption, transmission electron microscopy, high-angle annular darkfield technique, Raman and XAFS spectroscopy. <i>Journal of Materials Science</i> , 2008, 43, 244-253. | 3.7 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Advances in ozonation and biodegradation processes to enhance chlorophenol abatement in multisubstrate wastewaters: a review. <i>Environmental Science: Water Research and Technology</i> , 2019, 5, 444-481. | 2.4 | 38 |
| 110 | Hollow Mesoporous Carbon Spheres for High Performance Symmetrical and Aqueous Zinc-Ion Hybrid Supercapacitor. <i>Frontiers in Chemistry</i> , 2020, 8, 663. | 3.6 | 38 |
| 111 | Hybridization approach to in-line and off-axis (electron) holography for superior resolution and phase sensitivity. <i>Scientific Reports</i> , 2014, 4, 7020. | 3.3 | 37 |
| 112 | Complex magnetic order in nickelate slabs. <i>Nature Physics</i> , 2018, 14, 1097-1102. | 16.7 | 37 |
| 113 | Kondo sideband effects in the Seebeck coefficient of $Ce_{1-x}La_xAl_x$ compounds. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 1974, 49, 201-203. | 2.1 | 36 |
| 114 | Chemical Modification of Single-Walled Carbon Nanotubes for the Reinforcement of Precursor-Derived Ceramics. <i>Chemistry of Materials</i> , 2008, 20, 5593-5599. | 6.7 | 35 |
| 115 | Multiwavelength-Steerable Visible-Light-Driven Magnetic $CoO \cdot TiO_2$ Microswimmers. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 24149-24155. | 8.0 | 35 |
| 116 | Strong magnetic linear dichroism in Fe L23 and O K electron energy-loss near-edge spectra of antiferromagnetic hematite α -Fe ₂ O ₃ . <i>Physics and Chemistry of Minerals</i> , 2003, 30, 469-477. | 0.8 | 34 |
| 117 | Numerical simulations of interference effects in photon-assisted electron energy-loss spectroscopy. <i>New Journal of Physics</i> , 2013, 15, 053013. | 2.9 | 34 |
| 118 | A pilot-scale coupling of ozonation and biodegradation of 2,4-dichlorophenol-containing wastewater: The effect of biomass acclimation towards chlorophenol and intermediate ozonation products. <i>Journal of Cleaner Production</i> , 2017, 161, 1432-1441. | 9.3 | 34 |
| 119 | Lithium Potential Variations for Metastable Materials: Case Study of Nanocrystalline and Amorphous $LiFePO_4$. <i>Nano Letters</i> , 2014, 14, 5342-5349. | 9.1 | 33 |
| 120 | Polarity-driven nickel oxide precipitation in $LaNiO_3$ - $LaAlO_3$ superlattices. <i>Applied Physics Letters</i> , 2011, 99, 211903. | 3.3 | 32 |
| 121 | Ruddlesden-Popper faults in $LaNiO_3/LaAlO_3$ superlattices. <i>Journal of Applied Physics</i> , 2012, 112, . | 2.5 | 32 |
| 122 | Field-Effect Transistors with Submicrometer Gate Lengths Fabricated from $LaAlO_3$ Heterostructures. <i>Physical Review Applied</i> , 2015, 4, . | 3.8 | 32 |
| 123 | Validating the technological feasibility of yttria-stabilized zirconia-based semiconducting-ionic composite in intermediate-temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2018, 384, 318-327. | 7.8 | 32 |
| 124 | Topotactic transformation of single crystals: From perovskite to infinite-layer nickelates. <i>Science Advances</i> , 2021, 7, eabl8091. | 10.3 | 32 |
| 125 | Low-Temperature Growth of Silicon Nanotubes and Nanowires on Amorphous Substrates. <i>ACS Nano</i> , 2010, 4, 1805-1812. | 14.6 | 31 |
| 126 | Merging transformation optics with electron-driven photon sources. <i>Nature Communications</i> , 2019, 10, 599. | 12.8 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | DNA-templated synthesis of ZnO thin layers and nanowires. <i>Nanotechnology</i> , 2009, 20, 365302. | 2.6 | 30 |
| 128 | Microemulsions as Reaction Media for the Synthesis of Bimetallic Nanoparticles: Size and Composition of Particles. <i>Chemistry of Materials</i> , 2010, 22, 6263-6271. | 6.7 | 30 |
| 129 | Facile Preparation of MoS ₂ Nanocomposites for Efficient Potassium-Ion Batteries by Grinding-Promoted Intercalation Exfoliation. <i>Small</i> , 2021, 17, e2102263. | 10.0 | 30 |
| 130 | The heterogeneous composition of working place aerosols in a nickel refinery: a transmission and scanning electron microscope study Presented at ENVIRONMIN 2001 at Skukuza, Kruger National Park, South Africa, 14-18 July 2001. Electronic supplementary information (ESI) available: TEM bright field images, energy-dispersive X-ray spectra and electron diffraction patterns of various phases observed in the refinery at Monchegorsk; (a) godlevskite, (b) heazlewoodite, (c) bunsenite, (d) trevorite, (e) amorphous sulf. <i>Journal of Environmental Monitoring</i> , 2002, 4, 344-350. | 2.1 | 29 |
| 131 | Interfaces in semiconductor/metal radial superlattices. <i>Applied Physics Letters</i> , 2007, 90, 263107. | 3.3 | 29 |
| 132 | Hydrogen-Bond Reinforced Vanadia Nanofiber Paper of High Stiffness. <i>Advanced Materials</i> , 2013, 25, 2468-2473. | 21.0 | 29 |
| 133 | Comparative study of LaNiO ₃ /LaAlO ₃ heterostructures grown by pulsed laser deposition and oxide molecular beam epitaxy. <i>Applied Physics Letters</i> , 2017, 110, . | 3.3 | 29 |
| 134 | Silver nanowires with optimized silica coating as versatile plasmonic resonators. <i>Scientific Reports</i> , 2019, 9, 3859. | 3.3 | 29 |
| 135 | Nanocrystalline, porous periclase aggregates as product of brucite dehydration. <i>European Journal of Mineralogy</i> , 2001, 13, 329-341. | 1.3 | 28 |
| 136 | Mapping of valence energy losses via energy-filtered annular dark-field scanning transmission electron microscopy. <i>Ultramicroscopy</i> , 2009, 109, 1164-1170. | 1.9 | 28 |
| 137 | Breaking the Mode Degeneracy of Surface Plasmon Resonances in a Triangular System. <i>Langmuir</i> , 2012, 28, 8867-8873. | 3.5 | 28 |
| 138 | Large-scale low temperature fabrication of SnO ₂ hollow/nanoporous nanostructures: the template-engaged replacement reaction mechanism and high-rate lithium storage. <i>Nanoscale</i> , 2014, 6, 11411-11418. | 5.6 | 28 |
| 139 | Massive Dirac Fermion Observed in Lanthanide-Doped Topological Insulator Thin Films. <i>Scientific Reports</i> , 2015, 5, 15767. | 3.3 | 28 |
| 140 | Reflection and Phase Matching in Plasmonic Gold Tapers. <i>Nano Letters</i> , 2016, 16, 6137-6144. | 9.1 | 28 |
| 141 | Dopant size effects on novel functionalities: High-temperature interfacial superconductivity. <i>Scientific Reports</i> , 2017, 7, 453. | 3.3 | 28 |
| 142 | Crystal chemistry of wadsleyite II and water in the Earth's interior. <i>Physics and Chemistry of Minerals</i> , 2005, 31, 691-705. | 0.8 | 27 |
| 143 | A nondamaging electron microscopy approach to map In distribution in InGaN light-emitting diodes. <i>Journal of Applied Physics</i> , 2010, 108, . | 2.5 | 27 |
| 144 | Linking Microstructure and Nanochemistry in Human Dental Tissues. <i>Microscopy and Microanalysis</i> , 2012, 18, 509-523. | 0.4 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Tailoring the electronic properties of Ca ₂ RuO ₄ via epitaxial strain. Applied Physics Letters, 2018, 112, . | 3.3 | 27 |
| 146 | Jarosite Nanosheets Fabricated via Room-Temperature Synthesis as Cathode Materials for High-Rate Lithium Ion Batteries. Chemistry of Materials, 2015, 27, 3143-3149. | 6.7 | 26 |
| 147 | Correcting the linear and nonlinear distortions for atomically resolved STEM spectrum and diffraction imaging. Microscopy (Oxford, England), 2018, 67, i114-i122. | 1.5 | 26 |
| 148 | Inhomogeneous ferromagnetism mimics signatures of the topological Hall effect in SrRuO_3 films. Physical Review Materials, 2020, 4, . | 2.4 | 26 |
| 149 | Impact of interfacial coupling of oxygen octahedra on ferromagnetic order in La _{0.7} Sr _{0.3} MnO ₃ /SrTiO ₃ heterostructures. Scientific Reports, 2017, 7, 40068. | 3.3 | 25 |
| 150 | Design of Complex Oxide Interfaces by Oxide Molecular Beam Epitaxy. Journal of Superconductivity and Novel Magnetism, 2020, 33, 107-120. | 1.8 | 25 |
| 151 | Assembling Metal Organic Layer Composites for High-Performance Electrocatalytic CO ₂ Reduction to Formate. Angewandte Chemie - International Edition, 2022, 61, . | 13.8 | 25 |
| 152 | Comparison of Different Oxidation Methods for Recalcitrance Removal of Landfill Leachate. Ozone: Science and Engineering, 2011, 33, 294-300. | 2.5 | 23 |
| 153 | Electron microscopy of polyoxometalate ions on graphene by electro spray ion beam deposition. Nanoscale, 2018, 10, 4952-4961. | 5.6 | 23 |
| 154 | Emergent multiferroism with magnetodielectric coupling in EuTiO ₃ created by a negative pressure control of strong spin-phonon coupling. Nature Communications, 2022, 13, 2364. | 12.8 | 23 |
| 155 | Microstructure, chemistry, and electronic structure of natural hybrid composites in abalone shell. Micron, 2013, 48, 54-64. | 2.2 | 22 |
| 156 | Adsorption and Self-Assembly of M13 Phage into Directionally Organized Structures on C and SiO ₂ Films. Langmuir, 2014, 30, 11428-11432. | 3.5 | 22 |
| 157 | Radiation of Dynamic Toroidal Moments. ACS Photonics, 2019, 6, 467-474. | 6.6 | 22 |
| 158 | Digital modulation of the nickel valence state in a cuprate-nickelate heterostructure. Physical Review Materials, 2018, 2, . | 2.4 | 22 |
| 159 | Electron-beam induced amorphization of stishovite: Silicon-coordination change observed using Si K-edge extended electron energy-loss fine structure. Physics and Chemistry of Minerals, 1998, 25, 83-93. | 0.8 | 21 |
| 160 | Assessment of transition-metal coordination in glasses by electron energy-loss spectroscopy. Physical Review B, 2005, 72, . | 3.2 | 21 |
| 161 | Electric conduction properties of boron-doped ceria. Solid State Ionics, 2011, 192, 65-69. | 2.7 | 21 |
| 162 | ELNES spectroscopy and XANES calculations of the OKedge: Orientation dependence and effects of protons in Mg(OH) ₂ . Physical Review B, 1999, 60, 3815-3820. | 3.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Insights into oxygen-cation bonding in fresnoite-type structures from O K- and Ti L23-electron energy-loss spectra and ab initio calculations of the electronic structure. <i>Physics and Chemistry of Minerals</i> , 2004, 31, 543-552. | 0.8 | 20 |
| 164 | Structural Evolution of Magnesium Difluoride: from an Amorphous Deposit to a New Polymorph. <i>Inorganic Chemistry</i> , 2011, 50, 1563-1569. | 4.0 | 20 |
| 165 | Toward quantitative core-loss EFTEM tomography. <i>Ultramicroscopy</i> , 2011, 111, 1255-1261. | 1.9 | 20 |
| 166 | Direct evidence of a conversion mechanism in a NiSnO ₃ anode for lithium ion battery application. <i>RSC Advances</i> , 2014, 4, 36301-36306. | 3.6 | 20 |
| 167 | On the symmetry and topology of plasmonic eigenmodes in heptamer and hexamer nanocavities. <i>Applied Physics A: Materials Science and Processing</i> , 2014, 116, 947-954. | 2.3 | 20 |
| 168 | Performance Improvement of Perovskite Solar Cells Based on PCBM-Modified ZnO-Nanorod Arrays. <i>IEEE Journal of Photovoltaics</i> , 2016, 6, 1530-1536. | 2.5 | 20 |
| 169 | Substrate-Selective Morphology of Cesium Iodide Clusters on Graphene. <i>ACS Nano</i> , 2020, 14, 4626-4635. | 14.6 | 20 |
| 170 | Various transmission electron microscopic techniques to characterize phase separation – illustrated using a LaF3 containing aluminosilicate glass. <i>Journal of Non-Crystalline Solids</i> , 2009, 355, 393-396. | 3.1 | 19 |
| 171 | Cationic Redistribution at Epitaxial Interfaces in Superconducting Two-Dimensionally Doped Lanthanum Cuprate Films. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 27368-27375. | 8.0 | 19 |
| 172 | Carbon incorporation and deactivation of MgO(0 0 1) supported Pd nanoparticles during CO oxidation. <i>Catalysis Today</i> , 2009, 145, 243-250. | 4.4 | 18 |
| 173 | High spatial resolution mapping of surface plasmon resonance modes in single and aggregated gold nanoparticles assembled on DNA strands. <i>Nanoscale Research Letters</i> , 2013, 8, 337. | 5.7 | 18 |
| 174 | Axially aligned organic fibers and amorphous calcium phosphate form the claws of a terrestrial isopod (Crustacea). <i>Journal of Structural Biology</i> , 2016, 195, 227-237. | 2.8 | 18 |
| 175 | Grain boundary blocking effects in Sm/Yb-doped AlN ceramics. <i>Journal of the European Ceramic Society</i> , 2021, 41, 4870-4875. | 5.7 | 18 |
| 176 | Synthesis and characterization of mixed-valence barium titanates. <i>Philosophical Magazine</i> , 2003, 83, 165-178. | 1.6 | 17 |
| 177 | Transmission electron microscopy study of the intermixing of Fe/Pt multilayers. <i>Journal of Applied Physics</i> , 2008, 103, . | 2.5 | 17 |
| 178 | Imaging the atomic structure and local chemistry of platelets in natural type Ia diamond. <i>Nature Materials</i> , 2018, 17, 243-248. | 27.5 | 17 |
| 179 | Towards atomically resolved EELS elemental and fine structure mapping via multi-frame and energy-offset correction spectroscopy. <i>Ultramicroscopy</i> , 2018, 184, 98-105. | 1.9 | 17 |
| 180 | High-temperature-grown buffer layer boosts electron mobility in epitaxial La-doped BaSnO ₃ /SrZrO ₃ heterostructures. <i>APL Materials</i> , 2019, 7, . | 5.1 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 181 | Superstructure formation in the electron-doped superconducting system $\text{Nd}_{2-x}\text{Ce}_x\text{CuO}_4$. <i>Physica C: Superconductivity and Its Applications</i> , 1991, 174, 63-70. | 1.2 | 16 |
| 182 | Crystalline silicon carbide nanocones and heterostructures induced by released iron nanoparticles. <i>Applied Physics Letters</i> , 2008, 93, 233113. | 3.3 | 16 |
| 183 | EFTEM study of surface plasmon resonances in silver nanoholes. <i>Ultramicroscopy</i> , 2010, 110, 1094-1100. | 1.9 | 16 |
| 184 | Mineralogy and defect microstructure of an olivine-dominated Itokawa dust particle: evidence for shock metamorphism, collisional fragmentation, and LL chondrite origin. <i>Earth, Planets and Space</i> , 2014, 66, 118. | 2.5 | 16 |
| 185 | Atomic-Scale Quantitative Analysis of Lattice Distortions at Interfaces of Two-Dimensionally Sr-Doped $\text{La}_{2-x}\text{CuO}_4$ Superlattices. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 6763-6769. | 8.0 | 16 |
| 186 | Boosting Sodium Storage in $\text{TiF}_3/\text{Carbon Core/Sheath Nanofibers}$ through an Efficient Mixed-Conducting Network. <i>Advanced Energy Materials</i> , 2019, 9, 1901470. | 19.5 | 16 |
| 187 | One-Dimensional Phthalocyanine Nanostructures Directed by Gold Templates. <i>Chemistry of Materials</i> , 2009, 21, 5010-5015. | 6.7 | 15 |
| 188 | Nanosheets of Earth-Abundant Jarosite as Novel Anodes for High-Rate and Long-Life Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 10518-10524. | 8.0 | 15 |
| 189 | Phase constitution, Sr distribution and morphology of self-assembled La-Sr-Co-O composite films prepared by PLD. <i>Solid State Ionics</i> , 2017, 303, 172-180. | 2.7 | 15 |
| 190 | Octahedral Distortions at High-Temperature Superconducting $\text{La}_{2-x}\text{CuO}_4$ Interfaces: Visualizing Jahn-Teller Effects. <i>Advanced Materials Interfaces</i> , 2017, 4, 1700737. | 3.7 | 15 |
| 191 | An optimized TEM specimen preparation method of quantum nanostructures. <i>Micron</i> , 2021, 140, 102979. | 2.2 | 15 |
| 192 | Elemental redistributions at structural defects in $\text{Cu}(\text{In,Ga})\text{Se}_2$ thin films for solar cells. <i>Journal of Applied Physics</i> , 2016, 120, . | 2.5 | 15 |
| 193 | Tunable perpendicular exchange bias in oxide heterostructures. <i>Physical Review Materials</i> , 2019, 3, . | 2.4 | 15 |
| 194 | Determination of Grain-Boundary Structure and Electrostatic Characteristics in a SrTiO_3 Bicrystal by Four-Dimensional Electron Microscopy. <i>Nano Letters</i> , 2021, 21, 9138-9145. | 9.1 | 15 |
| 195 | Pair breaking in the heavy-fermion superconductors $\text{Ce}_{1-x}\text{M}_x\text{Cu}_2\text{Si}_2$ and $\text{U}_{1-x}\text{M}_x\text{Be}_{13}$ (M: Th, La, Y and Tj). <i>ET Og 1</i> 0.784314 rgB 14 | 2.3 | 14 |
| 196 | Cu core-level spectroscopy of $\text{Nd}_{2-x}\text{Ce}_x\text{CuO}_4$. <i>Physical Review B</i> , 1991, 44, 2320-2325. | 3.2 | 14 |
| 197 | Electron energy-loss spectroscopy at incommensurately modulated crystalline and glassy $\text{Ba}_2\text{TiGe}_2\text{O}_8$. <i>Philosophical Magazine</i> , 2004, 84, 3117-3132. | 1.6 | 14 |
| 198 | Phase separation in GaN/AlGaN quantum dots. <i>Applied Physics Letters</i> , 2009, 95, 141901. | 3.3 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 199 | Preparation and characterization of size-controlled CeO ₂ nanoparticles coated with SiO ₂ . Journal of Nanoparticle Research, 2010, 12, 2045-2049. | 1.9 | 14 |
| 200 | Expanding Micelle Nanolithography to the Self-Assembly of Multicomponent Core-Shell Nanoparticles. Journal of the American Chemical Society, 2010, 132, 10671-10673. | 13.7 | 14 |
| 201 | Size control of PtPb intermetallic nanoparticles prepared via microemulsions. Physical Chemistry Chemical Physics, 2011, 13, 9134. | 2.8 | 14 |
| 202 | Biom mineralization of Zinc-Phosphate-Based Nano Needles by Living Microalgae. Journal of Biomaterials and Nanobiotechnology, 2012, 03, 362-370. | 0.5 | 14 |
| 203 | Mineralization of gold nanoparticles using tailored M13 phages. Bioinspired, Biomimetic and Nanobiomaterials, 2013, 2, 173-185. | 0.9 | 14 |
| 204 | Stability of M13 Phage in Organic Solvents. Journal of Biomaterials and Nanobiotechnology, 2016, 07, 72-77. | 0.5 | 14 |
| 205 | Coordination of transition-metals in glasses from high-resolution electron energy-loss spectroscopy. Physica Status Solidi A, 2005, 202, 2355-2360. | 1.7 | 13 |
| 206 | Bottom-Up Tailoring of Plasmonic Nanopods Making Use of the Periodical Topography of Carbon Nanocoil Templates. Advanced Functional Materials, 2012, 22, 5157-5165. | 14.9 | 13 |
| 207 | STEM-EELS analysis of multipole surface plasmon modes in symmetry-broken AuAg nanowire dimers. Nanoscale, 2015, 7, 4935-4941. | 5.6 | 13 |
| 208 | Structural and magnetic properties of ferrihydrite nanoparticles. RSC Advances, 2015, 5, 39643-39650. | 3.6 | 13 |
| 209 | Magnesium-Assisted Continuous Growth of Strongly Iron-Enriched Incisors. ACS Nano, 2017, 11, 239-248. | 14.6 | 13 |
| 210 | Interaction of edge exciton polaritons with engineered defects in the hyperbolic material Bi ₂ Se ₃ . Communications Materials, 2021, 2, . | 6.9 | 13 |
| 211 | Perovskite-like intergrowth structure of the reduced cuprate Nd ₂ CuO _{3.5} : a combination of defect and excess oxygen non-stoichiometry phenomena. Journal of Materials Chemistry, 1994, 4, 895-898. | 6.7 | 12 |
| 212 | Novel binary and ternary phases in the Si-C-N system. Journal of the Ceramic Society of Japan, 2008, 116, 674-680. | 1.1 | 12 |
| 213 | High spatial resolution mapping of individual and collective localized surface plasmon resonance modes of silver nanoparticle aggregates: correlation to optical measurements. Nanoscale Research Letters, 2015, 10, 1024. | 5.7 | 12 |
| 214 | Linking Atomic Structure and Local Chemistry at Manganese-Segregated Antiphase Boundaries in ZrO ₂ -La _{2/3} Sr _{1/3} MnO ₃ Thin Films. Advanced Materials Interfaces, 2015, 2, 1500377. | 3.7 | 12 |
| 215 | Evidence for Cu ₂ Se platelets at grain boundaries and within grains in Cu(In,Ga)Se ₂ thin films. Applied Physics Letters, 2017, 111, . | 3.3 | 12 |
| 216 | High-temperature superconductivity at the lanthanum cuprate/lanthanum-strontium nickelate interface. Nanoscale, 2018, 10, 8712-8720. | 5.6 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | High-Temperature Thermoelectricity in LaNiO_3 - La_2CuO_4 Heterostructures. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 22786-22792. | 8.0 | 12 |
| 218 | Hierarchical Metal Sulfide/Carbon Spheres: A Generalized Synthesis and High Sodium Storage Performance. <i>Angewandte Chemie</i> , 2019, 131, 7316-7321. | 2.0 | 12 |
| 219 | Tunable Magnetic Anisotropy in Patterned SrRuO_3 Quantum Structures: Competition between Lattice Anisotropy and Oxygen Octahedral Rotation. <i>Advanced Functional Materials</i> , 0, , 2108475. | 14.9 | 12 |
| 220 | Self-Assembly of Phthalocyanine Nanotubes by Vapor-Phase Transport. <i>ChemPhysChem</i> , 2008, 9, 1114-1116. | 2.1 | 11 |
| 221 | Direct bandgap measurements in a three-dimensionally macroporous silicon 9R polytype using monochromated transmission electron microscope. <i>Applied Physics Letters</i> , 2010, 97, . | 3.3 | 11 |
| 222 | Determining the Morphology of Polystyrene- <i>block</i> -poly(2-vinylpyridine) Micellar Reactors for ZnO Nanoparticle Synthesis. <i>Langmuir</i> , 2010, 26, 7431-7436. | 3.5 | 11 |
| 223 | Point defect segregation and its role in the detrimental nature of Frank partials in Cu thin-film absorbers. <i>Physical Review B</i> , 2017, 95, . | 3.0 | 11 |
| 224 | Interface Effects on the Ion Transport of Epitaxial $\text{Y}_2\text{Zr}_2\text{O}_7$ Films. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 27257-27265. | 8.0 | 11 |
| 225 | Long-Range Coupling of Toroidal Moments for the Visible. <i>ACS Photonics</i> , 2018, 5, 1326-1333. | 6.6 | 11 |
| 226 | Towards Recycling of LLZO Solid Electrolyte Exemplarily Performed on LFP/LLZO/LTO Cells**. <i>ChemistryOpen</i> , 2022, 11, e202100274. | 1.9 | 11 |
| 227 | Strong reduction of the electron-doped superconductor $\text{Nd}_2\text{xCe}_x\text{CuO}_4$. <i>Physica C: Superconductivity and Its Applications</i> , 1993, 211, 421-432. | 1.2 | 10 |
| 228 | Grain-boundary plane orientation dependence of electrical barriers at $\Sigma 5$ boundaries in SrTiO_3 . <i>Acta Materialia</i> , 2008, 56, 4993-4997. | 7.9 | 10 |
| 229 | Characterization of chemical composition and electronic structure of Pt/YSZ interfaces by analytical transmission electron microscopy. <i>Solid State Ionics</i> , 2010, 181, 1616-1622. | 2.7 | 10 |
| 230 | COD and AOX Removal and Biodegradability Assessment for Fenton and O_3 /UV Oxidation Processes: A Case Study from a Graphical Industry Wastewater. <i>Ozone: Science and Engineering</i> , 2013, 35, 16-21. | 2.5 | 10 |
| 231 | Layer Selective Control of the Lattice Structure in Oxide Superlattices. <i>Advanced Materials</i> , 2014, 26, 258-262. | 21.0 | 10 |
| 232 | Influence of a Second Cation ($\text{M} = \text{Ca}^{2+}$, Mg^{2+}) on the Phase Evolution of $(\text{Ba}_x\text{M}_{1-x})\text{F}_2$ Starting from Amorphous Deposits. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014, 640, 1868-1875. | 1.2 | 10 |
| 233 | Magnetic and magnetotransport properties of ultrathin $\text{La}_{0.7}\text{Ba}_{0.3}\text{MnO}_3$ epitaxial films embedded in SrRuO_3 . <i>New Journal of Physics</i> , 2016, 18, 053021. | 2.9 | 10 |
| 234 | Aqueous Deposition of Ultraviolet Luminescent Columnar Tin-Doped Indium Hydroxide Films. <i>Advanced Functional Materials</i> , 2008, 18, 2572-2583. | 14.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 235 | Correlating the structural, chemical, and optical properties at nanometer resolution. <i>Journal of Applied Physics</i> , 2010, 107, 013501. | 2.5 | 9 |
| 236 | Charge-ordered spinel AlV ₂ O ₄ : High-energy-resolution EELS and computational studies. <i>Physical Review B</i> , 2012, 85, . | 3.2 | 9 |
| 237 | Plasmon energy from strained GaN quantum wells. <i>Applied Physics Letters</i> , 2013, 103, 021901. | 3.3 | 9 |
| 238 | Influence of TEM specimen preparation on chemical composition of Pb(Mg _{1/3} Nb _{2/3})O ₃ ∕PbTiO ₃ single crystals. <i>Micron</i> , 2014, 62, 37-42. | 2.2 | 9 |
| 239 | Mapping the electrostatic potential of Au nanoparticles using hybrid electron holography. <i>Ultramicroscopy</i> , 2016, 165, 8-14. | 1.9 | 9 |
| 240 | Magnetic Properties of Epitaxially Grown SrRuO ₃ Nanodots. <i>Nano Letters</i> , 2019, 19, 1131-1135. | 9.1 | 9 |
| 241 | Probing Charge Accumulation at SrMnO ₃ /SrTiO ₃ Heterointerfaces via Advanced Electron Microscopy and Spectroscopy. <i>ACS Nano</i> , 2020, 14, 12697-12707. | 14.6 | 9 |
| 242 | Optical conductivity and superconductivity in highly overdoped La _{2-x} Ca _x CuO ₄ thin films. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 7.1 | 9 |
| 243 | ∅Fabrication And Plasmonic Characterization Of Au Nanowires With Controlled Surface Morphology. <i>Advanced Materials Letters</i> , 2015, 6, 377-382. | 0.6 | 9 |
| 244 | Engineering ordered arrangements of oxygen vacancies at the surface of superconducting La ₂ CuO ₄ thin films. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2022, 40, . | 2.1 | 9 |
| 245 | EELS of YBa ₂ Cu ₃ O _{7-x} in the TEM. A High Spatial Resolution Method for Analysing the Electronic Structure of High-Tc YBa ₂ Cu ₃ O _{7-x} Thin Films. <i>Physica Status Solidi A</i> , 1991, 128, 129-137. | 1.7 | 8 |
| 246 | The Growth of One-Dimensional CuPcF ₁₆ Nanostructures on Gold Nanoparticles as Studied by Transmission Electron Microscopy Tomography. <i>ACS Nano</i> , 2012, 6, 4039-4044. | 14.6 | 8 |
| 247 | Materials News: Interfacial chemistry and atomic arrangement of ZrO ₂ ∕ La _{2/3} Sr _{1/3} MnO ₃ pillar-matrix structures. <i>APL Materials</i> , 2014, 2, . | 5.1 | 8 |
| 248 | Quantitative electron tomography of PLA/clay nanocomposites to understand the effect of the clays in the thermal stability. <i>Journal of Applied Polymer Science</i> , 2017, 134, . | 2.6 | 8 |
| 249 | STEM SI Warp: A Tool for Correcting the Linear and Nonlinear Distortions for Atomically Resolved STEM Spectrum and Diffraction Imaging. <i>Microscopy and Microanalysis</i> , 2018, 24, 132-133. | 0.4 | 8 |
| 250 | Structural optimization and amorphous calcium phosphate mineralization in sensory setae of a terrestrial crustacean (Isopoda: Oniscidea). <i>Micron</i> , 2018, 112, 26-34. | 2.2 | 8 |
| 251 | Strain-induced structural transition in DyBa ₂ Cu ₃ O _{7-x} films grown by atomic layer-by-layer molecular beam epitaxy. <i>Applied Physics Letters</i> , 2020, 117, . | 3.3 | 8 |
| 252 | Atomic-Scale Tuning of the Charge Distribution by Strain Engineering in Oxide Heterostructures. <i>ACS Nano</i> , 2021, 15, 16228-16235. | 14.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 253 | Electronic and vibrational signatures of ruthenium vacancies in SrTiO_3 thin films. <i>Physical Review Materials</i> , 2019, 3, . | 2.4 | 8 |
| 254 | Experimental Assessment of Structural Differences between Amorphous and Amorphized Matter. <i>Chemistry of Materials</i> , 2006, 18, 5351-5354. | 6.7 | 7 |
| 255 | Manifestation of incommensurate structural modulations in the Ti-L _{2,3} electron energy-loss near-edge structure of $\text{SrTiSi}_2\text{O}_8$. <i>Philosophical Magazine Letters</i> , 2007, 87, 431-439. | 1.2 | 7 |
| 256 | Electron Magnetic Linear Dichroism (EMLD) and Electron Magnetic Circular Dichroism (EMCD) in Electron Energy-Loss Spectroscopy. <i>Microscopy and Microanalysis</i> , 2007, 13, 426-427. | 0.4 | 7 |
| 257 | Yttrium Aluminum Garnet as a Scavenger for Ca and Si. <i>Journal of the American Ceramic Society</i> , 2008, 91, 3663-3667. | 3.8 | 7 |
| 258 | Cross-sectional Characterization of Electrodeposited, Monocrystalline Au Nanowires in Parallel Arrangement. <i>Small</i> , 2012, 8, 3396-3399. | 10.0 | 7 |
| 259 | Investigating hybridization schemes of coupled split-ring resonators by electron impacts. <i>Optics Express</i> , 2015, 23, 20721. | 3.4 | 7 |
| 260 | Strain-induced indium clustering in non-polar a-plane InGaN quantum wells. <i>Acta Materialia</i> , 2018, 145, 109-122. | 7.9 | 7 |
| 261 | Ruddlesden-Popper Faults in NdNiO_3 Thin Films. <i>Symmetry</i> , 2022, 14, 464. | 2.2 | 7 |
| 262 | Pair breaking effects in heavy fermion superconductors. <i>Physica C: Superconductivity and Its Applications</i> , 1988, 153-155, 449-450. | 1.2 | 6 |
| 263 | Evidence for antiferromagnetism in $\text{Ce}_{1-x}\text{La}_x\text{Cu}_2\text{Si}_2$ below 10 K. <i>Journal of Magnetism and Magnetic Materials</i> , 1988, 76-77, 523-524. | 2.3 | 6 |
| 264 | Synthesis and characterization of N-rich single crystalline SiO_xNy nanowires with three-dimensional branches. <i>Applied Physics Letters</i> , 2009, 94, 231903. | 3.3 | 6 |
| 265 | Spin-entropy induced thermopower and spin-blockade effect in CoO. <i>Physical Review B</i> , 2019, 100, . | 3.2 | 6 |
| 266 | 2D Doping of Proton Conductors: BaZrO_3 -Based Heterostructures. <i>Advanced Energy Materials</i> , 2021, 11, 2003267. | 19.5 | 6 |
| 267 | Control of the metal-insulator transition in NdNiO_3 thin films through the interplay between structural and electronic properties. <i>Physical Review Materials</i> , 2021, 5, . | 2.4 | 6 |
| 268 | A comparative study on GaSb epilayers grown on nominal and vicinal Si(100) substrates by molecular beam epitaxy. <i>Semiconductor Science and Technology</i> , 2021, 36, 025011. | 2.0 | 6 |
| 269 | Crystal structure and cation distribution in $\text{Fe}_7\text{SiO}_{10}$ ("Iscoreite"). <i>European Journal of Mineralogy</i> , 2005, 17, 723-731. | 1.3 | 5 |
| 270 | Titanium-silicon oxide film structures for polarization-modulated infrared reflection absorption spectroscopy. <i>Thin Solid Films</i> , 2009, 517, 2048-2054. | 1.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Annealing effect on ion conduction of nanosized CaF ₂ /BaF ₂ multilayers. Journal of Applied Physics, 2009, 105, 114321. | 2.5 | 5 |
| 272 | Transmission electron microscopy study of erbium silicide formation from Ti/Er stack for Schottky contact applications. Journal of Microscopy, 2010, 237, 379-383. | 1.8 | 5 |
| 273 | Step-Flow Growth of Bi ₂ Te ₃ Nanobelts. Crystal Growth and Design, 2016, 16, 6961-6966. | 3.0 | 5 |
| 274 | Strain and size combined effects on the GaN band structure: VEELS and DFT study. Physical Chemistry Chemical Physics, 2017, 19, 5430-5434. | 2.8 | 5 |
| 275 | Structure and chemistry of interfaces between ceria and yttria-stabilized zirconia studied by analytical STEM. Ultramicroscopy, 2018, 188, 90-100. | 1.9 | 5 |
| 276 | Secondary-Phase-Assisted Grain Boundary Migration in CuInSe ₂ . Physical Review Letters, 2020, 124, 095702. | 7.8 | 5 |
| 277 | The Mechanical Consequences of the Interplay of Mineral Distribution and Organic Matrix Orientation in the Claws of the Sea Slater Ligia pallasii. Minerals (Basel, Switzerland), 2021, 11, 1373. | 2.0 | 5 |
| 278 | VEELS band gap measurements using monochromated electrons. Journal of Physics: Conference Series, 2008, 126, 012005. | 0.4 | 4 |
| 279 | Strain mapping for advanced CMOS technologies. Crystal Research and Technology, 2014, 49, 38-42. | 1.3 | 4 |
| 280 | Roughening of a stepped GaN grain boundary with increasing driving force for migration. Europhysics Letters, 2017, 120, 16002. | 2.0 | 4 |
| 281 | Improved sample preparation of beam-sensitive ultra-thin cuprate films. Microscopy and Microanalysis, 2019, 25, 686-687. | 0.4 | 4 |
| 282 | Far-Field Radiation of Three-Dimensional Plasmonic Gold Tapers near Apexes. ACS Photonics, 2019, 6, 2509-2516. | 6.6 | 4 |
| 283 | Prospect for detecting magnetism of a single impurity atom using electron magnetic chiral dichroism. Physical Review B, 2019, 100, . | 3.2 | 4 |
| 284 | Tuning the resistive switching in tantalum oxide-based memristors by annealing. AIP Advances, 2020, 10, . | 1.3 | 4 |
| 285 | Orbital engineering in YVO_3 superlattices. Physical Review B, 2021, 104, . | 3.2 | 4 |
| 286 | Negatively Charged In-Plane and Out-Of-Plane Domain Walls with Oxygen-Vacancy Agglomerations in a Ca-Doped Bismuth-Ferrite Thin Film. ACS Applied Electronic Materials, 2021, 3, 4498-4508. | 4.3 | 4 |
| 287 | Characterization of Iron Valence State and Magnetic Linear Dichroism in Minerals by Electron Energy-Loss Spectroscopy. Microscopy and Microanalysis, 2003, 9, 320-321. | 0.4 | 3 |
| 288 | Internal strain formed in oxide ceramics upon spark-plasma sintering. Philosophical Magazine, 2007, 87, 4555-4566. | 1.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Transmission electron microscopy characterization of Au/Pt/Ti/Pt/GaAs ohmic contacts for high power GaAs/InGaAs semiconductor lasers. <i>Journal of Microscopy</i> , 2010, 237, 347-351. | 1.8 | 3 |
| 290 | Real-space Imaging of Plasmonic Modes of Gold Tapers by EFTEM and EELS. <i>Microscopy and Microanalysis</i> , 2015, 21, 2221-2222. | 0.4 | 3 |
| 291 | On the impact of indium distribution on the electronic properties in InGaN nanodisks. <i>Applied Physics Letters</i> , 2015, 106, 101910. | 3.3 | 3 |
| 292 | Linking Dopant Distribution and Interatomic Distortions at La _{1.6} Mo ₄ CuO ₄ /La ₂ CuO ₄ Superconducting Interfaces. <i>Microscopy and Microanalysis</i> , 2016, 22, 308-309. | 0.4 | 3 |
| 293 | Inline electron holography and VEELS for the measurement of strain in ternary and quaternary (In,Al,Ga)N alloyed thin films and its effect on bandgap energy. <i>Journal of Microscopy</i> , 2016, 261, 27-35. | 1.8 | 3 |
| 294 | Phage-assisted assembly of organic-inorganic hybrid bilayers. <i>International Journal of Materials Research</i> , 2016, 107, 295-299. | 0.3 | 3 |
| 295 | Formation of Pt-Zn Alloy Nanoparticles by Electron-Beam Irradiation of Wurtzite ZnO in the TEM. <i>Nanoscale Research Letters</i> , 2016, 11, 339. | 5.7 | 3 |
| 296 | Controlled self-assembly of biomolecular rods on structured substrates. <i>Soft Matter</i> , 2016, 12, 3177-3183. | 2.7 | 3 |
| 297 | Correction to Step-Flow Growth of Bi ₂ Te ₃ Nanobelts. <i>Crystal Growth and Design</i> , 2017, 17, 1438-1438. | 3.0 | 3 |
| 298 | Perfect quintuple layer Bi ₂ Te ₃ nanowires: Growth and thermoelectric properties. <i>APL Materials</i> , 2017, 5, . | 5.1 | 3 |
| 299 | Interface engineering of Cu(In,Ga)Se ₂ and atomic layer deposited Zn(O,S) heterojunctions. <i>Japanese Journal of Applied Physics</i> , 2017, 56, 08MC16. | 1.5 | 3 |
| 300 | Direct Visualization and Image Simulations of Oxygen Sublattice Occupancy in Thin Cuprate Films. <i>Microscopy and Microanalysis</i> , 2018, 24, 76-77. | 0.4 | 3 |
| 301 | Combined imaging and analytical STEM of ultra-thin cuprate films. <i>Microscopy and Microanalysis</i> , 2019, 25, 1750-1751. | 0.4 | 3 |
| 302 | Improved uniformity and threshold voltage in NbO _x -ZrO ₂ selectors. <i>Applied Physics Letters</i> , 2021, 119, . | 3.3 | 3 |
| 303 | TEM and HAADF STEM Imaging of Dislocation Loops in Irradiated GaAs. <i>Acta Physica Polonica A</i> , 2019, 136, 245-249. | 0.5 | 3 |
| 304 | Electrochemical Route to Large-Area Mono-Crystalline Gold Platelets for High-Quality Plasmonic Applications. , 2014, , . | | 3 |
| 305 | Assembling Metal Organic Layer Composites for High-Performance Electrocatalytic CO ₂ Reduction to Formate. <i>Angewandte Chemie</i> , 2022, 134, . | 2.0 | 3 |
| 306 | Mapping Grain Boundary Potentials by Inline Electron Holography. <i>Microscopy and Microanalysis</i> , 2007, 13, 334-335. | 0.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 307 | Transmission electron microscopy study of the platinum germanide formation process in the Ge/Pt/Ge/SiO ₂ /Si structure. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2008, 154-155, 175-178. | 3.5 | 2 |
| 308 | Application of Monochromated Electrons in EELS. <i>Microscopy and Microanalysis</i> , 2008, 14, 134-135. | 0.4 | 2 |
| 309 | Effect of surface orientation on intrinsic island formation on SrTiO ₃ surfaces. <i>Journal of Physics: Conference Series</i> , 2008, 94, 012013. | 0.4 | 2 |
| 310 | Thickness dependent microstructural changes in La _{0.5} Ca _{0.5} MnO ₃ thin films deposited on (111) SrTiO ₃ . <i>Thin Solid Films</i> , 2010, 518, 4667-4669. | 1.8 | 2 |
| 311 | 3D Elemental Mapping in Nanomaterials by Core-Loss EFTEM Tomography. <i>Microscopy and Microanalysis</i> , 2010, 16, 1842-1843. | 0.4 | 2 |
| 312 | Characterization of Dentine, Dentinal Tubules and Dentine-Enamel Junction in Human Teeth by Advanced Analytical TEM. <i>Microscopy and Microanalysis</i> , 2011, 17, 286-287. | 0.4 | 2 |
| 313 | The Railway Metropolis. , 2016, , 1-17. | | 2 |
| 314 | Electron-Beam-Induced Antiphase Boundary Reconstructions in a ZrO ₂ -LSMO Pillar-Matrix System. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 24177-24185. | 8.0 | 2 |
| 315 | Polyphosphate-accumulating bacterial community colonizing the calcium bodies of terrestrial isopod crustaceans <i>Titanethes albus</i> and <i>Hyloniscus riparius</i> . <i>FEMS Microbiology Ecology</i> , 2017, 93, . | 2.7 | 2 |
| 316 | STEM SI Warp: a Digital Micrograph script tool for warping the image distortions of atomically resolved spectrum image. <i>Microscopy and Microanalysis</i> , 2017, 23, 408-409. | 0.4 | 2 |
| 317 | Metal Fluorideâ€“Lithium Batteries: 3D Honeycomb Architecture Enables a Highâ€“Rate and Longâ€“Life Iron (III) Fluorideâ€“Lithium Battery (Adv. Mater. 43/2019). <i>Advanced Materials</i> , 2019, 31, 1970304. | 21.0 | 2 |
| 318 | Optoelectronic Inactivity of Dislocations in Cu(In,Ga)Se ₂ Thin Films. <i>Physica Status Solidi - Rapid Research Letters</i> , 2021, 15, 2100042. | 2.4 | 2 |
| 319 | Software Precession Electron Diffraction. , 2008, , 201-202. | | 2 |
| 320 | Probing plasmonic excitation mechanisms and far-field radiation of single-crystalline gold tapers with electrons. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2020, 378, 20190599. | 3.4 | 2 |
| 321 | Soft x-ray absorption study of R ₂ CuO _{4-x} . <i>Physica B: Condensed Matter</i> , 1990, 165-166, 1265-1266. | 2.7 | 1 |
| 322 | Time-frequency vector quantization with application to isolated word recognition. , 0, , . | | 1 |
| 323 | Extended energyâ€“loss fine structure spectroscopy of structural modifications in Nd ₂ CuO ₄ at the oxygen K edge. <i>Journal of Microscopy</i> , 1996, 183, 9-17. | 1.8 | 1 |
| 324 | Chemical bonds in damaged and pristine low-Î² materials: A comparative EELS study. <i>Microelectronic Engineering</i> , 2008, 85, 2169-2171. | 2.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 325 | New Ceramic Phases in the Ternary Si-C-N System. Key Engineering Materials, 0, 403, 147-148. | 0.4 | 1 |
| 326 | Nanostructure Characterization of Conical Silicon Carbide Nanowires and Heterostructures Induced by Release Catalysis. Microscopy and Microanalysis, 2009, 15, 1546-1547. | 0.4 | 1 |
| 327 | Low-loss EFTEM Imaging of Surface Plasmon Resonances in Ag Nanostructures. Microscopy and Microanalysis, 2010, 16, 1438-1439. | 0.4 | 1 |
| 328 | ELNES Investigations of Interfaces in Abalone Shell. Microscopy and Microanalysis, 2010, 16, 1218-1219. | 0.4 | 1 |
| 329 | EELS and EFTEM of Surface Plasmons in Metallic Nanostructures. Microscopy and Microanalysis, 2011, 17, 762-763. | 0.4 | 1 |
| 330 | Quantitative determination of compositional profiles using HAADF image simulations. Physica Status Solidi C: Current Topics in Solid State Physics, 2014, 11, 284-288. | 0.8 | 1 |
| 331 | Manganese Segregation at Antiphase Boundaries Connecting ZrO ₂ Pillars in ZrO ₂ -La ₂ O ₃ /sSr ₂ SiO ₅ /sMnO ₂ Pillar-Matrix Structures. Microscopy and Microanalysis, 2015, 21, 2067-2068. | 0.4 | 1 |
| 332 | Compositional and engineering adaptations in dentine explored by analytical STEM. Microscopy and Microanalysis, 2018, 24, 1274-1275. | 0.4 | 1 |
| 333 | Atomically Resolved EELS Elemental and Fine Structure Mapping via Multi-Frame and Energy-Offset Correction Acquisition. Microscopy and Microanalysis, 2018, 24, 448-449. | 0.4 | 1 |
| 334 | EDGE 2017 "Enhanced Data Generated by Electrons, Okinawa, May 2017. Microscopy (Oxford, England), 2018, 67, i1-i2. | 1.5 | 1 |
| 335 | Probing Jahn-Teller Distortions at Superconducting La ₂ CuO ₄ Interfaces. Microscopy and Microanalysis, 2018, 24, 78-79. | 0.4 | 1 |
| 336 | Initial nucleation of amorphous Si ₃ N ₄ ceramics derived from polymer-precursors. Journal of Materials Science and Technology, 2019, 35, 2851-2858. | 10.7 | 1 |
| 337 | Toroidal Moments Probed by Electron Beams. Journal of Physics: Conference Series, 2020, 1461, 012174. | 0.4 | 1 |
| 338 | Respirometric Evaluation of Toxicity of 2,4-Dichlorophenol Towards Activated Sludge and the Ability of Biomass Acclimation. Lecture Notes in Civil Engineering, 2017, , 60-67. | 0.4 | 1 |
| 339 | Low-loss-energy EFTEM imaging of triangular silver nanoparticles. , 2008, , 243-244. | | 1 |
| 340 | Oxygen Vacancies in Perovskite and Related Structures: Implications for the Lower Mantle. Materials Research Society Symposia Proceedings, 2002, 718, 1. | 0.1 | 1 |
| 341 | Coupling of electronic and structural degrees of freedom in vanadate superlattices. Physical Review B, 2022, 105, . | 3.2 | 1 |
| 342 | In honour of the 60th birthday of Wolfgang Friedrich Müller. European Journal of Mineralogy, 2001, 13, 219-220. | 1.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Magnetic Linear Dichroism in Electron Energy-Loss Spectra of alpha-Fe ₂ O ₃ . <i>Microscopy and Microanalysis</i> , 2004, 10, 88-89. | 0.4 | 0 |
| 344 | Silicon Carbide Nanowire Heterostructures Constructed from Released Iron Catalysis. <i>Materials Research Society Symposia Proceedings</i> , 2007, 1058, 1. | 0.1 | 0 |
| 345 | Low-loss EELS with Monochromated Electrons. <i>Microscopy and Microanalysis</i> , 2007, 13, 54-55. | 0.4 | 0 |
| 346 | Strain Mapping of 45 nm MOSFET by Dark-Field Inline Electron Holography. <i>Microscopy and Microanalysis</i> , 2010, 16, 592-593. | 0.4 | 0 |
| 347 | Characterization of ytterbium silicide formed in ultra high vacuum. <i>Journal of Physics: Conference Series</i> , 2010, 209, 012056. | 0.4 | 0 |
| 348 | Low-Dose Strain Mapping by Dark-Field Inline Electron Holography. <i>Microscopy and Microanalysis</i> , 2011, 17, 1228-1229. | 0.4 | 0 |
| 349 | The Stuttgart Center for Electron Microscopy at the Max Planck Institute for Metals Research. <i>International Journal of Materials Research</i> , 2011, 102, 815-827. | 0.3 | 0 |
| 350 | Toroidal Plasmonic Eigenmodes in Oligomer Nanocavities for the Visible Detected by EFTEM and 3D-FDTD Simulations. <i>Microscopy and Microanalysis</i> , 2013, 19, 1932-1933. | 0.4 | 0 |
| 351 | Spectroscopy of optical modes with high spatial, temporal and energy resolution using electron-photon interference effects: A numerical study. , 2013, , . | | 0 |
| 352 | Recent TEM developments applied to quantum structures. <i>MATEC Web of Conferences</i> , 2013, 5, 02001. | 0.2 | 0 |
| 353 | Analytical TEM Study of the Microstructure of LaNiO ₃ /LaAlO ₃ Superlattices. <i>Microscopy and Microanalysis</i> , 2013, 19, 1888-1889. | 0.4 | 0 |
| 354 | Linkage Between Microstructure and Chemical Composition of Iron-Rich Hard Dental Tissues from the Feral Coypu by Analytical TEM Investigations. <i>Microscopy and Microanalysis</i> , 2013, 19, 188-189. | 0.4 | 0 |
| 355 | Electron impact investigation of hybridization scheme in coupled split-ring resonators. , 2014, , . | | 0 |
| 356 | Hybridization of Off-Axis and In-line High-Resolution Electron Holography. <i>Microscopy and Microanalysis</i> , 2014, 20, 272-273. | 0.4 | 0 |
| 357 | Atomic-Scale STEM-EELS Characterization of the Chemistry of Structural Defects and Interfaces in Energy-Related Materials. <i>Microscopy and Microanalysis</i> , 2014, 20, 562-563. | 0.4 | 0 |
| 358 | Plasmons of Hexamer and Pentamer Nanocavities Probed with Swift Electrons. <i>Microscopy and Microanalysis</i> , 2014, 20, 580-581. | 0.4 | 0 |
| 359 | Surprising high iron enrichment in hard dental tissues of rodents. <i>Microscopy and Microanalysis</i> , 2015, 21, 2289-2290. | 0.4 | 0 |
| 360 | Hybrid Calcium Phosphate Neuron-Like Structures under the Microscope. <i>Microscopy and Microanalysis</i> , 2015, 21, 1539-1540. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Direct mapping of strain state in nonpolar InGaN/GaN multilayers using dark-field inline electron holography. , 2015, , . | | 0 |
| 362 | Oxygen Octahedral Picker: A Digital Micrograph Script Tool for Extracting Quantitative Information From HAADF and ABF Images. Microscopy and Microanalysis, 2016, 22, 930-931. | 0.4 | 0 |
| 363 | Plasmons in Mesoscopic Gold Tapers. Microscopy and Microanalysis, 2016, 22, 294-295. | 0.4 | 0 |
| 364 | Structural Anisotropy in a Crustacean Claw Calcified with Amorphous Calcium Phosphate. Microscopy and Microanalysis, 2016, 22, 1868-1869. | 0.4 | 0 |
| 365 | Advances in Momentum-Resolved Dispersion Investigations via Monochromated Electron Energy-Loss Spectroscopy. Microscopy and Microanalysis, 2016, 22, 978-979. | 0.4 | 0 |
| 366 | High Resolution STEM Study of Dy-doped Bi ₂ Te ₃ Thin Films. Microscopy and Microanalysis, 2016, 22, 1516-1517. | 0.4 | 0 |
| 367 | Electron-Beam-Induced Antiphase Boundary Reconstructions in ZrO ₂ -La ₂ /3Sr ₁ /3MnO ₃ Pillar- Matrix Structures. Microscopy and Microanalysis, 2016, 22, 1824-1825. | 0.4 | 0 |
| 368 | Effect of Sludge Retention Time on the Efficiency of Excess Sludge Reduction by Ultrasonic Disintegration. Lecture Notes in Civil Engineering, 2017, , 131-137. | 0.4 | 0 |
| 369 | Influence of Substrate Temperature and Dopant Distribution at Two-Dimensionally Doped Superconducting La ₂ CuO ₄ Interfaces. Microscopy and Microanalysis, 2017, 23, 1570-1571. | 0.4 | 0 |
| 370 | Synthesis of Superconductor-Topological Insulator Hybrid Nanoribbon Structures. Nano, 2017, 12, 1750095. | 1.0 | 0 |
| 371 | Measuring the Cation and Oxygen Atomic Column Displacement at Picometer Precision. Microscopy and Microanalysis, 2017, 23, 1612-1613. | 0.4 | 0 |
| 372 | Magnesium-Supported Continuous Growth of Rodents' Incisors. Microscopy and Microanalysis, 2017, 23, 1320-1321. | 0.4 | 0 |
| 373 | Biomimetic Synthesis of Ceramic Composites. Microscopy and Microanalysis, 2017, 23, 1390-1391. | 0.4 | 0 |
| 374 | Exposing Advanced Building Strategies of Strongly Iron-Enriched Incisors. Microscopy and Microanalysis, 2017, 23, 1848-1849. | 0.4 | 0 |
| 375 | Interaction between Relativistic Electrons and Mesoscopic Plasmonic Tapers. Microscopy and Microanalysis, 2017, 23, 1534-1535. | 0.4 | 0 |
| 376 | Bio-templated Multilayered Organic-Inorganic Composites Investigated by Analytical STEM. Microscopy and Microanalysis, 2018, 24, 1326-1327. | 0.4 | 0 |
| 377 | Analytical STEM of Amorphous and Crystalline Mineral Phases in Calcium Bodies of Terrestrial Crustaceans. Microscopy and Microanalysis, 2018, 24, 1344-1345. | 0.4 | 0 |
| 378 | Orientation of Organic Fibers and the Presence of Amorphous Calcium Phosphate in Elongated Crustacean Skeletal Elements. Microscopy and Microanalysis, 2019, 25, 1106-1107. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | Electron-Driven Photon Sources for Spectral Interferometry using Electron Microscopes. , 2019, , . | | 0 |
| 380 | TEM Sample Preparation of Patterned Quantum Dots. Microscopy and Microanalysis, 2019, 25, 790-791. | 0.4 | 0 |
| 381 | High-resolution Analytical STEM of Defects and Interfaces in Beam-sensitive Ultra-thin Cuprate Films. Microscopy and Microanalysis, 2020, 26, 2972-2973. | 0.4 | 0 |
| 382 | Atomic-scale Identification of High-temperature Superconductivity at La ₂ CuO ₄ Interfaces. Microscopy and Microanalysis, 2020, 26, 738-739. | 0.4 | 0 |
| 383 | Atomic-scale Considerations on LaNiO ₃ -La ₂ CuO ₄ Heterostructures: Interfaceâ€™thermoelectricity Relationship. Microscopy and Microanalysis, 2020, 26, 2626-2627. | 0.4 | 0 |
| 384 | Analysis of Mineralized Matrices in Calcium Bodies with and Without Bacteria in Two Species of Terrestrial Crustaceans. Microscopy and Microanalysis, 2020, 26, 2746-2747. | 0.4 | 0 |
| 385 | Structural, Electronic and Magnetic Properties of a Few Nanometer-Thick Superconducting NdBa ₂ Cu ₃ O ₇ Films. Nanomaterials, 2020, 10, 817. | 4.1 | 0 |
| 386 | Strong Exciton-Photon Interactions in the van der Waals Materials Probed by Electron Beams. , 2021, , . | | 0 |
| 387 | Interplay between structural and electronic properties with the metal-insulator transition in NdNiO ₃ thin films. Microscopy and Microanalysis, 2021, 27, 144-145. | 0.4 | 0 |
| 388 | How sharp are atomically sharp high-T _c La ₂ CuO ₄ interfaces?. Microscopy and Microanalysis, 2021, 27, 700-701. | 0.4 | 0 |
| 389 | Ion transport in nanocrystalline CaF ₂ films. Journal of Applied Physics, 2021, 130, 105301. | 2.5 | 0 |
| 390 | Coexisting commensurate and incommensurate charge ordered phases in CoO. Scientific Reports, 2021, 11, 19415. | 3.3 | 0 |
| 391 | Studying nanocrystallization behaviour of different inorganic glasses using Transmission Electron Microscopy. , 2008, , 523-524. | | 0 |
| 392 | Determination of precise orientation relationships between surface precipitates and matrix in a duplex stainless steel. , 2008, , 659-660. | | 0 |
| 393 | Amorphisation in fersite compounds â€™ a combined ELNES and XANES study. , 2008, , 821-822. | | 0 |
| 394 | Study of the intermixing of Fe-Pt multilayers by analytical and high-resolution transmission electron microscopy. , 2008, , 109-110. | | 0 |
| 395 | Band gap mapping using monochromated electrons. , 2008, , 381-382. | | 0 |
| 396 | Quantitative local strain analysis of Si/SiGe heterostructures using HRTEM. , 2008, , 141-142. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 397 | Direct observation of surface oxidation of Rh nanoparticles on (001) MgO. , 2008, , 225-226. | | 0 |
| 398 | Nonlinear Electron Inline Holography. , 2008, , 263-264. | | 0 |
| 399 | Preparation of SiC/SiC thin foils for TEM observations by wedge polishing method. , 2008, , 817-818. | | 0 |
| 400 | Complex Magnetic Order in Nickelate Slabs. Springer Theses, 2017, , 109-144. | 0.1 | 0 |