

# Frederic Peruch

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8086839/publications.pdf>

Version: 2024-02-01

93  
papers

2,565  
citations

159585

30  
h-index

233421

45  
g-index

94  
all docs

94  
docs citations

94  
times ranked

2735  
citing authors

#	ARTICLE	IF	CITATIONS
1	Unprecedented coupling of natural rubber and ELP: synthesis, characterization and self-assembly properties. <i>Polymer Chemistry</i> , 2021, 12, 6030-6039.	3.9	1
2	Ring-opening (co)polymerization of $\hat{1}^3$ -butyrolactone: a review. <i>Polymer Journal</i> , 2020, 52, 3-11.	2.7	40
3	Ring-opening polymerization of $\hat{1}^3$ -lactones and copolymerization with other cyclic monomers. <i>Progress in Polymer Science</i> , 2020, 110, 101309.	24.7	45
4	Chemo-enzymatic synthesis of glycolipids, their polymerization and self-assembly. <i>Polymer Chemistry</i> , 2020, 11, 3994-4004.	3.9	3
5	N-Heterocyclic carbene/Lewis acid-mediated ring-opening polymerization of propylene oxide. Part 2: Toward dihydroxytelechelic polyethers using triethylborane. <i>European Polymer Journal</i> , 2020, 134, 109839.	5.4	7
6	N-Heterocyclic carbene/Lewis acid-mediated ring-opening polymerization of propylene oxide. Part 1: Triisobutylaluminum as an efficient controlling agent. <i>European Polymer Journal</i> , 2020, 134, 109819.	5.4	7
7	Impact of Fatty Acid Structure on CALB-Catalyzed Esterification of Glucose. <i>European Journal of Lipid Science and Technology</i> , 2020, 122, 1900294.	1.5	22
8	New insight into the cold crystallization of natural rubber: The role of linked and free fatty chains. <i>Polymer Crystallization</i> , 2019, 2, e10075.	0.8	0
9	Facile synthesis of 1,4- <i>cis</i> -polyisoprene-polypeptide hybrids with different architectures. <i>Polymer Chemistry</i> , 2019, 10, 2456-2468.	3.9	5
10	Exploring natural biodiversity to expand access to microbial terpene synthesis. <i>Microbial Cell Factories</i> , 2019, 18, 23.	4.0	22
11	Recyclable Telechelic Cross-Linked Polybutadiene Based on Reversible Diels-Alder Chemistry. <i>Macromolecules</i> , 2018, 51, 651-659.	4.8	55
12	Cationic polymerization of isoprene using CF <sub>3</sub> COOD/TiCl <sub>4</sub> initiating system: A new view on the polymerization mechanism. <i>European Polymer Journal</i> , 2018, 103, 11-20.	5.4	11
13	Aqueous cationic homo- and co-polymerizations of $\hat{1}^2$ -myrcene and styrene: a green route toward terpene-based rubbery polymers. <i>Polymer Chemistry</i> , 2018, 9, 5690-5700.	3.9	49
14	6-O-glucose palmitate synthesis with lipase: Investigation of some key parameters. <i>Molecular Catalysis</i> , 2018, 460, 63-68.	2.0	23
15	Controlled degradation of polyisoprene and polybutadiene: A comparative study of two methods. <i>Polymer Degradation and Stability</i> , 2018, 154, 295-303.	5.8	8
16	Triflate esters as in-situ generated initiating system for carbocationic polymerization of vinyl ethers, isoprene, myrcene and ocimene. <i>European Polymer Journal</i> , 2017, 89, 34-41.	5.4	11
17	Alternating copolymerization of epoxides with anhydrides initiated by organic bases. <i>European Polymer Journal</i> , 2017, 88, 433-447.	5.4	61
18	Water-soluble cellulose oligomer production by chemical and enzymatic synthesis: a mini-review. <i>Polymer International</i> , 2017, 66, 1227-1236.	3.1	24

#	ARTICLE	IF	CITATIONS
19	New insight into the polymerization mechanism of 1,3-dienes cationic polymerization. IV. Mechanism of unsaturation loss in the polymerization of isoprene. <i>Polymer Chemistry</i> , 2017, 8, 926-935.	3.9	26
20	Telechelic Polybutadienes or Polyisoprenes Precursors for Recyclable Elastomeric Networks. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1700475.	3.9	19
21	Engineering of <i>Candida antarctica</i> lipase B for poly( $\mu$ -caprolactone) synthesis. <i>European Polymer Journal</i> , 2017, 95, 809-819.	5.4	17
22	Rubber particle proteins REF1 and SRPP1 interact differently with native lipids extracted from <i>Hevea brasiliensis</i> latex. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017, 1859, 201-210.	2.6	31
23	Comprehensive structural characterization of polyisoprene synthesized via cationic mechanism. <i>Journal of Polymer Science Part A</i> , 2016, 54, 2430-2442.	2.3	24
24	Azaphosphatranes as Hydrogen Bonding Organocatalysts for the Activation of Carbonyl Groups: Investigation of Lactide Ring Opening Polymerization. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 1619-1624.	2.4	10
25	HbIDI, SIIDI and EclDI: A comparative study of isopentenyl diphosphate isomerase activity and structure. <i>Biochimie</i> , 2016, 127, 133-143.	2.6	2
26	Cellulose oligomers production and separation for the synthesis of new fully bio-based amphiphilic compounds. <i>Carbohydrate Polymers</i> , 2016, 154, 121-128.	10.2	21
27	Highlights on <i>Hevea brasiliensis</i> (pro)hevein proteins. <i>Biochimie</i> , 2016, 127, 258-270.	2.6	48
28	Protonated Phosphazenes: Structures and Hydrogen Bonding Organocatalysts for Carbonyl Bond Activation. <i>Advanced Synthesis and Catalysis</i> , 2016, 358, 1110-1118.	4.3	19
29	<i>Hevea brasiliensis</i> prohevein possesses a conserved C-terminal domain with amyloid-like properties in vitro. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2016, 1864, 388-399.	2.3	12
30	A Catalyst Platform for Unique Cationic (Co)Polymerization in Aqueous Emulsion. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 12728-12732.	13.8	31
31	Salphen-Co(III) complexes catalyzed copolymerization of epoxides with CO <sub>2</sub> . <i>Polymer</i> , 2015, 63, 52-61.	3.8	23
32	Carbocationic polymerization of isoprene using cumyl initiators: progress in understanding side reactions. <i>RSC Advances</i> , 2015, 5, 59218-59225.	3.6	12
33	Cyclic Monomers: Epoxides, Lactide, Lactones, Lactams, Cyclic Silicon-Containing Monomers, Cyclic Carbonates, and Others. , 2015, , 191-305.		10
34	UNRAVELING THE MYSTERY OF NATURAL RUBBER BIOSYNTHESIS. PART II: COMPOSITION AND GROWTH OF IN VITRO NATURAL RUBBER USING HIGH-RESOLUTION SIZE EXCLUSION CHROMATOGRAPHY. <i>Rubber Chemistry and Technology</i> , 2014, 87, 451-458.	1.2	4
35	<i>Hevea brasiliensis</i> REF (Hev b 1) and SRPP (Hev b 3): An overview on rubber particle proteins. <i>Biochimie</i> , 2014, 106, 1-9.	2.6	100
36	Homologous <i>Hevea brasiliensis</i> REF (Hevb1) and SRPP (Hevb3) present different auto-assembling. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014, 1844, 473-485.	2.3	27

#	ARTICLE	IF	CITATIONS
37	Î±-Halogenoacetanilides as Hydrogen-Bonding Organocatalysts that Activate Carbonyl Bonds: Fluorine versus Chlorine and Bromine. <i>Chemistry - A European Journal</i> , 2014, 20, 2849-2859.	3.3	17
38	Metathetic degradation of trans-1,4-polyisoprene with ruthenium catalysts. <i>Polymer Degradation and Stability</i> , 2014, 99, 249-253.	5.8	18
39	Unexpected dimerization of isoprene in a gas chromatography inlet. A study by gas chromatography/mass spectrometry coupling. <i>Journal of Chromatography A</i> , 2014, 1331, 133-138.	3.7	7
40	Controlled bulk polymerization of l-lactide and lactones by dual activation with organo-catalytic systems. <i>RSC Advances</i> , 2014, 4, 14725.	3.6	41
41	Rubber particle proteins, HbREF and HbSRPP, show different interactions with model membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2014, 1838, 287-299.	2.6	63
42	Copolymerisation of Îµ-caprolactone and trimethylene carbonate catalysed by methanesulfonic acid. <i>European Polymer Journal</i> , 2013, 49, 4025-4034.	5.4	17
43	Carbocationic polymerization of isoprene initiated by dimethylallyl derivatives associated with B(C6F5)3. <i>Polymer Chemistry</i> , 2013, 4, 1874.	3.9	11
44	A New Insight Into the Mechanism of the Ring-Opening Polymerization of Trimethylene Carbonate Catalyzed by Methanesulfonic Acid. <i>Macromolecular Chemistry and Physics</i> , 2013, 214, 85-93.	2.2	17
45	Activation of carbonyl bonds by quaternary ammoniums and a (Na <sup>+</sup> :crown-ether) complex: investigation of the ring-opening polymerization of cyclic esters. <i>Polymer Chemistry</i> , 2013, 4, 3491.	3.9	40
46	Cationic polymerization of isoprene initiated by 2-cyclohexylidene ethanol-B(C6F5)3: an insight into initiation and branching reactions. <i>Polymer Chemistry</i> , 2013, 4, 407-413.	3.9	19
47	Isopentenyl diphosphate isomerase: A checkpoint to isoprenoid biosynthesis. <i>Biochimie</i> , 2012, 94, 1621-1634.	2.6	136
48	Polyisoprene synthesized via cationic polymerization: State of the art. <i>Pure and Applied Chemistry</i> , 2012, 84, 2065-2080.	1.9	43
49	Graft Copolymers and Comb-Shaped Homopolymers. , 2012, , 511-542.		10
50	Ring-opening polymerization of lactones using supramolecular organocatalysts under simple conditions. <i>RSC Advances</i> , 2012, 2, 12851.	3.6	49
51	Bio-inspired cationic polymerization of isoprene and analogues: state-of-the-art. <i>Polymer International</i> , 2012, 61, 149-156.	3.1	38
52	Block and random copolymerization of Îµ-caprolactone, L-L, and rac-lactide using titanium complex derived from aminodiol ligand. <i>Journal of Polymer Science Part A</i> , 2012, 50, 2161-2171.	2.3	60
53	Rubber Elongation Factor (REF), a Major Allergen Component in <i>Hevea brasiliensis</i> Latex Has Amyloid Properties. <i>PLoS ONE</i> , 2012, 7, e48065.	2.5	80
54	Titanium complexes based on aminodiol ligands for the ring opening polymerization of l- and d,l-lactide. <i>Polymer</i> , 2011, 52, 4686-4693.	3.8	24

#	ARTICLE	IF	CITATIONS
55	Controlled Ring-Opening Polymerization of L-Lactide Triggered by Supramolecular Organocatalytic Systems. ACS Symposium Series, 2011, , 153-168.	0.5	0
56	Carbocationic Polymerization of Isoprene Co-initiated by B(C <sub>6</sub> F <sub>5</sub> ) <sub>3</sub> : An Alternative Route toward Natural Rubber Polymer Analogues?. Macromolecules, 2011, 44, 1372-1384.	4.8	76
57	Cationation of dimethylallyl alcohols by B(C <sub>6</sub> F <sub>5</sub> ) <sub>3</sub> as models of the (Re)initiation reaction in the bio-inspired cationic polymerization of isoprene. Journal of Polymer Science Part A, 2011, 49, 4948-4954.	2.3	10
58	Titanium complexes based on aminodiol ligands for the ring-opening polymerization of $\epsilon$ -caprolactone, $\epsilon$ -butyrolactone, and trimethylene carbonate. Journal of Polymer Science Part A, 2011, 49, 5176-5185.	2.3	21
59	Phenols and Tertiary Amines: An Amazingly Simple Hydrogen-Bonding Organocatalytic System Promoting Ring Opening Polymerization. Advanced Synthesis and Catalysis, 2011, 353, 1049-1054.	4.3	41
60	(Thio)Amidoindoles and (Thio)Amidobenzimidazoles: An Investigation of Their Hydrogen-Bonding and Organocatalytic Properties in the Ring-Opening Polymerization of Lactide. Chemistry - A European Journal, 2010, 16, 4196-4205.	3.3	60
61	Ring-Opening Polymerization of L-Lactide Catalyzed by an Organocatalytic System Combining Acidic and Basic Sites. Macromolecules, 2010, 43, 8874-8879.	4.8	66
62	Biomimetic processes. IV. Carbocationic polymerization of isoprene initiated by dimethyl allyl alcohol. Journal of Polymer Science Part A, 2009, 47, 2181-2189.	2.3	19
63	Biomimetic carbocationic polymerizations III: Investigation of isoprene polymerization initiated by dimethyl allyl bromide. Journal of Polymer Science Part A, 2009, 47, 2172-2180.	2.3	24
64	Biomimetic processes II. Carbocationic polymerization of isopentenyl alcohol: A model for the synthesis of natural rubber?. Materials Science and Engineering C, 2009, 29, 357-362.	7.3	7
65	Ring-Opening Polymerization of L-Lactide Efficiently Triggered by an Amido-Indole. X-ray Structure of a Complex between L-Lactide and the Hydrogen-Bonding Organocatalyst. Journal of the American Chemical Society, 2009, 131, 15088-15089.	13.7	61
66	Synthesis of dihydroxy poly(ethylene-co-butadiene) via metathetical depolymerization: Kinetic and mechanistic aspects. Polymer, 2008, 49, 4935-4941.	3.8	27
67	The effect of polymerization temperature on the structure and properties of poly(1-hexene) and poly(1-decene) prepared with a Ni(II)-diimine catalyst. Catalysis Today, 2008, 133-135, 879-885.	4.4	14
68	New Materials Designed by Coordination Polymerization of $\alpha$ -undecenyl Macromonomers. Macromolecular Symposia, 2006, 236, 168-176.	0.7	2
69	Coordination Homopolymerization of $\alpha$ -undecenyl Poly(styrene-block-isoprene) Macromonomers in the Presence of CGC-Ti/MAO Complexes. Macromolecular Symposia, 2006, 236, 177-185.	0.7	2
70	Design of new poly(ethylene) based materials by coordination (co)polymerization of macromonomers with ethylene. Polymers for Advanced Technologies, 2006, 17, 621-624.	3.2	3
71	Design of new styrene enriched polyethylenes via coordination copolymerization of ethylene with mono- or $\alpha$ -difunctional polystyrene macromonomers. Polymer, 2006, 47, 1063-1072.	3.8	15
72	Modified Pyridine-Bis(imine) Iron and Cobalt Complexes: Synthesis, Structure, and Ethylene Polymerization Study. European Journal of Inorganic Chemistry, 2006, 2006, 4309-4316.	2.0	29

#	ARTICLE	IF	CITATIONS
73	Strained Diphosphines Built upon a Calix[4]arene Skeleton. Synthesis of a Highly Active Norbornene Polymerization Catalyst. <i>Macromolecular Rapid Communications</i> , 2006, 27, 865-870.	3.9	17
74	Solution and bulk rheological behavior of poly(ethylenes) based on VERSIPOL <sup>®</sup> , $\zeta$ catalysts. <i>Polymer</i> , 2005, 46, 8913-8925.	3.8	9
75	Pyridine bis(imino) iron and cobalt complexes for ethylene polymerization: influence of the aryl imino substituents. <i>European Polymer Journal</i> , 2005, 41, 1288-1295.	5.4	33
76	From free radical to atom transfer radical polymerization of poly(ethylene oxide) macromonomers in nanostructured media. <i>Designed Monomers and Polymers</i> , 2004, 7, 583-601.	1.6	13
77	Homopolymerization of $\beta$ -Styryl-Polystyrene Macromonomers in the Presence of CpTiF <sub>3</sub> /MAO. <i>Macromolecular Rapid Communications</i> , 2004, 25, 1010-1014.	3.9	7
78	Diphosphines with Expandable Bite Angles: Highly Active Ethylene Dimerisation Catalysts Based on Upper Rim, Distally Diphosphinated Calix[4]arenes. <i>Chemistry - A European Journal</i> , 2004, 10, 5354-5360.	3.3	50
79	Iron complexes of terdentate nitrogen ligands: formation and X-ray structure of three new dicationic complexes. <i>Polyhedron</i> , 2004, 23, 3193-3199.	2.2	32
80	Macromonomers and coordination polymerization. <i>Macromolecular Symposia</i> , 2004, 213, 253-264.	0.7	2
81	Polymerization of norbornene with Co(II) complexes. <i>Macromolecular Symposia</i> , 2004, 213, 265-274.	0.7	12
82	Cyclodextrin-Encapsulated Iron Catalysts for the Polymerization of Ethylene. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 805-809.	2.0	39
83	Polymerization of Norbornene with CoCl <sub>2</sub> and Pyridine Bisimine Cobalt(II) Complexes Activated with MAO. <i>Macromolecular Rapid Communications</i> , 2003, 24, 768-771.	3.9	43
84	Transition Metal Based Homopolymerisation of Macromonomers. <i>ChemInform</i> , 2003, 34, no.	0.0	0
85	Macromonomers as well-defined building blocks in macromolecular engineering. <i>Macromolecular Symposia</i> , 2002, 183, 159-164.	0.7	15
86	Homo- and Copolymerization of $\beta$ -Functional Polystyrene Macromonomers via Coordination Polymerization. <i>Macromolecular Chemistry and Physics</i> , 2002, 203, 2583-2589.	2.2	35
87	Transition metal-based homopolymerisation of macromonomers. <i>Comptes Rendus Chimie</i> , 2002, 5, 225-234.	0.5	19
88	Pyridine bis(imine) cobalt or iron complexes for ethylene and 1-hexene (co)polymerisation. <i>Comptes Rendus Chimie</i> , 2002, 5, 43-48.	0.5	28
89	Kinetic and UV-Visible Spectroscopic Studies of Hex-1-ene Polymerization Initiated by an $\eta^5$ -Diimine-[N,N] Nickel Dibromide/MAO Catalytic System. <i>Macromolecules</i> , 1999, 32, 7977-7983.	4.8	67
90	New catalysts for olefin polymerization: from elementary processes to the synthesis of polyolefins. <i>Polymer International</i> , 1999, 48, 257-263.	3.1	26

#	ARTICLE	IF	CITATIONS
91	Homopolymerization and copolymerization of styrene and norbornene with Ni-based/MAO catalysts. <i>Macromolecular Chemistry and Physics</i> , 1998, 199, 2221-2227.	2.2	92
92	Influence of various proton traps on the bifunctional cationic polymerization of chloroethyl vinyl ether mediated by $I^{\pm}$ -iodo ether/zinc dichloride. <i>Macromolecular Chemistry and Physics</i> , 1996, 197, 2603-2613.	2.2	20
93	Reprocessable Covalent Elastomeric Networks from Functionalized 1,4- <i>cis</i> -Polyisoprene and -Polybutadiene. <i>Macromolecules</i> , 0, , .	4.8	6