

Dario Leister

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8089795/publications.pdf>

Version: 2024-02-01

206
papers

17,839
citations

12330

69
h-index

15732

125
g-index

348
all docs

348
docs citations

348
times ranked

13798
citing authors

#	ARTICLE	IF	CITATIONS
1	Redesigning the photosynthetic light reactions to enhance photosynthesis – the <i>PhotoRedesign</i> consortium. <i>Plant Journal</i> , 2022, 109, 23-34.	5.7	21
2	Dynamic light- and acetate-dependent regulation of the proteome and lysine acetylation of <i>Chlamydomonas</i> . <i>Plant Journal</i> , 2022, 109, 261-277.	5.7	10
3	Chloroplasts are key players to cope with light and temperature stress. <i>Trends in Plant Science</i> , 2022, 27, 577-587.	8.8	37
4	Loss of a pyridoxal-phosphate phosphatase rescues <i>Arabidopsis</i> lacking an endoplasmic reticulum ATP carrier. <i>Plant Physiology</i> , 2022, 189, 49-65.	4.8	4
5	The RNA-binding protein RBP45D of <i>Arabidopsis</i> promotes transgene silencing and flowering time. <i>Plant Journal</i> , 2022, 109, 1397-1415.	5.7	13
6	An ancient function of PGR5 in iron delivery?. <i>Trends in Plant Science</i> , 2022, 27, 971-980.	8.8	5
7	CIA2 and CIA2-LIKE are required for optimal photosynthesis and stress responses in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2021, 105, 619-638.	5.7	20
8	Modulating the activities of chloroplasts and mitochondria promotes adenosine triphosphate production and plant growth. <i>Quantitative Plant Biology</i> , 2021, 2, .	2.0	8
9	<i>Arabidopsis</i> Mitochondrial Transcription Termination Factor mTERF2 Promotes Splicing of Group IIB Introns. <i>Cells</i> , 2021, 10, 315.	4.1	15
10	Light-Dependent Translation Change of <i>Arabidopsis</i> psbA Correlates with RNA Structure Alterations at the Translation Initiation Region. <i>Cells</i> , 2021, 10, 322.	4.1	9
11	Inactivation of cytosolic FUMARASE2 enhances growth and photosynthesis under simultaneous copper and iron deprivation in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2021, 106, 766-784.	5.7	4
12	The acidic domain of the chloroplast RNA-binding protein CP31A supports cold tolerance in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2021, 72, 4904-4914.	4.8	4
13	Enhancing photosynthesis at high light levels by adaptive laboratory evolution. <i>Nature Plants</i> , 2021, 7, 681-695.	9.3	24
14	NTRC Effects on Non-Photochemical Quenching Depends on PGR5. <i>Antioxidants</i> , 2021, 10, 900.	5.1	10
15	PGRL2 triggers degradation of PGR5 in the absence of PGRL1. <i>Nature Communications</i> , 2021, 12, 3941.	12.8	31
16	Gene Replacement in <i>Arabidopsis</i> Reveals Manganese Transport as an Ancient Feature of Human, Plant and Cyanobacterial UPF0016 Proteins. <i>Frontiers in Plant Science</i> , 2021, 12, 697848.	3.6	5
17	Introduction of the Carotenoid Biosynthesis β -Branch Into <i>Synechocystis</i> sp. PCC 6803 for Lutein Production. <i>Frontiers in Plant Science</i> , 2021, 12, 699424.	3.6	9
18	Acclimation in plants – the Green Hub consortium. <i>Plant Journal</i> , 2021, 106, 23-40.	5.7	44

#	ARTICLE	IF	CITATIONS
19	Lack of FIBRILLIN6 in <i>Arabidopsis thaliana</i> affects light acclimation and sulfate metabolism. <i>New Phytologist</i> , 2020, 225, 1715-1731.	7.3	15
20	Cellulose defects in the <i>Arabidopsis</i> secondary cell wall promote early chloroplast development. <i>Plant Journal</i> , 2020, 101, 156-170.	5.7	21
21	Accelerated relaxation of photoprotection impairs biomass accumulation in <i>Arabidopsis</i> . <i>Nature Plants</i> , 2020, 6, 9-12.	9.3	63
22	Alternative electron pathways in photosynthesis: strength in numbers. <i>New Phytologist</i> , 2020, 228, 1166-1168.	7.3	6
23	Translational Components Contribute to Acclimation Responses to High Light, Heat, and Cold in <i>Arabidopsis</i> . <i>IScience</i> , 2020, 23, 101331.	4.1	48
24	The Chloroplast RNA Binding Protein CP31A Has a Preference for mRNAs Encoding the Subunits of the Chloroplast NAD(P)H Dehydrogenase Complex and Is Required for Their Accumulation. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5633.	4.1	9
25	Chloroplast development and genomes uncoupled signaling are independent of the RNA-directed DNA methylation pathway. <i>Scientific Reports</i> , 2020, 10, 15412.	3.3	6
26	The <i>Arabidopsis</i> Protein CGL20 Is Required for Plastid 50S Ribosome Biogenesis. <i>Plant Physiology</i> , 2020, 182, 1222-1238.	4.8	14
27	Plastocyanin is the long-range electron carrier between photosystem II and photosystem I in plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 15354-15362.	7.1	57
28	The <i>Arabidopsis</i> SAFEGUARD1 suppresses singlet oxygen-induced stress responses by protecting grana margins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 6918-6927.	7.1	41
29	Homologous Proteins of the Manganese Transporter PAM71 Are Localized in the Golgi Apparatus and Endoplasmic Reticulum. <i>Plants</i> , 2020, 9, 239.	3.5	14
30	Systems biology of responses to simultaneous copper and iron deficiency in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2020, 103, 2119-2138.	5.7	12
31	VENOSA4, a Human dNTPase SAMHD1 Homolog, Contributes to Chloroplast Development and Abiotic Stress Tolerance. <i>Plant Physiology</i> , 2020, 182, 721-729.	4.8	11
32	Extending the Repertoire of mTERF Proteins with Functions in Organellar Gene Expression. <i>Molecular Plant</i> , 2020, 13, 817-819.	8.3	8
33	Genetic Engineering, Synthetic Biology and the Light Reactions of Photosynthesis. <i>Plant Physiology</i> , 2019, 179, 778-793.	4.8	55
34	Thawing out frozen metabolic accidents. <i>BMC Biology</i> , 2019, 17, 8.	3.8	8
35	Relationship of GUN1 to FUG1 in chloroplast protein homeostasis. <i>Plant Journal</i> , 2019, 99, 521-535.	5.7	35
36	Extrachloroplastic PP7L Functions in Chloroplast Development and Abiotic Stress Tolerance. <i>Plant Physiology</i> , 2019, 180, 323-341.	4.8	30

#	ARTICLE	IF	CITATIONS
37	The retrograde signaling protein GUN1 regulates tetrapyrrole biosynthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 24900-24906.	7.1	48
38	Evidence that cyanobacterial Sll1217 functions analogously to PGRL1 in enhancing PGR5-dependent cyclic electron flow. <i>Nature Communications</i> , 2019, 10, 5299.	12.8	33
39	PUMPKIN, the Sole Plastid UMP Kinase, Associates with Group II Introns and Alters Their Metabolism. <i>Plant Physiology</i> , 2019, 179, 248-264.	4.8	23
40	Plastid-to-Nucleus Retrograde Signalling during Chloroplast Biogenesis Does Not Require ABI4. <i>Plant Physiology</i> , 2019, 179, 18-23.	4.8	52
41	Piecing the Puzzle Together: The Central Role of Reactive Oxygen Species and Redox Hubs in Chloroplast Retrograde Signaling. <i>Antioxidants and Redox Signaling</i> , 2019, 30, 1206-1219.	5.4	51
42	Fine-Tuning of Photosynthesis Requires CURVATURE THYLAKOID1-Mediated Thylakoid Plasticity. <i>Plant Physiology</i> , 2018, 176, 2351-2364.	4.8	46
43	Novel <i>scp</i> DNA-related proteins in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2018, 217, 480-490.	7.3	70
44	Pausing of Chloroplast Ribosomes Is Induced by Multiple Features and Is Linked to the Assembly of Photosynthetic Complexes. <i>Plant Physiology</i> , 2018, 176, 2557-2569.	4.8	33
45	The DEAD-box RNA Helicase RH50 Is a 23S-4.5S rRNA Maturation Factor that Functionally Overlaps with the Plastid Signaling Factor GUN1. <i>Plant Physiology</i> , 2018, 176, 634-648.	4.8	49
46	The Plastid Envelope CHLOROPLAST MANGANESE TRANSPORTER1 Is Essential for Manganese Homeostasis in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2018, 11, 955-969.	8.3	83
47	Experimental evolution in photoautotrophic microorganisms as a means of enhancing chloroplast functions. <i>Essays in Biochemistry</i> , 2018, 62, 77-84.	4.7	11
48	Chlorophyll Fluorescence Video Imaging: A Versatile Tool for Identifying Factors Related to Photosynthesis. <i>Frontiers in Plant Science</i> , 2018, 9, 55.	3.6	18
49	Beyond Histones: New Substrate Proteins of Lysine Deacetylases in <i>Arabidopsis</i> Nuclei. <i>Frontiers in Plant Science</i> , 2018, 9, 461.	3.6	18
50	CHLOROPLAST RIBOSOME ASSOCIATED Supports Translation under Stress and Interacts with the Ribosomal 30S Subunit. <i>Plant Physiology</i> , 2018, 177, 1539-1554.	4.8	29
51	Plants contain small families of LIPF0016 proteins including the PHOTOSYNTHESIS AFFECTED MUTANT71 transporter. <i>Plant Signaling and Behavior</i> , 2017, 12, e1278101.	2.4	13
52	SNOWY COTYLEDON 2 Promotes Chloroplast Development and Has a Role in Leaf Variegation in <i>Both Lotus japonicus</i> and <i>Arabidopsis thaliana</i> . <i>Molecular Plant</i> , 2017, 10, 721-734.	8.3	37
53	The transporter Syn <i>scp</i> PAM <i>scp</i> 71 is located in the plasma membrane and thylakoids, and mediates manganese tolerance in <i>Synechocystis</i> <i>scp</i> PCC <i>scp</i> 6803. <i>New Phytologist</i> , 2017, 215, 256-268.	7.3	47
54	Lysine acetylome profiling uncovers novel histone deacetylase substrate proteins in <i>Arabidopsis</i> . <i>Molecular Systems Biology</i> , 2017, 13, 949.	7.2	141

#	ARTICLE	IF	CITATIONS
55	E3 ligase SAUL1 serves as a positive regulator of PAMP-triggered immunity and its homeostasis is monitored by immune receptor SOC3. <i>New Phytologist</i> , 2017, 215, 1516-1532.	7.3	69
56	PALE CRESS binds to plastid RNAs and facilitates the biogenesis of the 50S ribosomal subunit. <i>Plant Journal</i> , 2017, 92, 400-413.	5.7	26
57	Enhancing (crop) plant photosynthesis by introducing novel genetic diversity. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2017, 372, 20160380.	4.0	26
58	Paternal inheritance of plastid-encoded transgenes in <i>Petunia hybrida</i> in the greenhouse and under field conditions. <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2017, 16, 26-31.	4.4	5
59	Organellar Gene Expression and Acclimation of Plants to Environmental Stress. <i>Frontiers in Plant Science</i> , 2017, 08, 387.	3.6	69
60	<i>Arabidopsis thaliana</i> mTERF10 and mTERF11, but Not mTERF12, Are Involved in the Response to Salt Stress. <i>Frontiers in Plant Science</i> , 2017, 8, 1213.	3.6	29
61	Editorial: Plastid Proteostasis: Relevance of Transcription, Translation, and Post-translational Modifications. <i>Frontiers in Plant Science</i> , 2017, 8, 1759.	3.6	1
62	Editorial: Relevance of Translational Regulation on Plant Growth and Environmental Responses. <i>Frontiers in Plant Science</i> , 2017, 8, 2170.	3.6	3
63	Recent advances in understanding photosynthesis. <i>F1000Research</i> , 2016, 5, 2890.	1.6	12
64	Photosystem II Assembly from Scratch. <i>Frontiers in Plant Science</i> , 2016, 6, 1234.	3.6	2
65	Definition of a core module for the nuclear retrograde response to altered organellar gene expression identifies <i>GLK</i> overexpressors as <i>gun</i> mutants. <i>Physiologia Plantarum</i> , 2016, 157, 297-309.	5.2	48
66	The Evolutionarily Conserved Protein PHOTOSYNTHESIS AFFECTED MUTANT71 is Required for Efficient Manganese Uptake at the Thylakoid Membrane in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2016, 28, tpc.00812.2015.	6.6	94
67	FtsH facilitates proper biosynthesis of photosystem I in <i>Arabidopsis thaliana</i> . <i>Plant Physiology</i> , 2016, 171, pp.00200.2016.	4.8	28
68	Chloroplast retrograde signal regulates flowering. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 10708-10713.	7.1	51
69	Thylakoid Membrane Architecture in <i>Synechocystis</i> Depends on CurT, a Homolog of the Granal CURVATURE THYLAKOID1 Proteins. <i>Plant Cell</i> , 2016, 28, 2238-2260.	6.6	51
70	Nanostructured Antimony-Doped Tin Oxide Layers with Tunable Pore Architectures as Versatile Transparent Current Collectors for Biophotovoltaics. <i>Advanced Functional Materials</i> , 2016, 26, 6682-6692.	14.9	28
71	Convergence of light and chloroplast signals for de-etiolation through ABI4-HY5 and COP1. <i>Nature Plants</i> , 2016, 2, 16066.	9.3	81
72	Plastid-nucleus communication involves calcium-modulated MAPK signalling. <i>Nature Communications</i> , 2016, 7, 12173.	12.8	70

#	ARTICLE	IF	CITATIONS
73	Photosynthesis: Complex flexibilities. <i>Nature Plants</i> , 2016, 2, 16135.	9.3	0
74	The antimycin A-sensitive pathway of cyclic electron flow: from 1963 to 2015. <i>Photosynthesis Research</i> , 2016, 129, 231-238.	2.9	43
75	PGR5-PGRL1-Dependent Cyclic Electron Transport Modulates Linear Electron Transport Rate in <i>Arabidopsis thaliana</i> . <i>Molecular Plant</i> , 2016, 9, 271-288.	8.3	119
76	The Arabidopsis Protein CGLD11 Is Required for Chloroplast ATP Synthase Accumulation. <i>Molecular Plant</i> , 2016, 9, 885-899.	8.3	17
77	Functional relationship between mTERF4 and GUN1 in retrograde signaling. <i>Journal of Experimental Botany</i> , 2016, 67, 3909-3924.	4.8	31
78	Retrograde signaling: Organelles go networking. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2016, 1857, 1313-1325.	1.0	191
79	GUN1 Controls Accumulation of the Plastid Ribosomal Protein S1 at the Protein Level and Interacts with Proteins Involved in Plastid Protein Homeostasis. <i>Plant Physiology</i> , 2016, 170, 1817-1830.	4.8	100
80	Towards understanding the evolution and functional diversification of DNA-containing plant organelles. <i>F1000Research</i> , 2016, 5, 330.	1.6	13
81	Emerging functions of mammalian and plant mTERFs. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2015, 1847, 786-797.	1.0	59
82	Assembly of F1FO-ATP synthases. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2015, 1847, 849-860.	1.0	82
83	Photosynthetic lesions can trigger accelerated senescence in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2015, 66, 6891-6903.	4.8	33
84	A Member of the Arabidopsis Mitochondrial Transcription Termination Factor Family Is Required for Maturation of Chloroplast Transfer RNA ^{leu} (GAU). <i>Plant Physiology</i> , 2015, 169, 627-646.	4.8	62
85	Low frequency paternal transmission of plastid genes in Brassicaceae. <i>Transgenic Research</i> , 2015, 24, 267-277.	2.4	19
86	Functional characterization of the two ferrochelatases in <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2015, 38, 280-298.	5.7	67
87	Chloroplast evolution, structure and functions. <i>F1000prime Reports</i> , 2014, 6, 40.	5.9	106
88	Cyanobacteria as an Experimental Platform for Modifying Bacterial and Plant Photosynthesis. <i>Frontiers in Bioengineering and Biotechnology</i> , 2014, 2, 7.	4.1	24
89	Redox Regulation of Arabidopsis Mitochondrial Citrate Synthase. <i>Molecular Plant</i> , 2014, 7, 156-169.	8.3	89
90	The Arabidopsis Class II Sirtuin Is a Lysine Deacetylase and Interacts with Mitochondrial Energy Metabolism. <i>Plant Physiology</i> , 2014, 164, 1401-1414.	4.8	96

#	ARTICLE	IF	CITATIONS
91	Complexities of the ubiquitous RNA-binding CSP41 proteins. <i>Frontiers in Plant Science</i> , 2014, 5, 255.	3.6	11
92	A single vector-based strategy for marker-less gene replacement in <i>Synechocystis</i> sp. PCC 6803. <i>Microbial Cell Factories</i> , 2014, 13, 4.	4.0	32
93	Meta-Analysis of Retrograde Signaling in <i>Arabidopsis thaliana</i> Reveals a Core Module of Genes Embedded in Complex Cellular Signaling Networks. <i>Molecular Plant</i> , 2014, 7, 1167-1190.	8.3	69
94	The <i>Arabidopsis</i> Protein CONSERVED ONLY IN THE GREEN LINEAGE160 Promotes the Assembly of the Membranous Part of the Chloroplast ATP Synthase. <i>Plant Physiology</i> , 2014, 165, 207-226.	4.8	35
95	The <i>Arabidopsis</i> Tellurite resistance C protein together with <i>ALB3</i> is involved in photosystem II protein synthesis. <i>Plant Journal</i> , 2014, 78, 344-356.	5.7	37
96	<i>AtSIA1</i> and <i>AtOSA1</i> : two <i>AtABC1</i> proteins involved in oxidative stress responses and iron distribution within chloroplasts. <i>New Phytologist</i> , 2014, 201, 452-465.	7.3	28
97	Intracellular Communication. <i>Molecular Plant</i> , 2014, 7, 1071-1074.	8.3	10
98	Structure and dynamics of thylakoids in land plants. <i>Journal of Experimental Botany</i> , 2014, 65, 1955-1972.	4.8	251
99	Identification of Target Genes and Transcription Factors Implicated in Translation-Dependent Retrograde Signaling in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2014, 7, 1228-1247.	8.3	24
100	PGRL1 Is the Elusive Ferredoxin-Plastoquinone Reductase in Photosynthetic Cyclic Electron Flow. <i>Molecular Cell</i> , 2013, 49, 511-523.	9.7	288
101	Control of STN7 transcript abundance and transient STN7 dimerisation are involved in the regulation of STN7 activity. <i>Planta</i> , 2013, 237, 541-558.	3.2	39
102	Proteomic analysis of the <i>Cyanophora paradoxa</i> muroplast provides clues on early events in plastid endosymbiosis. <i>Planta</i> , 2013, 237, 637-651.	3.2	33
103	<i>GABI</i> and <i>DUPLO</i> : a collection of double mutants to overcome genetic redundancy in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2013, 75, 157-171.	5.7	48
104	<i>Arabidopsis</i> plants lacking <i>PsbQ</i> and <i>PsbR</i> subunits of the oxygen-evolving complex show altered <i>PSII</i> supercomplex organization and short-term adaptive mechanisms. <i>Plant Journal</i> , 2013, 75, 671-684.	5.7	99
105	The PHOTOSYNTHESIS AFFECTED MUTANT68-LIKE Protein Evolved from a PSII Assembly Factor to Mediate Assembly of the Chloroplast NAD(P)H Dehydrogenase Complex in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 3926-3943.	6.6	45
106	Transcriptomic Analysis of the Role of Carboxylic Acids in Metabolite Signaling in <i>Arabidopsis</i> Leaves. <i>Plant Physiology</i> , 2013, 162, 239-253.	4.8	90
107	Retrograde signals galore. <i>Frontiers in Plant Science</i> , 2013, 4, 45.	3.6	18
108	<i>Arabidopsis</i> CURVATURE THYLAKOID1 Proteins Modify Thylakoid Architecture by Inducing Membrane Curvature. <i>Plant Cell</i> , 2013, 25, 2661-2678.	6.6	226

#	ARTICLE	IF	CITATIONS
109	The major thylakoid protein kinases STN7 and STN8 revisited: effects of altered STN8 levels and regulatory specificities of the STN kinases. <i>Frontiers in Plant Science</i> , 2013, 4, 417.	3.6	56
110	Photosynthesis research protocols. <i>Annals of Botany</i> , 2013, 112, vi-vii.	2.9	1
111	Complexities and protein complexes in the antimycin A-sensitive pathway of cyclic electron flow in plants. <i>Frontiers in Plant Science</i> , 2013, 4, 161.	3.6	49
112	How Can the Light Reactions of Photosynthesis be Improved in Plants?. <i>Frontiers in Plant Science</i> , 2012, 3, 199.	3.6	22
113	Retrograde signaling in plants: from simple to complex scenarios. <i>Frontiers in Plant Science</i> , 2012, 3, 135.	3.6	88
114	Thylakoid redox signals are integrated into organellar-gene-expression-dependent retrograde signaling in the <i>prors1-1</i> mutant. <i>Frontiers in Plant Science</i> , 2012, 3, 282.	3.6	14
115	Regulation of planar growth by the <i>Arabidopsis</i> AGC protein kinase UNICORN. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 15060-15065.	7.1	34
116	<i>Arabidopsis</i> CSP41 proteins form multimeric complexes that bind and stabilize distinct plastid transcripts. <i>Journal of Experimental Botany</i> , 2012, 63, 1251-1270.	4.8	49
117	Versatile roles of <i>Arabidopsis</i> plastid ribosomal proteins in plant growth and development. <i>Plant Journal</i> , 2012, 72, 922-934.	5.7	89
118	Defects in leaf carbohydrate metabolism compromise acclimation to high light and lead to a high chlorophyll fluorescence phenotype in <i>Arabidopsis thaliana</i> . <i>BMC Plant Biology</i> , 2012, 12, 8.	3.6	43
119	Perspectives on Systematic Analyses of Gene Function in <i>Arabidopsis thaliana</i> : New Tools, Topics and Trends. <i>Current Genomics</i> , 2011, 12, 1-14.	1.6	38
120	Dynamics of reversible protein phosphorylation in thylakoids of flowering plants: The roles of STN7, STN8 and TAP38. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2011, 1807, 887-896.	1.0	136
121	Intracompartamental and Intercompartmental Transcriptional Networks Coordinate the Expression of Genes for Organellar Functions. <i>Plant Physiology</i> , 2011, 157, 386-404.	4.8	40
122	Role of Intercompartmental DNA Transfer in Producing Genetic Diversity. <i>International Review of Cell and Molecular Biology</i> , 2011, 291, 73-114.	3.2	31
123	Update on Chloroplast Research: New Tools, New Topics, and New Trends. <i>Molecular Plant</i> , 2011, 4, 1-16.	8.3	50
124	Use of Transcriptomics to Analyze Chloroplast Processes in <i>Arabidopsis</i> . <i>Methods in Molecular Biology</i> , 2011, 775, 117-134.	0.9	1
125	In-depth analysis of the distinctive effects of norflurazon implies that tetrapyrrole biosynthesis, organellar gene expression and ABA cooperate in the GUN-type of plastid signalling. <i>Physiologia Plantarum</i> , 2010, 138, 503-519.	5.2	80
126	The <i>Arabidopsis</i> Thylakoid Protein PAM68 Is Required for Efficient D1 Biogenesis and Photosystem II Assembly. <i>Plant Cell</i> , 2010, 22, 3439-3460.	6.6	116

#	ARTICLE	IF	CITATIONS
127	Redox Regulation of the NPR1-TGA1 System of <i>Arabidopsis thaliana</i> by Nitric Oxide. <i>Plant Cell</i> , 2010, 22, 2894-2907.	6.6	361
128	Role of Plastid Protein Phosphatase TAP38 in LHCII Dephosphorylation and Thylakoid Electron Flow. <i>PLoS Biology</i> , 2010, 8, e1000288.	5.6	269
129	Optimizing photosynthesis under fluctuating light. <i>Plant Signaling and Behavior</i> , 2010, 5, 21-25.	2.4	42
130	Chloroplast Proteins without Cleavable Transit Peptides: Rare Exceptions or a Major Constituent of the Chloroplast Proteome?. <i>Molecular Plant</i> , 2009, 2, 1325-1335.	8.3	70
131	Chloroplast ribonucleoprotein CP31A is required for editing and stability of specific chloroplast mRNAs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 6002-6007.	7.1	109
132	Dynamic Plastid Redox Signals Integrate Gene Expression and Metabolism to Induce Distinct Metabolic States in Photosynthetic Acclimation in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2009, 21, 2715-2732.	6.6	176
133	<i>Arabidopsis</i> STN7 Kinase Provides a Link between Short- and Long-Term Photosynthetic Acclimation. <i>Plant Cell</i> , 2009, 21, 2402-2423.	6.6	233
134	Plastid signalling to the nucleus: messengers still lost in the mists?. <i>Trends in Genetics</i> , 2009, 25, 185-192.	6.7	157
135	Phosphorylation site mapping of soluble proteins: bioinformatical filtering reveals potential plastidic phosphoproteins in <i>Arabidopsis thaliana</i> . <i>Planta</i> , 2009, 229, 1123-1134.	3.2	46
136	Deletion of an organellar peptidasome PreP affects early development in <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 2009, 71, 497-508.	3.9	33
137	DNA Transfer from Organelles to the Nucleus: The Idiosyncratic Genetics of Endosymbiosis. <i>Annual Review of Plant Biology</i> , 2009, 60, 115-138.	18.7	331
138	Mutants, Overexpressors, and Interactors of <i>Arabidopsis</i> Plastocyanin Isoforms: Revised Roles of Plastocyanin in Photosynthetic Electron Flow and Thylakoid Redox State. <i>Molecular Plant</i> , 2009, 2, 236-248.	8.3	92
139	Impaired photosystem I oxidation induces STN7-dependent phosphorylation of the light-harvesting complex I protein Lhca4 in <i>Arabidopsis thaliana</i> . <i>Planta</i> , 2008, 227, 717-22.	3.2	18
140	Towards a comprehensive catalog of chloroplast proteins and their interactions. <i>Cell Research</i> , 2008, 18, 1081-1083.	12.0	17
141	Competition between linear and cyclic electron flow in plants deficient in Photosystem I. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2008, 1777, 1173-1183.	1.0	21
142	A Complex Containing PGRL1 and PGR5 Is Involved in the Switch between Linear and Cyclic Electron Flow in <i>Arabidopsis</i> . <i>Cell</i> , 2008, 132, 273-285.	28.9	496
143	A Survey of Chloroplast Protein Kinases and Phosphatases in <i>Arabidopsis thaliana</i> . <i>Current Genomics</i> , 2008, 9, 184-190.	1.6	47
144	Evolutionary tinkering: birth of a novel chloroplast protein. <i>Biochemical Journal</i> , 2007, 403, e13-e14.	3.7	2

#	ARTICLE	IF	CITATIONS
145	Structure, function and regulation of plant photosystem I. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2007, 1767, 335-352.	1.0	198
146	Interorganellar communication. <i>Current Opinion in Plant Biology</i> , 2007, 10, 600-606.	7.1	151
147	Nuclear insertions of organellar DNA can create novel patches of functional exon sequences. <i>Trends in Genetics</i> , 2007, 23, 597-601.	6.7	71
148	The E subunit of photosystem I is not essential for linear electron flow and photoautotrophic growth in <i>Arabidopsis thaliana</i> . <i>Planta</i> , 2007, 226, 889-895.	3.2	45
149	GST-PRIME. <i>Methods in Molecular Biology</i> , 2007, 402, 141-157.	0.9	1
150	Forward Genetic Screening of Insertional Mutants. , 2006, 323, 147-162.		3
151	Abundantly and Rarely Expressed Lhc Protein Genes Exhibit Distinct Regulation Patterns in Plants. <i>Plant Physiology</i> , 2006, 140, 793-804.	4.8	146
152	Nuclear Photosynthetic Gene Expression Is Synergistically Modulated by Rates of Protein Synthesis in Chloroplasts and Mitochondria. <i>Plant Cell</i> , 2006, 18, 970-991.	6.6	117
153	Origin, evolution and genetic effects of nuclear insertions of organelle DNA. <i>Trends in Genetics</i> , 2005, 21, 655-663.	6.7	167
154	Retrograde Plastid Redox Signals in the Expression of Nuclear Genes for Chloroplast Proteins of <i>Arabidopsis thaliana</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 5318-5328.	3.4	203
155	Generation and evolutionary fate of insertions of organelle DNA in the nuclear genomes of flowering plants. <i>Genome Research</i> , 2005, 15, 616-628.	5.5	128
156	Photosystem II core phosphorylation and photosynthetic acclimation require two different protein kinases. <i>Nature</i> , 2005, 437, 1179-1182.	27.8	420
157	Analysis of 101 nuclear transcriptomes reveals 23 distinct regulons and their relationship to metabolism, chromosomal gene distribution and co-ordination of nuclear and plastid gene expression. <i>Gene</i> , 2005, 344, 33-41.	2.2	81
158	Genomics-based dissection of the cross-talk of chloroplasts with the nucleus and mitochondria in <i>Arabidopsis</i> . <i>Gene</i> , 2005, 354, 110-116.	2.2	95
159	Photosystem I lacking the PSI-G subunit has a higher affinity for plastocyanin and is sensitive to photodamage. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2005, 1708, 154-163.	1.0	23
160	NUPTs in Sequenced Eukaryotes and Their Genomic Organization in Relation to NUMTs. <i>Molecular Biology and Evolution</i> , 2004, 21, 1972-1980.	8.9	133
161	A Genome Phylogeny for Mitochondria Among \hat{A} -Proteobacteria and a Predominantly Eubacterial Ancestry of Yeast Nuclear Genes. <i>Molecular Biology and Evolution</i> , 2004, 21, 1643-1660.	8.9	307
162	NUMTs in Sequenced Eukaryotic Genomes. <i>Molecular Biology and Evolution</i> , 2004, 21, 1081-1084.	8.9	440

#	ARTICLE	IF	CITATIONS
163	Inactivation of the Chloroplast ATP Synthase $\hat{\Gamma}$ Subunit Results in High Non-photochemical Fluorescence Quenching and Altered Nuclear Gene Expression in <i>Arabidopsis thaliana</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 1060-1069.	3.4	100
164	Functional Specialization amongst the <i>Arabidopsis</i> Toc159 Family of Chloroplast Protein Import Receptors[W]. <i>Plant Cell</i> , 2004, 16, 2059-2077.	6.6	184
165	Root phloem-specific expression of the plasma membrane amino acid proton co-transporter AAP3. <i>Journal of Experimental Botany</i> , 2004, 55, 2155-2168.	4.8	123
166	Mutants for photosystem I subunit D of <i>Arabidopsis thaliana</i> : effects on photosynthesis, photosystem I stability and expression of nuclear genes for chloroplast functions. <i>Plant Journal</i> , 2004, 37, 839-852.	5.7	117
167	Tandem and segmental gene duplication and recombination in the evolution of plant disease resistance genes. <i>Trends in Genetics</i> , 2004, 20, 116-122.	6.7	533
168	The Role of $\hat{\Gamma}$ 1-Pyrroline-5-Carboxylate Dehydrogenase in Proline Degradation[W]. <i>Plant Cell</i> , 2004, 16, 3413-3425.	6.6	228
169	An improved prediction of chloroplast proteins reveals diversities and commonalities in the chloroplast proteomes of <i>Arabidopsis</i> and rice. <i>Gene</i> , 2004, 329, 11-16.	2.2	163
170	Evolutionary Contribution of Plastid Genes to Plant Nuclear Genomes and Its Effects on Composition of the Proteomes of All Cellular Compartments. <i>Systematics Association Special Volume</i> , 2004, , 237-257.	0.2	3
171	Chloroplast research in the genomic age. <i>Trends in Genetics</i> , 2003, 19, 47-56.	6.7	424
172	Evolutionary diversification of mitochondrial proteomes: implications for human disease. <i>Trends in Genetics</i> , 2003, 19, 356-362.	6.7	75
173	Covariations in the nuclear chloroplast transcriptome reveal a regulatory master switch. <i>EMBO Reports</i> , 2003, 4, 491-498.	4.5	121
174	From Genes to Photosynthesis in <i>Arabidopsis thaliana</i> . <i>International Review of Cytology</i> , 2003, 228, 31-83.	6.2	35
175	Tracking the function of the cytochrome c6-like protein in higher plants. <i>Trends in Plant Science</i> , 2003, 8, 513-517.	8.8	21
176	Protein-protein and protein-function relationships in <i>Arabidopsis</i> photosystem I: cluster analysis of PSI polypeptide levels and photosynthetic parameters in PSI mutants. <i>Journal of Plant Physiology</i> , 2003, 160, 17-22.	3.5	6
177	The <i>Arabidopsis</i> <i>ppi1</i> Mutant Is Specifically Defective in the Expression, Chloroplast Import, and Accumulation of Photosynthetic Proteins[W]. <i>Plant Cell</i> , 2003, 15, 1859-1871.	6.6	153
178	Cytoplasmic N-Terminal Protein Acetylation Is Required for Efficient Photosynthesis in <i>Arabidopsis</i> [W]. <i>Plant Cell</i> , 2003, 15, 1817-1832.	6.6	107
179	SPL8, an SBP-Box Gene That Affects Pollen Sac Development in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2003, 15, 1009-1019.	6.6	227
180	Plastocyanin Is Indispensable for Photosynthetic Electron Flow in <i>Arabidopsis thaliana</i> . <i>Journal of Biological Chemistry</i> , 2003, 278, 31286-31289.	3.4	160

#	ARTICLE	IF	CITATIONS
181	Knock-Out of the Genes Coding for the Rieske Protein and the ATP-Synthase $\hat{\nu}$ -Subunit of Arabidopsis. Effects on Photosynthesis, Thylakoid Protein Composition, and Nuclear Chloroplast Gene Expression. <i>Plant Physiology</i> , 2003, 133, 191-202.	4.8	81
182	Single and Double Knockouts of the Genes for Photosystem I Subunits G, K, and H of Arabidopsis. Effects on Photosystem I Composition, Photosynthetic Electron Flow, and State Transitions. <i>Plant Physiology</i> , 2002, 129, 616-624.	4.8	78
183	Mode of Amplification and Reorganization of Resistance Genes During Recent Arabidopsis thaliana Evolution. <i>Molecular Biology and Evolution</i> , 2002, 19, 76-84.	8.9	171
184	Evolutionary analysis of Arabidopsis, cyanobacterial, and chloroplast genomes reveals plastid phylogeny and thousands of cyanobacterial genes in the nucleus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 12246-12251.	7.1	1,074
185	Gene-sequence-tag expression analyses of 1,800 genes related to chloroplast functions. <i>Planta</i> , 2002, 215, 101-109.	3.2	41
186	A stable LHCII-PSI aggregate and suppression of photosynthetic state transitions in the psae1-1 mutant of Arabidopsis thaliana. <i>Planta</i> , 2002, 215, 940-948.	3.2	42
187	The role of $\hat{\nu}$ pH-dependent dissipation of excitation energy in protecting photosystem II against light-induced damage in Arabidopsis thaliana. <i>Plant Physiology and Biochemistry</i> , 2002, 40, 41-49.	5.8	66
188	The metal ion transporter IRT1 is necessary for iron homeostasis and efficient photosynthesis in Arabidopsis thaliana. <i>Plant Journal</i> , 2002, 31, 589-599.	5.7	298
189	Knock-out of the plastid ribosomal protein L11 in Arabidopsis: effects on mRNA translation and photosynthesis. <i>Plant Journal</i> , 2001, 27, 179-189.	5.7	90
190	Functional genomics of Arabidopsis photosynthesis. <i>Plant Physiology and Biochemistry</i> , 2001, 39, 285-294.	5.8	20
191	GST-PRIME: a genome-wide primer design software for the generation of gene sequence tags. <i>Nucleic Acids Research</i> , 2001, 29, 4373-4377.	14.5	22
192	Disruption of the Arabidopsis photosystem I gene psae1 affects photosynthesis and impairs growth. <i>Plant Journal</i> , 2000, 22, 115-124.	5.7	83
193	Identification of Photosynthetic Mutants of Arabidopsis by Automatic Screening for Altered Effective Quantum Yield of Photosystem 2. <i>Photosynthetica</i> , 2000, 38, 497-504.	1.7	33
194	A prediction of the size and evolutionary origin of the proteome of chloroplasts of Arabidopsis. <i>Trends in Plant Science</i> , 2000, 5, 141-142.	8.8	271
195	Large-scale evaluation of plant growth in Arabidopsis thaliana by non-invasive image analysis. <i>Plant Physiology and Biochemistry</i> , 1999, 37, 671-678.	5.8	125
196	RFLP- and physical mapping of resistance gene homologues in rice (<i>O. sativa</i>) and Barley (<i>H. vulgare</i>). <i>Theoretical and Applied Genetics</i> , 1999, 98, 509-520.	3.6	63
197	The Mla (Powdery Mildew) Resistance Cluster Is Associated With Three NBS-LRR Gene Families and Suppressed Recombination Within a 240-kb DNA Interval on Chromosome 5S (1HS) of Barley. <i>Genetics</i> , 1999, 153, 1929-1948.	2.9	242
198	Rapid reorganization of resistance gene homologues in cereal genomes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 370-375.	7.1	365

#	ARTICLE	IF	CITATIONS
199	Production of long inverse PCR products facilitates the isolation of YAC insert termini. Technical Tips Online, 1997, 2, 11-13.	0.2	3
200	A potato hypersensitive resistance gene against potato virus X maps to a resistance gene cluster on chromosome 5. Theoretical and Applied Genetics, 1997, 95, 246-252.	3.6	104
201	Construction of a potato YAC library and identification of clones linked to the disease resistance loci R1 and Gro1. Theoretical and Applied Genetics, 1997, 95, 954-960.	3.6	9
202	Production of full-length cDNA from a picornaviral genome by RT-PCR. Trends in Genetics, 1996, 12, 11.	6.7	8
203	A PCR-based approach for isolating pathogen resistance genes from potato with potential for wide application in plants. Nature Genetics, 1996, 14, 421-429.	21.4	501
204	A high-resolution map of the vicinity of the R1 locus on chromosome V of potato based on RFLP and AFLP markers. Molecular Genetics and Genomics, 1995, 249, 74-81.	2.4	198
205	Marker enrichment and high-resolution map of the segment of potato chromosome VII harbouring the nematode resistance gene Gro1. Molecular Genetics and Genomics, 1995, 249, 82-90.	2.4	109
206	Co-replication of several isotypes of foot-and-mouth disease virus. Journal of General Virology, 1993, 74, 2753-2757.	2.9	14