

Lora Dukic

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/809019/publications.pdf>

Version: 2024-02-01

13
papers

165
citations

1307594

7
h-index

1199594

12
g-index

13
all docs

13
docs citations

13
times ranked

238
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of human kallikrein 6, clusterin and adiponectin as potential blood biomarkers of dementia. <i>Clinical Biochemistry</i> , 2016, 49, 213-218.	1.9	46
2	Blood gas testing and related measurements: National recommendations on behalf of the Croatian Society of Medical Biochemistry and Laboratory Medicine. <i>Biochemia Medica</i> , 2016, 26, 318-336.	2.7	29
3	Targeted Mass Spectrometry-Based Assays for Relative Quantification of 30 Brain-Related Proteins and Their Clinical Applications. <i>Journal of Proteome Research</i> , 2018, 17, 2282-2292.	3.7	24
4	Short-term and long-term storage stability of heparin plasma ammonia. <i>Journal of Clinical Pathology</i> , 2015, 68, 288-291.	2.0	16
5	The association of inflammatory markers with cerebral vasoreactivity and carotid atherosclerosis in transient ischaemic attack. <i>Clinical Biochemistry</i> , 2014, 47, 182-186.	1.9	15
6	Institutional practices and policies in acid-base testing: a self reported Croatian survey study on behalf of the Croatian society of medical biochemistry and laboratory medicine Working Group for acid-base balance. <i>Biochemia Medica</i> , 2014, 24, 281-292.	2.7	11
7	The stability of ethanol in unstoppered tubes. <i>Clinical Biochemistry</i> , 2014, 47, 92-95.	1.9	9
8	he knowledge and understanding of preanalytical phase among biomedicine students at the University of Zagreb. <i>Biochemia Medica</i> , 2016, 26, 90-97.	2.7	5
9	The effect of hemolysis, icterus and lipemia on Randox immunoturbidimetric adiponectin assay. <i>Clinica Chimica Acta</i> , 2015, 450, 64-66.	1.1	3
10	Third-party verification of total and specific immunoglobulin E on analyzer Immulite® 2000XPi. <i>Clinica Chimica Acta</i> , 2020, 500, 28-33.	1.1	3
11	Interference of M-protein on prothrombin time test – case report. <i>Biochemia Medica</i> , 2016, 26, 248-254.	2.7	3
12	Verification of reference interval for urinary alpha1-microglobulin in females. <i>Clinica Chimica Acta</i> , 2020, 504, 64-65.	1.1	1
13	Comparison of digoxin concentration in plastic serum tubes with clot activator and heparinized plasma tubes. <i>Biochemia Medica</i> , 2014, 24, 146-150.	2.7	0