

Martin C Gulliford

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8090314/publications.pdf>

Version: 2024-02-01

300
papers

23,349
citations

22153

59
h-index

9345

143
g-index

315
all docs

315
docs citations

315
times ranked

36655
citing authors

#	ARTICLE	IF	CITATIONS
1	Inequalities in developing multimorbidity over time: A population-based cohort study from an urban, multi-ethnic borough in the United Kingdom. <i>Lancet Regional Health - Europe, The</i> , 2022, 12, 100247.	5.6	20
2	Applying machine learning algorithms to electronic health records to predict pneumonia after respiratory tract infection. <i>Journal of Clinical Epidemiology</i> , 2022, 145, 154-163.	5.0	14
3	Susceptibility to COVID-19 Diagnosis in People with Down Syndrome Compared to the General Population: Matched-Cohort Study Using Primary Care Electronic Records in the UK. <i>Journal of General Internal Medicine</i> , 2022, 37, 2009-2015.	2.6	8
4	Primary care contacts, continuity, identification of palliative care needs, and hospital use: a population-based cohort study in people dying with dementia. <i>British Journal of General Practice</i> , 2022, 72, e684-e692.	1.4	9
5	Mortality of Care Home Residents and Community-Dwelling Controls During the COVID-19 Pandemic in 2020: Matched Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 923-929.e2.	2.5	7
6	Can primary care research be conducted more efficiently using routinely reported practice-level data: a cluster randomised controlled trial conducted in England?. <i>BMJ Open</i> , 2022, 12, e061574.	1.9	1
7	Protocol for an "efficient design" cluster randomised controlled trial to evaluate a complex intervention to improve antibiotic prescribing for CHildren presenting to primary care with acute COugh and respiratory tract infection: the CHICO study. <i>BMJ Open</i> , 2021, 11, e041769.	1.9	3
8	Antimicrobial stewardship in the UK during the COVID-19 pandemic: a population-based cohort study and interrupted time-series analysis. <i>British Journal of General Practice</i> , 2021, 71, e331-e338.	1.4	40
9	Identifying longitudinal clusters of multimorbidity in an urban setting: A population-based cross-sectional study. <i>Lancet Regional Health - Europe, The</i> , 2021, 3, 100047.	5.6	33
10	Safety of reducing antibiotic prescribing in primary care: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2021, 9, 1-126.	1.4	3
11	Realising the full potential of data-enabled trials in the UK: a call for action. <i>BMJ Open</i> , 2021, 11, e043906.	1.9	23
12	Applying resolved and remission codes reduced prevalence of multimorbidity in an urban multi-ethnic population. <i>Journal of Clinical Epidemiology</i> , 2021, 140, 135-148.	5.0	6
13	Reducing bias in trials from reactions to measurement: the MERIT study including developmental work and expert workshop. <i>Health Technology Assessment</i> , 2021, 25, 1-72.	2.8	10
14	Reducing bias in trials due to reactions to measurement: experts produced recommendations informed by evidence. <i>Journal of Clinical Epidemiology</i> , 2021, 139, 130-139.	5.0	13
15	Epilepsy and mortality: a retrospective cohort analysis with a nested case"control study identifying causes and risk factors from primary care and linkage-derived data. <i>BMJ Open</i> , 2021, 11, e052841.	1.9	12
16	Engagement with advice to reduce cardiovascular risk following a health check programme: A qualitative study. <i>Health Expectations</i> , 2020, 23, 193-201.	2.6	9
17	Trends in cardiometabolic risk factors in the Americas between 1980 and 2014: a pooled analysis of population-based surveys. <i>The Lancet Global Health</i> , 2020, 8, e123-e133.	6.3	73
18	Well-being, physical activity and long-term conditions: cross-sectional analysis of Health Survey for England 2016. <i>Public Health</i> , 2020, 185, 368-374.	2.9	5

#	ARTICLE	IF	CITATIONS
19	Opioid use, chronic pain and deprivation. EClinicalMedicine, 2020, 21, 100341.	7.1	3
20	Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002â€“2017: Population-based cohort study and decision analytic model. PLoS Medicine, 2020, 17, e1003202.	8.4	19
21	Peritonsillar Abscess and Antibiotic Prescribing for Respiratory Infection in Primary Care: A Population-Based Cohort Study and Decision-Analytic Model. Annals of Family Medicine, 2020, 18, 390-396.	1.9	2
22	Revisiting patient expectations and experiences of antibiotics in an era of antimicrobial resistance: Qualitative study. Health Expectations, 2020, 23, 1250-1258.	2.6	31
23	A community-based, sport-led programme to increase physical activity in an area of deprivation: a qualitative case study. BMC Public Health, 2020, 20, 1018.	2.9	6
24	Comparison of antibiotic prescribing records in two UK primary care electronic health record systems: cohort study using CPRD GOLD and CPRD Aurum databases. BMJ Open, 2020, 10, e038767.	1.9	20
25	Response to Letter: Antipsychotic Drugs, Fracture Risk, and Frailty in Older Patients. Journal of the American Medical Directors Association, 2020, 21, 565-566.	2.5	0
26	Primary care service use by end-of-life cancer patients: a nationwide population-based cohort study in the United Kingdom. BMC Family Practice, 2020, 21, 76.	2.9	11
27	Serious bacterial infections and antibiotic prescribing in primary care: cohort study using electronic health records in the UK. BMJ Open, 2020, 10, e036975.	1.9	15
28	Risks of use and non-use of antibiotics in primary care: qualitative study of prescribersâ€™ views. BMJ Open, 2020, 10, e038851.	1.9	11
29	Sepsis recording in primary care electronic health records, linked hospital episodes and mortality records: Population-based cohort study in England. PLoS ONE, 2020, 15, e0244764.	2.5	1
30	Title is missing!. , 2020, 17, e1003202.		0
31	Title is missing!. , 2020, 17, e1003202.		0
32	Title is missing!. , 2020, 17, e1003202.		0
33	Title is missing!. , 2020, 17, e1003202.		0
34	Title is missing!. , 2020, 17, e1003202.		0
35	Title is missing!. , 2020, 17, e1003202.		0
36	Title is missing!. , 2020, 15, e0244764.		0

#	ARTICLE	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0244764.		0
38	Title is missing!. , 2020, 15, e0244764.		0
39	Title is missing!. , 2020, 15, e0244764.		0
40	Health checks and cardiovascular risk factor values over six yearsâ€™ follow-up: Matched cohort study using electronic health records in England. PLoS Medicine, 2019, 16, e1002863.	8.4	25
41	Importance of Frailty for Association of Antipsychotic Drug Use With Risk of Fracture: Cohort Study Using Electronic Health Records. Journal of the American Medical Directors Association, 2019, 20, 1495-1501.e1.	2.5	7
42	Tuberculosis testing and migrant health. Lancet Infectious Diseases, The, 2019, 19, 1151-1152.	9.1	0
43	Pneumonia incidence trends in UK primary care from 2002 to 2017: population-based cohort study. Epidemiology and Infection, 2019, 147, e263.	2.1	16
44	Reducing the incidence of predictors of cardio-metabolic disease and dysglycaemia with lifestyle modification in at-risk persons â€™ results of further analyses of DIABRISK-SL in those below 18â€™years of age. BMC Medicine, 2019, 17, 162.	5.5	3
45	Frailty and Drug Safety at Older Ages. Drug Safety, 2019, 42, 699-700.	3.2	1
46	Discrimination and public health. Lancet Public Health, The, 2019, 4, e173-e174.	10.0	3
47	What is â€™normalâ€™ antibiotic prescribing?. BMJ: British Medical Journal, 2019, 364, l1144.	2.3	3
48	Developing the role of electronic health records in economic evaluation. European Journal of Health Economics, 2019, 20, 1117-1121.	2.8	0
49	Tuberculosis screening for prospective migrants to high-income countries: systematic review of policies. Public Health, 2019, 168, 142-147.	2.9	12
50	Effectiveness and safety of electronically delivered prescribing feedback and decision support on antibiotic use for respiratory illness in primary care: REDUCE cluster randomised trial. BMJ: British Medical Journal, 2019, 364, l236.	2.3	85
51	Reducing antibiotic prescribing in primary care in England from 2014 to 2017: population-based cohort study. BMJ Open, 2019, 9, e023989.	1.9	24
52	Continuity of care and delivery of diabetes and hypertensive care among regular users of primary care services in Chile: a cross-sectional study. BMJ Open, 2019, 9, e027830.	1.9	11
53	Cost-Effectiveness of Antihypertensive Therapy in Patients Older Than 80 Years: Cohort Study and Markov Model. Value in Health, 2019, 22, 1362-1369.	0.3	6
54	Digital health intervention at older ages. The Lancet Digital Health, 2019, 1, e382-e383.	12.3	21

#	ARTICLE	IF	CITATIONS
55	Electronically delivered interventions to reduce antibiotic prescribing for respiratory infections in primary care: cluster RCT using electronic health records and cohort study. <i>Health Technology Assessment</i> , 2019, 23, 1-70.	2.8	19
56	Changing incidence of pneumonia diagnosis in UK primary care from 2002-2017: Population-based cohort study. , 2019, , .		0
57	Incidence and mortality of fractures by frailty level over 80 years of age: cohort study using UK electronic health records. <i>BMJ Open</i> , 2018, 8, e018836.	1.9	51
58	“Fair innings”™ in the face of ageing and demographic change. <i>Health Economics, Policy and Law</i> , 2018, 13, 209-217.	1.8	11
59	Enhanced Invitations Using the Question-Behavior Effect and Financial Incentives to Promote Health Check Uptake in Primary Care. <i>Annals of Behavioral Medicine</i> , 2018, 52, 594-605.	2.9	11
60	Cardiovascular risk at health checks performed opportunistically or following an invitation letter. Cohort study. <i>Journal of Public Health</i> , 2018, 40, e151-e156.	1.8	5
61	Trajectory of Total Cholesterol in the Last Years of Life Over Age 80 Years: Cohort Study of 99,758 Participants. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1083-1089.	3.6	21
62	Determinants of health care costs in the senior elderly: age, comorbidity, impairment, or proximity to death?. <i>European Journal of Health Economics</i> , 2018, 19, 831-842.	2.8	94
63	Implementing multiple health behaviour change interventions for cardiovascular risk reduction in primary care: a qualitative study. <i>BMC Family Practice</i> , 2018, 19, 171.	2.9	24
64	Effect of the NHS Health Check programme on cardiovascular disease risk factors during 6 years' follow-up: matched cohort study. <i>Lancet, The</i> , 2018, 392, S17.	13.7	0
65	Bias due to Measurement Reactions In Trials to improve health (MERIT): protocol for research to develop MRC guidance. <i>Trials</i> , 2018, 19, 653.	1.6	18
66	Antidepressant utilisation and incidence of weight gain during 10 years™ follow-up: population based cohort study. <i>BMJ: British Medical Journal</i> , 2018, 361, k1951.	2.3	117
67	Social enterprises and public health improvement in England: a qualitative case study. <i>Public Health</i> , 2018, 161, 99-105.	2.9	3
68	Frailty: from clinical syndrome to epidemiological construct?. <i>Lancet Public Health, The</i> , 2018, 3, e305-e306.	10.0	5
69	55th ERA-EDTA Congress Copenhagen, Denmark, 24-27 May. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2018, 79, 368-371.	0.5	0
70	Multiple risk factor control, mortality and cardiovascular events in type 2 diabetes and chronic kidney disease: a population-based cohort study. <i>BMJ Open</i> , 2018, 8, e019950.	1.9	18
71	Automated recruitment and randomisation for an efficient randomised controlled trial in primary care. <i>Trials</i> , 2018, 19, 341.	1.6	5
72	Drug prescribing during the last year of life in very old people with diabetes. <i>Age and Ageing</i> , 2017, 46, 147-151.	1.6	7

#	ARTICLE	IF	CITATIONS
73	Funding for general practice in the next decade: life after QOF. <i>British Journal of General Practice</i> , 2017, 67, 4-5.	1.4	6
74	Socioeconomic inequality in morbid obesity with body mass index more than 40 kg/m ² in the United States and England. <i>SSM - Population Health</i> , 2017, 3, 172-178.	2.7	38
75	Obesity management in primary care. <i>Lancet, The</i> , 2017, 389, 1605-1606.	13.7	3
76	Systolic Blood Pressure Trajectory, Frailty, and All-Cause Mortality >80 Years of Age. <i>Circulation</i> , 2017, 135, 2357-2368.	1.6	149
77	Body Mass Index and Incident Type 1 and Type 2 Diabetes in Children and Young Adults: A Retrospective Cohort Study. <i>Journal of the Endocrine Society</i> , 2017, 1, 524-537.	0.2	106
78	Costs and Outcomes of Increasing Access to Bariatric Surgery: Cohort Study and Cost-Effectiveness Analysis Using Electronic Health Records. <i>Value in Health</i> , 2017, 20, 85-92.	0.3	80
79	Declining blood pressure and intensification of blood pressure management among people over 80 years. <i>Journal of Hypertension</i> , 2017, 35, 1276-1282.	0.5	10
80	Multiple health behaviour change interventions for primary prevention of cardiovascular disease in primary care: systematic review and meta-analysis. <i>BMJ Open</i> , 2017, 7, e015375.	1.9	37
81	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	13.7	5,010
82	Access to primary care and public health. <i>Lancet Public Health, The</i> , 2017, 2, e532-e533.	10.0	7
83	Inception and deprescribing of statins in people aged over 80 years: cohort study. <i>Age and Ageing</i> , 2017, 46, 1001-1005.	1.6	35
84	Evolution of the "fourth stage" of epidemiologic transition in people aged 80 years and over: population-based cohort study using electronic health records. <i>Population Health Metrics</i> , 2017, 15, 18.	2.7	19
85	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	13.7	1,667
86	"Progressive dwindling" or "terminal decline" and end of life care. <i>BMJ: British Medical Journal</i> , 2017, 359, j4772.	2.3	1
87	Can antibiotic prescribing for respiratory infections be reduced?. <i>Medical Journal of Australia</i> , 2017, 207, 62-63.	1.7	0
88	A pragmatic lifestyle modification programme reduces the incidence of predictors of cardio-metabolic disease and dysglycaemia in a young healthy urban South Asian population: a randomised controlled trial. <i>BMC Medicine</i> , 2017, 15, 146.	5.5	19
89	Are healthcare costs from obesity associated with body mass index, comorbidity or depression? Cohort study using electronic health records. <i>Clinical Obesity</i> , 2016, 6, 225-231.	2.0	30
90	Cardiovascular risk assessment and treatment in chronic inflammatory disorders in primary care. <i>Heart</i> , 2016, 102, 1957-1962.	2.9	21

#	ARTICLE	IF	CITATIONS
91	The effect of dietary changes on distinct components of the metabolic syndrome in a young Sri Lankan population at high risk of CVD. <i>British Journal of Nutrition</i> , 2016, 116, 719-727.	2.3	2
92	Body-mass index and incidence of type 1 and type 2 diabetes in children and young adults in the UK: an observational cohort study. <i>Lancet, The</i> , 2016, 388, S16.	13.7	1
93	Changing Epidemiology of Bariatric Surgery in the UK: Cohort Study Using Primary Care Electronic Health Records. <i>Obesity Surgery</i> , 2016, 26, 1900-1905.	2.1	38
94	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19.2 million participants. <i>Lancet, The</i> , 2016, 387, 1377-1396.	13.7	3,941
95	Improvements in stage of change correlate to changes in dietary intake and clinical outcomes in a 5-year lifestyle intervention in young high-risk Sri Lankans. <i>Preventive Medicine</i> , 2016, 90, 193-200.	3.4	4
96	Drug Utilization and Inappropriate Prescribing in Centenarians. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1079-1084.	2.6	12
97	Changes in cardiovascular disease risk and behavioural risk factors before the introduction of a health check programme in England. <i>Preventive Medicine</i> , 2016, 91, 158-163.	3.4	11
98	Mortality in Individuals Aged 80 and Older with Type 2 Diabetes Mellitus in Relation to Glycosylated Hemoglobin, Blood Pressure, and Total Cholesterol. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1425-1431.	2.6	30
99	Author's reply to Mathioudakis and colleagues. <i>BMJ, The</i> , 2016, 354, i4256.	6.0	0
100	Safety of reduced antibiotic prescribing for self limiting respiratory tract infections in primary care: cohort study using electronic health records. <i>BMJ, The</i> , 2016, 354, i3410.	6.0	103
101	Electronically delivered, multicomponent intervention to reduce unnecessary antibiotic prescribing for respiratory infections in primary care: a cluster randomised trial using electronic health records – REDUCE Trial study original protocol. <i>BMJ Open</i> , 2016, 6, e010892.	1.9	11
102	Longitudinal Trends in Hypertension Management and Mortality Among Octogenarians. <i>Hypertension</i> , 2016, 68, 97-105.	2.7	30
103	Do health checks improve risk factor detection in primary care? Matched cohort study using electronic health records. <i>Journal of Public Health</i> , 2016, 38, 552-559.	1.8	30
104	Effect of Contemporary Bariatric Surgical Procedures on Type 2 Diabetes Remission. A Population-Based Matched Cohort Study. <i>Obesity Surgery</i> , 2016, 26, 2308-2315.	2.1	24
105	Severity of obesity and management of hypertension, hypercholesterolaemia and smoking in primary care: population-based cohort study. <i>Journal of Human Hypertension</i> , 2016, 30, 40-45.	2.2	29
106	Costs and outcomes of increasing access to bariatric surgery for obesity: cohort study and cost-effectiveness analysis using electronic health records. <i>Health Services and Delivery Research</i> , 2016, 4, 1-120.	1.4	16
107	Enhanced invitation methods and uptake of health checks in primary care: randomised controlled trial and cohort study using electronic health records. <i>Health Technology Assessment</i> , 2016, 20, 1-92.	2.8	28
108	Influences on individuals' decisions to take up the offer of a health check: a qualitative study. <i>Health Expectations</i> , 2015, 18, 2437-2448.	2.6	55

#	ARTICLE	IF	CITATIONS
109	53QUALITY OF CARE IN VERY OLD PATIENTS WITH TYPE 2 DIABETES MELLITUS: DISPARITIES BETWEEN PATIENTS MANAGED WITH LIFE STYLE INTERVENTIONS ONLY AND THOSE TREATED WITH ANTIDIABETIC MEDICATIONS. <i>Age and Ageing</i> , 2015, 44, ii16-ii16.	1.6	0
110	Fildes et al. Respond. <i>American Journal of Public Health</i> , 2015, 105, e3-e4.	2.7	0
111	Probability of an Obese Person Attaining Normal Body Weight: Cohort Study Using Electronic Health Records. <i>American Journal of Public Health</i> , 2015, 105, e54-e59.	2.7	277
112	Are Inflammation and Related Therapy Associated with All-Cause Dementia in Primary Care Population?. <i>Journal of Alzheimer's Disease</i> , 2015, 46, 1039-1047.	2.6	28
113	Incidence and mortality of relapsing polychondritis in the UK: a population-based cohort study. <i>Rheumatology</i> , 2015, 54, kev240.	1.9	54
114	Access to weight reduction interventions for overweight and obese patients in UK primary care: population-based cohort study. <i>BMJ Open</i> , 2015, 5, e006642-e006642.	1.9	88
115	Comment on "Bariatric Surgery Can Lead to Net Cost Savings to Health Care Systems: Results from a Comprehensive European Decision Analytic Model". <i>Obesity Surgery</i> , 2015, 25, 1254-1255.	2.1	1
116	Childhood obesity trends from primary care electronic health records in England between 1994 and 2013: population-based cohort study. <i>Archives of Disease in Childhood</i> , 2015, 100, 214-219.	1.9	101
117	Antidiabetic and cardiovascular drug utilisation in patients diagnosed with type 2 diabetes mellitus over the age of 80 years: a population-based cohort study. <i>Age and Ageing</i> , 2015, 44, 566-573.	1.6	17
118	Why do electronic health records reveal oral anticoagulant prescription after haemorrhagic stroke?. <i>British Journal of Clinical Pharmacology</i> , 2015, 79, 1037-1039.	2.4	0
119	Impact of bariatric surgery on clinical depression. Interrupted time series study with matched controls. <i>Journal of Affective Disorders</i> , 2015, 174, 644-649.	4.1	59
120	Reply to comment on "Impact and cost-effectiveness of a universal strategy to promote physical activity in primary care". <i>European Journal of Health Economics</i> , 2015, 16, 453-453.	2.8	0
121	Differences in Health at Age 100 According to Sex: Population-Based Cohort Study of Centenarians Using Electronic Health Records. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1331-1337.	2.6	47
122	Estimating the yield of NHS Health Checks in England: a population-based cohort study. <i>Journal of Public Health</i> , 2015, 37, 234-240.	1.8	28
123	Prophylactic antibiotics after acute stroke for reducing pneumonia in patients with dysphagia (STROKE-INF): a prospective, cluster-randomised, open-label, masked endpoint, controlled clinical trial. <i>Lancet</i> , The, 2015, 386, 1835-1844.	13.7	208
124	Access to healthcare and population health. , 2015, , 234-250.		0
125	Managing Cancer Pain at the End of Life with Multiple Strong Opioids: A Population-Based Retrospective Cohort Study in Primary Care. <i>PLoS ONE</i> , 2014, 9, e79266.	2.5	18
126	Prediction of Cardiovascular Risk Using Framingham, ASSIGN and QRISK2: How Well Do They Predict Individual Rather than Population Risk?. <i>PLoS ONE</i> , 2014, 9, e106455.	2.5	66

#	ARTICLE	IF	CITATIONS
127	Process evaluation of a point-of-care cluster randomised trial using a computer-delivered intervention to reduce antibiotic prescribing in primary care. <i>BMC Health Services Research</i> , 2014, 14, 594.	2.2	23
128	Effectiveness of behavioural weight loss interventions delivered in a primary care setting: a systematic review and meta-analysis. <i>Family Practice</i> , 2014, 31, 643-653.	1.9	112
129	Impact of body mass index on prevalence of multimorbidity in primary care: cohort study. <i>Family Practice</i> , 2014, 31, 38-43.	1.9	117
130	Social and material deprivation and the cost-effectiveness of an intervention to promote physical activity: cohort study and Markov model. <i>Journal of Public Health</i> , 2014, 36, 674-683.	1.8	8
131	Incidence of type 2 diabetes after bariatric surgery: population-based matched cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 963-968.	11.4	70
132	Is Sodium Valproate, an HDAC inhibitor, associated with reduced risk of stroke and myocardial infarction? A nested case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 759-767.	1.9	42
133	Changes in Detection of Retinopathy in Type 2 Diabetes in the First 4 Years of a Population-Based Diabetic Eye Screening Program: Retrospective Cohort Study. <i>Diabetes Care</i> 2013;36:2663-2669. <i>Diabetes Care</i> , 2014, 37, 2063.3-2063.	8.6	0
134	Cost-effectiveness of a universal strategy of brief dietary intervention for primary prevention in primary care: population-based cohort study and Markov model. <i>Cost Effectiveness and Resource Allocation</i> , 2014, 12, 4.	1.5	8
135	Point-of-Care Cluster Randomized Trial in Stroke Secondary Prevention Using Electronic Health Records. <i>Stroke</i> , 2014, 45, 2066-2071.	2.0	27
136	Electronic Health Records for Intervention Research: A Cluster Randomized Trial to Reduce Antibiotic Prescribing in Primary Care (eCRT Study). <i>Annals of Family Medicine</i> , 2014, 12, 344-351.	1.9	79
137	Continued high rates of antibiotic prescribing to adults with respiratory tract infection: survey of 568 UK general practices. <i>BMJ Open</i> , 2014, 4, e006245.	1.9	207
138	Chronic Inflammatory Disorders and Risk of Type 2 Diabetes Mellitus, Coronary Heart Disease, and Stroke. <i>Circulation</i> , 2014, 130, 837-844.	1.6	236
139	Cluster randomized trials utilizing primary care electronic health records: methodological issues in design, conduct, and analysis (eCRT Study). <i>Trials</i> , 2014, 15, 220.	1.6	31
140	Enhanced invitation methods to increase uptake of NHS health checks: study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 342.	1.6	12
141	Impact and cost-effectiveness of a universal strategy to promote physical activity in primary care: population-based Cohort study and Markov model. <i>European Journal of Health Economics</i> , 2014, 15, 341-351.	2.8	24
142	Cardiovascular disease, chronic kidney disease, and diabetes mortality burden of cardiometabolic risk factors from 1980 to 2010: a comparative risk assessment. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 634-647.	11.4	591
143	Evaluating pancreatitis in primary care: a population-based cohort study. <i>British Journal of General Practice</i> , 2014, 64, e295-e301.	1.4	36
144	The opportunities and challenges of pragmatic point-of-care randomised trials using routinely collected electronic records: evaluations of two exemplar trials. <i>Health Technology Assessment</i> , 2014, 18, 1-146.	2.8	114

#	ARTICLE	IF	CITATIONS
145	Variability of antibiotic prescribing in patients with chronic obstructive pulmonary disease exacerbations: a cohort study. <i>BMC Pulmonary Medicine</i> , 2013, 13, 32.	2.0	26
146	Non-attendance at diabetic eye screening and risk of sight-threatening diabetic retinopathy: a population-based cohort study. <i>Diabetologia</i> , 2013, 56, 2187-2193.	6.3	39
147	Impact of deprivation on occurrence, outcomes and health care costs of people with multiple morbidity. <i>Journal of Health Services Research and Policy</i> , 2013, 18, 215-223.	1.7	78
148	Trends in cardiovascular risk factors among people with diabetes in a population based study, Health Survey for England 1994-2009. <i>Primary Care Diabetes</i> , 2013, 7, 193-198.	1.8	16
149	Effectiveness of interventions to promote healthy diet in primary care: systematic review and meta-analysis of randomised controlled trials. <i>BMC Public Health</i> , 2013, 13, 1203.	2.9	55
150	Fracture risk with use of liver enzyme inducing antiepileptic drugs in people with active epilepsy: Cohort study using the General Practice Research Database. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2013, 22, 37-42.	2.0	55
151	Does the influence of stroke on post-stroke dementia vary by different levels of prestroke cognitive functioning? A population-based cohort investigation. <i>Lancet, The</i> , 2013, 382, S32.	13.7	0
152	Limitations of within-person study designs. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 1429.	5.0	0
153	Does the Influence of Stroke on Dementia Vary by Different Levels of Prestroke Cognitive Functioning?. <i>Stroke</i> , 2013, 44, 3445-3451.	2.0	15
154	Variations in the organization and delivery of the 'NHS health check' in primary care. <i>Journal of Public Health</i> , 2013, 35, 85-91.	1.8	33
155	Cardiovascular risk factors and cognitive decline in adults aged 50 and over: a population-based cohort study. <i>Age and Ageing</i> , 2013, 42, 338-345.	1.6	136
156	Epidemiology of clinical body mass index recording in an obese population in primary care: a cohort study. <i>Journal of Public Health</i> , 2013, 35, 67-74.	1.8	24
157	Leisure-time physical activity over the life course and cognitive functioning in late mid-adult years: a cohort-based investigation. <i>Psychological Medicine</i> , 2013, 43, 2447-2458.	4.5	58
158	Validity of smoking prevalence estimates from primary care electronic health records compared with national population survey data for England, 2007 to 2011. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 1357-1361.	1.9	52
159	Changes in Detection of Retinopathy in Type 2 Diabetes in the First 4 Years of a Population-Based Diabetic Eye Screening Program. <i>Diabetes Care</i> , 2013, 36, 2663-2669.	8.6	23
160	Prevalence of depression and utilization of health care in single and multiple morbidity: a population-based cohort study. <i>Psychological Medicine</i> , 2013, 43, 1423-1431.	4.5	55
161	Are alarm symptoms predictive of cancer survival?. <i>British Journal of General Practice</i> , 2013, 63, e807-e812.	1.4	24
162	The efficiency of cardiovascular risk assessment: do the right patients get statin treatment?. <i>Heart</i> , 2013, 99, 1597-1602.	2.9	49

#	ARTICLE	IF	CITATIONS
163	Recent HbA1c Values and Mortality Risk in Type 2 Diabetes. Population-Based Case-Control Study. PLoS ONE, 2013, 8, e68008.	2.5	46
164	Is Illicit Drug Use Harmful to Cognitive Functioning in the Midadult Years? A Cohort-based Investigation. American Journal of Epidemiology, 2012, 175, 218-227.	3.4	19
165	Incidence, Mortality, and Disease Associations of Pyoderma Gangrenosum in the United Kingdom: A Retrospective Cohort Study. Journal of Investigative Dermatology, 2012, 132, 2166-2170.	0.7	192
166	Impact of an electronic, computer-delivered questionnaire, with or without postal reminders, on survey response rate in primary care: Table 1. Journal of Epidemiology and Community Health, 2012, 66, 663-664.	3.7	11
167	Patients'™ perceptions of error in long-term illness care: Qualitative study. Journal of Health Services Research and Policy, 2012, 17, 181-187.	1.7	22
168	Income, wealth and risk of diabetes among older adults: cohort study using the English longitudinal study of ageing. European Journal of Public Health, 2012, 22, 310-317.	0.3	34
169	Pragmatic randomised trials using routine electronic health records: putting them to the test. BMJ: British Medical Journal, 2012, 344, e55-e55.	2.3	136
170	Primary care and diagnosis of cancer. Lancet Oncology, The, 2012, 13, 321-323.	10.7	3
171	Foster care, residential care and public care placement patterns are associated with adult life trajectories: population-based cohort study. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1517-1526.	3.1	62
172	Trends in antiepileptic drug utilisation in UK primary care 1993-2008: Cohort study using the General Practice Research Database. Seizure: the Journal of the British Epilepsy Association, 2012, 21, 466-470.	2.0	85
173	Within-person study designs had lower precision and greater susceptibility to bias because of trends in exposure than cohort and nested case-control designs. Journal of Clinical Epidemiology, 2012, 65, 384-393.	5.0	21
174	Validity of cancer diagnosis in a primary care database compared with linked cancer registrations in England. Population-based cohort study. Cancer Epidemiology, 2012, 36, 425-429.	1.9	113
175	Cluster randomized trial in the general practice research database: 2. Secondary prevention after first stroke (eCRT study): study protocol for a randomized controlled trial. Trials, 2012, 13, 181.	1.6	11
176	Coding, Recording and Incidence of Different Forms of Coronary Heart Disease in Primary Care. PLoS ONE, 2012, 7, e29776.	2.5	42
177	High Prevalence of Cardio-Metabolic Risk Factors in a Young Urban Sri-Lankan Population. PLoS ONE, 2012, 7, e31309.	2.5	11
178	Ethnic Variations in the Prevalence of Diabetic Retinopathy in People with Diabetes Attending Screening in the United Kingdom (DRIVE UK). PLoS ONE, 2012, 7, e32182.	2.5	113
179	Ethnic Variation in the Prevalence of Visual Impairment in People Attending Diabetic Retinopathy Screening in the United Kingdom (DRIVE UK). PLoS ONE, 2012, 7, e39608.	2.5	40
180	Place of medical qualification and outcomes of UK General Medical Council "fitness to practise" process: cohort study. BMJ: British Medical Journal, 2011, 342, d1817-d1817.	2.3	37

#	ARTICLE	IF	CITATIONS
181	Antihypertensive treatment after first stroke in primary care: results from the General Practitioner Research Database. <i>Journal of Hypertension</i> , 2011, 29, 154-160.	0.5	21
182	Epilepsy mortality and risk factors for death in epilepsy: a population-based study. <i>British Journal of General Practice</i> , 2011, 61, e271-e278.	1.4	92
183	Trends in Type 1 diabetes incidence in the UK in 0- to 14-year-olds and in 15- to 34-year-olds, 1991-2008. <i>Diabetic Medicine</i> , 2011, 28, 811-814.	2.3	56
184	Prescription patterns of analgesics in the last 3 months of life: a retrospective analysis of 10202 lung cancer patients. <i>British Journal of Cancer</i> , 2011, 104, 1704-1710.	6.4	14
185	Use of Antihypertensive Medications and Mortality of Patients With Autosomal Dominant Polycystic Kidney Disease: A Population-Based Study. <i>American Journal of Kidney Diseases</i> , 2011, 57, 856-862.	1.9	81
186	Potential application of item-response theory to interpretation of medical codes in electronic patient records. <i>BMC Medical Research Methodology</i> , 2011, 11, 168.	3.1	7
187	Utility of electronic patient records in primary care for stroke secondary prevention trials. <i>BMC Public Health</i> , 2011, 11, 86.	2.9	25
188	Cluster randomised trial in the General Practice Research Database: 1. Electronic decision support to reduce antibiotic prescribing in primary care (eCRT study). <i>Trials</i> , 2011, 12, 115.	1.6	26
189	DIABRISK - SL Prevention of cardio-metabolic disease with life style modification in young urban Sri Lankan's - study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 209.	1.6	13
190	Randomised Evaluations of Accepted Choices in Treatment (REACT) trials: large-scale pragmatic trials within databases of routinely collected electronic healthcare records. <i>Trials</i> , 2011, 12, .	1.6	5
191	Handwritten 'post-it' notes, questionnaire formats and response to a postal questionnaire survey. <i>International Journal of Epidemiology</i> , 2011, 40, 254-255.	1.9	4
192	Impact on Informed Choice of Offering Antenatal Sickle Cell and Thalassaemia Screening in Primary Care: A Randomized Trial. <i>Journal of Medical Screening</i> , 2011, 18, 65-75.	2.3	17
193	Increasing socio-economic inequality in type 2 diabetes prevalence--Repeated cross-sectional surveys in England 1994-2006. <i>European Journal of Public Health</i> , 2011, 21, 484-490.	0.3	73
194	Relational and management continuity survey in patients with multiple long-term conditions. <i>Journal of Health Services Research and Policy</i> , 2011, 16, 67-74.	1.7	45
195	Developing a computer delivered, theory based intervention for guideline implementation in general practice. <i>BMC Family Practice</i> , 2010, 11, 90.	2.9	54
196	Confounder-adjusted estimates of the risk difference using propensity score-based weighting. <i>Statistics in Medicine</i> , 2010, 29, 3126-3136.	1.6	19
197	Multiple morbidity is associated with increased problems of food access in hospital: a cross-sectional survey utilising the Cumulative Illness Rating Scale. <i>Journal of Human Nutrition and Dietetics</i> , 2010, 23, 575-582.	2.5	12
198	Socio-economic and ethnic inequalities in diabetes retinal screening. <i>Diabetic Medicine</i> , 2010, 27, 282-288.	2.3	64

#	ARTICLE	IF	CITATIONS
199	Family Practices' Achievement of Diabetes Quality of Care Targets and Risk of Screen-Detected Diabetic Retinopathy. PLoS ONE, 2010, 5, e10424.	2.5	4
200	Declining 1-year case-fatality of stroke and increasing coverage of vascular risk management: population-based cohort study. Journal of Neurology, Neurosurgery and Psychiatry, 2010, 81, 416-422.	1.9	27
201	Effectiveness of earlier antenatal screening for sickle cell disease and thalassaemia in primary care: cluster randomised trial. BMJ: British Medical Journal, 2010, 341, c5132-c5132.	2.3	30
202	Antenatal screening for haemoglobinopathies in primary care: a cohort study and cluster randomised trial to inform a simulation model. The Screening for Haemoglobinopathies in First Trimester (SHIFT) trial. Health Technology Assessment, 2010, 14, 1-160.	2.8	25
203	SOCIOECONOMIC AND ETHNIC INEQUALITIES IN DIABETES RETINAL SCREENING. Diabetic Medicine, 2009, 27, 282.	2.3	0
204	Selection of Medical Diagnostic Codes for Analysis of Electronic Patient Records. Application to Stroke in a Primary Care Database. PLoS ONE, 2009, 4, e7168.	2.5	67
205	Selective decrease in consultations and antibiotic prescribing for acute respiratory tract infections in UK primary care up to 2006. Journal of Public Health, 2009, 31, 512-520.	1.8	75
206	Antihypertensive Treatment after Stroke and All-Cause Mortality – An Analysis of the General Practitioner Research Database (GPRD). Cerebrovascular Diseases, 2009, 28, 105-111.	1.7	15
207	Experience of continuity of care of patients with multiple long-term conditions in England. Journal of Health Services Research and Policy, 2009, 14, 82-87.	1.7	60
208	Population Intermediate Outcomes of Diabetes Under Pay-for-Performance Incentives in England From 2004 to 2008. Diabetes Care, 2009, 32, 427-429.	8.6	51
209	Experiences of food access in hospital. A new questionnaire measure. Clinical Nutrition, 2009, 28, 625-630.	5.0	51
210	Modernizing concepts of access and equity. Health Economics, Policy and Law, 2009, 4, 223-230.	1.8	8
211	Alarm symptoms and identification of non-cancer diagnoses in primary care: cohort study. BMJ: British Medical Journal, 2009, 339, b3094-b3094.	2.3	55
212	2.9 Health services as determinants of population health. , 2009, , .		2
213	11.5 Ethnic minorities and indigenous peoples. , 2009, , .		0
214	Comparison of the risk difference, risk ratio and odds ratio scales for quantifying the unadjusted intervention effect in cluster randomized trials. Statistics in Medicine, 2008, 27, 5143-5155.	1.6	30
215	Hospital inpatientsâ€™ experiences of access to food: a qualitative interview and observational study. Health Expectations, 2008, 11, 294-303.	2.6	91
216	Self monitoring of blood glucose in type 2 diabetes. BMJ: British Medical Journal, 2008, 336, 1139-1140.	2.3	15

#	ARTICLE	IF	CITATIONS
217	Explaining the Decline in Early Mortality in Men and Women With Type 2 Diabetes. <i>Diabetes Care</i> , 2008, 31, 1761-1766.	8.6	56
218	Is Relative Mortality of Type 2 Diabetes Mellitus Decreasing?. <i>American Journal of Epidemiology</i> , 2008, 169, 455-461.	3.4	59
219	Commentary: What is a propensity score?. <i>British Journal of General Practice</i> , 2008, 58, 687-687.	1.4	22
220	Delay between pregnancy confirmation and sickle cell and thalassaemia screening: a population-based cohort study. <i>British Journal of General Practice</i> , 2008, 58, 154-159.	1.4	24
221	Diabetes diagnosis, resource utilization, and health outcomes. <i>American Journal of Managed Care</i> , 2008, 14, 32-8.	1.1	20
222	Public health and human rights: questions from an epidemic in Prato. <i>Journal of Law & Medicine</i> , 2008, 15, 752-9.	0.0	0
223	Continuity of care and intermediate outcomes of type 2 diabetes mellitus. <i>Family Practice</i> , 2007, 24, 245-251.	1.9	53
224	Alarm symptoms in early diagnosis of cancer in primary care: cohort study using General Practice Research Database. <i>BMJ: British Medical Journal</i> , 2007, 334, 1040.	2.3	210
225	Achievement of metabolic targets for diabetes by English primary care practices under a new system of incentives. <i>Diabetic Medicine</i> , 2007, 24, 505-511.	2.3	67
226	Area deprivation and oral health in Scottish adults: a multilevel study. <i>Community Dentistry and Oral Epidemiology</i> , 2007, 35, 118-129.	1.9	36
227	What is 'continuity of care'?. <i>Journal of Health Services Research and Policy</i> , 2006, 11, 248-250.	1.7	207
228	Heritabilities and shared environmental effects were estimated from household clustering in national health survey data. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 1191-1198.	5.0	16
229	Food insecurity, weight control practices and body mass index in adolescents. <i>Public Health Nutrition</i> , 2006, 9, 570-574.	2.2	43
230	No Association Between Immunization and Guillain-Barré Syndrome in the United Kingdom, 1992 to 2000. <i>Archives of Internal Medicine</i> , 2006, 166, 1301.	3.8	86
231	A simulation study of odds ratio estimation for binary outcomes from cluster randomized trials. <i>Statistics in Medicine</i> , 2006, 26, 3415-3428.	1.6	24
232	Patients' perceptions and experiences of 'continuity of care' in diabetes. <i>Health Expectations</i> , 2006, 9, 118-129.	2.6	68
233	Age-related changes in consultations and antibiotic prescribing for acute respiratory infections, 1995-2000. Data from the UK General Practice Research Database. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2006, 31, 461-467.	1.5	32
234	Explaining inequalities in access to treatment in lung cancer. <i>Journal of Evaluation in Clinical Practice</i> , 2006, 12, 573-582.	1.8	55

#	ARTICLE	IF	CITATIONS
235	Sharing specialist skills for diabetes in an inner city: A comparison of two primary care organisations over 4 years. <i>Journal of Evaluation in Clinical Practice</i> , 2006, 12, 583-590.	1.8	12
236	Physical and psychological comorbidity in irritable bowel syndrome: a matched cohort study using the General Practice Research Database. <i>Alimentary Pharmacology and Therapeutics</i> , 2006, 24, 879-886.	3.7	71
237	The 18 Household Food Security Survey items provide valid food security classifications for adults and children in the Caribbean. <i>BMC Public Health</i> , 2006, 6, 26.	2.9	48
238	Predictive validity of different definitions of hypertension for type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2006, 22, 361-366.	4.0	3
239	Increased Incidence of Carpal Tunnel Syndrome up to 10 Years Before Diagnosis of Diabetes. <i>Diabetes Care</i> , 2006, 29, 1929-1930.	8.6	47
240	Measuring Continuity of Care in Diabetes Mellitus: An Experience-Based Measure. <i>Annals of Family Medicine</i> , 2006, 4, 548-555.	1.9	48
241	Primary care professionals' satisfaction with access, communication and management advice from the diabetes team. <i>Primary Health Care Research and Development</i> , 2006, 7, 13-17.	1.2	0
242	Incidence of common compressive neuropathies in primary care. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 77, 263-265.	1.9	282
243	Risk of Diabetes Associated With Prescribed Glucocorticoids in a Large Population. <i>Diabetes Care</i> , 2006, 29, 2728-2729.	8.6	160
244	Self-administration of a food security scale by adolescents: item functioning, socio-economic position and food intakes. <i>Public Health Nutrition</i> , 2005, 8, 853-860.	2.2	29
245	Changing patterns of primary care for diabetes in Trinidad and Tobago over 10 years. <i>Diabetic Medicine</i> , 2005, 22, 619-624.	2.3	18
246	Cigarette smoking and prevention of Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2005, 22, 1285-1286.	2.3	1
247	Trends in antihypertensive and lipid-lowering therapy in subjects with type II diabetes: clinical effectiveness or clinical discretion?. <i>Journal of Human Hypertension</i> , 2005, 19, 111-117.	2.2	21
248	Increased Utilization of Primary Care 5 Years Before Diagnosis of Type 2 Diabetes: A matched cohort study. <i>Diabetes Care</i> , 2005, 28, 47-52.	8.6	24
249	Socioeconomic deprivation and proximity to general practices in England. <i>Journal of Public Health</i> , 2005, 27, 308-308.	1.8	0
250	Headache and migraine in primary care: consultation, prescription, and referral rates in a large population. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 77, 385-387.	1.9	145
251	Intraclass correlation coefficient and outcome prevalence are associated in clustered binary data. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 246-251.	5.0	114
252	Variations in antibiotic prescribing and consultation rates for acute respiratory infection in UK general practices 1995-2000. <i>British Journal of General Practice</i> , 2005, 55, 603-8.	1.4	108

#	ARTICLE	IF	CITATIONS
253	Continuity of care. <i>Family Medicine</i> , 2005, 37, 687-8; author reply 688.	0.5	3
254	Why has antibiotic prescribing for respiratory illness declined in primary care? A longitudinal study using the General Practice Research Database. <i>Journal of Public Health</i> , 2004, 26, 268-274.	1.8	124
255	Variations in glucose self-monitoring during oral hypoglycaemic therapy in primary care. <i>Diabetic Medicine</i> , 2004, 21, 685-690.	2.3	15
256	Socioeconomic inequality in blood pressure and its determinants: cross-sectional data from Trinidad and Tobago. <i>Journal of Human Hypertension</i> , 2004, 18, 61-70.	2.2	32
257	Reliability and validity of a short form household food security scale in a Caribbean community. <i>BMC Public Health</i> , 2004, 4, 22.	2.9	50
258	Availability and structure of primary medical care services and population health and health care indicators in England. <i>BMC Health Services Research</i> , 2004, 4, 12.	2.2	33
259	Diabetes-related inequalities in health status and financial barriers to health care access in a population-based study. <i>Diabetic Medicine</i> , 2004, 21, 45-51.	2.3	23
260	Mortality in type 2 diabetic subjects prescribed metformin and sulphonylurea drugs in combination: cohort study. <i>Diabetes/Metabolism Research and Reviews</i> , 2004, 20, 239-245.	4.0	59
261	Patterns of intra-cluster correlation from primary care research to inform study design and analysis. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 785-794.	5.0	457
262	Cigarette smoking, health status, socio-economic status and access to health care in diabetes mellitus: a cross-sectional survey. <i>BMC Health Services Research</i> , 2003, 3, 4.	2.2	39
263	Non-parametric bootstrap confidence intervals for the intraclass correlation coefficient. <i>Statistics in Medicine</i> , 2003, 22, 3805-3821.	1.6	63
264	Social inequalities and children's height in Trinidad and Tobago. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 143-150.	2.9	15
265	Commentary: Epidemiological transition and socioeconomic inequalities in blood pressure in Jamaica. <i>International Journal of Epidemiology</i> , 2003, 32, 408-409.	1.9	9
266	Geographical and organisational variation in the structure of primary care services: implications for study design. <i>Journal of Health Services Research and Policy</i> , 2003, 8, 87-93.	1.7	13
267	Food insecurity, food choices, and body mass index in adults: nutrition transition in Trinidad and Tobago. <i>International Journal of Epidemiology</i> , 2003, 32, 508-516.	1.9	104
268	Geographical inequalities in lung cancer management and survival in South East England: evidence of variation in access to oncology services?. <i>British Journal of Cancer</i> , 2003, 88, 1025-1031.	6.4	68
269	Evaluation of Equity in Diabetes Health Care in Relation to African and Caribbean Ethnicity. <i>Ethnicity and Health</i> , 2003, 8, 121-133.	2.5	18
270	Food insecurity definitions and body mass index. Response. <i>International Journal of Epidemiology</i> , 2003, 32, 1118-1119.	1.9	3

#	ARTICLE	IF	CITATIONS
271	Food insecurity and low income in an English inner city. <i>Journal of Public Health</i> , 2003, 25, 156-159.	1.8	70
272	Availability of primary care doctors and population health in England: is there an association?. <i>Journal of Public Health</i> , 2002, 24, 252-254.	1.8	116
273	Free school meals and children's social and nutritional status in Trinidad and Tobago. <i>Public Health Nutrition</i> , 2002, 5, 625-630.	2.2	6
274	What does 'access to health care' mean?. <i>Journal of Health Services Research and Policy</i> , 2002, 7, 186-188.	1.7	687
275	Diabetic foot disease and foot care in a Caribbean community. <i>Diabetes Research and Clinical Practice</i> , 2002, 56, 35-40.	2.8	36
276	A note on the use of the variance inflation factor for determining sample size in cluster randomized trials. <i>Journal of the Royal Statistical Society: Series D (the Statistician)</i> , 2002, 51, 479-484.	0.2	7
277	Optimizing the Delivery of Effective Diabetes Care. <i>Disease Management and Health Outcomes</i> , 2001, 9, 683-690.	0.4	0
278	Evaluating variations in medical practice between government primary care health centres. <i>Journal of Clinical Epidemiology</i> , 2001, 54, 511-517.	5.0	20
279	Determinants of glycated haemoglobin in the general population: associations with diet, alcohol and cigarette smoking. <i>European Journal of Clinical Nutrition</i> , 2001, 55, 615-623.	2.9	58
280	Low rates of detection and treatment of hypertension among current cigarette smokers. <i>Journal of Human Hypertension</i> , 2001, 15, 771-773.	2.2	19
281	Utilisation of private care by public primary care clinic attenders with diabetes:. <i>Social Science and Medicine</i> , 2001, 53, 1045-1056.	3.8	11
282	Overweight, obesity and skinfold thicknesses of children of African or Indian descent in Trinidad and Tobago. <i>International Journal of Epidemiology</i> , 2001, 30, 989-998.	1.9	42
283	Management of diabetes mellitus in three settings in Jamaica. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2001, 9, 65-72.	1.1	26
284	Self-monitoring in Type 2 diabetes mellitus: a meta-analysis. <i>Diabetic Medicine</i> , 2000, 17, 755-761.	2.3	203
285	A five-year evaluation of intervention in diabetes care in Trinidad and Tobago. <i>Diabetic Medicine</i> , 1999, 16, 939-945.	2.3	24
286	A 4-year evaluation of blood pressure management in Trinidad and Tobago. <i>Journal of Human Hypertension</i> , 1999, 13, 455-459.	2.2	5
287	Relationship of Health-Related Quality of Life to Symptom Severity in Diabetes Mellitus. <i>Journal of Clinical Epidemiology</i> , 1999, 52, 773-780.	5.0	46
288	Methods in health service research: Evaluation of health interventions at area and organisation level. <i>BMJ: British Medical Journal</i> , 1999, 319, 376-379.	2.3	127

#	ARTICLE	IF	CITATIONS
289	Social inequalities in morbidity from diabetes mellitus in public primary care clinics in Trinidad and Tobago. <i>Social Science and Medicine</i> , 1998, 46, 137-144.	3.8	17
290	Stroke in Trinidad and Tobago: burden of illness and risk factors. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 1998, 4, 233-7.	1.1	16
291	Social environment, morbidity and use of health care among people with diabetes mellitus in Trinidad. <i>International Journal of Epidemiology</i> , 1997, 26, 620-627.	1.9	14
292	Design of Cost-Effective Packages of Care for Non-Insulin-Dependent Diabetes Mellitus: Defining the Information Needs. <i>International Journal of Technology Assessment in Health Care</i> , 1997, 13, 395-410.	0.5	6
293	Epidemiological Transition in Trinidad and Tobago, West Indies 1953-1992. <i>International Journal of Epidemiology</i> , 1996, 25, 357-365.	1.9	32
294	Diabetes Care in Middle-income Countries: A Caribbean Case Study. <i>Diabetic Medicine</i> , 1996, 13, 574-581.	2.3	32
295	Random Blood Glucose Estimation in Type 2 Diabetes: Does it Reflect Overall Glycaemic Control?. <i>Diabetic Medicine</i> , 1995, 12, 637-637.	2.3	1
296	Clinical oncology information network: Population based registries remain valuable. <i>BMJ: British Medical Journal</i> , 1994, 308, 597-597.	2.3	1
297	Reply to the letter from Drs Pollock and Vickers. <i>British Journal of Cancer</i> , 1993, 68, 1046-1046.	6.4	0
298	The reliability of Cancer Registry records. <i>British Journal of Cancer</i> , 1993, 67, 819-821.	6.4	36
299	Evaluation of gastrin secretion in diabetic subjects with normal or abnormal cardiovascular autonomic function tests. <i>Acta Diabetologica Latina</i> , 1988, 25, 275-282.	0.2	1
300	Methods for Evaluating Organisation- or Area-Based Health Interventions. , 0, , 295-313.		5