

Stephanie J Bryant

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8094487/publications.pdf>

Version: 2024-02-01

113
papers

9,897
citations

61984

43
h-index

36028

97
g-index

113
all docs

113
docs citations

113
times ranked

10258
citing authors

#	ARTICLE	IF	CITATIONS
1	Hydrolytically Degradable Poly(α -amino ester) Resins with Tunable Degradation for 3D Printing by Projection Micro σ Stereolithography. <i>Advanced Functional Materials</i> , 2022, 32, 2106509.	14.9	12
2	Mapping Macrophage Polarization and Origin during the Progression of the Foreign Body Response to a Poly(ethylene glycol) Hydrogel Implant. <i>Advanced Healthcare Materials</i> , 2022, 11, e2102209.	7.6	7
3	Particulate ECM biomaterial ink is 3D printed and naturally crosslinked to form structurally-layered and lubricated cartilage tissue mimics. <i>Biofabrication</i> , 2022, 14, 025021.	7.1	13
4	Synthesis and Characterization of Click Nucleic Acid Conjugated Polymeric Microparticles for DNA Delivery Applications. <i>Biomacromolecules</i> , 2021, 22, 1127-1136.	5.4	7
5	Microscale Photopatterning of Through σ Thickness Modulus in a Monolithic and Functionally Graded 3D σ Printed Part. <i>Small Science</i> , 2021, 1, 2000017.	9.9	14
6	The Effects of Stably Tethered BMP-2 on MC3T3-E1 Preosteoblasts Encapsulated in a PEG Hydrogel. <i>Biomacromolecules</i> , 2021, 22, 1065-1079.	5.4	14
7	Mechanobiological Interactions between Dynamic Compressive Loading and Viscoelasticity on Chondrocytes in Hydrazone Covalent Adaptable Networks for Cartilage Tissue Engineering. <i>Advanced Healthcare Materials</i> , 2021, 10, e2002030.	7.6	16
8	The effects of processing variables on electrospun poly(ethylene glycol) fibrous hydrogels formed from the thiol σ norbornene click reaction. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50786.	2.6	2
9	Biomimetic and mechanically supportive 3D printed scaffolds for cartilage and osteochondral tissue engineering using photopolymers and digital light processing. <i>Biofabrication</i> , 2021, 13, 044106.	7.1	26
10	Mechanics of 3D Cell σ Hydrogel Interactions: Experiments, Models, and Mechanisms. <i>Chemical Reviews</i> , 2021, 121, 11085-11148.	47.7	62
11	A 3D, Dynamically Loaded Hydrogel Model of the Osteochondral Unit to Study Osteocyte Mechanobiology. <i>Advanced Healthcare Materials</i> , 2020, 9, e2001226.	7.6	12
12	Messenger RNA enrichment using synthetic oligo(T) click nucleic acids. <i>Chemical Communications</i> , 2020, 56, 13987-13990.	4.1	10
13	Photo-tunable hydrogel mechanical heterogeneity informed by predictive transport kinetics model. <i>Soft Matter</i> , 2020, 16, 4131-4141.	2.7	7
14	Spatiotemporal neocartilage growth in matrix-metalloproteinase-sensitive poly(ethylene glycol) hydrogels under dynamic compressive loading: an experimental and computational approach. <i>Journal of Materials Chemistry B</i> , 2020, 8, 2775-2791.	5.8	6
15	Viscoelastic and thermoreversible networks crosslinked by non-covalent interactions between σ clickable σ nucleic acid oligomers and DNA. <i>Polymer Chemistry</i> , 2020, 11, 2959-2968.	3.9	12
16	Viscoelasticity of hydrazone crosslinked poly(ethylene glycol) hydrogels directs chondrocyte morphology during mechanical deformation. <i>Biomaterials Science</i> , 2020, 8, 3804-3811.	5.4	15
17	Prostaglandin E2 and Its Receptor EP2 Modulate Macrophage Activation and Fusion <i>in Vitro</i> . <i>ACS Biomaterials Science and Engineering</i> , 2020, 6, 2668-2681.	5.2	21
18	IDG-SW3 Osteocyte Differentiation and Bone Extracellular Matrix Deposition Are Enhanced in a 3D Matrix Metalloproteinase-Sensitive Hydrogel. <i>ACS Applied Bio Materials</i> , 2020, 3, 1666-1680.	4.6	18

#	ARTICLE	IF	CITATIONS
19	“The role of percolation in hydrogel-based tissue engineering and bioprinting”. <i>Current Opinion in Biomedical Engineering</i> , 2020, 15, 68-74.	3.4	15
20	Tethering transforming growth factor β 1 to soft hydrogels guides vascular smooth muscle commitment from human mesenchymal stem cells. <i>Acta Biomaterialia</i> , 2020, 105, 68-77.	8.3	11
21	Cell encapsulation spatially alters crosslink density of poly(ethylene glycol) hydrogels formed from free-radical polymerizations. <i>Acta Biomaterialia</i> , 2020, 109, 37-50.	8.3	27
22	Stereolithographic 3D Printing for Deterministic Control over Integration in Dual-Phase Material Composites. <i>Advanced Materials Technologies</i> , 2019, 4, 1900592.	5.8	20
23	Inflammation via myeloid differentiation primary response gene 88 signaling mediates the fibrotic response to implantable synthetic poly(ethylene glycol) hydrogels. <i>Acta Biomaterialia</i> , 2019, 100, 105-117.	8.3	25
24	Assessment and prevention of cartilage degeneration surrounding a focal chondral defect in the porcine model. <i>Biochemical and Biophysical Research Communications</i> , 2019, 514, 940-945.	2.1	4
25	An in vitro and in vivo comparison of cartilage growth in chondrocyte-laden matrix metalloproteinase-sensitive poly(ethylene glycol) hydrogels with localized transforming growth factor β 3. <i>Acta Biomaterialia</i> , 2019, 93, 97-110.	8.3	49
26	The effects of dynamic compressive loading on human mesenchymal stem cell osteogenesis in the stiff layer of a bilayer hydrogel. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2019, 13, 946-959.	2.7	11
27	A comparison of human mesenchymal stem cell osteogenesis in poly(ethylene glycol) hydrogels as a function of MMP-sensitive crosslinker and crosslink density in chemically defined medium. <i>Biotechnology and Bioengineering</i> , 2019, 116, 1523-1536.	3.3	15
28	Stabilization of Fibronectin by Random Copolymer Brushes Inhibits Macrophage Activation. <i>ACS Applied Bio Materials</i> , 2019, 2, 4698-4702.	4.6	14
29	Rabbit Model of Physeal Injury for the Evaluation of Regenerative Medicine Approaches. <i>Tissue Engineering - Part C: Methods</i> , 2019, 25, 701-710.	2.1	7
30	Dynamic mechanical loading and growth factors influence chondrogenesis of induced pluripotent mesenchymal progenitor cells in a cartilage-mimetic hydrogel. <i>Biomaterials Science</i> , 2019, 7, 5388-5403.	5.4	24
31	Photopolymerizable Injectable Cartilage Mimetic Hydrogel for the Treatment of Focal Chondral Lesions: A Proof of Concept Study in a Rabbit Animal Model. <i>American Journal of Sports Medicine</i> , 2019, 47, 212-221.	4.2	24
32	The role of chondroitin sulfate in regulating hypertrophy during MSC chondrogenesis in a cartilage mimetic hydrogel under dynamic loading. <i>Biomaterials</i> , 2019, 190-191, 51-62.	11.4	56
33	Current and novel injectable hydrogels to treat focal chondral lesions: Properties and applicability. <i>Journal of Orthopaedic Research</i> , 2018, 36, 64-75.	2.3	25
34	The in vitro effects of macrophages on the osteogenic capabilities of MC3T3-E1 cells encapsulated in a biomimetic poly(ethylene glycol) hydrogel. <i>Acta Biomaterialia</i> , 2018, 71, 37-48.	8.3	20
35	Cytocompatibility and Cellular Internalization of PEGylated “Clickable” Nucleic Acid Oligomers. <i>Biomacromolecules</i> , 2018, 19, 2535-2541.	5.4	8
36	Effects of cell adhesion motif, fiber stiffness, and cyclic strain on tenocyte gene expression in a tendon mimetic fiber composite hydrogel. <i>Biochemical and Biophysical Research Communications</i> , 2018, 499, 642-647.	2.1	18

#	ARTICLE	IF	CITATIONS
37	The host response in tissue engineering: Crosstalk between immune cells and cell-laden scaffolds. <i>Current Opinion in Biomedical Engineering</i> , 2018, 6, 58-65.	3.4	33
38	The effects of hydroxyapatite nanoparticles embedded in a MMP-sensitive photoclickable PEG hydrogel on encapsulated MC3T3-E1 pre-osteoblasts. <i>Biomedical Materials (Bristol)</i> , 2018, 13, 045009.	3.3	30
39	A Stereolithography-Based 3D Printed Hybrid Scaffold for In Situ Cartilage Defect Repair. <i>Macromolecular Bioscience</i> , 2018, 18, 1700267.	4.1	43
40	Zwitterionic PEG-PC Hydrogels Modulate the Foreign Body Response in a Modulus-Dependent Manner. <i>Biomacromolecules</i> , 2018, 19, 2880-2888.	5.4	74
41	A MMP7-sensitive photoclickable biomimetic hydrogel for MSC encapsulation towards engineering human cartilage. <i>Journal of Biomedical Materials Research - Part A</i> , 2018, 106, 2344-2355.	4.0	20
42	Programmable Hydrogels for Cell Encapsulation and Neo-Tissue Growth to Enable Personalized Tissue Engineering. <i>Advanced Healthcare Materials</i> , 2018, 7, 1700605.	7.6	63
43	Regenerative Medicine Approaches for the Treatment of Pediatric Physal Injuries. <i>Tissue Engineering - Part B: Reviews</i> , 2018, 24, 85-97.	4.8	34
44	Understanding and Improving Mechanical Properties in 3D printed Parts Using a Dual-Cure Acrylate-Based Resin for Stereolithography. <i>Advanced Engineering Materials</i> , 2018, 20, 1800876.	3.5	100
45	Biomimetic soft fibrous hydrogels for contractile and pharmacologically responsive smooth muscle. <i>Acta Biomaterialia</i> , 2018, 74, 121-130.	8.3	26
46	Structural Modeling of Mechanosensitivity in Non-Muscle Cells: Multiscale Approach to Understand Cell Sensing. <i>ACS Biomaterials Science and Engineering</i> , 2017, 3, 2934-2942.	5.2	8
47	Characterization of the chondrocyte secretome in photoclickable poly(ethylene glycol) hydrogels. <i>Biotechnology and Bioengineering</i> , 2017, 114, 2096-2108.	3.3	22
48	Heterogeneity is key to hydrogel-based cartilage tissue regeneration. <i>Soft Matter</i> , 2017, 13, 4841-4855.	2.7	47
49	Understanding the Spatiotemporal Degradation Behavior of Aggrecanase-Sensitive Poly(ethylene glycol) Hydrogels for Use in Cartilage Tissue Engineering. <i>Tissue Engineering - Part A</i> , 2017, 23, 795-810.	3.1	19
50	Recapitulating the Micromechanical Behavior of Tension and Shear in a Biomimetic Hydrogel for Controlling Tenocyte Response. <i>Advanced Healthcare Materials</i> , 2017, 6, 1601095.	7.6	14
51	Indentation mapping revealed poroelastic, but not viscoelastic, properties spanning native zonal articular cartilage. <i>Acta Biomaterialia</i> , 2017, 64, 41-49.	8.3	51
52	A photoclickable peptide microarray platform for facile and rapid screening of 3-D tissue microenvironments. <i>Biomaterials</i> , 2017, 143, 17-28.	11.4	26
53	Local Heterogeneities Improve Matrix Connectivity in Degradable and Photoclickable Poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overl 2017, 3, 2480-2492.	5.2	17
54	Mechanical characterization of sequentially layered photo-clickable thiol-ene hydrogels. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017, 65, 454-465.	3.1	20

#	ARTICLE	IF	CITATIONS
55	In vitro and in vivo models for assessing the host response to biomaterials. <i>Drug Discovery Today: Disease Models</i> , 2017, 24, 13-21.	1.2	22
56	The In Vitro and In Vivo Response to MMP-Sensitive Poly(Ethylene Glycol) Hydrogels. <i>Annals of Biomedical Engineering</i> , 2016, 44, 1959-1969.	2.5	42
57	Nondestructive evaluation of a new hydrolytically degradable and photo-clickable PEG hydrogel for cartilage tissue engineering. <i>Acta Biomaterialia</i> , 2016, 39, 1-11.	8.3	58
58	Tuning tissue growth with scaffold degradation in enzyme-sensitive hydrogels: a mathematical model. <i>Soft Matter</i> , 2016, 12, 7505-7520.	2.7	63
59	Tuning Reaction and Diffusion Mediated Degradation of Enzyme-Sensitive Hydrogels. <i>Advanced Healthcare Materials</i> , 2016, 5, 432-438.	7.6	38
60	An Enzyme-Sensitive PEG Hydrogel Based on Aggrecan Catabolism for Cartilage Tissue Engineering. <i>Advanced Healthcare Materials</i> , 2015, 4, 420-431.	7.6	71
61	Physiological osmolarities do not enhance long-term tissue synthesis in chondrocyte-laden degradable poly(ethylene glycol) hydrogels. <i>Journal of Biomedical Materials Research - Part A</i> , 2015, 103, 2186-2192.	4.0	1
62	Determination of the polymer-solvent interaction parameter for PEG hydrogels in water: Application of a self learning algorithm. <i>Polymer</i> , 2015, 66, 135-147.	3.8	30
63	Mechanical loading regulates human MSC differentiation in a multi-layer hydrogel for osteochondral tissue engineering. <i>Acta Biomaterialia</i> , 2015, 21, 142-153.	8.3	94
64	Enzymatically degradable poly(ethylene glycol) hydrogels for the 3D culture and release of human embryonic stem cell derived pancreatic precursor cell aggregates. <i>Acta Biomaterialia</i> , 2015, 22, 103-110.	8.3	30
65	Linking the foreign body response and protein adsorption to PEG-based hydrogels using proteomics. <i>Biomaterials</i> , 2015, 41, 26-36.	11.4	129
66	Immunomodulation by mesenchymal stem cells combats the foreign body response to cell-laden synthetic hydrogels. <i>Biomaterials</i> , 2015, 41, 79-88.	11.4	122
67	Ionic osmolytes and intracellular calcium regulate tissue production in chondrocytes cultured in a 3D charged hydrogel. <i>Matrix Biology</i> , 2014, 40, 17-26.	3.6	15
68	Tissue Engineering Approaches to Cell-Based Type 1 Diabetes Therapy. <i>Tissue Engineering - Part B: Reviews</i> , 2014, 20, 455-467.	4.8	50
69	Semi-interpenetrating networks of hyaluronic acid in degradable PEG hydrogels for cartilage tissue engineering. <i>Acta Biomaterialia</i> , 2014, 10, 3409-3420.	8.3	55
70	Interaction of Hyaluronan Binding Peptides with Glycosaminoglycans in Poly(ethylene glycol) Hydrogels. <i>Biomacromolecules</i> , 2014, 15, 1132-1141.	5.4	34
71	On the role of hydrogel structure and degradation in controlling the transport of cell-secreted matrix molecules for engineered cartilage. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2013, 19, 61-74.	3.1	50
72	Comparison of photopolymerizable thiol-ene PEG and acrylate-based PEG hydrogels for cartilage development. <i>Biomaterials</i> , 2013, 34, 9969-9979.	11.4	138

#	ARTICLE	IF	CITATIONS
73	Understanding the host response to cell-laden poly(ethylene glycol)-based hydrogels. <i>Biomaterials</i> , 2013, 34, 952-964.	11.4	30
74	Three dimensional live cell lithography. <i>Optics Express</i> , 2013, 21, 10269.	3.4	21
75	Dynamic compressive loading differentially regulates chondrocyte anabolic and catabolic activity with age. <i>Biotechnology and Bioengineering</i> , 2013, 110, 2046-2057.	3.3	24
76	Triphasic mixture model of cell-mediated enzymatic degradation of hydrogels. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2012, 15, 1197-1210.	1.6	26
77	An Instrumented Bioreactor for Mechanical Stimulation and Real-Time, Nondestructive Evaluation of Engineered Cartilage Tissue. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2012, 6, .	0.7	9
78	Age impacts extracellular matrix metabolism in chondrocytes encapsulated in degradable hydrogels. <i>Biomedical Materials (Bristol)</i> , 2012, 7, 024111.	3.3	21
79	Influence of chondrocyte maturation on acute response to impact injury in PEG hydrogels. <i>Journal of Biomechanics</i> , 2012, 45, 2556-2563.	2.1	7
80	Student award winner in the undergraduate category for the society of biomaterials 9th World Biomaterials Congress, Chengdu, China, June 1 st -5, 2012. <i>Journal of Biomedical Materials Research - Part A</i> , 2012, 100A, 1375-1386.	4.0	367
81	Chondroitin sulfate and dynamic loading alter chondrogenesis of human MSCs in PEG hydrogels. <i>Biotechnology and Bioengineering</i> , 2012, 109, 2671-2682.	3.3	43
82	Alignment of multi-layered muscle cells within three-dimensional hydrogel macrochannels. <i>Acta Biomaterialia</i> , 2012, 8, 2193-2202.	8.3	35
83	The effects of intermittent dynamic loading on chondrogenic and osteogenic differentiation of human marrow stromal cells encapsulated in RGD-modified poly(ethylene glycol) hydrogels. <i>Acta Biomaterialia</i> , 2011, 7, 3829-3840.	8.3	59
84	Degradation Improves Tissue Formation in (Un)Loaded Chondrocyte-laden Hydrogels. <i>Clinical Orthopaedics and Related Research</i> , 2011, 469, 2725-2734.	1.5	54
85	Temporal progression of the host response to implanted poly(ethylene glycol)-based hydrogels. <i>Journal of Biomedical Materials Research - Part A</i> , 2011, 96A, 621-631.	4.0	70
86	Incorporation of biomimetic matrix molecules in PEG hydrogels enhances matrix deposition and reduces load-induced loss of chondrocyte-secreted matrix. <i>Journal of Biomedical Materials Research - Part A</i> , 2011, 97A, 281-291.	4.0	20
87	Presence of pores and hydrogel composition influence tensile properties of scaffolds fabricated from well-defined sphere templates. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2011, 96B, 294-302.	3.4	46
88	Comparative study of the viscoelastic mechanical behavior of agarose and poly(ethylene glycol) hydrogels. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2011, 99B, 158-169.	3.4	62
89	Phenotypic changes in bone marrow-derived murine macrophages cultured on PEG-based hydrogels activated or not by lipopolysaccharide. <i>Acta Biomaterialia</i> , 2011, 7, 123-132.	8.3	44
90	Characterization of the <i>in vitro</i> macrophage response and <i>in vivo</i> host response to poly(ethylene glycol)-based hydrogels. <i>Journal of Biomedical Materials Research - Part A</i> , 2010, 93A, 941-953.	4.0	120

#	ARTICLE	IF	CITATIONS
91	Characterization of a Novel Fiber Composite Material for Mechanotransduction Research of Fibrous Connective Tissues. <i>Advanced Functional Materials</i> , 2010, 20, 738-747.	14.9	12
92	Dynamic loading stimulates chondrocyte biosynthesis when encapsulated in charged hydrogels prepared from poly(ethylene glycol) and chondroitin sulfate. <i>Matrix Biology</i> , 2010, 29, 51-62.	3.6	54
93	Medium Osmolarity and Pericellular Matrix Development Improves Chondrocyte Survival When Photoencapsulated in Poly(Ethylene Glycol) Hydrogels at Low Densities. <i>Tissue Engineering - Part A</i> , 2009, 15, 3037-3048.	3.1	16
94	Crosslinking density alters early metabolic activities in chondrocytes encapsulated in poly(ethylene glycol) hydrogels. <i>Journal of Biomedical Materials Research Part B: Applied Biomaterials</i> , 2010, 92, 1242-1250.	3.3	27
95	Influence of ECM proteins and their analogs on cells cultured on 2-D hydrogels for cardiac muscle tissue engineering. <i>Acta Biomaterialia</i> , 2009, 5, 2929-2938.	8.3	45
96	Cell-matrix interactions and dynamic mechanical loading influence chondrocyte gene expression and bioactivity in PEG-RGD hydrogels. <i>Acta Biomaterialia</i> , 2009, 5, 2832-2846.	8.3	67
97	Designing 3D Photopolymer Hydrogels to Regulate Biomechanical Cues and Tissue Growth for Cartilage Tissue Engineering. <i>Pharmaceutical Research</i> , 2008, 25, 2379-2386.	3.5	70
98	Cell Encapsulation in Biodegradable Hydrogels for Tissue Engineering Applications. <i>Tissue Engineering - Part B: Reviews</i> , 2008, 14, 149-165.	4.8	1,019
99	Mechanical stimulation of TMJ condylar chondrocytes encapsulated in PEG hydrogels. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 83A, 323-331.	4.0	45
100	Photo-patterning of porous hydrogels for tissue engineering. <i>Biomaterials</i> , 2007, 28, 2978-2986.	11.4	242
101	Photopolymerization of Hydrogel Scaffolds. <i>Journal of Biomedical Materials Research Part B: Applied Biomaterials</i> , 2005, 71, 71-90.		14
102	Incorporation of tissue-specific molecules alters chondrocyte metabolism and gene expression in photocrosslinked hydrogels. <i>Acta Biomaterialia</i> , 2005, 1, 243-252.	8.3	110
103	Crosslinking Density Influences Chondrocyte Metabolism in Dynamically Loaded Photocrosslinked Poly(ethylene glycol) Hydrogels. <i>Annals of Biomedical Engineering</i> , 2004, 32, 407-417.	2.5	212
104	Encapsulating chondrocytes in degrading PEG hydrogels with high modulus: Engineering gel structural changes to facilitate cartilaginous tissue production. <i>Biotechnology and Bioengineering</i> , 2004, 86, 747-755.	3.3	271
105	Crosslinking density influences the morphology of chondrocytes photoencapsulated in PEG hydrogels during the application of compressive strain. <i>Journal of Orthopaedic Research</i> , 2004, 22, 1143-1149.	2.3	169
106	Biomaterials: Where We Have Been and Where We Are Going. <i>Annual Review of Biomedical Engineering</i> , 2004, 6, 41-75.	12.3	1,318
107	Synthesis and Characterization of Photopolymerized Multifunctional Hydrogels: A Water-Soluble Poly(Vinyl Alcohol) and Chondroitin Sulfate Macromers for Chondrocyte Encapsulation. <i>Journal of Biomedical Materials Research Part B: Applied Biomaterials</i> , 2004, 37, 6726-6733.	4.8	173
108	Tailoring the Degradation of Hydrogels Formed from Multivinyl Poly(ethylene glycol) and Poly(vinyl alcohol) Hydrogels. <i>Journal of Biomedical Materials Research Part B: Applied Biomaterials</i> , 2004, 68, 1075-1085.	8.4	258

#	ARTICLE	IF	CITATIONS
109	Controlling the spatial distribution of ECM components in degradable PEG hydrogels for tissue engineering cartilage. Journal of Biomedical Materials Research Part B, 2003, 64A, 70-79.	3.1	395
110	Manipulations in hydrogel chemistry control photoencapsulated chondrocyte behavior and their extracellular matrix production. Journal of Biomedical Materials Research - Part A, 2003, 67A, 1430-1436.	4.0	139
111	In situ forming degradable networks and their application in tissue engineering and drug delivery. Journal of Controlled Release, 2002, 78, 199-209.	9.9	430
112	Hydrogel properties influence ECM production by chondrocytes photoencapsulated in poly(ethylene Tj ETQq0 0 0 rgBT /Overlock 10 Tf	3.1	743
113	Cytocompatibility of UV and visible light photoinitiating systems on cultured NIH/3T3 fibroblasts in vitro. Journal of Biomaterials Science, Polymer Edition, 2000, 11, 439-457.	3.5	674