

# Tom MÃ¶ller

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8094844/publications.pdf>

Version: 2024-02-01

39  
papers

1,239  
citations

535685

17  
h-index

406436

35  
g-index

40  
all docs

40  
docs citations

40  
times ranked

1636  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Effect of a multimodal high intensity exercise intervention in cancer patients undergoing chemotherapy: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2009, 339, b3410-b3410.  | 2.4 | 378       |
| 2  | The effect of a multidimensional exercise intervention on physical capacity, well-being and quality of life in cancer patients undergoing chemotherapy. <i>Supportive Care in Cancer</i> , 2006, 14, 116-127.                                   | 1.0 | 114       |
| 3  | Feasibility, physical capacity, and health benefits of a multidimensional exercise program for cancer patients undergoing chemotherapy. <i>Supportive Care in Cancer</i> , 2003, 11, 707-716.   | 1.0 | 106       |
| 4  | The effects of a six-week supervised multimodal exercise intervention during chemotherapy on cancer-related fatigue. <i>European Journal of Oncology Nursing</i> , 2013, 17, 331-339.   | 0.9 | 77        |
| 5  | Self-reported physical activity behaviour; exercise motivation and information among Danish adult cancer patients undergoing chemotherapy. <i>European Journal of Oncology Nursing</i> , 2009, 13, 116-121.                                     | 0.9 | 53        |
| 6  | Safe and feasible outpatient treatment following induction and consolidation chemotherapy for patients with acute leukaemia. <i>European Journal of Haematology</i> , 2010, 84, 316-322.  | 1.1 | 46        |
| 7  | The impact of a multidimensional exercise program on self-reported anxiety and depression in cancer patients undergoing chemotherapy: A phase II study. <i>Palliative and Supportive Care</i> , 2005, 3, 197-208.                               | 0.6 | 39        |
| 8  | Exercise may reduce depression but not anxiety in self-referred cancer patients undergoing chemotherapy. Post-hoc analysis of data from the "Body & Cancer" trial. <i>Acta Oncologica</i> , 2011, 50, 660-669.                                  | 0.8 | 35        |
| 9  | The challenge of preserving cardiorespiratory fitness in physically inactive patients with colon or breast cancer during adjuvant chemotherapy: a randomised feasibility study. <i>BMJ Open Sport and Exercise Medicine</i> , 2015, 1, e000021. | 1.4 | 30        |
| 10 | Physical deterioration and adaptive recovery in physically inactive breast cancer patients during adjuvant chemotherapy: a randomised controlled trial. <i>Scientific Reports</i> , 2020, 10, 9710.   | 1.6 | 30        |
| 11 | Hematologic Patients' Clinical and Psychosocial Experiences With Implanted Long-term Central Venous Catheter. <i>Cancer Nursing</i> , 2010, 33, 426-435.  | 0.7 | 29        |
| 12 | At cancer diagnosis: a "window of opportunity" for behavioural change towards physical activity. A randomised feasibility study in patients with colon and breast cancer. <i>BMJ Open</i> , 2013, 3, e003556.                                   | 0.8 | 24        |
| 13 | The emerging role of exercise and health counseling in patients with acute leukemia undergoing chemotherapy during outpatient management. <i>Leukemia Research</i> , 2013, 37, 155-161.   | 0.4 | 23        |
| 14 | Multimodal intervention integrated into the clinical management of acute leukemia improves physical function and quality of life during consolidation chemotherapy: a randomized trial 'PACE-AL. <i>Haematologica</i> , 2016, 101, e316-e319.   | 1.7 | 22        |
| 15 | Heavy-Load Lifting. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 187-195.   | 0.2 | 21        |
| 16 | Patient Activation through Counseling and Exercise " Acute Leukemia (PACE-AL) " a randomized controlled trial. <i>BMC Cancer</i> , 2013, 13, 446.   | 1.1 | 20        |
| 17 | Patient safety and technology-driven medication " A qualitative study on how graduate nursing students navigate through complex medication administration. <i>Nurse Education in Practice</i> , 2015, 15, 203-211.                              | 1.0 | 19        |
| 18 | Heavy-load resistance exercise during chemotherapy in physically inactive breast cancer survivors at risk for lymphedema: a randomized trial. <i>Acta Oncologica</i> , 2019, 58, 1667-1675.   | 0.8 | 17        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Rethinking exercise identity: a qualitative study of physically inactive cancer patientsâ€™ transforming process while undergoing chemotherapy. <i>BMJ Open</i> , 2017, 7, e016689.  | 0.8 | 14        |
| 20 | Health related quality of life and impact of infectious comorbidity in outpatient management of patients with acute leukemia. <i>Leukemia and Lymphoma</i> , 2012, 53, 1896-1904.  | 0.6 | 13        |
| 21 | Early warning and prevention of pneumonia in acute leukemia by patient education, spirometry, and positive expiratory pressure: A randomized controlled trial. <i>American Journal of Hematology</i> , 2016, 91, 271-276.  | 2.0 | 13        |
| 22 | Meaningful Activities and Recovery (MA&R): the effect of a novel rehabilitation intervention among persons with psychiatric disabilities on activity engagementâ€™ study protocol for a randomized controlled trial. <i>Trials</i> , 2020, 21, 789.  | 0.7 | 13        |
| 23 | Exploring the contextual transition from spinal cord injury rehabilitation to the home environment: a qualitative study. <i>Spinal Cord</i> , 2021, 59, 336-346.   | 0.9 | 13        |
| 24 | Systematic patient involvement for homebased outpatient administration of complex chemotherapy in acute leukemia and lymphoma. <i>British Journal of Haematology</i> , 2018, 181, 637-641.   | 1.2 | 12        |
| 25 | Transfusion-associated circulatory overload in adult, medical emergency patients with perspectives on early warning practice: a single-centre, clinical study. <i>Blood Transfusion</i> , 2018, 16, 137-144.   | 0.3 | 11        |
| 26 | Dropout during a 12-week transitional exercise-based cardiac rehabilitation programme: a mixed-methods prospective cohort study. <i>European Journal of Cardiovascular Nursing</i> , 2022, 21, 578-586.  | 0.4 | 9         |
| 27 | A randomized cross-over trial to detect differences in arm volume after low- and heavy-load resistance exercise among patients receiving adjuvant chemotherapy for breast cancer at risk for arm lymphedema: study protocol. <i>BMC Cancer</i> , 2016, 16, 517.                              | 1.1 | 8         |
| 28 | Health promotion and cardiovascular risk reduction in people with spinal cord injury: physical activity, healthy diet and maintenance after dischargeâ€™ protocol for a prospective national cohort study and a preintervention- postintervention study. <i>BMJ Open</i> , 2019, 9, e030310. | 0.8 | 8         |
| 29 | Effect and efficacy of lifestyle interventions as secondary prevention. <i>Acta Neurologica Scandinavica</i> , 2020, 142, 299-313.   | 1.0 | 8         |
| 30 | Parents to chronically ill adolescents have ambivalent views on confidential youth consultations â€™ a mixed methods study. <i>International Journal of Adolescent Medicine and Health</i> , 2021, 33, .   | 0.6 | 6         |
| 31 | Fast-track pneumonia pathway focusing on early progressive mobilisation: a clinical feasibility study. <i>ERJ Open Research</i> , 2019, 5, 00012-2019.   | 1.1 | 4         |
| 32 | Lifestyle counselling as secondary prevention in patients with minor stroke and transient ischemic attack: study protocol for a randomized controlled pilot study. <i>Pilot and Feasibility Studies</i> , 2020, 6, 40.   | 0.5 | 4         |
| 33 | Reduced Need for Urinary Bladder Catheterization in the Postanesthesia Care Unit After Implementation of an Evidence-based Protocol: A Prospective Cohort Comparison Study. <i>European Urology Open Science</i> , 2021, 26, 27-34.  | 0.2 | 4         |
| 34 | Longitudinal symptom burden in adult patients with acute leukaemia participating in the PACEâ€™AL randomised controlled exercise trialâ€™ an explorative analysis. <i>European Journal of Cancer Care</i> , 2021, 30, e13462.  | 0.7 | 4         |
| 35 | A national Danish proof of concept on feasibility and safety of home -based intensive chemotherapy in patients with acute myeloid leukemia. <i>Leukemia Research</i> , 2022, 112, 106756.  | 0.4 | 3         |
| 36 | Can supervised groupâ€™based multimodal exercise improve healthâ€™related quality of life in women with ovarian cancer undergoing chemotherapy?. <i>European Journal of Cancer Care</i> , 2022, 31, .  | 0.7 | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | The test-retest reliability of individualized VO <sub>2</sub> peak test modalities in people with spinal cord injury undergoing rehabilitation. <i>Spinal Cord</i> , 2021, 59, 82-91.                                 | 0.9 | 2         |
| 38 | The missing link-participants' perspectives on transfer from psychosocial interventional contexts to everyday community life: a qualitative synthesis of interventional studies. <i>BMC Psychology</i> , 2021, 9, 62. | 0.9 | 2         |
| 39 | An observational study on body mass index during rehabilitation and follow-up in people with spinal cord injury in Denmark. <i>Spinal Cord</i> , 2022, 60, 157-162.   | 0.9 | 2         |