
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/809545/publications.pdf Version: 2024-02-01



YOON-KYOUNG SUNG

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | High-density genotyping of immune loci in Koreans and Europeans identifies eight new rheumatoid<br>arthritis risk loci. Annals of the Rheumatic Diseases, 2015, 74, e13-e13.   | 0.9 | 100       |
| 2  | Development of an algorithm for identifying rheumatoid arthritis in the Korean National Health<br>Insurance claims database. Rheumatology International, 2013, 33, 2985-2992.  | 3.0 | 78        |
| 3  | Prevalence and incidence of rheumatoid arthritis in South Korea. Rheumatology International, 2013, 33, 1525-1532.  | 3.0 | 62        |
| 4  | Korean Observational Study Network for Arthritis (KORONA): Establishment of a Prospective<br>Multicenter Cohort for Rheumatoid Arthritis in South Korea. Seminars in Arthritis and Rheumatism,<br>2012, 41, 745-751.   | 3.4 | 54        |
| 5  | Update on the prevalence and incidence of rheumatoid arthritis in Korea and an analysis of medical care and drug utilization. Rheumatology International, 2018, 38, 649-656.   | 3.0 | 48        |
| 6  | Do Patients with Elderly-Onset Rheumatoid Arthritis Have Severe Functional Disability?. Seminars in<br>Arthritis and Rheumatism, 2012, 42, 23-31.  | 3.4 | 43        |
| 7  | Impact of interstitial lung disease on mortality of patients with rheumatoid arthritis. Rheumatology<br>International, 2017, 37, 1735-1745.  | 3.0 | 43        |
| 8  | COVID-19 Vaccination in Patients with Autoimmune Inflammatory Rheumatic Diseases: Clinical<br>Guidance of the Korean College of Rheumatology. Journal of Korean Medical Science, 2021, 36, e95.  | 2.5 | 40        |
| 9  | A phase III, multicentre, randomised, double-blind, active-controlled, parallel-group trial comparing<br>safety and efficacy of HD203, with innovator etanercept, in combination with methotrexate, in<br>patients with rheumatoid arthritis: the HERA study. Annals of the Rheumatic Diseases, 2017, 76, 65-71. | 0.9 | 39        |
| 10 | Comparison of MicroRNA Expression in Tears of Normal Subjects and Sjögren Syndrome Patients. ,<br>2019, 60, 4889.  |     | 39        |
| 11 | The frequency of and risk factors for osteoporosis in Korean patients with rheumatoid arthritis. BMC<br>Musculoskeletal Disorders, 2016, 17, 98.   | 1.9 | 38        |
| 12 | Clinical characteristics and outcomes of diffuse alveolar hemorrhage in patients with systemic lupus erythematosus. Seminars in Arthritis and Rheumatism, 2017, 46, 782-787.   | 3.4 | 36        |
| 13 | Incidence and risk factors of fractures in patients with rheumatoid arthritis: an Asian prospective cohort study. Rheumatology International, 2016, 36, 1205-1214.   | 3.0 | 35        |
| 14 | Comparative effectiveness of oral pharmacologic interventions for knee osteoarthritis: A network<br>meta-analysis. Modern Rheumatology, 2018, 28, 1021-1028.   | 1.8 | 34        |
| 15 | Korean Guideline for the Prevention and Treatment of Glucocorticoid-induced Osteoporosis. Journal of Bone Metabolism, 2018, 25, 195.   | 1.3 | 33        |
| 16 | Factors influencing quality of life (QOL) for Korean patients with rheumatoid arthritis (RA).<br>Rheumatology International, 2013, 33, 93-102.   | 3.0 | 32        |
| 17 | Factors Influencing Discrepancies Between the QuantiFERON-TB Gold in Tube Test and the Tuberculin<br>Skin Test in Korean Patients with Rheumatic Diseases. Seminars in Arthritis and Rheumatism, 2013, 42,<br>424-432.   | 3.4 | 31        |
| 18 | Impact of comorbidities on TNF inhibitor persistence in rheumatoid arthritis patients: an analysis of<br>Korean National Health Insurance claims data. Rheumatology International, 2012, 32, 3851-3856.  | 3.0 | 28        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Drug retention and safety of TNF inhibitors in elderly patients with rheumatoid arthritis. BMC<br>Musculoskeletal Disorders, 2016, 17, 333.  | 1.9 | 28        |
| 20 | Epidemiology of Rheumatoid Arthritis in Korea. Journal of Rheumatic Diseases, 2021, 28, 60-67.   | 1.1 | 27        |
| 21 | Genome-wide association study in a Korean population identifies six novel susceptibility loci for rheumatoid arthritis. Annals of the Rheumatic Diseases, 2020, 79, 1438-1445.   | 0.9 | 26        |
| 22 | Treatment patterns of knee osteoarthritis patients in Korea. Korean Journal of Internal Medicine, 2019,<br>34, 1145-1153.  | 1.7 | 26        |
| 23 | Association between trabecular bone score and risk factors for fractures in Korean female patients with rheumatoid arthritis. Modern Rheumatology, 2016, 26, 540-545.  | 1.8 | 25        |
| 24 | Incidence and Prevalence of Idiopathic Inflammatory Myopathies in Korea: a Nationwide<br>Population-based Study. Journal of Korean Medical Science, 2019, 34, e55.   | 2.5 | 25        |
| 25 | An increased disease burden of autoimmune inflammatory rheumatic diseases in Korea. Seminars in<br>Arthritis and Rheumatism, 2020, 50, 526-533.  | 3.4 | 24        |
| 26 | Assessment of damage in Korean patients with systemic lupus erythematosus. Journal of<br>Rheumatology, 2007, 34, 987-91.   | 2.0 | 24        |
| 27 | Bone Scintigraphy in the Diagnosis of Rheumatoid Arthritis: Is There Additional Value of Bone<br>Scintigraphy with Blood Pool Phase over Conventional Bone Scintigraphy?. Journal of Korean Medical<br>Science, 2016, 31, 502. | 2.5 | 23        |
| 28 | Prevalence and possible causes of hypouricemia at a tertiary care hospital. Korean Journal of Internal<br>Medicine, 2016, 31, 971-976.   | 1.7 | 23        |
| 29 | Association-heterogeneity mapping identifies an Asian-specific association of the GTF2I locus with rheumatoid arthritis. Scientific Reports, 2016, 6, 27563.   | 3.3 | 23        |
| 30 | Use of OCT Retinal Thickness Deviation Map for Hydroxychloroquine Retinopathy Screening.<br>Ophthalmology, 2021, 128, 110-119.   | 5.2 | 21        |
| 31 | Etanercept induced organizing pneumonia in a patient with rheumatoid arthritis. Rheumatology<br>International, 2012, 32, 1055-1057.  | 3.0 | 20        |
| 32 | Factors associated with atypical femoral fracture. Rheumatology International, 2016, 36, 65-71.  | 3.0 | 20        |
| 33 | Switching profiles in a population-based cohort of rheumatoid arthritis receiving biologic therapy: results from the KOBIO registry. Clinical Rheumatology, 2017, 36, 1013-1022.   | 2.2 | 20        |
| 34 | Glucocorticoids Are Associated with an Increased Risk for Vertebral Fracture in Patients with Rheumatoid Arthritis. Journal of Rheumatology, 2018, 45, 612-620.  | 2.0 | 20        |
| 35 | Imputing Variants in HLA-DR Beta Genes Reveals That HLA-DRB1 Is Solely Associated with Rheumatoid<br>Arthritis and Systemic Lupus Erythematosus. PLoS ONE, 2016, 11, e0150283.   | 2.5 | 20        |
| 36 | The use of biological disease-modifying antirheumatic drugs for inflammatory arthritis in Korea:<br>results of a Korean Expert Consensus. Korean Journal of Internal Medicine, 2020, 35, 41-59.                                | 1.7 | 20        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Factors Associated with the Use of Complementary and Alternative Medicine for Korean Patients with<br>Rheumatoid Arthritis. Journal of Rheumatology, 2015, 42, 2075-2081.  | 2.0 | 19        |
| 38 | The risk of malignancy and its incidence in early rheumatoid arthritis patients treated with biologic DMARDs. Arthritis Research and Therapy, 2017, 19, 277.   | 3.5 | 19        |
| 39 | Factors associated with time to diagnosis from symptom onset in patients with early rheumatoid<br>arthritis. Korean Journal of Internal Medicine, 2019, 34, 910-916.   | 1.7 | 19        |
| 40 | Mapping health assessment questionnaire disability index (HAQ-DI) score, pain visual analog scale<br>(VAS), and disease activity score in 28 joints (DAS28) onto the EuroQol-5D (EQ-5D) utility score with<br>the KORean Observational study Network for Arthritis (KORONA) registry data. Rheumatology<br>International, 2016, 36, 505-513. | 3.0 | 18        |
| 41 | Assessment of osteoporosis using pelvic diagnostic computed tomography. Journal of Bone and<br>Mineral Metabolism, 2016, 34, 457-463.  | 2.7 | 18        |
| 42 | Direct medical costs and their predictors in South Korean patients with systemic lupus erythematosus. Rheumatology International, 2015, 35, 1809-1815.   | 3.0 | 17        |
| 43 | Impact of midfoot and Hindfoot involvement on functional disability in Korean patients with rheumatoid arthritis. BMC Musculoskeletal Disorders, 2017, 18, 365.  | 1.9 | 17        |
| 44 | Validation of algorithms to identify knee osteoarthritis patients in the claims database. International<br>Journal of Rheumatic Diseases, 2019, 22, 890-896.   | 1.9 | 17        |
| 45 | Association of Asian mitochondrial DNA haplogroup B with new development of knee osteoarthritis<br>in Koreans. International Journal of Rheumatic Diseases, 2019, 22, 411-416.   | 1.9 | 17        |
| 46 | The Use of Biological Disease-modifying Antirheumatic Drugs for Inflammatory Arthritis in Korea:<br>Results of a Korean Expert Consensus. Journal of Rheumatic Diseases, 2020, 27, 4.  | 1.1 | 17        |
| 47 | The Role of Bone Scintigraphy in the Diagnosis of Rheumatoid Arthritis According to the 2010<br>ACR/EULAR Classification Criteria. Journal of Korean Medical Science, 2014, 29, 204.   | 2.5 | 16        |
| 48 | What factors affect discordance between physicians and patients in the global assessment of disease activity in rheumatoid arthritis?. Modern Rheumatology, 2017, 27, 35-41.   | 1.8 | 16        |
| 49 | Obesity increases the incidence of new-onset lupus nephritis and organ damage during follow-up in patients with systemic lupus erythematosus. Lupus, 2020, 29, 578-586.  | 1.6 | 16        |
| 50 | Impact of early diagnosis on functional disability in rheumatoid arthritis. Korean Journal of Internal<br>Medicine, 2017, 32, 738-746.   | 1.7 | 15        |
| 51 | Risk of malignancy in Korean patients with primary Sjögren's syndrome. International Journal of<br>Rheumatic Diseases, 2020, 23, 1240-1247.  | 1.9 | 15        |
| 52 | The Practice Guideline for Vaccinating Korean Patients with Autoimmune Inflammatory Rheumatic Disease. Infection and Chemotherapy, 2020, 52, 252.  | 2.3 | 14        |
| 53 | Intervention Thresholds for Treatment in Patients with Glucocorticoid-Induced Osteoporosis:<br>Systematic Review of Guidelines. Journal of Bone Metabolism, 2020, 27, 247-259.   | 1.3 | 14        |
| 54 | Prevalence and distribution of sesamoid bones and accessory ossicles of the foot as determined by digital tomosynthesis. Clinical Anatomy, 2017, 30, 1072-1076.  | 2.7 | 13        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Impact of anti-rheumatic treatment on cardiovascular risk in Asian patients with rheumatoid arthritis. Seminars in Arthritis and Rheumatism, 2018, 47, 501-506.   | 3.4 | 13        |
| 56 | Factors related to the use of opioids as early treatment in patients with knee osteoarthritis. Arthritis Research and Therapy, 2019, 21, 222.   | 3.5 | 13        |
| 57 | The usefulness of trabecular bone score in patients with ankylosing spondylitis. Korean Journal of<br>Internal Medicine, 2021, 36, 1211-1220.   | 1.7 | 13        |
| 58 | Uptake of the First Biosimilar Infliximab since its Approval in South Korea. Arthritis and<br>Rheumatology, 2015, 68, n/a-n/a.  | 5.6 | 12        |
| 59 | Malignancy risk in Korean male patients with ankylosing spondylitis. Rheumatology International, 2019, 39, 1741-1748.   | 3.0 | 12        |
| 60 | Prevalence and predictors for sustained remission in rheumatoid arthritis. PLoS ONE, 2019, 14, e0214981.  | 2.5 | 12        |
| 61 | The Prevalence of Sjögren's Syndrome in Rheumatoid Arthritis Patients and Their Clinical Features.<br>Journal of Korean Medical Science, 2020, 35, e369.  | 2.5 | 12        |
| 62 | Validity and role of vertebral fracture assessment in detecting prevalent vertebral fracture in patients with rheumatoid arthritis. Joint Bone Spine, 2014, 81, 149-153.  | 1.6 | 11        |
| 63 | Safety of resuming biologic DMARDs in patients who develop tuberculosis after anti-TNF treatment.<br>Seminars in Arthritis and Rheumatism, 2017, 47, 102-107.   | 3.4 | 11        |
| 64 | Korean Red Ginseng exhibits no significant adverse effect on disease activity in patients with<br>rheumatoid arthritis: a randomized, double-blind, crossover study. Journal of Ginseng Research, 2018,<br>42, 144-148. | 5.7 | 11        |
| 65 | Crossâ€eultural adaptation and validation of the Korean Version of the Functional Index for Hand Osteoarthritis (FIHOA). International Journal of Rheumatic Diseases, 2018, 21, 2095-2103.                              | 1.9 | 11        |
| 66 | Increased risk of opportunistic infection in early rheumatoid arthritis. International Journal of<br>Rheumatic Diseases, 2019, 22, 1239-1246.   | 1.9 | 11        |
| 67 | Recommendations for the management of patients with systemic rheumatic diseases during the coronavirus disease pandemic. Korean Journal of Internal Medicine, 2020, 35, 1317-1332.                                      | 1.7 | 11        |
| 68 | TNF inhibitors increase the risk of nontuberculous mycobacteria in patients with seropositive rheumatoid arthritis in a mycobacterium tuberculosis endemic area. Scientific Reports, 2022, 12, 4003.                    | 3.3 | 11        |
| 69 | Characteristics and outcomes of rheumatoid arthritis patients who started biosimilar infliximab.<br>Rheumatology International, 2017, 37, 1007-1014.  | 3.0 | 10        |
| 70 | Performance of the 2016 ACR-EULAR classification criteria for primary Sjogren's syndrome in a Korean<br>cohort. Rheumatology International, 2018, 38, 1651-1660.  | 3.0 | 10        |
| 71 | Impact of Osteoarthritis on Household Catastrophic Health Expenditures in Korea. Journal of Korean<br>Medical Science, 2018, 33, e161.  | 2.5 | 10        |
| 72 | Incidence and Mortality of Osteoporotic Fracture in Rheumatoid Arthritis in South Korea Using<br>Nationwide Claims Data. Journal of Bone Metabolism, 2019, 26, 97.  | 1.3 | 10        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | SKI306X inhibition of glycosaminoglycan degradation in human cartilage involves down-regulation of cytokine-induced catabolic genes. Korean Journal of Internal Medicine, 2014, 29, 647.  | 1.7 | 10        |
| 74 | Systemic review: agreement between the latent tuberculosis screening tests among patients with rheumatic diseases. Korean Journal of Internal Medicine, 2018, 33, 1241-1251.  | 1.7 | 10        |
| 75 | <i>ABCG2</i> Polymorphism Is Associated with Hyperuricemia in a Study of a Community-Based Korean<br>Cohort. Journal of Korean Medical Science, 2017, 32, 1451.   | 2.5 | 9         |
| 76 | Effects of risk factors for and components of metabolic syndrome on the quality of life of patients with systemic lupus erythematosus: a structural equation modeling approach. Quality of Life Research, 2018, 27, 105-113.                | 3.1 | 9         |
| 77 | Incidence of knee chondrocalcinosis and its risk factors in a communityâ€based cohort. International<br>Journal of Rheumatic Diseases, 2018, 21, 1391-1397.   | 1.9 | 9         |
| 78 | Self-care recommendations for patients with rheumatic diseases during the COVID-19 pandemic.<br>Rheumatology International, 2020, 40, 1347-1349.  | 3.0 | 9         |
| 79 | Update on Glucocorticoid Induced Osteoporosis. Endocrinology and Metabolism, 2021, 36, 536-543.   | 3.0 | 9         |
| 80 | Comparative effectiveness of treatment options after conventional DMARDs failure in rheumatoid arthritis. Rheumatology International, 2017, 37, 975-982.  | 3.0 | 8         |
| 81 | Clinical characteristics of multifocal osteonecrosis in Korean patients with rheumatic disease.<br>International Journal of Rheumatic Diseases, 2018, 21, 1301-1308.  | 1.9 | 8         |
| 82 | Effect of a Nationwide Realâ€Time Drug Utilization Review System on Duplicated Nonsteroidal<br>Antiinflammatory Drug Prescriptions in Korea. Arthritis Care and Research, 2020, 72, 1374-1382.  | 3.4 | 8         |
| 83 | Factors for starting biosimilar TNF inhibitors in patients with rheumatic diseases in the real world.<br>PLoS ONE, 2020, 15, e0227960.  | 2.5 | 8         |
| 84 | Increased risk of malignancy in patients with systemic lupus erythematosus: population-based cohort study in Korea. Arthritis Research and Therapy, 2021, 23, 270.  | 3.5 | 8         |
| 85 | Risk factors for herpes zoster in Korean patients with rheumatoid arthritis treated with JAK inhibitor:<br>a nested case–control study. RMD Open, 2022, 8, e001892.   | 3.8 | 8         |
| 86 | Prevalence and factors affecting glucosamine use in Korea: a survey-based study. Rheumatology<br>International, 2013, 33, 1627-1631.  | 3.0 | 7         |
| 87 | A comparison of incidence and risk factors for serious adverse events in rheumatoid arthritis<br>patients with etanercept or adalimumab in Korea and Japan. Modern Rheumatology, 2014, 24, 572-579.   | 1.8 | 7         |
| 88 | Factors Contributing to Discordance between the 2011 ACR/EULAR Criteria and Physician Clinical<br>Judgment for the Identification of Remission in Patients with Rheumatoid Arthritis. Journal of Korean<br>Medical Science, 2016, 31, 1907. | 2.5 | 7         |
| 89 | The Correlation Between Tenosynovitis Pattern on Two-Phase Bone Scintigraphy and Clinical<br>Manifestation in Patients with Suspected Rheumatoid Arthritis. Nuclear Medicine and Molecular<br>Imaging, 2019, 53, 278-286.                   | 1.0 | 7         |
| 90 | Risk of Tuberculosis Development in Patients with Rheumatoid Arthritis Receiving Targeted Therapy: a<br>Prospective Single Center Cohort Study. Journal of Korean Medical Science, 2021, 36, e70.   | 2.5 | 7         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Association of depression with socioeconomic status, anticardiolipin antibodies, and organ damage in patients with systemic lupus erythematosus: results from the KORNET registry. Clinical and Experimental Rheumatology, 2018, 36, 627-635. | 0.8 | 7         |
| 92  | Prediction for TNF Inhibitor Users in RA Patients According to Reimbursement Criteria Based on DAS28. Journal of Rheumatic Diseases, 2014, 21, 64.  | 1.1 | 6         |
| 93  | The frequency of single nucleotide polymorphisms and their association with uric acid concentration based on data from genome-wide association studies in the Korean population. Rheumatology International, 2014, 34, 777-783.               | 3.0 | 6         |
| 94  | Prevalence and distribution of sesamoid bones in the hand determined using digital tomosynthesis.<br>Clinical Anatomy, 2017, 30, 608-613.   | 2.7 | 6         |
| 95  | Korean Guideline for the Prevention and Treatment of Glucocorticoid-induced Osteoporosis. Journal of Rheumatic Diseases, 2018, 25, 263.   | 1.1 | 6         |
| 96  | Gender differences in factors associated with low quality of life and depression in Korean patients with ankylosing spondylitis. Quality of Life Research, 2021, 30, 2299-2310.   | 3.1 | 6         |
| 97  | Effectiveness of bazedoxifene in preventing glucocorticoid-induced bone loss in rheumatoid arthritis patients. Arthritis Research and Therapy, 2021, 23, 176.   | 3.5 | 6         |
| 98  | Treatment strategy for patients with rheumatoid arthritis. Journal of the Korean Medical Association, 2020, 63, 422-430.  | 0.3 | 6         |
| 99  | Distinct clinical characteristics of anti-Ro/SSA-negative primary Sjögren's syndrome: data from a<br>nationwide cohort for Sjögren's syndrome in Korea. Clinical and Experimental Rheumatology, 2019, 37<br>Suppl 118, 107-113.               | 0.8 | 6         |
| 100 | The Influence of Vertebral Fracture on the Functional Disability of Patients with Rheumatoid<br>Arthritis. Journal of Korean Medical Science, 2014, 29, 859.  | 2.5 | 5         |
| 101 | Nonsteroidal Anti-inflammatory Drugs-sparing Effect of Symptomatic Slow-acting Drugs for<br>Osteoarthritis in Knee Osteoarthritis Patients. Journal of Rheumatic Diseases, 2019, 26, 179.   | 1.1 | 5         |
| 102 | International descriptive study for comparison of treatment patterns in patients with knee<br>osteoarthritis between Korea and Japan using claims data. International Journal of Rheumatic<br>Diseases, 2019, 22, 2052-2058.                  | 1.9 | 5         |
| 103 | Temporal relationship between idiopathic inflammatory myopathies and malignancies and its mortality: a nationwide population-based study. Clinical Rheumatology, 2020, 39, 3409-3416.   | 2.2 | 5         |
| 104 | Are glucocorticoid-induced osteoporosis recommendations sufficient to determine antiosteoporotic treatment for patients with rheumatoid arthritis?. Korean Journal of Internal Medicine, 2014, 29, 509.                                       | 1.7 | 5         |
| 105 | Developing the Korean Educational Needs Assessment Tool (Korean ENAT) in rheumatoid arthritis:<br>cross-cultural validation using Rasch analysis. Korean Journal of Internal Medicine, 2021, 36, 1014-1022.                                   | 1.7 | 5         |
| 106 | Clinical influences of anticentromere antibody on primary Sjögren's syndrome in a prospective<br>Korean cohort. Korean Journal of Internal Medicine, 2021, 36, 1492-1503.   | 1.7 | 5         |
| 107 | Impact of Change in Reimbursement Guideline of Rheumatoid Arthritis on the Short Term Persistence of Tumor Necrosis Factor (TNF) Blockers. Journal of Rheumatic Diseases, 2011, 18, 283.  | 1.1 | 4         |
| 108 | Cardiovascular and Gastrointestinal Effects of Etoricoxib in the Treatment of Osteoarthritis: A<br>Systematic Review and Network Meta-analysis. Journal of Rheumatic Diseases, 2017, 24, 293.   | 1.1 | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Comparison of screening strategies for prevalent vertebral fractures in South Korea: vertebral fracture assessment vs. spine radiography. BMC Musculoskeletal Disorders, 2018, 19, 46.   | 1.9 | 4         |
| 110 | Comparison of healthcare resource utilization and medical costs between patients with seropositive and seronegative rheumatoid arthritis. Therapeutic Advances in Musculoskeletal Disease, 2021, 13, 1759720X2110248.  | 2.7 | 4         |
| 111 | Treatment Persistence with TNF Blocker in Korean Rheumatoid Arthritis Patients. Journal of<br>Rheumatic Diseases, 2011, 18, 161.   | 1.1 | 3         |
| 112 | Incidence of Tuberculosis in Rheumatoid Arthritis Patients Using Anti-Tumor Necrosis Factor Agents<br>following Latent Tuberculosis Infection Screening Strategies. Journal of Rheumatic Diseases, 2015, 22,<br>223.   | 1.1 | 3         |
| 113 | Impact of Patient Education on the Satisfaction of Rheumatoid Arthritis Patients: A Randomized Trial of Nurse-led Versus Medical Docter-led Education. Journal of Rheumatic Diseases, 2016, 23, 109.   | 1.1 | 3         |
| 114 | Antiphospholipid Antibody Positivity and the Clinical Outcomes of Patients with Systemic Lupus<br>Erythematosus. Journal of Rheumatic Diseases, 2018, 25, 239.   | 1.1 | 3         |
| 115 | Quality Indicators for Evaluating the Health Care of Patients with Rheumatoid Arthritis: a Korean<br>Expert Consensus. Journal of Korean Medical Science, 2021, 36, e109.  | 2.5 | 3         |
| 116 | Placebo and nocebo responses in randomized controlled trials of Janus kinase inhibitor monotherapy for rheumatoid arthritis. Zeitschrift Fur Rheumatologie, 2022, 81, 430-437.   | 1.0 | 3         |
| 117 | Uptake of Biosimilars and Its Economic Implication for the Treatment of Patients with Rheumatoid<br>Arthritis in Korea. Journal of Korean Medical Science, 2021, 36, e143.   | 2.5 | 3         |
| 118 | Isoniazid treatment for latent tuberculosis infection is tolerable for rheumatoid arthritis patients<br>receiving tumor necrosis factor inhibitor therapy. Korean Journal of Internal Medicine, 2018, 33,<br>1016-1024.  | 1.7 | 3         |
| 119 | Usability Evaluation of an Image-based Pill Identification Application. Journal of Rheumatic Diseases, 2019, 26, 111.  | 1.1 | 3         |
| 120 | Comparison of the efficacy and risk of discontinuation between non-TNF-targeted treatment and a second TNF inhibitor in patients with rheumatoid arthritis after first TNF inhibitor failure. Therapeutic Advances in Musculoskeletal Disease, 2022, 14, 1759720X2210914.  | 2.7 | 3         |
| 121 | COX-2 Inhibitor Use as an Early Treatment Option for Knee Osteoarthritis Patients in Korea: A<br>Population-Based Cross-Sectional Study. Journal of Korean Medical Science, 2022, 37, e148.  | 2.5 | 3         |
| 122 | Risk Factors of Osteoporosis in Rheumatoid Arthritis Patients; Glucocorticoid, Inactivity, or Nutrient<br>Deficiencies. Journal of Rheumatic Diseases, 2017, 24, 63.   | 1.1 | 2         |
| 123 | Fracture Risk and its Prevention Patterns in Korean Patients with Polymyalgia Rheumatica: a<br>Retrospective Cohort Study. Journal of Korean Medical Science, 2021, 36, e263.  | 2.5 | 2         |
| 124 | Comparative effectiveness and safety of nonâ€ŧumour necrosis factor biologics and Janus kinase<br>inhibitors in patients with active rheumatoid arthritis showing insufficient response to tumour<br>necrosis factor inhibitors: A Bayesian network metaâ€analysis of randomized controlled trials. Journal<br>of Clinical Pharmacy and Therapeutics, 2021, 46, 984-992. | 1.5 | 2         |
| 125 | A paradigm shift in studies based on rheumatoid arthritis clinical registries. Korean Journal of<br>Internal Medicine, 2019, 34, 974-981.  | 1.7 | 2         |
| 126 | The Practice Guideline for Vaccinating Korean Patients With Autoimmune Inflammatory Rheumatic Diseases, 2020, 27, 182-202.   | 1,1 | 2         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Diagnosis and Treatment of Lupus Nephritis: Survey Results on Four Important Issues. Journal of<br>Rheumatic Diseases, 2013, 20, 156.   | 1.1 | 1         |
| 128 | The Present and Future of Clinical Research for Korean Lupus Patients. Journal of Rheumatic Diseases, 2014, 21, 54.   | 1.1 | 1         |
| 129 | Observational Cohort Studies in Rheumatic Diseases. Korean Journal of Medicine, 2014, 87, 548.  | 0.3 | 1         |
| 130 | Agreement of Major Diagnosis and Comorbidity between Self-reported Questionnaire and Medical<br>Record Review in Patients with Rheumatic Disease. Journal of Rheumatic Diseases, 2016, 23, 348.   | 1.1 | 1         |
| 131 | Pharmacological treatment of osteoarthritis. Journal of the Korean Medical Association, 2018, 61, 623.  | 0.3 | 1         |
| 132 | Deletion at 2q14.3 is associated with worse response to TNF- $\hat{I}\pm$ blockers in patients with rheumatoid arthritis. Arthritis Research and Therapy, 2019, 21, 195.  | 3.5 | 1         |
| 133 | Increased risk of malignancy in patients aged over 50 with idiopathic inflammatory myositis compared to patients with osteoarthritis of the knee. Modern Rheumatology, 2020, 30, 870-877.   | 1.8 | 1         |
| 134 | Advantages and disadvantages of targeted therapy in patients with rheumatoid arthritis. Journal of the Korean Medical Association, 2021, 64, 90-93.   | 0.3 | 1         |
| 135 | Health-related Quality of Life Outcomes of Adalimumab for Patients With Rheumatoid Arthritis in<br>Korea. Journal of Rheumatic Diseases, 2021, 28, 68-75.   | 1.1 | 1         |
| 136 | Placebo and nocebo responses in randomized controlled trials of non-tumor necrosis factor<br>biologics and Janus kinase inhibitors in patients with active rheumatoid arthritis showing insufficient<br>response to tumor necrosis factor inhibitors: AÂmeta-analysis. Zeitschrift Fur Rheumatologie, 2023, 82,<br>59-67. | 1.0 | 1         |
| 137 | Treatment of Behcet Disease. Korean Journal of Medicine, 2013, 84, 196.   | 0.3 | 1         |
| 138 | Recommendations for the Management of Patients With Systemic Rheumatic Diseases During the Coronavirus Disease Pandemic. Journal of Rheumatic Diseases, 2020, 27, 218-232.  | 1.1 | 1         |
| 139 | The lessebo effect in randomized controlled trials of rituximab in patients with rheumatoid arthritis:<br>aÂmeta-analysis. Zeitschrift Fur Rheumatologie, 2021, , 1.  | 1.0 | 1         |
| 140 | TNFâ€Î± polymorphisms in Korean adultâ€onset Still's disease patients. International Journal of Rheumatic<br>Diseases, 2008, 11, 155-162.   | 1.9 | 0         |
| 141 | A Case of Primary Bone Marrow Diffuse Large B-cell Lymphoma Presenting with Polyarthritis. Journal of Rheumatic Diseases, 2016, 23, 256.  | 1.1 | 0         |
| 142 | A Case of Polymyositis Presenting as Bent Spine Syndrome. Journal of Rheumatic Diseases, 2016, 23, 261.   | 1.1 | 0         |
| 143 | High prevalence of simultaneous rib and vertebral fractures in patients with hip fracture. Injury, 2017, 48, 447-453.   | 1.7 | 0         |
| 144 | A Case of Refractory Oral Aphthous Ulcer Successfully Treated with Adalimumab. Journal of<br>Rheumatic Diseases, 2017, 24, 157.   | 1.1 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Clinical outcomes of patients with active rheumatoid arthritis with normal acute phase reactant values. International Journal of Rheumatic Diseases, 2019, 22, 852-859.  | 1.9 | 0         |
| 146 | THU0678â€MALIGNANCY RISK IN MALE PATIENTS WITH ANKYLOSING SPONDYLITIS. , 2019, , .   |     | 0         |
| 147 | Impact of latent tuberculosis treatmentÂon the risk of mycobacterium tuberculosis (MTB) in<br>seropositive rheumatoid arthritis initiating TNF inhibitors in an MTB endemic area. Rheumatology,<br>2021, 60, 5872-5874.                      | 1.9 | 0         |
| 148 | Cost-effectiveness of Early Use of Etanercept in the Treatment of Rheumatoid Arthritis. Journal of the<br>Korean Society for Clinical Pharmacology and Therapeutics, 2009, 17, 93.   | 0.1 | 0         |
| 149 | Ulnar artery vasculopathy: a common but nonspecific feature of systemic sclerosis. Journal of Scleroderma and Related Disorders, 2017, 2, 221-224.   | 1.7 | 0         |
| 150 | A Case of Hepatic Inflammatory Pseudotumor Occurred in a Patient with Lupus Nephritis. Journal of Rheumatic Diseases, 2019, 26, 137.   | 1.1 | 0         |
| 151 | Analysis of Asian Mitochondrial DNA Haplogroups Associated With the Progression of Knee<br>Osteoarthritis in Koreans. Journal of Rheumatic Diseases, 2020, 27, 168-173.  | 1.1 | 0         |
| 152 | Vaccination as a Preventive Tool of Infection for Patients With Autoimmune Inflammatory Rheumatic Diseases, 2020, 27, 215-217.   | 1.1 | 0         |
| 153 | Comparative Effectiveness of Azathioprine Versus Cyclosporine as an Initial Treatment for Idiopathic<br>Inflammatory Myopathies: A Population-Based Observational Study. Rheumatology and Therapy, 2022, 9,<br>139-149.                      | 2.3 | 0         |
| 154 | Positive histopathologic assessment in salivary glands shows little impact on clinical features of<br>established primary SjĶgren's syndrome in a Korean population. Clinical and Experimental<br>Rheumatology, 2020, 38 Suppl 126, 158-165. | 0.8 | 0         |
| 155 | The Korean College of Rheumatology: 40 Years of Public Health Influence. Journal of Rheumatic Diseases, 2022, 29, 75-78.   | 1.1 | 0         |