

# Yoon-Kyoung Sung

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/809545/publications.pdf>

Version: 2024-02-01

155  
papers

2,039  
citations

304743

22  
h-index

377865

34  
g-index

159  
all docs

159  
docs citations

159  
times ranked

2976  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Placebo and nocebo responses in randomized controlled trials of non-tumor necrosis factor biologics and Janus kinase inhibitors in patients with active rheumatoid arthritis showing insufficient response to tumor necrosis factor inhibitors: A meta-analysis. <i>Zeitschrift Fur Rheumatologie</i> , 2023, 82, 59-67.  | 1.0 | 1         |
| 2  | Placebo and nocebo responses in randomized controlled trials of Janus kinase inhibitor monotherapy for rheumatoid arthritis. <i>Zeitschrift Fur Rheumatologie</i> , 2022, 81, 430-437.  | 1.0 | 3         |
| 3  | Comparative Effectiveness of Azathioprine Versus Cyclosporine as an Initial Treatment for Idiopathic Inflammatory Myopathies: A Population-Based Observational Study. <i>Rheumatology and Therapy</i> , 2022, 9, 139-149.   | 2.3 | 0         |
| 4  | Risk factors for herpes zoster in Korean patients with rheumatoid arthritis treated with JAK inhibitor: a nested case-control study. <i>RMD Open</i> , 2022, 8, e001892.  | 3.8 | 8         |
| 5  | TNF inhibitors increase the risk of nontuberculous mycobacteria in patients with seropositive rheumatoid arthritis in a mycobacterium tuberculosis endemic area. <i>Scientific Reports</i> , 2022, 12, 4003.  | 3.3 | 11        |
| 6  | The Korean College of Rheumatology: 40 Years of Public Health Influence. <i>Journal of Rheumatic Diseases</i> , 2022, 29, 75-78.  | 1.1 | 0         |
| 7  | Comparison of the efficacy and risk of discontinuation between non-TNF-targeted treatment and a second TNF inhibitor in patients with rheumatoid arthritis after first TNF inhibitor failure. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2022, 14, 1759720X2210914.   | 2.7 | 3         |
| 8  | COX-2 Inhibitor Use as an Early Treatment Option for Knee Osteoarthritis Patients in Korea: A Population-Based Cross-Sectional Study. <i>Journal of Korean Medical Science</i> , 2022, 37, e148.  | 2.5 | 3         |
| 9  | Use of OCT Retinal Thickness Deviation Map for Hydroxychloroquine Retinopathy Screening. <i>Ophthalmology</i> , 2021, 128, 110-119.   | 5.2 | 21        |
| 10 | Risk of Tuberculosis Development in Patients with Rheumatoid Arthritis Receiving Targeted Therapy: a Prospective Single Center Cohort Study. <i>Journal of Korean Medical Science</i> , 2021, 36, e70.  | 2.5 | 7         |
| 11 | Fracture Risk and its Prevention Patterns in Korean Patients with Polymyalgia Rheumatica: a Retrospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2021, 36, e263.  | 2.5 | 2         |
| 12 | COVID-19 Vaccination in Patients with Autoimmune Inflammatory Rheumatic Diseases: Clinical Guidance of the Korean College of Rheumatology. <i>Journal of Korean Medical Science</i> , 2021, 36, e95.  | 2.5 | 40        |
| 13 | Comparison of healthcare resource utilization and medical costs between patients with seropositive and seronegative rheumatoid arthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021, 13, 1759720X2110248.   | 2.7 | 4         |
| 14 | Quality Indicators for Evaluating the Health Care of Patients with Rheumatoid Arthritis: a Korean Expert Consensus. <i>Journal of Korean Medical Science</i> , 2021, 36, e109.  | 2.5 | 3         |
| 15 | Advantages and disadvantages of targeted therapy in patients with rheumatoid arthritis. <i>Journal of the Korean Medical Association</i> , 2021, 64, 90-93.   | 0.3 | 1         |
| 16 | Comparative effectiveness and safety of non-tumour necrosis factor biologics and Janus kinase inhibitors in patients with active rheumatoid arthritis showing insufficient response to tumour necrosis factor inhibitors: A Bayesian network meta-analysis of randomized controlled trials. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021, 46, 984-992. | 1.5 | 2         |
| 17 | Gender differences in factors associated with low quality of life and depression in Korean patients with ankylosing spondylitis. <i>Quality of Life Research</i> , 2021, 30, 2299-2310.   | 3.1 | 6         |
| 18 | Health-related Quality of Life Outcomes of Adalimumab for Patients With Rheumatoid Arthritis in Korea. <i>Journal of Rheumatic Diseases</i> , 2021, 28, 68-75.  | 1.1 | 1         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Epidemiology of Rheumatoid Arthritis in Korea. <i>Journal of Rheumatic Diseases</i> , 2021, 28, 60-67.  | 1.1 | 27        |
| 20 | Update on Glucocorticoid Induced Osteoporosis. <i>Endocrinology and Metabolism</i> , 2021, 36, 536-543.   | 3.0 | 9         |
| 21 | Effectiveness of bazedoxifene in preventing glucocorticoid-induced bone loss in rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , 2021, 23, 176.   | 3.5 | 6         |
| 22 | The usefulness of trabecular bone score in patients with ankylosing spondylitis. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1211-1220.  | 1.7 | 13        |
| 23 | Uptake of Biosimilars and Its Economic Implication for the Treatment of Patients with Rheumatoid Arthritis in Korea. <i>Journal of Korean Medical Science</i> , 2021, 36, e143.   | 2.5 | 3         |
| 24 | Developing the Korean Educational Needs Assessment Tool (Korean ENAT) in rheumatoid arthritis: cross-cultural validation using Rasch analysis. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1014-1022.          | 1.7 | 5         |
| 25 | Clinical influences of anticentromere antibody on primary Sjögren's syndrome in a prospective Korean cohort. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1492-1503.  | 1.7 | 5         |
| 26 | Impact of latent tuberculosis treatment on the risk of mycobacterium tuberculosis (MTB) in seropositive rheumatoid arthritis initiating TNF inhibitors in an MTB endemic area. <i>Rheumatology</i> , 2021, 60, 5872-5874. | 1.9 | 0         |
| 27 | Increased risk of malignancy in patients with systemic lupus erythematosus: population-based cohort study in Korea. <i>Arthritis Research and Therapy</i> , 2021, 23, 270.  | 3.5 | 8         |
| 28 | The lessebo effect in randomized controlled trials of rituximab in patients with rheumatoid arthritis: a meta-analysis. <i>Zeitschrift Fur Rheumatologie</i> , 2021, , 1.   | 1.0 | 1         |
| 29 | Increased risk of malignancy in patients aged over 50 with idiopathic inflammatory myositis compared to patients with osteoarthritis of the knee. <i>Modern Rheumatology</i> , 2020, 30, 870-877.                         | 1.8 | 1         |
| 30 | Effect of a Nationwide Real-time Drug Utilization Review System on Duplicated Nonsteroidal Antiinflammatory Drug Prescriptions in Korea. <i>Arthritis Care and Research</i> , 2020, 72, 1374-1382.                        | 3.4 | 8         |
| 31 | An increased disease burden of autoimmune inflammatory rheumatic diseases in Korea. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 526-533.  | 3.4 | 24        |
| 32 | Genome-wide association study in a Korean population identifies six novel susceptibility loci for rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1438-1445.                                    | 0.9 | 26        |
| 33 | Risk of malignancy in Korean patients with primary Sjögren's syndrome. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 1240-1247.  | 1.9 | 15        |
| 34 | Temporal relationship between idiopathic inflammatory myopathies and malignancies and its mortality: a nationwide population-based study. <i>Clinical Rheumatology</i> , 2020, 39, 3409-3416.                             | 2.2 | 5         |
| 35 | Self-care recommendations for patients with rheumatic diseases during the COVID-19 pandemic. <i>Rheumatology International</i> , 2020, 40, 1347-1349.   | 3.0 | 9         |
| 36 | Obesity increases the incidence of new-onset lupus nephritis and organ damage during follow-up in patients with systemic lupus erythematosus. <i>Lupus</i> , 2020, 29, 578-586.   | 1.6 | 16        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Factors for starting biosimilar TNF inhibitors in patients with rheumatic diseases in the real world. PLoS ONE, 2020, 15, e0227960.  | 2.5 | 8         |
| 38 | The Prevalence of Sjögren's Syndrome in Rheumatoid Arthritis Patients and Their Clinical Features. Journal of Korean Medical Science, 2020, 35, e369.  | 2.5 | 12        |
| 39 | The use of biological disease-modifying antirheumatic drugs for inflammatory arthritis in Korea: results of a Korean Expert Consensus. Korean Journal of Internal Medicine, 2020, 35, 41-59.   | 1.7 | 20        |
| 40 | Recommendations for the management of patients with systemic rheumatic diseases during the coronavirus disease pandemic. Korean Journal of Internal Medicine, 2020, 35, 1317-1332.   | 1.7 | 11        |
| 41 | The Practice Guideline for Vaccinating Korean Patients with Autoimmune Inflammatory Rheumatic Disease. Infection and Chemotherapy, 2020, 52, 252.  | 2.3 | 14        |
| 42 | The Use of Biological Disease-modifying Antirheumatic Drugs for Inflammatory Arthritis in Korea: Results of a Korean Expert Consensus. Journal of Rheumatic Diseases, 2020, 27, 4.   | 1.1 | 17        |
| 43 | Treatment strategy for patients with rheumatoid arthritis. Journal of the Korean Medical Association, 2020, 63, 422-430.   | 0.3 | 6         |
| 44 | The Practice Guideline for Vaccinating Korean Patients With Autoimmune Inflammatory Rheumatic Disease. Journal of Rheumatic Diseases, 2020, 27, 182-202.   | 1.1 | 2         |
| 45 | Analysis of Asian Mitochondrial DNA Haplogroups Associated With the Progression of Knee Osteoarthritis in Koreans. Journal of Rheumatic Diseases, 2020, 27, 168-173.   | 1.1 | 0         |
| 46 | Vaccination as a Preventive Tool of Infection for Patients With Autoimmune Inflammatory Rheumatic Diseases. Journal of Rheumatic Diseases, 2020, 27, 215-217.  | 1.1 | 0         |
| 47 | Recommendations for the Management of Patients With Systemic Rheumatic Diseases During the Coronavirus Disease Pandemic. Journal of Rheumatic Diseases, 2020, 27, 218-232.   | 1.1 | 1         |
| 48 | Intervention Thresholds for Treatment in Patients with Glucocorticoid-Induced Osteoporosis: Systematic Review of Guidelines. Journal of Bone Metabolism, 2020, 27, 247-259.  | 1.3 | 14        |
| 49 | Positive histopathologic assessment in salivary glands shows little impact on clinical features of established primary Sjögren's syndrome in a Korean population. Clinical and Experimental Rheumatology, 2020, 38 Suppl 126, 158-165. | 0.8 | 0         |
| 50 | Nonsteroidal Anti-inflammatory Drugs-sparing Effect of Symptomatic Slow-acting Drugs for Osteoarthritis in Knee Osteoarthritis Patients. Journal of Rheumatic Diseases, 2019, 26, 179.   | 1.1 | 5         |
| 51 | Malignancy risk in Korean male patients with ankylosing spondylitis. Rheumatology International, 2019, 39, 1741-1748.  | 3.0 | 12        |
| 52 | The Correlation Between Tenosynovitis Pattern on Two-Phase Bone Scintigraphy and Clinical Manifestation in Patients with Suspected Rheumatoid Arthritis. Nuclear Medicine and Molecular Imaging, 2019, 53, 278-286.                    | 1.0 | 7         |
| 53 | Factors related to the use of opioids as early treatment in patients with knee osteoarthritis. Arthritis Research and Therapy, 2019, 21, 222.  | 3.5 | 13        |
| 54 | International descriptive study for comparison of treatment patterns in patients with knee osteoarthritis between Korea and Japan using claims data. International Journal of Rheumatic Diseases, 2019, 22, 2052-2058.                 | 1.9 | 5         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Deletion at 2q14.3 is associated with worse response to TNF- $\alpha$ blockers in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2019, 21, 195.  | 3.5 | 1         |
| 56 | Clinical outcomes of patients with active rheumatoid arthritis with normal acute phase reactant values. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 852-859.   | 1.9 | 0         |
| 57 | Incidence and Mortality of Osteoporotic Fracture in Rheumatoid Arthritis in South Korea Using Nationwide Claims Data. <i>Journal of Bone Metabolism</i> , 2019, 26, 97.   | 1.3 | 10        |
| 58 | Increased risk of opportunistic infection in early rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1239-1246.  | 1.9 | 11        |
| 59 | Prevalence and predictors for sustained remission in rheumatoid arthritis. <i>PLoS ONE</i> , 2019, 14, e0214981.  | 2.5 | 12        |
| 60 | Incidence and Prevalence of Idiopathic Inflammatory Myopathies in Korea: a Nationwide Population-based Study. <i>Journal of Korean Medical Science</i> , 2019, 34, e55.   | 2.5 | 25        |
| 61 | Validation of algorithms to identify knee osteoarthritis patients in the claims database. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 890-896.   | 1.9 | 17        |
| 62 | THU0678â€¦MALIGNANCY RISK IN MALE PATIENTS WITH ANKYLOSING SPONDYLITIS. , 2019, , .   |     | 0         |
| 63 | Comparison of MicroRNA Expression in Tears of Normal Subjects and Sjögren Syndrome Patients. , 2019, 60, 4889.  |     | 39        |
| 64 | Association of Asian mitochondrial DNA haplogroup B with new development of knee osteoarthritis in Koreans. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 411-416.   | 1.9 | 17        |
| 65 | Factors associated with time to diagnosis from symptom onset in patients with early rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 910-916.   | 1.7 | 19        |
| 66 | Treatment patterns of knee osteoarthritis patients in Korea. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 1145-1153.  | 1.7 | 26        |
| 67 | A Case of Hepatic Inflammatory Pseudotumor Occurred in a Patient with Lupus Nephritis. <i>Journal of Rheumatic Diseases</i> , 2019, 26, 137.  | 1.1 | 0         |
| 68 | Usability Evaluation of an Image-based Pill Identification Application. <i>Journal of Rheumatic Diseases</i> , 2019, 26, 111.   | 1.1 | 3         |
| 69 | A paradigm shift in studies based on rheumatoid arthritis clinical registries. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 974-981.  | 1.7 | 2         |
| 70 | Distinct clinical characteristics of anti-Ro/SSA-negative primary Sjögren's syndrome: data from a nationwide cohort for Sjögren's syndrome in Korea. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 118, 107-113. | 0.8 | 6         |
| 71 | Comparative effectiveness of oral pharmacologic interventions for knee osteoarthritis: A network meta-analysis. <i>Modern Rheumatology</i> , 2018, 28, 1021-1028.   | 1.8 | 34        |
| 72 | Update on the prevalence and incidence of rheumatoid arthritis in Korea and an analysis of medical care and drug utilization. <i>Rheumatology International</i> , 2018, 38, 649-656.  | 3.0 | 48        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Glucocorticoids Are Associated with an Increased Risk for Vertebral Fracture in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2018, 45, 612-620.  | 2.0 | 20        |
| 74 | Clinical characteristics of multifocal osteonecrosis in Korean patients with rheumatic disease. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1301-1308.  | 1.9 | 8         |
| 75 | Korean Red Ginseng exhibits no significant adverse effect on disease activity in patients with rheumatoid arthritis: a randomized, double-blind, crossover study. <i>Journal of Ginseng Research</i> , 2018, 42, 144-148.  | 5.7 | 11        |
| 76 | Effects of risk factors for and components of metabolic syndrome on the quality of life of patients with systemic lupus erythematosus: a structural equation modeling approach. <i>Quality of Life Research</i> , 2018, 27, 105-113.   | 3.1 | 9         |
| 77 | Impact of anti-rheumatic treatment on cardiovascular risk in Asian patients with rheumatoid arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 47, 501-506.  | 3.4 | 13        |
| 78 | Antiphospholipid Antibody Positivity and the Clinical Outcomes of Patients with Systemic Lupus Erythematosus. <i>Journal of Rheumatic Diseases</i> , 2018, 25, 239.  | 1.1 | 3         |
| 79 | Korean Guideline for the Prevention and Treatment of Glucocorticoid-induced Osteoporosis. <i>Journal of Rheumatic Diseases</i> , 2018, 25, 263.  | 1.1 | 6         |
| 80 | Cross-cultural adaptation and validation of the Korean Version of the Functional Index for Hand Osteoarthritis (FIHOA). <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 2095-2103.  | 1.9 | 11        |
| 81 | Korean Guideline for the Prevention and Treatment of Glucocorticoid-induced Osteoporosis. <i>Journal of Bone Metabolism</i> , 2018, 25, 195.   | 1.3 | 33        |
| 82 | Pharmacological treatment of osteoarthritis. <i>Journal of the Korean Medical Association</i> , 2018, 61, 623.   | 0.3 | 1         |
| 83 | Incidence of knee chondrocalcinosis and its risk factors in a community-based cohort. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1391-1397.  | 1.9 | 9         |
| 84 | Performance of the 2016 ACR-EULAR classification criteria for primary Sjogren's syndrome in a Korean cohort. <i>Rheumatology International</i> , 2018, 38, 1651-1660.  | 3.0 | 10        |
| 85 | Impact of Osteoarthritis on Household Catastrophic Health Expenditures in Korea. <i>Journal of Korean Medical Science</i> , 2018, 33, e161.  | 2.5 | 10        |
| 86 | Comparison of screening strategies for prevalent vertebral fractures in South Korea: vertebral fracture assessment vs. spine radiography. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 46.   | 1.9 | 4         |
| 87 | Isoniazid treatment for latent tuberculosis infection is tolerable for rheumatoid arthritis patients receiving tumor necrosis factor inhibitor therapy. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 1016-1024.  | 1.7 | 3         |
| 88 | Systemic review: agreement between the latent tuberculosis screening tests among patients with rheumatic diseases. <i>Korean Journal of Internal Medicine</i> , 2018, 33, 1241-1251.   | 1.7 | 10        |
| 89 | Association of depression with socioeconomic status, anticardiolipin antibodies, and organ damage in patients with systemic lupus erythematosus: results from the KORNET registry. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 627-635.  | 0.8 | 7         |
| 90 | A phase III, multicentre, randomised, double-blind, active-controlled, parallel-group trial comparing safety and efficacy of HD203, with innovator etanercept, in combination with methotrexate, in patients with rheumatoid arthritis: the HERA study. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 65-71. | 0.9 | 39        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | What factors affect discordance between physicians and patients in the global assessment of disease activity in rheumatoid arthritis?. <i>Modern Rheumatology</i> , 2017, 27, 35-41.               | 1.8 | 16        |
| 92  | Safety of resuming biologic DMARDs in patients who develop tuberculosis after anti-TNF treatment. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 47, 102-107.                                 | 3.4 | 11        |
| 93  | High prevalence of simultaneous rib and vertebral fractures in patients with hip fracture. <i>Injury</i> , 2017, 48, 447-453.  | 1.7 | 0         |
| 94  | Comparative effectiveness of treatment options after conventional DMARDs failure in rheumatoid arthritis. <i>Rheumatology International</i> , 2017, 37, 975-982.                                   | 3.0 | 8         |
| 95  | Characteristics and outcomes of rheumatoid arthritis patients who started biosimilar infliximab. <i>Rheumatology International</i> , 2017, 37, 1007-1014.  | 3.0 | 10        |
| 96  | Switching profiles in a population-based cohort of rheumatoid arthritis receiving biologic therapy: results from the KOBIO registry. <i>Clinical Rheumatology</i> , 2017, 36, 1013-1022.           | 2.2 | 20        |
| 97  | Prevalence and distribution of sesamoid bones in the hand determined using digital tomosynthesis. <i>Clinical Anatomy</i> , 2017, 30, 608-613.   | 2.7 | 6         |
| 98  | Prevalence and distribution of sesamoid bones and accessory ossicles of the foot as determined by digital tomosynthesis. <i>Clinical Anatomy</i> , 2017, 30, 1072-1076.                            | 2.7 | 13        |
| 99  | Impact of interstitial lung disease on mortality of patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2017, 37, 1735-1745.   | 3.0 | 43        |
| 100 | Clinical characteristics and outcomes of diffuse alveolar hemorrhage in patients with systemic lupus erythematosus. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 46, 782-787.               | 3.4 | 36        |
| 101 | The risk of malignancy and its incidence in early rheumatoid arthritis patients treated with biologic DMARDs. <i>Arthritis Research and Therapy</i> , 2017, 19, 277.                               | 3.5 | 19        |
| 102 | Risk Factors of Osteoporosis in Rheumatoid Arthritis Patients; Glucocorticoid, Inactivity, or Nutrient Deficiencies. <i>Journal of Rheumatic Diseases</i> , 2017, 24, 63.                          | 1.1 | 2         |
| 103 | A Case of Refractory Oral Aphthous Ulcer Successfully Treated with Adalimumab. <i>Journal of Rheumatic Diseases</i> , 2017, 24, 157.   | 1.1 | 0         |
| 104 | <i>ABCG2</i> Polymorphism Is Associated with Hyperuricemia in a Study of a Community-Based Korean Cohort. <i>Journal of Korean Medical Science</i> , 2017, 32, 1451.                               | 2.5 | 9         |
| 105 | Impact of midfoot and Hindfoot involvement on functional disability in Korean patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 365.                            | 1.9 | 17        |
| 106 | Cardiovascular and Gastrointestinal Effects of Etoricoxib in the Treatment of Osteoarthritis: A Systematic Review and Network Meta-analysis. <i>Journal of Rheumatic Diseases</i> , 2017, 24, 293. | 1.1 | 4         |
| 107 | Impact of early diagnosis on functional disability in rheumatoid arthritis. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 738-746.  | 1.7 | 15        |
| 108 | Ulnar artery vasculopathy: a common but nonspecific feature of systemic sclerosis. <i>Journal of Scleroderma and Related Disorders</i> , 2017, 2, 221-224.   | 1.7 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Agreement of Major Diagnosis and Comorbidity between Self-reported Questionnaire and Medical Record Review in Patients with Rheumatic Disease. <i>Journal of Rheumatic Diseases</i> , 2016, 23, 348.  | 1.1 | 1         |
| 110 | Impact of Patient Education on the Satisfaction of Rheumatoid Arthritis Patients: A Randomized Trial of Nurse-led Versus Medical Doctor-led Education. <i>Journal of Rheumatic Diseases</i> , 2016, 23, 109.  | 1.1 | 3         |
| 111 | A Case of Primary Bone Marrow Diffuse Large B-cell Lymphoma Presenting with Polyarthritis. <i>Journal of Rheumatic Diseases</i> , 2016, 23, 256.  | 1.1 | 0         |
| 112 | A Case of Polymyositis Presenting as Bent Spine Syndrome. <i>Journal of Rheumatic Diseases</i> , 2016, 23, 261.   | 1.1 | 0         |
| 113 | Bone Scintigraphy in the Diagnosis of Rheumatoid Arthritis: Is There Additional Value of Bone Scintigraphy with Blood Pool Phase over Conventional Bone Scintigraphy?. <i>Journal of Korean Medical Science</i> , 2016, 31, 502.  | 2.5 | 23        |
| 114 | Factors Contributing to Discordance between the 2011 ACR/EULAR Criteria and Physician Clinical Judgment for the Identification of Remission in Patients with Rheumatoid Arthritis. <i>Journal of Korean Medical Science</i> , 2016, 31, 1907.   | 2.5 | 7         |
| 115 | Prevalence and possible causes of hypouricemia at a tertiary care hospital. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 971-976.   | 1.7 | 23        |
| 116 | Mapping health assessment questionnaire disability index (HAQ-DI) score, pain visual analog scale (VAS), and disease activity score in 28 joints (DAS28) onto the EuroQol-5D (EQ-5D) utility score with the KORean Observational study Network for Arthritis (KORONA) registry data. <i>Rheumatology International</i> , 2016, 36, 505-513. | 3.0 | 18        |
| 117 | Incidence and risk factors of fractures in patients with rheumatoid arthritis: an Asian prospective cohort study. <i>Rheumatology International</i> , 2016, 36, 1205-1214.  | 3.0 | 35        |
| 118 | The frequency of and risk factors for osteoporosis in Korean patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 98.   | 1.9 | 38        |
| 119 | Drug retention and safety of TNF inhibitors in elderly patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 333.  | 1.9 | 28        |
| 120 | Association-heterogeneity mapping identifies an Asian-specific association of the GTF2I locus with rheumatoid arthritis. <i>Scientific Reports</i> , 2016, 6, 27563.  | 3.3 | 23        |
| 121 | Association between trabecular bone score and risk factors for fractures in Korean female patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2016, 26, 540-545.   | 1.8 | 25        |
| 122 | Factors associated with atypical femoral fracture. <i>Rheumatology International</i> , 2016, 36, 65-71.   | 3.0 | 20        |
| 123 | Assessment of osteoporosis using pelvic diagnostic computed tomography. <i>Journal of Bone and Mineral Metabolism</i> , 2016, 34, 457-463.  | 2.7 | 18        |
| 124 | Imputing Variants in HLA-DR Beta Genes Reveals That HLA-DRB1 Is Solely Associated with Rheumatoid Arthritis and Systemic Lupus Erythematosus. <i>PLoS ONE</i> , 2016, 11, e0150283.   | 2.5 | 20        |
| 125 | Uptake of the First Biosimilar Infliximab since its Approval in South Korea. <i>Arthritis and Rheumatology</i> , 2015, 68, n/a-n/a.   | 5.6 | 12        |
| 126 | Incidence of Tuberculosis in Rheumatoid Arthritis Patients Using Anti-Tumor Necrosis Factor Agents following Latent Tuberculosis Infection Screening Strategies. <i>Journal of Rheumatic Diseases</i> , 2015, 22, 223.  | 1.1 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | High-density genotyping of immune loci in Koreans and Europeans identifies eight new rheumatoid arthritis risk loci. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, e13-e13.   | 0.9 | 100       |
| 128 | Direct medical costs and their predictors in South Korean patients with systemic lupus erythematosus. <i>Rheumatology International</i> , 2015, 35, 1809-1815.  | 3.0 | 17        |
| 129 | Factors Associated with the Use of Complementary and Alternative Medicine for Korean Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2015, 42, 2075-2081.  | 2.0 | 19        |
| 130 | The Present and Future of Clinical Research for Korean Lupus Patients. <i>Journal of Rheumatic Diseases</i> , 2014, 21, 54.   | 1.1 | 1         |
| 131 | The Influence of Vertebral Fracture on the Functional Disability of Patients with Rheumatoid Arthritis. <i>Journal of Korean Medical Science</i> , 2014, 29, 859.   | 2.5 | 5         |
| 132 | The Role of Bone Scintigraphy in the Diagnosis of Rheumatoid Arthritis According to the 2010 ACR/EULAR Classification Criteria. <i>Journal of Korean Medical Science</i> , 2014, 29, 204.   | 2.5 | 16        |
| 133 | Prediction for TNF Inhibitor Users in RA Patients According to Reimbursement Criteria Based on DAS28. <i>Journal of Rheumatic Diseases</i> , 2014, 21, 64.  | 1.1 | 6         |
| 134 | A comparison of incidence and risk factors for serious adverse events in rheumatoid arthritis patients with etanercept or adalimumab in Korea and Japan. <i>Modern Rheumatology</i> , 2014, 24, 572-579.                                | 1.8 | 7         |
| 135 | Observational Cohort Studies in Rheumatic Diseases. <i>Korean Journal of Medicine</i> , 2014, 87, 548.  | 0.3 | 1         |
| 136 | The frequency of single nucleotide polymorphisms and their association with uric acid concentration based on data from genome-wide association studies in the Korean population. <i>Rheumatology International</i> , 2014, 34, 777-783. | 3.0 | 6         |
| 137 | Validity and role of vertebral fracture assessment in detecting prevalent vertebral fracture in patients with rheumatoid arthritis. <i>Joint Bone Spine</i> , 2014, 81, 149-153.  | 1.6 | 11        |
| 138 | Are glucocorticoid-induced osteoporosis recommendations sufficient to determine antiosteoporotic treatment for patients with rheumatoid arthritis?. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 509.                         | 1.7 | 5         |
| 139 | SKI306X inhibition of glycosaminoglycan degradation in human cartilage involves down-regulation of cytokine-induced catabolic genes. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 647.  | 1.7 | 10        |
| 140 | Prevalence and incidence of rheumatoid arthritis in South Korea. <i>Rheumatology International</i> , 2013, 33, 1525-1532.   | 3.0 | 62        |
| 141 | Prevalence and factors affecting glucosamine use in Korea: a survey-based study. <i>Rheumatology International</i> , 2013, 33, 1627-1631.   | 3.0 | 7         |
| 142 | Factors influencing quality of life (QOL) for Korean patients with rheumatoid arthritis (RA). <i>Rheumatology International</i> , 2013, 33, 93-102.   | 3.0 | 32        |
| 143 | Development of an algorithm for identifying rheumatoid arthritis in the Korean National Health Insurance claims database. <i>Rheumatology International</i> , 2013, 33, 2985-2992.  | 3.0 | 78        |
| 144 | Factors Influencing Discrepancies Between the QuantiFERON-TB Gold in Tube Test and the Tuberculin Skin Test in Korean Patients with Rheumatic Diseases. <i>Seminars in Arthritis and Rheumatism</i> , 2013, 42, 424-432.                | 3.4 | 31        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Diagnosis and Treatment of Lupus Nephritis: Survey Results on Four Important Issues. <i>Journal of Rheumatic Diseases</i> , 2013, 20, 156.   | 1.1 | 1         |
| 146 | Treatment of Behcet Disease. <i>Korean Journal of Medicine</i> , 2013, 84, 196.  | 0.3 | 1         |
| 147 | Etanercept induced organizing pneumonia in a patient with rheumatoid arthritis. <i>Rheumatology International</i> , 2012, 32, 1055-1057.   | 3.0 | 20        |
| 148 | Do Patients with Elderly-Onset Rheumatoid Arthritis Have Severe Functional Disability?. <i>Seminars in Arthritis and Rheumatism</i> , 2012, 42, 23-31.   | 3.4 | 43        |
| 149 | Impact of comorbidities on TNF inhibitor persistence in rheumatoid arthritis patients: an analysis of Korean National Health Insurance claims data. <i>Rheumatology International</i> , 2012, 32, 3851-3856.           | 3.0 | 28        |
| 150 | Korean Observational Study Network for Arthritis (KORONA): Establishment of a Prospective Multicenter Cohort for Rheumatoid Arthritis in South Korea. <i>Seminars in Arthritis and Rheumatism</i> , 2012, 41, 745-751. | 3.4 | 54        |
| 151 | Impact of Change in Reimbursement Guideline of Rheumatoid Arthritis on the Short Term Persistence of Tumor Necrosis Factor (TNF) Blockers. <i>Journal of Rheumatic Diseases</i> , 2011, 18, 283.                       | 1.1 | 4         |
| 152 | Treatment Persistence with TNF Blocker in Korean Rheumatoid Arthritis Patients. <i>Journal of Rheumatic Diseases</i> , 2011, 18, 161.  | 1.1 | 3         |
| 153 | Cost-effectiveness of Early Use of Etanercept in the Treatment of Rheumatoid Arthritis. <i>Journal of the Korean Society for Clinical Pharmacology and Therapeutics</i> , 2009, 17, 93.                                | 0.1 | 0         |
| 154 | TNF- $\alpha$ polymorphisms in Korean adult-onset Still's disease patients. <i>International Journal of Rheumatic Diseases</i> , 2008, 11, 155-162.  | 1.9 | 0         |
| 155 | Assessment of damage in Korean patients with systemic lupus erythematosus. <i>Journal of Rheumatology</i> , 2007, 34, 987-91.  | 2.0 | 24        |