

Per E WÃ¤ndell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/81021/publications.pdf>

Version: 2024-02-01

202
papers

4,247
citations

117625

34
h-index

161849

54
g-index

205
all docs

205
docs citations

205
times ranked

6068
citing authors

#	ARTICLE	IF	CITATIONS
1	Experiences of physical activity and exercise among women with obstructive pulmonary disease. <i>Physiotherapy Theory and Practice</i> , 2023, 39, 1681-1691.	1.3	1
2	The association between length of stay in the emergency department and short-term mortality. <i>Internal and Emergency Medicine</i> , 2022, 17, 233-240.	2.0	15
3	Systemic diseases and their association with open-angle glaucoma in the population of Stockholm. <i>International Ophthalmology</i> , 2022, 42, 1481-1489.	1.4	8
4	Incident cases of vision impairment and blindness among adult foreign-born and Swedish-born individuals: A national Swedish study. <i>European Journal of Ophthalmology</i> , 2022, , 112067212210907.	1.3	0
5	Narcolepsy among first- and second-generation immigrants in Sweden: A study of the total population. <i>Acta Neurologica Scandinavica</i> , 2022, 146, 160-166.	2.1	2
6	Cohort Profile: The Stockholm Diabetes Prevention Programme (SDPP). <i>International Journal of Epidemiology</i> , 2022, 51, e401-e413.	1.9	2
7	Valvular heart diseases in immigrants and Swedish-born individuals: a national cohort study. <i>Scandinavian Cardiovascular Journal</i> , 2022, 56, 217-223.	1.2	1
8	Health care consumption and psychiatric diagnoses among adolescent girls 1 and 2 years after a first-time registered child sexual abuse experience: a cohort study in the Stockholm Region. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1803-1811.	4.7	10
9	Urolithiasis in second-generation immigrant children younger than 18 years of age in Sweden. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 340-346.	1.5	0
10	Mortality in first- and second-generation immigrants to Sweden diagnosed with type 2 diabetes: a 10-year nationwide cohort study. <i>Diabetologia</i> , 2021, 64, 95-108.	6.3	10
11	Osteoporotic fractures among foreign-born individuals: a national Swedish study. <i>Osteoporosis International</i> , 2021, 32, 343-352.	3.1	7
12	Delayed healthcare access among victims of sexual abuse, understood through internal and external gatekeeping mechanisms. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 370-377.	1.3	4
13	Huntington's disease among immigrant groups and Swedish-born individuals: a cohort study of all adults 18 years of age and older in Sweden. <i>Neurological Sciences</i> , 2021, 42, 3851-3856.	1.9	1
14	Osteoporotic fractures in second-generation immigrants and Swedish natives. <i>Osteoporosis International</i> , 2021, 32, 1343-1350.	3.1	2
15	The risk of venous thromboembolism and physical activity level, especially high level: a systematic review. <i>Journal of Thrombosis and Thrombolysis</i> , 2021, 52, 508-516.	2.1	7
16	Association between self-rated health and the risk of hip fracture and mortality in a cohort of older women during a 10-year follow-up. <i>PLoS ONE</i> , 2021, 16, e0247924.	2.5	6
17	Virtual patients reflecting the clinical reality of primary care – a useful tool to improve cultural competence. <i>BMC Medical Education</i> , 2021, 21, 270.	2.4	5
18	Determinants for use of direct-to-consumer telemedicine consultations in primary healthcare – a registry based total population study from Stockholm, Sweden. <i>BMC Family Practice</i> , 2021, 22, 133.	2.9	30

#	ARTICLE	IF	CITATIONS
19	Primary care consultations on emotional distress – a part of the acculturation process in patients with refugee backgrounds: a grounded theory approach. <i>BMC Family Practice</i> , 2021, 22, 138.	2.9	0
20	Hearing impairment among children in Sweden with foreign-born parents and natives: A national Swedish study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 2817-2824.	1.5	2
21	Visual impairment among children in Sweden with foreign-born parents and natives: a national Swedish study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, , .	1.5	1
22	Amyotrophic lateral sclerosis (ALS) among immigrant groups and Swedish-born individuals: a cohort study of all adults 18 years of age and older in Sweden. <i>Journal of Neurology</i> , 2021, , 1.	3.6	0
23	The association between BMI and 90-day mortality in patients with and without diabetes seeking care at the emergency department. <i>Upsala Journal of Medical Sciences</i> , 2021, 126, .	0.9	1
24	Simply the best? The impact of quality on choice of primary healthcare provider in Sweden. <i>Health Policy</i> , 2021, 125, 1448-1454.	3.0	7
25	Plasma calprotectin in the emergency department: a potential clinical biomarker for patients with infectious diseases. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021, 81, 593-597.	1.2	5
26	Country of birth and mortality risk in hypertension with and without diabetes: the Swedish primary care cardiovascular database. <i>Journal of Hypertension</i> , 2021, 39, 1155-1162.	0.5	5
27	Levothyroxine treatment and incident dementia in adults with atrial fibrillation. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 433-439.	2.9	3
28	Effects of hatha yoga on self-reported health outcomes in a randomized controlled trial of patients with obstructive pulmonary disorders. <i>Nordic Psychology</i> , 2020, 72, 65-79.	0.8	2
29	Epilepsy in second-generation immigrants: a cohort study of all children up to 18 years of age in Sweden. <i>European Journal of Neurology</i> , 2020, 27, 152-159.	3.3	2
30	Health care consumption among adolescent girls prior to diagnoses of sexual abuse, a case-control study in the Stockholm Region. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1363-1369.	4.7	4
31	A One-Session Treatment of PTSD After Single Sexual Assault Trauma. A Pilot Study of the WONSA MLI Project: A Randomized Controlled Trial. <i>Journal of Interpersonal Violence</i> , 2020, , 088626052096597.	2.0	5
32	Use of cardiovascular drugs and risk of incident heart failure in patients with atrial fibrillation. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1396-1405.	2.0	1
33	Multiple sclerosis among first- and second-generation immigrant groups in Sweden. <i>Acta Neurologica Scandinavica</i> , 2020, 142, 339-349.	2.1	5
34	The impact of diabetes, education and income on mortality and cardiovascular events in hypertensive patients: A cohort study from the Swedish Primary Care Cardiovascular Database (SPCCD). <i>PLoS ONE</i> , 2020, 15, e0237107.	2.5	5
35	High Variability in Implementation of Selective-Prevention Services for Cardiometabolic Diseases in Five European Primary Care Settings. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9080.	2.6	0
36	The association between sociodemographic characteristics and dementia in patients with atrial fibrillation. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2319-2327.	2.9	6

#	ARTICLE	IF	CITATIONS
37	Long-term effects of group exercise intervention on maximal step-up height in middle-aged female primary care patients with obesity and other cardio-metabolic risk factors. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020, 12, 11.	1.7	2
38	The informal curriculum of family medicine – what does it entail and how is it taught to residents? A systematic review. <i>BMC Family Practice</i> , 2020, 21, 49.	2.9	8
39	TNFR1 is associated with short-term mortality in patients with diabetes and acute dyspnea seeking care at the emergency department. <i>Acta Diabetologica</i> , 2020, 57, 1145-1150.	2.5	2
40	Parkinson’s Disease Among Immigrant Groups and Swedish-Born Individuals: A Cohort Study of All Adults 50 Years of Age and Older in Sweden. <i>Journal of Parkinson's Disease</i> , 2020, 10, 1133-1141.	2.8	4
41	Distal forearm fractures in immigrant groups: A national Swedish study. <i>Bone</i> , 2020, 138, 115508.	2.9	2
42	Epilepsy in immigrants and Swedish-born: A cohort study of all adults 18 years of age and older in Sweden. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 76, 116-122.	2.0	1
43	Levothyroxine treatment is associated with an increased relative risk of overall and organ specific incident cancers – a cohort study of the Swedish population. <i>Cancer Epidemiology</i> , 2020, 66, 101707.	1.9	13
44	Selective prevention of cardiometabolic diseases: activities and attitudes of general practitioners across Europe. <i>European Journal of Public Health</i> , 2019, 29, 88-93.	0.3	31
45	Urolithiasis in immigrant groups: a nationwide cohort study in Sweden. <i>Scandinavian Journal of Urology</i> , 2019, 53, 69-76.	1.0	2
46	A randomized controlled pilot study of the effects of 6-week high intensity hatha yoga protocol on health-related outcomes among students. <i>Journal of Bodywork and Movement Therapies</i> , 2019, 23, 766-772.	1.2	12
47	Limited value of NT-proBNP as a prognostic marker of all-cause mortality in patients with heart failure with preserved and mid-range ejection fraction in primary care: A report from the Swedish heart failure register. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 434-443.	1.5	8
48	An evidence-based toolbox for the design and implementation of selective-prevention primary-care initiatives targeting cardio-metabolic disease. <i>Preventive Medicine Reports</i> , 2019, 16, 100979.	1.8	5
49	Venous thromboembolism 2011–2018 in Stockholm: a demographic study. <i>Journal of Thrombosis and Thrombolysis</i> , 2019, 48, 668-673.	2.1	13
50	Association Between Relevant Co-Morbidities and Dementia With Atrial Fibrillation – A National Study. <i>Archives of Medical Research</i> , 2019, 50, 29-35.	3.3	11
51	The use of anthropometric measures in the prediction of incident gout: results from a Swedish community-based cohort study. <i>Scandinavian Journal of Rheumatology</i> , 2019, 48, 294-299.	1.1	6
52	Dementia in immigrant groups: A cohort study of all adults 45 years of age and older in Sweden. <i>Archives of Gerontology and Geriatrics</i> , 2019, 82, 251-258.	3.0	13
53	The Association Between Gout and Cardiovascular Disease in Patients with Atrial Fibrillation. <i>SN Comprehensive Clinical Medicine</i> , 2019, 1, 304-310.	0.6	6
54	End-Stage Kidney Diseases in Immigrant Groups: A Nationwide Cohort Study in Sweden. <i>American Journal of Nephrology</i> , 2019, 49, 186-192.	3.1	3

#	ARTICLE	IF	CITATIONS
55	Effects of cardiovascular pharmacotherapies on incident dementia in patients with atrial fibrillation: A cohort study of all patients above 45 years diagnosed with AF in hospitals in Sweden. <i>International Journal of Cardiology</i> , 2019, 297, 55-60.	1.7	2
56	Effect of Levothyroxine Treatment on Incident Dementia in Adults with Atrial Fibrillation and Hypothyroidism. <i>Clinical Drug Investigation</i> , 2019, 39, 187-195.	2.2	6
57	Atrial fibrillation in immigrants under the age of 45 y in Sweden. <i>International Health</i> , 2019, 11, 193-202.	2.0	3
58	Comorbidities, risk factors and outcomes in patients with heart failure and an ejection fraction of more than or equal to 40% in primary care- and hospital care-based outpatient clinics. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 207-215.	1.5	11
59	The association between relevant co-morbidities and prevalent as well as incident heart failure in patients with atrial fibrillation. <i>Journal of Cardiology</i> , 2018, 72, 26-32.	1.9	22
60	Mortality trends and cause of death in patients with new-onset type 2 diabetes and controls: A 24-year follow-up prospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2018, 138, 81-89.	2.8	17
61	Barriers and facilitators among health professionals in primary care to prevention of cardiometabolic diseases: A systematic review. <i>Family Practice</i> , 2018, 35, 383-398.	1.9	55
62	High prevalence of diabetes mellitus, hypertension and obesity among persons with a recorded diagnosis of intellectual disability or autism spectrum disorder. <i>Journal of Intellectual Disability Research</i> , 2018, 62, 269-280.	2.0	72
63	Effect of traditional yoga, mindfulness-based cognitive therapy, and cognitive behavioral therapy, on health related quality of life: a randomized controlled trial on patients on sick leave because of burnout. <i>BMC Complementary and Alternative Medicine</i> , 2018, 18, 80.	3.7	39
64	Coping strategies among patients newly diagnosed with diabetes or rheumatoid arthritis at baseline and after 24 months. <i>Journal of Health Psychology</i> , 2018, 23, 1273-1286.	2.3	6
65	Psychometric Testing of an Instrument About Intimate Partner Violence. <i>Clinical Nursing Research</i> , 2018, 27, 497-515.	1.6	2
66	Impact of an educational intervention for district nurses about preparedness to encounter women exposed to intimate partner violence. <i>Scandinavian Journal of Caring Sciences</i> , 2018, 32, 902-913.	2.1	8
67	Mortality in patients with atrial fibrillation and common co-morbidities – a cohort study in primary care. <i>Annals of Medicine</i> , 2018, 50, 156-163.	3.8	9
68	Experiences of hatha yogic exercises among patients with obstructive pulmonary diseases: A qualitative study. <i>Journal of Bodywork and Movement Therapies</i> , 2018, 22, 896-903.	1.2	5
69	Heart failure in immigrant groups: a cohort study of adults aged 45 years and over in Sweden. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 292-300.	1.2	15
70	Circling the undefined – A grounded theory study of intercultural consultations in Swedish primary care. <i>PLoS ONE</i> , 2018, 13, e0203383.	2.5	11
71	The association between relevant comorbidities and dementia in patients with atrial fibrillation. <i>GeroScience</i> , 2018, 40, 317-324.	4.6	15
72	Antihypertensive drugs and relevant cardiovascular pharmacotherapies and the risk of incident dementia in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2018, 272, 149-154.	1.7	14

#	ARTICLE	IF	CITATIONS
73	Barriers and facilitators to participation in a health check for cardiometabolic diseases in primary care: A systematic review. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1326-1340.	1.8	55
74	Vitamin D deficiency was common in all patients at a Swedish primary care centre, but more so in patients born outside of Europe. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018, 26, 649-652.	1.6	3
75	Socioeconomic factors and mortality in patients with atrial fibrillation—a cohort study in Swedish primary care. <i>European Journal of Public Health</i> , 2018, 28, 1103-1109.	0.3	25
76	Cardiovascular events in patients under age fifty with early findings of elevated lipid and glucose levels — The AMORIS study. <i>PLoS ONE</i> , 2018, 13, e0201972.	2.5	8
77	Associations between relevant cardiovascular pharmacotherapies and incident heart failure in patients with atrial fibrillation. <i>Journal of Hypertension</i> , 2018, 36, 1929-1935.	0.5	3
78	To ask, or not to ask: the hesitation process described by district nurses encountering women exposed to intimate partner violence. <i>Journal of Clinical Nursing</i> , 2017, 26, 2256-2265.	3.0	33
79	Gout in immigrant groups: a cohort study in Sweden. <i>Clinical Rheumatology</i> , 2017, 36, 1091-1102.	2.2	7
80	Diagnoses of sexual abuse and their common registered comorbidities in the total population of Stockholm. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 592-598.	3.7	11
81	The use of a Swedish telephone medical advice service by the elderly — a population-based study. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 98-104.	1.5	12
82	Neighborhood socioeconomic status at the age of 40 years and ischemic stroke before the age of 50 years: A nationwide cohort study from Sweden. <i>International Journal of Stroke</i> , 2017, 12, 815-826.	5.9	24
83	Comparison of Mortality and Nonfatal Cardiovascular Events in Adults With Atrial Fibrillation With Versus Without Levothyroxine Treatment. <i>American Journal of Cardiology</i> , 2017, 120, 1974-1979.	1.6	8
84	Recording a diagnosis of stroke, transient ischaemic attack or myocardial infarction in primary healthcare and the association with dispensation of secondary preventive medication: a registry-based prospective cohort study. <i>BMJ Open</i> , 2017, 7, e015723.	1.9	8
85	Atrial fibrillation in immigrant groups: a cohort study of all adults 45 years of age and older in Sweden. <i>European Journal of Epidemiology</i> , 2017, 32, 785-796.	5.7	14
86	HIV-infection and psychiatric illnesses — A double edged sword that threatens the vision of a contained epidemic. <i>Journal of Infection</i> , 2017, 74, 22-28.	3.3	31
87	Association between antithrombotic treatment and hemorrhagic stroke in patients with atrial fibrillation—a cohort study in primary care. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 215-221.	1.9	3
88	Effects of yogic exercises on functional capacity, lung function and quality of life in participants with obstructive pulmonary disease: a randomized controlled study. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017, 53, 447-461.	2.2	27
89	Psychiatric comorbidities in patients with hypertension — a study of registered diagnoses 2009–2013 in the total population in Stockholm County, Sweden. <i>Journal of Hypertension</i> , 2016, 34, 414-420.	0.5	47
90	Depression and anxiety after 2 years of follow-up in patients diagnosed with diabetes or rheumatoid arthritis. <i>Health Psychology Open</i> , 2016, 3, 205510291667810.	1.4	9

#	ARTICLE	IF	CITATIONS
91	Mental disorder and long-term risk of mortality: 41 years of follow-up of a population sample in Stockholm, Sweden. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 384-392.	3.9	9
92	Neighbourhood socio-economic status and all-cause mortality in adults with atrial fibrillation: A cohort study of patients treated in primary care in Sweden. <i>International Journal of Cardiology</i> , 2016, 202, 776-781.	1.7	34
93	Warfarin treatment and risk of myocardial infarction – A cohort study of patients with atrial fibrillation treated in primary health care. <i>International Journal of Cardiology</i> , 2016, 221, 789-793.	1.7	5
94	Warfarin treatment and risk of stroke among primary care patients with atrial fibrillation. <i>Scandinavian Cardiovascular Journal</i> , 2016, 50, 311-316.	1.2	8
95	Low fructosamine and mortality – A long term follow-up of 215,011 non-diabetic subjects in the Swedish AMORIS study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 1120-1128.	2.6	8
96	Reply. <i>Journal of Hypertension</i> , 2016, 34, 1441-1442.	0.5	0
97	Response to Carlsson et al.: Prevalence and incidence of diabetes mellitus: a nationwide population-based pharmaco-epidemiological study in Sweden. <i>Diabetic Medicine</i> , 2016, 33, 1150-1152.	2.3	0
98	How to best assess quality of drug treatment in patients with heart failure. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 965-975.	1.9	3
99	Chronic kidney disease and 10-year risk of cardiovascular death. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1187-1194.	1.8	15
100	Effects of High-Intensity Hatha Yoga on Cardiovascular Fitness, Adipocytokines, and Apolipoproteins in Healthy Students: A Randomized Controlled Study. <i>Journal of Alternative and Complementary Medicine</i> , 2016, 22, 81-87.	2.1	23
101	Depression or anxiety and all-cause mortality in adults with atrial fibrillation – A cohort study in Swedish primary care. <i>Annals of Medicine</i> , 2016, 48, 59-66.	3.8	26
102	Neighbourhood socioeconomic status and coronary heart disease in individuals between 40 and 50 years. <i>Heart</i> , 2016, 102, 775-782.	2.9	38
103	Health-related quality of life in patients with Burnout on sick leave: descriptive and comparative results from a clinical study. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 319-329.	2.3	9
104	Low anthropometric measures and mortality – results from the Malmö Diet and Cancer Study. <i>Annals of Medicine</i> , 2015, 47, 325-331.	3.8	10
105	Prevalence and incidence of diabetes mellitus: a nationwide population-based pharmaco-epidemiological study in Sweden. <i>Diabetic Medicine</i> , 2015, 32, 1319-1328.	2.3	79
106	Pharmacotherapy and mortality in atrial fibrillation – a cohort of men and women 75 years or older in Sweden. <i>Age and Ageing</i> , 2015, 44, 232-238.	1.6	7
107	Prevalence, incidence, mortality and co-morbidities amongst human immunodeficiency virus (HIV) patients in Stockholm County, Sweden – The Greater Stockholm HIV Cohort Study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015, 27, 142-149.	1.2	23
108	Neighborhood deprivation and warfarin, aspirin and statin prescription – A cohort study of men and women treated for atrial fibrillation in Swedish primary care. <i>International Journal of Cardiology</i> , 2015, 187, 547-552.	1.7	23

#	ARTICLE	IF	CITATIONS
109	Gout and its comorbidities in the total population of Stockholm. <i>Preventive Medicine</i> , 2015, 81, 387-391.	3.4	29
110	Impact of symptomatic hypoglycemia on medication adherence, patient satisfaction with treatment, and glycemic control in patients with type 2 diabetes. <i>Patient Preference and Adherence</i> , 2014, 8, 593.	1.8	62
111	Risks for stroke and bleeding with warfarin or aspirin treatment in patients with atrial fibrillation at different CHA2DS2VASc scores: experience from the Stockholm region. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 1477-1485.	1.9	44
112	Psychometric evaluation of a questionnaire and primary healthcare nurses' attitudes towards research and use of research findings. <i>Scandinavian Journal of Caring Sciences</i> , 2014, 28, 173-185.	2.1	18
113	Gender differences and time trends in incidence and prevalence of type 2 diabetes in Sweden – A model explaining the diabetes epidemic worldwide today?. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, e90-e92.	2.8	61
114	Effects of prescribed antithrombotics and other cardiovascular pharmacotherapies on all-cause mortality in patients with diabetes and atrial fibrillation – a cohort study from Sweden using propensity score analyses. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 2.	2.7	7
115	Effects of prescribed antihypertensives and other cardiovascular drugs on mortality in patients with atrial fibrillation and hypertension: a cohort study from Sweden. <i>Hypertension Research</i> , 2014, 37, 553-559.	2.7	14
116	Response to: Modifiable lifestyle risks, cardiovascular disease, and all-cause mortality. <i>International Journal of Cardiology</i> , 2014, 173, 560.	1.7	1
117	Effect of cardiovascular drugs on mortality in atrial fibrillation and chronic heart failure. <i>Scandinavian Cardiovascular Journal</i> , 2014, 48, 291-298.	1.2	5
118	Follow-Up Two Years After Diagnosis of Diabetes in Patients With Psychosocial Problems Receiving an Intervention by a Medical Social Worker. <i>Social Work in Health Care</i> , 2014, 53, 584-600.	1.6	4
119	Differences in anthropometric measures in immigrants and Swedish-born individuals: Results from two community-based cohort studies. <i>Preventive Medicine</i> , 2014, 69, 151-156.	3.4	9
120	What predicts negative effects of rheumatoid arthritis? A follow-up two years after diagnosis. <i>SpringerPlus</i> , 2014, 3, 118.	1.2	9
121	Diabetes and psychiatric illness in the total population of Stockholm. <i>Journal of Psychosomatic Research</i> , 2014, 77, 169-173.	2.6	33
122	Personality measured as Murray's psychological needs and all-cause mortality: 41 years of follow-up of a population-based sample. <i>Personality and Individual Differences</i> , 2014, 68, 32-36.	2.9	3
123	Integrative medicine for back and neck pain: Exploring cost-effectiveness alongside a randomized clinical pilot trial. <i>European Journal of Integrative Medicine</i> , 2014, 6, 29-38.	1.7	4
124	Psychometric Evaluation of a Coping Questionnaire in Two Independent Samples of People with Diabetes. <i>Stress and Health</i> , 2013, 29, 286-296.	2.6	5
125	Increased heart rate variability but no effect on blood pressure from 8 weeks of hatha yoga – a pilot study. <i>BMC Research Notes</i> , 2013, 6, 59.	1.4	39
126	Differences and time trends in drug treatment of atrial fibrillation in men and women and doctors' adherence to warfarin therapy recommendations. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 245-253.	1.9	26

#	ARTICLE	IF	CITATIONS
127	High prevalence of diagnosis of diabetes, depression, anxiety, hypertension, asthma and COPD in the total population of Stockholm, Sweden – a challenge for public health. <i>BMC Public Health</i> , 2013, 13, 670.	2.9	105
128	Seven modifiable lifestyle factors predict reduced risk for ischemic cardiovascular disease and all-cause mortality regardless of body mass index: A cohort study. <i>International Journal of Cardiology</i> , 2013, 168, 946-952.	1.7	88
129	Most common diseases diagnosed in primary care in Stockholm, Sweden, in 2011. <i>Family Practice</i> , 2013, 30, 506-513.	1.9	77
130	Lack of long-term effects from a pedagogical intervention upon blood pressure control – a randomized primary care study. <i>Scandinavian Cardiovascular Journal</i> , 2013, 47, 289-296.	1.2	6
131	Effects of Nordic walking on cardiovascular risk factors in overweight individuals with type 2 diabetes, impaired or normal glucose tolerance. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, 25-32.	4.0	47
132	High levels of leptin are associated with poor self-rated health in men and women with type 2 diabetes treated with metformin. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, e11-e12.	2.6	1
133	Country of birth-specific and gender differences in prevalence of diabetes in Sweden. <i>Diabetes Research and Clinical Practice</i> , 2013, 100, 404-408.	2.8	29
134	Risk scoring and thromboprophylactic treatment of patients with atrial fibrillation with and without access to primary healthcare data: Experience from the Stockholm health care system. <i>International Journal of Cardiology</i> , 2013, 170, 208-214.	1.7	69
135	Cardiovascular medication in relation to renal function after coronary artery bypass surgery. <i>International Journal of Cardiology</i> , 2013, 168, 4033-4038.	1.7	1
136	Effects of tactile massage on metabolic biomarkers in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2013, 39, 411-417.	2.9	14
137	Effect of cardiovascular drug classes on all-cause mortality among atrial fibrillation patients treated in primary care in Sweden: a cohort study. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 279-287.	1.9	13
138	Blood pressure measures and their predictive ability of cardiovascular mortality. <i>Blood Pressure Monitoring</i> , 2013, 18, 72-77.	0.8	9
139	Maximal step-up height as a simple and relevant health indicator: a study of leg muscle strength and the associations to age, anthropometric variables, aerobic fitness and physical function. <i>British Journal of Sports Medicine</i> , 2013, 47, 992-997.	6.7	13
140	The epidemiology of heart failure, based on data for 2.1 million inhabitants in Sweden. <i>European Journal of Heart Failure</i> , 2013, 15, 995-1002.	7.1	229
141	Population groups in dietary transition. <i>Food and Nutrition Research</i> , 2013, 57, 21668.	2.6	30
142	Time Trends and Gender Differences in Incidence and Prevalence of Type 1 Diabetes in Sweden. <i>Current Diabetes Reviews</i> , 2013, 9, 342-349.	1.3	51
143	Cross-Cultural Adaptation of an Intimate Partner Violence Questionnaire. <i>Clinical Nursing Research</i> , 2012, 21, 450-466.	1.6	7
144	Measuring possible effect on health-related quality of life by tactile massage or relaxation in patients with type 2 diabetes. <i>Complementary Therapies in Medicine</i> , 2012, 20, 8-15.	2.7	21

#	ARTICLE	IF	CITATIONS
145	Utilization and costs of lipid modifying therapies following health technology assessment for the new reimbursement scheme in Sweden. <i>Health Policy</i> , 2012, 104, 84-91.	3.0	27
146	Hypertriglyceridemic waist may explain ethnic differences in hypertension among patients with type 2 diabetes in Sweden. <i>BMC Research Notes</i> , 2012, 5, 474.	1.4	2
147	Utilization and costs of glucose lowering therapies following health technology assessment for the new reimbursement scheme in Sweden. <i>Health Policy</i> , 2012, 108, 207-215.	3.0	8
148	Nurses' preparedness to care for women exposed to Intimate Partner Violence: a quantitative study in primary health care. <i>BMC Nursing</i> , 2012, 11, 1.	2.5	69
149	Psychosocial problems among newly diagnosed rheumatoid arthritis patients. <i>Clinical Rheumatology</i> , 2012, 31, 521-529.	2.2	17
150	Gender Differences Regarding Novel Biomarkers and Metabolic Risk Factors in Metformin Treated Type 2 Diabetic Patients. <i>The Open Diabetes Journal</i> , 2012, 5, 13-19.	0.4	1
151	Repeatability and validity of a standardised maximal step-up test for leg function-a diagnostic accuracy study. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 191.	1.9	12
152	Poor self-rated health is not associated with a high total allostatic load in type 2 diabetic patients " But high blood pressure is. <i>Diabetes and Metabolism</i> , 2011, 37, 446-451.	2.9	20
153	Self-reported experience of hypoglycemia among adults with type 2 diabetes mellitus (Exhype). <i>Diabetes Research and Clinical Practice</i> , 2011, 92, 19-25.	2.8	22
154	Diabetes and impaired glucose tolerance among Turkish immigrants in Sweden. <i>Diabetes Research and Clinical Practice</i> , 2011, 92, 118-123.	2.8	11
155	Total mortality among levothyroxine-treated women with atrial fibrillation in Swedish primary health care. <i>International Journal of Cardiology</i> , 2011, 152, 147-148.	1.7	9
156	Prevalence of blood lipid disturbances in Swedish and foreign-born 60-year-old men and women in Stockholm, Sweden. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011, 21, 173-181.	2.6	27
157	Effects of Nordic walking on health-related quality of life in overweight individuals with Type 2 diabetes mellitus, impaired or normal glucose tolerance. <i>Diabetic Medicine</i> , 2011, 28, 1362-1372.	2.3	41
158	Health factors and longevity in men and women: a 26-year follow-up study. <i>European Journal of Epidemiology</i> , 2010, 25, 547-551.	5.7	21
159	Prevalence of lipid abnormalities before and after introduction of lipid modifying therapy among Swedish patients with dyslipidemia (PRIMUMA). <i>BMC Public Health</i> , 2010, 10, 737.	2.9	10
160	Physicians' gender is associated with risk factor control in patients on antihypertensive and lipid lowering treatment. <i>Blood Pressure</i> , 2010, 19, 240-248.	1.5	24
161	Daily energy expenditure and cardiovascular risk in Masai, rural and urban Bantu Tanzanians. <i>British Journal of Sports Medicine</i> , 2010, 44, 121-126.	6.7	19
162	Effect of heart-rate recovery on long-term mortality among men and women. <i>International Journal of Cardiology</i> , 2010, 144, 276-279.	1.7	9

#	ARTICLE	IF	CITATIONS
163	Prevalence of Diabetes Among Immigrants in the Nordic Countries. <i>Current Diabetes Reviews</i> , 2010, 6, 126-133.	1.3	75
164	Tactile Massage or Relaxation Exercises Do Not Improve the Metabolic Control of Type 2 Diabetics~!2009-12-22~!2010-03-25~!2010-04-28~!. <i>The Open Diabetes Journal</i> , 2010, 3, 6-10.	0.4	11
165	Is a Unified Definition of Metabolic Syndrome Needed? Comparison of Three Definitions of Metabolic Syndrome in 60-Year-Old Men and Women. <i>Metabolic Syndrome and Related Disorders</i> , 2009, 7, 231-242.	1.3	23
166	Exploring integrative medicine for back and neck pain - a pragmatic randomised clinical pilot trial. <i>BMC Complementary and Alternative Medicine</i> , 2009, 9, 33.	3.7	35
167	The association between BMI value and long-term mortality. <i>International Journal of Obesity</i> , 2009, 33, 577-582.	3.4	53
168	Tactile massage within the primary health care setting. <i>Complementary Therapies in Clinical Practice</i> , 2009, 15, 158-160.	1.7	26
169	Cardiovascular and total mortality in men and women with different blood pressure levels â€œ A 26-year follow-up. <i>Blood Pressure</i> , 2009, 18, 105-110.	1.5	14
170	Factors associated with uncontrolled hypertension and cardiovascular risk in hypertensive 60-year-old men and womenâ€”a population-based study. <i>Hypertension Research</i> , 2009, 32, 780-785.	2.7	19
171	Improving quality of life using compound mind-body therapies: evaluation of a course intervention with body movement and breath therapy, guided imagery, chakra experiencing and mindfulness meditation. <i>Quality of Life Research</i> , 2008, 17, 367-376.	3.1	44
172	Association between metabolic effects and tobacco use in 60-year-old Swedish men. <i>European Journal of Epidemiology</i> , 2008, 23, 431-434.	5.7	12
173	Risk Factors Associated With Newly Diagnosed High Blood Pressure in Men and Women. <i>American Journal of Hypertension</i> , 2008, 21, 771-777.	2.0	36
174	Blood glucose level and mortality. <i>Diabetologia</i> , 2008, , 1.	6.3	0
175	Estimation of diabetes prevalence among immigrants from the Middle East in Sweden by using three different data sources. <i>Diabetes and Metabolism</i> , 2008, 34, 328-333.	2.9	39
176	Prevalence of hypertension in immigrants and Swedish-born individuals, a cross-sectional study of 60-year-old men and women in Sweden. <i>Journal of Hypertension</i> , 2008, 26, 2295-2302.	0.5	38
177	Self-Reported Anxiety, Sleeping Problems and Pain Among Turkish-Born Immigrants in Sweden. <i>Ethnicity and Health</i> , 2007, 12, 363-379.	2.5	25
178	Increased prevalence of diabetes among immigrants from non-European countries in 60-year-old men and women in Sweden. <i>Diabetes and Metabolism</i> , 2007, 33, 30-36.	2.9	62
179	High prevalence of diabetes among immigrants from non-European countries in Sweden. <i>Primary Care Diabetes</i> , 2007, 1, 13-16.	1.8	30
180	Working with tactile massageâ€”A grounded theory about the energy controlling system. <i>Complementary Therapies in Clinical Practice</i> , 2007, 13, 258-265.	1.7	11

#	ARTICLE	IF	CITATIONS
181	Effect of heart rate on long-term mortality among men and women. <i>Acta Cardiologica</i> , 2007, 62, 271-275.	0.9	14
182	The Association Between Low Fasting Blood Glucose Value and Mortality. <i>Current Diabetes Reviews</i> , 2007, 3, 274-279.	1.3	14
183	Walking for exercise“does three times per week influence risk factors in type 2 diabetes?. <i>Diabetes Research and Clinical Practice</i> , 2006, 71, 21-27.	2.8	48
184	Are there differences in all-cause and coronary heart disease mortality between immigrants in Sweden and in their country of birth? A follow-up study of total populations. <i>BMC Public Health</i> , 2006, 6, 102.	2.9	69
185	The Trend of Cardiovascular Disease in Immigrants in Sweden. <i>European Journal of Epidemiology</i> , 2005, 20, 755-760.	5.7	34
186	Quality of life of participants in a mind-body-based self-development course: A descriptive study. <i>Quality of Life Research</i> , 2005, 14, 521-528.	3.1	8
187	Do immigrants have an increased prevalence of unhealthy behaviours and risk factors for coronary heart disease?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005, 12, 535-541.	2.8	110
188	The association between blood glucose value and long-term mortality. <i>Diabetes and Metabolism</i> , 2005, 31, 588-594.	2.9	16
189	Quality of life of patients with diabetes mellitus An overview of research in primary health care in the Nordic countries. <i>Scandinavian Journal of Primary Health Care</i> , 2005, 23, 68-74.	1.5	207
190	Walking for exercise?does three times per week influence risk factors in type 2 diabetes?. <i>Diabetes Research and Clinical Practice</i> , 2005, , .	2.8	1
191	Tactile massage improves glycaemic control in women with type 2 diabetes: a pilot study. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2004, 21, 105-109.	0.2	21
192	Morbidity in cardiovascular diseases in immigrants in Sweden. <i>Journal of Internal Medicine</i> , 2003, 254, 236-243.	6.0	97
193	Metabolic control and quality of data in medical records for subjects with type 2 diabetes in Swedish primary care: improvement between 1995 and 2001. <i>Scandinavian Journal of Primary Health Care</i> , 2002, 20, 230-235.	1.5	14
194	Drug prescription in men and women with type-2 diabetes in Stockholm in 1995 and 2001:change over time. <i>European Journal of Clinical Pharmacology</i> , 2002, 58, 547-553.	1.9	17
195	Title is missing!. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2001, 8, 73-79.	1.5	12
196	Risk Factors in Established Coronary Heart Disease: Evaluation of a Secondary Prevention Programme. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2001, 8, 73-79.	2.8	7
197	The quality of life of elderly diabetic patients. <i>Journal of Diabetes and Its Complications</i> , 2000, 14, 25-30.	2.3	57
198	Assessing sexual functioning in patients with chronic disorders by using a generic health-related quality of life questionnaire. <i>Quality of Life Research</i> , 2000, 9, 1081-1092.	3.1	23

#	ARTICLE	IF	CITATIONS
199	Functioning and well-being of patients with type 2 diabetes or angina pectoris, compared with the general population. <i>Diabetes and Metabolism</i> , 2000, 26, 465-71.	2.9	24
200	Diagnostic tests, treatment and follow-up in heart failure patients - is there a gender bias in the coherence to guidelines?. <i>European Journal of Heart Failure</i> , 1999, 1, 407-410.	7.1	50
201	Foreign- and Swedish-born diabetic patients - medical situation and quality of life. <i>Scandinavian Journal of Primary Health Care</i> , 1999, 17, 158-163.	1.5	5
202	Quality of life among patients with glaucoma in Sweden. <i>Acta Ophthalmologica</i> , 1997, 75, 584-588.	0.3	46