

Gerard Parkin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8102744/publications.pdf>

Version: 2024-02-01

259
papers

14,165
citations

22548

61
h-index

32181

105
g-index

267
all docs

267
docs citations

267
times ranked

9101
citing authors

#	ARTICLE	IF	CITATIONS
1	Agostic interactions in transition metal compounds. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 6908-6914.	3.3	965
2	Synthetic Analogues Relevant to the Structure and Function of Zinc Enzymes. Chemical Reviews, 2004, 104, 699-768.	23.0	871
3	The occurrence and representation of three-centre two-electron bonds in covalent inorganic compounds. Chemical Communications, 2012, 48, 11481.	2.2	245
4	Aqua, Alcohol, and Acetonitrile Adducts of Tris(perfluorophenyl)borane: Evaluation of Brønsted Acidity and Ligand Lability with Experimental and Computational Methods. Journal of the American Chemical Society, 2000, 122, 10581-10590.	6.6	235
5	A Simple Description of the Bonding in Transition-Metal Borane Complexes. Organometallics, 2006, 25, 4744-4747.	1.1	234
6	Zinc Catalysts for On-Demand Hydrogen Generation and Carbon Dioxide Functionalization. Journal of the American Chemical Society, 2012, 134, 17462-17465.	6.6	227
7	The bioinorganic chemistry of zinc: synthetic analogues of zinc enzymes that feature tripodal ligands. Chemical Communications, 2000, , 1971-1985.	2.2	217
8	Reexamination of Lead(II) Coordination Preferences in Sulfur-Rich Sites: Implications for a Critical Mechanism of Lead Poisoning. Journal of the American Chemical Society, 2005, 127, 9495-9505.	6.6	211
9	A mononuclear zinc hydroxide complex stabilized by a highly substituted tris(pyrazolyl)hydroborato ligand: analogies with the enzyme carbonic anhydrase. Inorganic Chemistry, 1991, 30, 4098-4100.	1.9	203
10	Tris(pyrazolyl)hydroboratozinc hydroxide complexes as functional models for carbonic anhydrase: on the nature of the bicarbonate intermediate. Journal of the American Chemical Society, 1993, 115, 4690-4697.	6.6	200
11	Monomeric Alkyl and Hydride Derivatives of Zinc Supported by Poly(pyrazolyl)hydroborato Ligation: Synthetic, Structural, and Reactivity Studies. Organometallics, 1995, 14, 274-288.	1.1	198
12	Alkyl, Hydride, and Hydroxide Derivatives of the s- and p-Block Elements Supported by Poly(Pyrazolyl)Borato Ligation: Models for Carbonic Anhydrase, Receptors for Anions, and the Study of Controlled Crystallographic Disorder. Advances in Inorganic Chemistry, 1995, , 291-393.	0.4	194
13	Reactivity of the Metal- η^5 -BX ₃ Dative σ -Bond: 1,2-Addition Reactions of the Fe- η^5 -BX ₃ Moiety of the Ferraboratrane Complex [η^5 -4-B(mimBut) ₃]Fe(CO) ₂ . Inorganic Chemistry, 2006, 45, 7056-7058.	1.9	188
14	Bond-stretch isomerism in transition metal complexes: a reevaluation of crystallographic data. Chemical Reviews, 1993, 93, 887-911.	23.0	187
15	Modeling the Catalytic Site of Liver Alcohol Dehydrogenase: Synthesis and Structural Characterization of a [Bis(thioimidazolyl)(pyrazolyl)hydroborato]zinc Complex, [HB(timMe) ₂ pz]ZnI. Inorganic Chemistry, 1997, 36, 5680-5681.	1.9	168
16	The Electronic Influence of Ring Substituents and AnsaBridges in Zirconocene Complexes as Probed by Infrared Spectroscopic, Electrochemical, and Computational Studies. Journal of the American Chemical Society, 2002, 124, 9525-9546.	6.6	168
17	Application of the Covalent Bond Classification Method for the Teaching of Inorganic Chemistry. Journal of Chemical Education, 2014, 91, 807-816.	1.1	152
18	Terminal oxo, sulfido, selenido, and tellurido complexes of zirconium, (η^5 -C ₅ Me ₄ R) ₂ Zr(E)(NC ₅ H ₅): comparison of terminal Zr-E single and Zr:E double-bond lengths. Journal of the American Chemical Society, 1994, 116, 606-615.	6.6	150

#	ARTICLE	IF	CITATIONS
19	Valence, Oxidation Number, and Formal Charge: Three Related but Fundamentally Different Concepts. <i>Journal of Chemical Education</i> , 2006, 83, 791.	1.1	145
20	Normal and Inverse Primary Kinetic Deuterium Isotope Effects for C-H Bond Reductive Elimination and Oxidative Addition Reactions of Molybdenocene and Tungstenocene Complexes: Evidence for Benzene η^5 -Complex Intermediates. <i>Journal of the American Chemical Society</i> , 2003, 125, 1403-1420.	6.6	138
21	The Ansa Effect in Permethylmolybdenocene Chemistry: A [Me ₂ Si]Ansa Bridge Promotes Intermolecular C-H and C-C Bond Activation. <i>Organometallics</i> , 1999, 18, 2403-2406.	1.1	134
22	Synthesis and Structural Characterization of [B(S,S-B(mimR) ₃)Ir(CO)(PPh ₃)H (R = But, Ph) and [B(mimBut) ₃]M(PPh ₃)Cl (M = Rh, Ir): Analysis of the Bonding in Metal Borane Compounds. <i>Inorganic Chemistry</i> , 2006, 45, 2588-2597.	1.9	132
23	Zinc and Magnesium Catalysts for the Hydrosilylation of Carbon Dioxide. <i>Journal of the American Chemical Society</i> , 2017, 139, 18162-18165.	6.6	128
24	Lead Poisoning and the Inactivation of 5-Aminolevulinic Dehydratase as Modeled by the Tris(2-mercapto-1-phenylimidazolyl)hydroborato Lead Complex, {[TmPh]Pb}[ClO ₄]. <i>Journal of the American Chemical Society</i> , 2000, 122, 7140-7141.	6.6	121
25	Do bond-stretch isomers really exist?. <i>Accounts of Chemical Research</i> , 1992, 25, 455-460.	7.6	120
26	Temperature-Dependent Transitions Between Normal and Inverse Isotope Effects Pertaining to the Interaction of C-H and C-H Bonds with Transition Metal Centers. <i>Accounts of Chemical Research</i> , 2009, 42, 315-325.	7.6	120
27	Palladium complexes with Pd-B dative bonds: Analysis of the bonding in the palladaboratrane compound [B(mimBut) ₃]Pd(PMe ₃). <i>Chemical Communications</i> , 2006, , 5015-5017.	2.2	118
28	Reactivity of the Ni-B dative η^5 -bond in the nickel boratrane compounds [B(mimBut) ₃]NiX (X = Cl, OAc), [B(mimBut) ₃]Ni ⁺ OTf ⁻ complexes, [YmBut]NiZ. <i>Chemical Communications</i> , 2008, , 1008.	2.2	117
29	Synthesis, Structure, and Reactivity of a Mononuclear Organozinc Hydride Complex: Facile Insertion of CO ₂ into a Zn-H Bond and CO ₂ -Promoted Displacement of Siloxide Ligands. <i>Journal of the American Chemical Society</i> , 2011, 133, 9708-9711.	6.6	113
30	Cleaving Mercury-Alkyl Bonds: A Functional Model for Mercury Detoxification by MerB. <i>Science</i> , 2007, 317, 225-227.	6.0	107
31	Synthesis, Structure, and Reactivity of a Terminal Magnesium Hydride Compound with a Carborane Motif, [TmPr ⁺ iBenz ⁻]MgH: A Multifunctional Catalyst for Hydrosilylation and Hydroboration. <i>Journal of the American Chemical Society</i> , 2017, 139, 13264-13267.	6.6	107
32	A Monovalent Gallium Complex Supported by Tris(3,5-di-tert-butylpyrazolyl)hydroborato Ligation: The Syntheses and Structures of [TpBut ₂]Ga and Its Gal ₃ Adduct, [TpBut ₂]Ga ⁺ Gal ₃ ⁻ . <i>Journal of the American Chemical Society</i> , 1996, 118, 10914-10915.	6.6	105
33	Zinc Pyrazolylborate Complexes Relevant to the Biological Function of Carbonic Anhydrase. <i>Angewandte Chemie International Edition in English</i> , 1992, 31, 92-93.	4.4	103
34	Syntheses of the Phenylchalcogenolate Complexes (.eta. ⁵ -C ₅ Me ₅) ₂ Zr(EPh) ₂ (E = O, S, Se, Te) and (.eta. ⁵ -C ₅ H ₅) ₂ Zr(OPh) ₂ : Structural Comparisons within a Series of Complexes Containing Zirconium-Chalcogen Single Bonds. <i>Inorganic Chemistry</i> , 1995, 34, 5900-5909.	1.9	103
35	Elimination processes for alkyl, hydride, and hydroxy derivatives of permethyltungstenocene. <i>Organometallics</i> , 1989, 8, 1172-1179.	1.1	101
36	The synthesis and structural characterization of bis(mercaptoimidazolyl)hydroborato complexes of lithium, thallium and zinc. <i>Dalton Transactions RSC</i> , 2000, , 891-897.	2.3	100

#	ARTICLE	IF	CITATIONS
37	[Tris(pyrazolyl)hydroborato]magnesium alkyl derivatives: reactivity studies. <i>Journal of the American Chemical Society</i> , 1992, 114, 748-757.	6.6	94
38	Halide, hydride, alkyl, oxo and related derivatives of bis(pentamethylcyclopentadienyl)tungsten(IV). <i>Polyhedron</i> , 1988, 7, 2053-2082.	1.0	85
39	Tris(3-tert-butylpyrazolyl)hydroborato zinc hydride: synthesis, structure and reactivity of a monomeric zinc hydride derivative. <i>Journal of the Chemical Society Chemical Communications</i> , 1991, , 717.	2.0	84
40	Intramolecular NH \cdots S Hydrogen Bonding in the Zinc Thiolate Complex [TmPh]ZnSCH ₂ C(O)NHPPh: A Mechanistic Investigation of Thiolate Alkylation as Probed by Kinetics Studies and by Kinetic Isotope Effects. <i>Journal of the American Chemical Society</i> , 2005, 127, 14039-14050.	6.6	81
41	On the Chalcogenophilicity of Mercury: Evidence for a Strong Hg \cdots Se Bond in [Tm ^{sup} Bu ^{sup} t ^{sup}]/HgSePh and Its Relevance to the Toxicity of Mercury. <i>Journal of the American Chemical Society</i> , 2010, 132, 647-655.	6.6	80
42	Dehydrogenation, disproportionation and transfer hydrogenation reactions of formic acid catalyzed by molybdenum hydride compounds. <i>Chemical Science</i> , 2015, 6, 1859-1865.	3.7	80
43	(Tris-(3-tert-butylpyrazolyl)hydroborato)manganese(II), -iron(II), -cobalt(II), and -nickel(II) halide derivatives: facile abstraction of fluoride from tetrafluoroborate(1-). <i>Inorganic Chemistry</i> , 1990, 29, 2452-2456.	1.9	79
44	Mononuclear tris(2-mercapto-1-arylimidazolyl)hydroborato complexes of zinc, [TmAr]ZnX: structural evidence that a sulfur rich coordination environment promotes the formation of a tetrahedral alcohol complex in a synthetic analogue of LADH. <i>Chemical Communications</i> , 1999, , 2301-2302.	2.2	75
45	The Reactivity of Mo(PMe ₃) ₆ towards Heterocyclic Nitrogen Compounds: Transformations Relevant to Hydrodenitrogenation. <i>Journal of the American Chemical Society</i> , 2002, 124, 13658-13659.	6.6	75
46	Bis(mercaptoimidazolyl)(pyrazolyl)hydroborato Complexes of Zinc, Cadmium, and Cobalt: Structural Evidence for the Enhanced Tendency of Zinc in Biological Systems to Adopt Tetrahedral M[S ₄] Coordination. <i>Inorganic Chemistry</i> , 2000, 39, 4240-4243.	1.9	73
47	CHEMISTRY: Zinc-Zinc Bonds: A New Frontier. <i>Science</i> , 2004, 305, 1117-1118.	6.0	73
48	Applications of tripodal [S ₃] and [Se ₃] L ₂ X donor ligands to zinc, cadmium and mercury chemistry: organometallic and bioinorganic perspectives. <i>New Journal of Chemistry</i> , 2007, 31, 1996.	1.4	73
49	[Tris(pyrazolyl)hydroborato]magnesium alkyl derivatives: synthetic and structural studies. <i>Organometallics</i> , 1991, 10, 1010-1020.	1.1	72
50	Tetrahedral nickel nitrosyl complexes with tripodal [N ₃] and [Se ₃] donor ancillary ligands: structural and computational evidence that a linear nitrosyl is a trivalent ligand. <i>Dalton Transactions</i> , 2007, , 820.	1.6	72
51	[Bis(3-tert-butylpyrazolyl)hydroborato]zinc alkyl derivatives: competitive reactivity of zinc-carbon and boron-hydrogen bonds. <i>Journal of the American Chemical Society</i> , 1990, 112, 4068-4069.	6.6	70
52	[Tris(3-tert-butylpyrazolyl)hydroborato]beryllium hydride: synthesis, structure, and reactivity of a terminal beryllium hydride complex. <i>Inorganic Chemistry</i> , 1992, 31, 983-988.	1.9	70
53	Protonation of the Hydroxide Ligand in a Synthetic Analogue of Carbonic Anhydrase, [TpBut,Me]ZnOH: Inhibition of Reactivity Towards CO ₂ . <i>Journal of the American Chemical Society</i> , 1999, 121, 6322-6323.	6.6	70
54	A zinc thiolate species which mimics aspects of the chemistry of the Ada repair protein and matrix metalloproteinases: the synthesis, structure and reactivity of the tris(2-mercapto-1-phenylimidazolyl)hydroborato complex [TmPh]ZnSPH \cdots . <i>Dalton Transactions RSC</i> , 2000, , 4494-4496.	2.3	69

#	ARTICLE	IF	CITATIONS
55	Structural Studies of the [Tris(imidazolyl)phosphine]metal Nitrate Complexes {[PimPri,But]M(NO ₃)} ₃ (M = Co, Cu, Zn, Cd, Hg): A Comparison of Nitrate-Binding Modes in Synthetic Analogues of Carbonic Anhydrase. <i>Inorganic Chemistry</i> , 2000, 39, 967-974.	1.9	69
56	Selective Conversion of Carbon Dioxide to Formaldehyde via a Bis(silyl)acetal: Incorporation of Isotopically Labeled C1 Moieties Derived from Carbon Dioxide into Organic Molecules. <i>Journal of the American Chemical Society</i> , 2019, 141, 17754-17762.	6.6	68
57	Poly(pyrazolyl)hydroborato and poly(pyrazolyl)methane aluminium alkyl derivatives. <i>Polyhedron</i> , 1990, 9, 265-276.	1.0	67
58	Modeling Aspects of Hydrodesulfurization at Molybdenum: A Carbon-Sulfur Bond Cleavage of Thiophenes by Ansa-Molybdenocene Complexes. <i>Journal of the American Chemical Society</i> , 2000, 122, 178-179.	6.6	67
59	Synthesis and structural characterization of tris(2-seleno-1-mesitylimidazolyl) hydroborato complexes: A new type of strongly electron donating tripodal selenium ligand. <i>Chemical Communications</i> , 2006, , 3990.	2.2	66
60	A reinvestigation of the molecular structures of cis-mer-MoOCl ₂ (PR ₃) ₃ : do bond-stretch isomers really exist?. <i>Journal of the American Chemical Society</i> , 1991, 113, 1437-1438.	6.6	64
61	Modeling the Catalytic Cycle of Liver Alcohol Dehydrogenase: Synthesis and Structural Characterization of a Four-Coordinate Zinc Ethoxide Complex and Determination of Relative Zn-OH versus Zn-OH Bond Energies. <i>Inorganic Chemistry</i> , 1999, 38, 422-423.	1.9	64
62	Synthesis and Structural Characterization of 1-Mesityl-1,3-dihydro-imidazole-2-selone and Bis(1-mesitylimidazol-2-yl)diselenide: A Experimental Evidence That the Selone Is More Stable Than the Selenol Tautomer. <i>Journal of the American Chemical Society</i> , 2006, 128, 12490-12497.	6.6	64
63	Tris(pyrazolyl)hydroboratomagnesium and aluminum alkyl derivatives: alkyl exchange with methyl iodide and enolate formation with acetone. <i>Journal of the American Chemical Society</i> , 1989, 111, 7276-7278.	6.6	62
64	The synthesis and structure of {[PimPri,But]ZnOH}(ClO ₄): a tris(imidazolyl)phosphine zinc hydroxide complex and a proposed structural model for carbonic anhydrase. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 1813.	2.0	62
65	Mechanistic and Theoretical Analysis of the Oxidative Addition of H ₂ to Six-Coordinate Molybdenum and Tungsten Complexes M(PMe ₃) ₄ X ₂ (M = Mo, W; X = F, Cl, Br, I): An Inverse Equilibrium Isotope Effect and an Unprecedented Halide Dependence. <i>Journal of the American Chemical Society</i> , 1999, 121, 11402-11417.	6.6	62
66	Terminal Sulfido, Selenido, and Tellurido Complexes of Tungsten. <i>Inorganic Chemistry</i> , 1995, 34, 6341-6361.	1.9	61
67	The synthesis and structural characterization of bis(mercaptoimidazolyl)(pyrazolyl)hydroborato and tris(mercaptoimidazolyl)hydroborato complexes of thallium(I) and thallium(III). <i>Dalton Transactions RSC</i> , 2000, , 1267-1274.	2.3	59
68	Syntheses of Mo(PMe ₃) ₆ and trans-Mo(PMe ₃) ₄ (E) ₂ (E = S, Se, Te): The First Series of Terminal Sulfido, Selenido, and Tellurido Complexes of Molybdenum. <i>Journal of the American Chemical Society</i> , 1995, 117, 3522-3528.	6.6	58
69	Carbonyl abstraction reactions of Cp*Mo(PMe ₃) ₃ H with CO ₂ , (CH ₂ O) _n , HCO ₂ H, and MeOH: the synthesis of Cp*Mo(PMe ₃) ₂ (CO)H and the catalytic decarboxylation of formic acid. <i>Journal of Organometallic Chemistry</i> , 2002, 642, 9-15.	0.8	58
70	Structural characterization of zinc bicarbonate compounds relevant to the mechanism of action of carbonic anhydrase. <i>Chemical Science</i> , 2012, 3, 2015.	3.7	58
71	Artificial manipulation of apparent bond lengths as determined by single-crystal x-ray diffraction. <i>Journal of the American Chemical Society</i> , 1991, 113, 8414-8418.	6.6	57
72	Unidentate versus bidentate coordination of nitrate ligands: relevance to carbonic anhydrase activity. <i>Journal of the American Chemical Society</i> , 1991, 113, 9707-9708.	6.6	57

#	ARTICLE	IF	CITATIONS
73	Bond-stretch isomerism in the chlorooxomolybdenum complexes cis-mer-MoOCl ₂ (PR ₃) ₃ : a reinvestigation. <i>Journal of the American Chemical Society</i> , 1992, 114, 2210-2218.	6.6	56
74	Elaboration of the bis(pyrazolyl)hydroborato ligand [BpBut,Pri] into the NNO donor ligand, [(MeO)BpBut,Pri]: Structural characterization of a complex in which the [(MeO)BpBut,Pri] ligand models the binding of zinc to the peptide backbone in thermolysin. <i>Polyhedron</i> , 1996, 15, 2463-2465.	1.0	56
75	Thiophene and Butadiene π -Thiolate Complexes of Molybdenum: π Observations Relevant to the Mechanism of Hydrodesulfurization. <i>Journal of the American Chemical Society</i> , 2002, 124, 4182-4183.	6.6	56
76	Oxidative Addition of Dihydrogen to (η -6-Arene)Mo(PMe ₃) ₃ Complexes: Origin of the Naphthalene and Anthracene Effects. <i>Journal of the American Chemical Society</i> , 2006, 128, 5452-5461.	6.6	55
77	Hydrosilylation of Aldehydes and Ketones Catalyzed by a Terminal Zinc Hydride Complex, [I ⁺ ³-Tptm]ZnH. <i>Organometallics</i> , 2015, 34, 4717-4731.	1.1	54
78	The syntheses, structures and reactivity of bis(tert-butylcyclopentadienyl)molybdenum derivatives: nitrogen alkylation of an η -2-acetonitrile ligand and influence of the chalcogen on the barrier to inversion of chalcogenoether adducts. <i>Dalton Transactions RSC</i> , 2001, , 1732-1753.	2.3	53
79	False Minima in X-ray Structure Solutions Associated with a π -Partial Polar Ambiguity: A Single Crystal X-ray and Neutron Diffraction Studies on the Eight-Coordinate Tungsten Hydride Complexes, W(PMe ₃) ₄ H ₂ X ₂ (X = F, Cl, Br, I) and W(PMe ₃) ₄ H ₂ F(FHF). <i>Journal of the American Chemical Society</i> , 1998, 120, 4372-4387.	6.6	52
80	Synthesis and Structures of Zirconium π -Pyrrolyl Complexes: A Computational Analysis of the Factors That Influence the Coordination Modes of Pyrrolyl Ligands. <i>Organometallics</i> , 2002, 21, 587-589.	1.1	52
81	Carbon π -Sulfur Bond Cleavage and Hydrodesulfurization of Thiophenes by Tungsten. <i>Journal of the American Chemical Society</i> , 2011, 133, 3748-3751.	6.6	52
82	Theoretical investigation of the metal π -metal interaction in dimolybdenum complexes with bridging hydride and methyl ligands. <i>Polyhedron</i> , 2004, 23, 2879-2900.	1.0	51
83	Tris(pyrazolyl)hydroborato Complexes of Cadmium: A Bidentate Nitrate Derivative and Its Relevance to Carbonic Anhydrase Activity. <i>Inorganic Chemistry</i> , 1994, 33, 1158-1164.	1.9	50
84	Tris(3-t-butyl-5-methylpyrazolyl)hydroborato derivatives of copper and thallium: The structural influence of a 5-methyl substituent. <i>Polyhedron</i> , 1995, 14, 811-821.	1.0	49
85	Bis(permethylindenyl) Complexes of Thorium: A Synthesis, Structure, and Reactivity. <i>Organometallics</i> , 2001, 20, 3255-3264.	1.1	49
86	A survey of terminal chalcogenido complexes of the transition metals: trends in their distribution and the variation of their M π -E bond lengths. <i>Polyhedron</i> , 1997, 16, 1031-1045.	1.0	47
87	Tris(mercaptoimidazolyl)hydroborato complexes of cobalt and iron, [TmPh] ₂ M (M=Fe, Co): structural comparisons with their tris(pyrazolyl)hydroborato counterparts. <i>Polyhedron</i> , 2001, 20, 1891-1896.	1.0	47
88	Synthesis, Structure, and Reactivity of Two-Coordinate Mercury Alkyl Compounds with Sulfur Ligands: Relevance to Mercury Detoxification. <i>Inorganic Chemistry</i> , 2009, 48, 6763-6772.	1.9	47
89	Synthetic, structural, and mechanistic studies of the carbon-hydrogen bond activation of phenols by tungsten complexes W(PMe ₃) ₆ and W(PMe ₃) ₄ (η -2-CH ₂ PMe ₂)H. <i>Journal of the American Chemical Society</i> , 1992, 114, 4611-4621.	6.6	46
90	Mechanistic study of the oxidative addition of dihydrogen to tetrakis(trimethylphosphine)diidotungsten: observation of an inverse equilibrium isotope effect. <i>Journal of the American Chemical Society</i> , 1993, 115, 353-354.	6.6	45

#	ARTICLE	IF	CITATIONS
91	The synthesis and molecular structure of [TmPh] ₂ Pb: a complex with an η^{-} -inverted η^{TM} η^4 -coordination mode for the tris(2-mercapto-1-phenylimidazolyl)hydroborato ligand. <i>Inorganic Chemistry Communication</i> , 2000, 3, 534-536.	1.8	45
92	Tris(pyrazolyl)hydroboratozinc alkyl derivatives: direct comparison of the reactivity of Zn-C and Mg-C bonds. <i>Journal of the Chemical Society Chemical Communications</i> , 1990, , 220.	2.0	44
93	Non-classical carbonyl complexes of zirconium: The syntheses, characterization, and reactivities of (η^5 -C ₅ Me ₅) ₂ Zr(η^2 -E ₂)(CO) (E \rightarrow S, Se, Te). <i>Polyhedron</i> , 1995, 14, 25-44.	1.0	44
94	A zinc hydroxide complex of relevance to 5-aminolevulinatase dehydratase: The synthesis, structure and reactivity of the tris(2-mercapto-1-phenylimidazolyl)hydroborato complex [TmPh]ZnOH. <i>Inorganic Chemistry Communication</i> , 2001, 4, 126-129.	1.8	44
95	Applications of deuterium isotope effects for probing aspects of reactions involving oxidative addition and reductive elimination of H α -H and C α -H bonds. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2007, 50, 1088-1114.	0.5	44
96	Phenyl tris(3-tert-butylpyrazolyl)borato complexes of lithium and thallium, [PhTpBut] ₃ M (M = Li, Tl): a novel structure for a monomeric tris(pyrazolyl)boratothallium complex and a study of its stereochemical nonrigidity by ¹ H and ²⁰⁵ Tl NMR spectroscopy. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 1929-1936.	1.1	43
97	Factors Influencing the Thermodynamics of Zinc Alkoxide Formation by Alcoholysis of the Terminal Hydroxide Complex, [TpBut ₂ Me]ZnOH: An Experimental and Theoretical Study Relevant to the Mechanism of Action of Liver Alcohol Dehydrogenase. <i>Journal of the American Chemical Society</i> , 2000, 122, 12651-12658.	6.6	43
98	Phosphorus-Bridged ansa-Metallocene Complexes of Titanium, Zirconium, and Hafnium: The Syntheses and Structures of [PhP(C ₅ Me ₄) ₂]MX ₂ and [Ph(E)P(C ₅ Me ₄) ₂]MX ₂ (E = O, S, Se) Derivatives. <i>Organometallics</i> , 1999, 18, 6-9.	1.1	42
99	Methyl, hydrochalcogenido, and phenylchalcogenolate complexes of zinc in a sulfur rich coordination environment: syntheses and structural characterization of the tris(2-mercapto-1-tert-butylimidazolyl)hydroboratozinc complexes [TmBut] ₃ ZnMe, [TmBut] ₃ ZnEH (E = S, Tl) <i>ETQq1 1²0:784314²rgBT /O</i>		
100	The Synthesis and Structural Characterization of the Sterically Demanding Tris(3,5-di- <i>t</i> -butylpyrazolyl) hydroborato Ligand, [Tp ^{sup} Bu ^{sup} t ^{sub} 2 ^{sub}] ^{sup} : A Highly Twisted, Propeller-Like, Ligand System. <i>Main Group Chemistry</i> , 1995, 1, 29-52.	0.4	41
101	Bis- and Tris(pyrazolyl)hydroborato Ligands with Bulky Triptycyl Substituents: The Synthesis and Structural Characterization of Tl[BpTrip] and Tl[TpTrip]. <i>Inorganic Chemistry</i> , 1997, 36, 3787-3790.	1.9	41
102	<i>p</i> -tert-Butylcalix[4]arene Complexes of Molybdenum and Tungsten: Reactivity of the Calixarene Methylene CH Bond and the Facile Migration of the Metal around the Phenolic Rim of the Calixarene. <i>Journal of the American Chemical Society</i> , 2006, 128, 16358-16364.	6.6	41
103	A New Class of Transition Metal Pincer Ligand: Tantalum Complexes that Feature a [<i>CCC</i>] ₃ -Donor Array Derived from a Terphenyl Ligand. <i>Journal of the American Chemical Society</i> , 2012, 134, 2355-2366.	6.6	41
104	The syntheses, structures, and reactivity of monomeric tungsten(IV) and tungsten(VI) bis(sulfido) complexes: facile elimination of hydrogen from hydrogen sulfide. <i>Journal of the American Chemical Society</i> , 1991, 113, 5904-5905.	6.6	40
105	Molecular Structure of { η^3 -HB(pz) ₃ }ZnNO ₃ : Comparison between Theory and Experiment in a Model Carbonic Anhydrase System. <i>Inorganic Chemistry</i> , 1994, 33, 1234-1237.	1.9	40
106	Comparison of Zinc and Cadmium Coordination Environments in Synthetic Analogues of Carbonic Anhydrase: Synthesis and Structure of {[PimPri,But]Cd(OH ₂)(OC(O)O)}(ClO ₄). <i>Inorganic Chemistry</i> , 1996, 35, 6912-6913.	1.9	40
107	Terminal Chalcogenido Complexes of Gallium Supported by Tris(3,5-di- <i>t</i> -butylpyrazolyl)hydroborato Ligation: [TpBut ₂]GaE (E = Se, Te). <i>Inorganic Chemistry</i> , 1997, 36, 2492-2493.	1.9	40
108	Structural Characterization of 2-Imidazolones: Comparison with their Heavier Chalcogen Counterparts. <i>Inorganic Chemistry</i> , 2013, 52, 7172-7182.	1.9	40

#	ARTICLE	IF	CITATIONS
109	Nickel-catalyzed release of H ₂ from formic acid and a new method for the synthesis of zerovalent Ni(PMe ₃) ₄ . Dalton Transactions, 2016, 45, 14645-14650.	1.6	40
110	Modeling the active sites of bacteriophage T7 lysozyme, bovine 5-aminolevulinatase, and peptide deformylase: synthesis and structural characterization of a bis(pyrazolyl)(thioalkoxy)hydroborato zinc complex, [(Ph ₂ CHS)BpBut,Pri]ZnI. Chemical Communications, 1998, , 413-414.	2.2	39
111	Highly Variable Zr-CH ₂ -Ph Bond Angles in Tetrabenzylzirconium: Analysis of Benzyl Ligand Coordination Modes. Organometallics, 2012, 31, 8208-8217.	1.1	39
112	Multiple Bonding of Titanium and Vanadium to the Heavier Chalcogens: Syntheses and Structures of the Terminal Selenido and Tellurido Complexes [E-4-Me ₈ taaa]ME (M = Ti, V; E = Se, Te). Journal of the American Chemical Society, 1997, 119, 7609-7610.	6.6	37
113	Synthesis, Structure, and Reactivity of a Terminal Organozinc Fluoride Compound: Hydrogen Bonding, Halogen Bonding, and Donor-Acceptor Interactions. Journal of the American Chemical Society, 2013, 135, 18714-18717.	6.6	37
114	The classification and representation of main group element compounds that feature three-center four-electron interactions. Dalton Transactions, 2016, 45, 18784-18795.	1.6	37
115	Molybdenocene Trihydride Complexes: Influence of a [Me ₂ Si]AnsaBridge on Classical versus Nonclassical Nature, Stability with Respect to Elimination of Dihydrogen, and Acidity. Journal of the American Chemical Society, 2004, 126, 13054-13070.	6.6	36
116	Synthesis and structural characterization of [BseMe]Ni(PPh ₃)(NO), a nickel complex with a bent nitrosyl ligand. Polyhedron, 2007, 26, 4751-4757.	1.0	36
117	Synthesis, structure, and reactivity of {eta ³ -HB(3-tert-Bupz) ₃ }BeCH ₃ , a terminal beryllium alkyl complex supported by tris(3-tert-butylpyrazolyl)hydroborato ligation. Inorganic Chemistry, 1993, 32, 4968-4970.	1.9	35
118	Synthesis and Molecular Structure of Bis(pyrazolyl)hydroborato Thallium {[Bp]Tl} ₂ : A [BpRRa]Tl Complex with an Unbridged Close Tl...Tl Contact. Inorganic Chemistry, 1999, 38, 5464-5467.	1.9	35
119	Molecular Structures of Thimerosal (Merthiolate) and Other Arylthiolate Mercury Alkyl Compounds. Inorganic Chemistry, 2008, 47, 6421-6426.	1.9	35
120	Subvalent germanium and tin complexes supported by a dianionic calixarene ligand: structural characterization of exo and endo isomers of [Butcalix(TMS) ₂]Ge. Chemical Communications, 1998, , 101-102.	2.2	34
121	Mimicking the binding of glutamate to zinc in thermolysin and carboxypeptidase: the synthesis of [E-3-(HCO ₂)BpBut,Pri]ZnCl by insertion of CO ₂ into a B-H bond of the bis(pyrazolyl)hydroborato zinc complex [BpBut,Pri]ZnCl. Journal of the Chemical Society Dalton Transactions, 1998, , 2281-2284.	1.1	34
122	N-H...O hydrogen bonding interactions in tetrahedral [ZnS ₄] complexes of relevance to zinc enzymes: the synthesis, structures and reactivity of tris(2-mercapto-1-arylimidazolyl)hydroborato zinc(2-mercapto-1-arylimidazole) complexes, {[TmAr]Zn(mimAr)}[ClO ₄] (Ar=Ph, p-Tol). Polyhedron, 2004, 23, 481-488.	1.0	34
123	Reactivity of Mo(PMe ₃) ₆ towards Benzothiophene and Selenophenes: New Pathways Relevant to Hydrodesulfurization. Journal of the American Chemical Society, 2008, 130, 16187-16189.	6.6	34
124	Protolytic Cleavage of Hg-C Bonds Induced by 1-Methyl-1,3-dihydro-2H-benzimidazole-2-selone: Synthesis and Structural Characterization of Mercury Complexes. Journal of the American Chemical Society, 2015, 137, 4503-4516.	6.6	33
125	The synthesis of [HB]3,5-(Butph) ₂ pz]3 (Butph = p-C ₆ H ₄ But), a new tris(pyrazolyl)hydroborato ligand: the crystal and molecular structure of Tl{[E-3-HB]3,5-(Butph) ₂ pz]3}. Polyhedron, 1993, 12, 2539-2542.	1.0	32
126	Experimental Evidence for a Temperature Dependent Transition between Normal and Inverse Equilibrium Isotope Effects for Oxidative Addition of H ₂ to Ir(PMe ₂ Ph) ₂ (CO)Cl. Journal of the American Chemical Society, 2003, 125, 13219-13224.	6.6	32

#	ARTICLE	IF	CITATIONS
127	Thiolate exchange in [TmR]ZnSR ²⁻ complexes and relevance to the mechanisms of thiolate alkylation reactions involving zinc enzymes and proteins. <i>Journal of Inorganic Biochemistry</i> , 2006, 100, 1147-1154.	1.5	32
128	Bis- and tris(2-seleno-1-methylimidazolyl)hydroborato complexes, {[BseMe]ZnX} ₂ (X = Cl, I), [BseMe] ₂ Zn and [TseMe]Re(CO) ₃ : Structural evidence that the [BseMe] ligand is not merely a "heavier" version of the sulfur counterpart, [BmMe]. <i>Dalton Transactions</i> , 2007, , 866-870.	1.6	32
129	Mononuclear and Dinuclear Molybdenum and Tungsten Complexes of <i>p</i> -tert-Butyltetrathiacalix[4]arene and <i>p</i> -tert-Butyltetrasulfonylcalix[4]arene: Facile Cleavage of the Calixarene Ligand Framework by Nickel. <i>Journal of the American Chemical Society</i> , 2008, 130, 8617-8619.	6.6	32
130	Multiple Bonding to Indium: The Synthesis and Structure of [TpBut ₂]InSe, a Terminal Selenido Complex Supported by Tris(3,5-di-tert-butylpyrazolyl)hydroborato Ligation. <i>Journal of the American Chemical Society</i> , 1995, 117, 12651-12652.	6.6	31
131	Reactivity of the C-H Bond in Tris(pyrazolyl)hydroborato Zinc Complexes: An Unexpected Example of Zinc Hydride Formation in a Protic Solvent and Its Relevance towards Hydrogen Transfer to NAD ⁺ Mimics by Tris(pyrazolyl)hydroborato Zinc Complexes in Alcoholic Media. <i>Inorganic Chemistry</i> , 2002, 41, 625-627.	1.9	31
132	Terminal Chalcogenido Complexes of the Transition Metals. <i>Progress in Inorganic Chemistry</i> , 2007, , 1-165.	3.0	31
133	Tantalum Amido and Imido Complexes Supported by Tris[(2-indolyl)methyl]amine, a Tetradentate Trianionic Ligand with Reduced π -Donor Character. <i>Inorganic Chemistry</i> , 2003, 42, 264-266.	1.9	30
134	Monovalent indium in a sulfur-rich coordination environment: synthesis, structure and reactivity of tris(2-mercapto-1-tert-butylimidazolyl)hydroborato indium, [TmBut]In. <i>Chemical Communications</i> , 2008, , 3305.	2.2	30
135	Synthesis and structural characterization of tris(2-oxo-1-tert-butylimidazolyl) and tris(2-oxo-1-methylbenzimidazolyl)hydroborato complexes: a new class of tripodal oxygen donor ligand. <i>Chemical Communications</i> , 2011, 47, 3123.	2.2	29
136	The chemistry of [W(PMe ₃) ₄ (η -2-CH ₂ PMe ₂)H]: synthesis of hydroxy-hydrido, fluoro-hydrido, and silyl-hydrido derivatives and the dimerisation of ethylene and propene giving η -4-diene derivatives. Crystal structure of [W(PMe ₃) ₄ H ₂ (OH ₂)F]F. <i>Journal of the Chemical Society Dalton Transactions</i> , 1986, , 2227-2236.	1.1	28
137	Reversible C-H Bond Activation in Coordinatively Unsaturated Molybdenum Aryloxy Complexes, Mo(PMe ₃) ₄ (OAr)H: Comparison with Their Tungsten Analogs. <i>Organometallics</i> , 1996, 15, 3910-3912.	1.1	28
138	Chemical Shift Anisotropy as a Mechanism for Modulating Apparent J _{TI-Hand} J _{TI-CC} Coupling Constants in Tris(pyrazolyl)hydroborato Thallium Complexes. <i>Journal of the American Chemical Society</i> , 1998, 120, 10416-10422.	6.6	28
139	Temperature-Dependent Transitions between Normal and Inverse Equilibrium Isotope Effects for Coordination and Oxidative Addition of C-H and H-H Bonds to a Transition Metal Center. <i>Journal of the American Chemical Society</i> , 2003, 125, 6889-6891.	6.6	28
140	Cp[TmMe]ZrCl ₂ , a Tris(2-mercapto-1-methylimidazolyl)hydroborato Complex of Zirconium and a New Type of Precatalyst for Olefin Polymerization. <i>Organometallics</i> , 2006, 25, 5496-5499.	1.1	28
141	Multiple Modes for Coordination of Phenazine to Molybdenum: Ring Fusion Promotes Access to η - ⁴ -Coordination, Oxidative Addition of Dihydrogen and Hydrogenation of Aromatic Nitrogen Compounds. <i>Journal of the American Chemical Society</i> , 2009, 131, 7828-7838.	6.6	28
142	Molecular structures of three coordinate zinc and cadmium complexes that feature η - ² -diketiminato and anilido-imine ligands. <i>Polyhedron</i> , 2010, 29, 1881-1890.	1.0	28
143	Synthesis and Structural Characterization of Tris(2-mercapto-1-adamantylimidazolyl)hydroborato Complexes: A Sterically Demanding Tripodal [<i>S</i>] ₃ Donor Ligand. <i>Inorganic Chemistry</i> , 2011, 50, 12284-12295.	1.9	28
144	Hexakis(trimethylphosphine)tungsten(0): synthesis, structure, and reactivity. <i>Journal of the American Chemical Society</i> , 1990, 112, 5381-5383.	6.6	27

#	ARTICLE	IF	CITATIONS
145	Synthesis and Structure of $(\eta^5\text{-C}_5\text{Me}_5)_2\text{Zr}(\text{Se})\text{CO}$, a Nonclassical d0 Zirconium Carbonyl Complex. <i>Organometallics</i> , 1995, 14, 4037-4039.	1.1	27
146	Structural characterization of bis(pyrazolyl)hydroborato thallium complexes: monomeric μ -two-coordinate thallium derivatives supplemented by [Tl \cdots H-B] interactions. <i>Polyhedron</i> , 1997, 16, 3469-3473.	1.0	27
147	The molecular structure of the tris(2-mercapto-1-tolylimidazolyl)hydroborato zinc(2-mercapto-1-tolylimidazole) complex, {[Tmp-Tol]Zn(mimp-Tol)}[ClO ₄]: intermolecular N \cdots H \cdots OClO ₃ versus intramolecular N \cdots H \cdots S hydrogen bonding interactions of the mercaptoimidazole ligand. <i>Dalton Transactions</i> , 2004, , 3448-3452.	1.6	27
148	Tris[(1-isopropylbenzimidazol-2-yl)dimethylsilyl]methyl metal complexes, [Tism ^{<sup>P</sup>]M: a new class of metallacarbatranes, isomerization to a tris(N-heterocyclic carbene) derivative, and evidence for an inverted ligand field. <i>Chemical Science</i>, 2017, 8, 4465-4474.}	3.7	27
149	Bond-Stretch Isomers and Spin-State Isomers: A Comment on the Article μ -Bond-Stretch Isomers: Fact not Fiction. <i>Angewandte Chemie International Edition in English</i> , 1994, 33, 1462-1462.	4.4	26
150	Synthesis and structural characterization of [TpBut ₂]GaS: a terminal gallium sulfido complex in a system for which the indium counterpart is a tetrasulfido derivative, [TpBut ₂]In(η -S ₄). <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 2279-2280.	1.1	26
151	Influence of a [Me ₂ Si] ansa bridge on the barrier to rotation about the Zr \cdots phenyl bond and on the generation and reactivity of benzyne intermediates: comparison of the structures and reactivity of [Me ₂ Si(C ₅ Me ₄) ₂]Zr(Ph)X and Cp* ₂ Zr(Ph)X (X \cdots = \cdots H, Cl, Ph). <i>Dalton Transactions RSC</i> , 2000, , 4490-4493.	2.3	26
152	Carbon \cdots hydrogen versus carbon \cdots chalcogen bond cleavage of furan, thiophene and selenophene by ansa molybdenocene complexes. <i>Polyhedron</i> , 2006, 25, 499-512.	1.0	26
153	Tris(2-mercapto-1-tert-butylimidazolyl)hydroborato gallium derivatives: synthesis of di- and trigallium compounds in a sulfur-rich coordination environment. <i>Chemical Science</i> , 2010, 1, 210.	3.7	26
154	Terminal hydrochalcogenido and bridging selenido derivatives of magnesium supported by tris(3-p-tolylpyrazolyl)hydroborate ligation: the syntheses and structures of [Tp p-Tol]MgEH (E = S, Se) and {[Tp p-Tol]Mg} ₂ Se. <i>Chemical Communications</i> , 1996, , 1239.	2.2	25
155	Phosphorus \cdots carbon bond activation of PMe ₃ at a dimolybdenum center: synthesis and structure of [Cp*Mo(η -O ₂ CMe) ₂ (η -PMe ₂)(η -Me)]. <i>Chemical Communications</i> , 1998, , 1273-1274.	2.2	25
156	exo and endo Isomerism of subvalent tin and germanium complexes derived from 1,3-diethers of p-tert-butylcalix[4]arene. <i>Tetrahedron</i> , 2007, 63, 10826-10833.	1.0	25
157	Applications of Bis(1-R-imidazol-2-yl)disulfides and Diselenides as Ligands for Main-Group and Transition Metals: η^2 -(N,N) Coordination, S \cdots S Bond Cleavage, and S \cdots S/ η^2 E (E = S, Se) Bond Metathesis Reactions. <i>Inorganic Chemistry</i> , 2007, 46, 9234-9244.	1.9	25
158	Reduction of bicarbonate and carbonate to formate in molecular zinc complexes. <i>Catalysis Science and Technology</i> , 2014, 4, 1578.	2.1	25
159	Synthesis, structure and reactivity of a terminal magnesium fluoride compound, [TpBut ₂ Me]MgF: hydrogen bonding, halogen bonding and C \cdots F bond formation. <i>Chemical Science</i> , 2016, 7, 142-149.	3.7	25
160	Reactivity of $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mo stretchy="false"} \rangle [\langle \text{mml:mo} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mtext} \rangle \text{Tism} \langle \text{mml:mtext} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mo stretchy="false"} \rangle] \langle \text{mml:mo} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math} \rangle \text{MgMe}$ towards secondary amines and terminal alkynes: Catalytic dehydrocoupling with hydrosilanes. <i>Inorganica Chimica Acta</i> , 2019, 494, 271-279.	2.2	25
161	Metal \cdots Metal Bonding in Bridging Hydride and Alkyl Compounds. <i>Structure and Bonding</i> , 2010, , 113-145.	1.0	24
162	Flexibility of the Carbodiphosphorane, (Ph ₃ P) ₂ C: Structural Characterization of a Linear Form. <i>Inorganic Chemistry</i> , 2017, 56, 5493-5497.	1.9	24

#	ARTICLE	IF	CITATIONS
163	Hydride, halide, methyl, carbonyl, and chalcogenido derivatives of permethylmolybdenocene. <i>Inorganica Chimica Acta</i> , 2006, 359, 2942-2955.	1.2	23
164	2-Mercapto-1- <i>t</i> -butylimidazolyl as a bridging ligand: Synthesis and structural characterization of nickel and palladium paddlewheel complexes. <i>Inorganica Chimica Acta</i> , 2009, 362, 4609-4615.	1.2	23
165	Catenated Gallium Compounds Supported by a Tris(pyrazolyl)hydroborato Ligand. <i>Journal of Cluster Science</i> , 2010, 21, 225-234.	1.7	23
166	Modulation of Zn-C Bond Lengths Induced by Ligand Architecture in Zinc Carbatrane Compounds. <i>Journal of the American Chemical Society</i> , 2016, 138, 14542-14545.	6.6	23
167	Resolved and unresolved crystallographic disorder between cyano- η^3 -[hydrotris(3- <i>tert</i> -butylpyrazolyl)borato]zinc and the halo analogs. <i>Inorganic Chemistry</i> , 1992, 31, 1656-1662.	1.9	22
168	Deuterium and Tritium Equilibrium Isotope Effects for Coordination and Oxidative Addition of Dihydrogen to $[W(CO)_5]$ and for the Interconversion of $W(CO)_5(\eta^2-H_2)$ and $W(CO)_5H_2$. <i>Organometallics</i> , 2003, 22, 4378-4380.	1.1	22
169	Computational evidence that the inverse kinetic isotope effect for reductive elimination of methane from a tungstenocene methyl- η^3 -hydride complex is associated with the inverse equilibrium isotope effect for formation of a η^3 -complex intermediate. <i>Chemical Communications</i> , 2003, , 22-23.	2.2	22
170	Methyl and arylchalcogenolate complexes of cadmium in a sulfur rich coordination environment: syntheses and structural characterization of the tris(2-mercapto-1- <i>tert</i> -butylimidazolyl)hydroborato cadmium complexes $[TmBut]CdMe$, and $[TmBut]CdEAr$ (E = O, S, Se, Te) and analysis of the bonding in chalcogenolate compounds. <i>Dalton Transactions</i> , 2006, , 4207.	1.6	22
171	2-Seleno-1-alkylbenzimidazoles and their diselenides: Synthesis and structural characterization of a 2-seleno-1-methylbenzimidazole complex of mercury. <i>Polyhedron</i> , 2013, 52, 658-668.	1.0	22
172	σ -C-H and σ -C-C Bond Cleavage Reactions of Silane and Phenylsilanes with $Mo(PMe_3)_6$: Silyl, Hypervalent Silyl, Silane, and Disilane Complexes. <i>Journal of the American Chemical Society</i> , 2014, 136, 8177-8180.	6.6	22
173	Competitive sp^3 and sp^2 carbon-hydrogen bond activation of phenols by $W(PMe_3)_6$ and $W(PMe_3)_4(\eta^2-CH_2PMe_2)H$: formation of four- and five-membered oxametallacycles. <i>Journal of the American Chemical Society</i> , 1990, 112, 9632-9633.	6.6	21
174	An Experimental and Computational Analysis of the Formation of the Terminal Nitrido Complex $(\eta^3-Cp^*)_2Mo(N)(N_3)$ by Elimination of N_2 from $Cp^*_2Mo(N_3)_2$: The Barrier to Elimination Is Strongly Influenced by the exo versus endo Configuration of the Azide Ligand. <i>Journal of the American Chemical Society</i> , 2001, 123, 10111-10112.	6.6	21
175	The Synthesis and Structures of Tris(2-pyridylseleno)methyl Zinc Compounds with η^2 -, η^3 -, and η^4 -Coordination Modes. <i>Australian Journal of Chemistry</i> , 2013, 66, 1306.	0.5	21
176	Structural characterization of tris(pyrazolyl)hydroborato and tris(2-pyridylthio)methyl lithium compounds: Lithium in uncommon trigonal pyramidal and trigonal monopyramidal coordination environments. <i>Polyhedron</i> , 2013, 58, 235-246.	1.0	21
177	Synthesis and structural characterization of tris(2-mercapto-1-methylbenzimidazolyl)hydroborato cadmium halide complexes, $\{[Tm^sup>MeBenz</sup>]Cd(\eta^4-Cl)\}_2$ and $[Tm^sup>MeBenz</sup>]CdI$: a rare example of cadmium in a trigonal bipyramidal sulfur-rich coordination environment. <i>Dalton Transactions</i> , 2014, 43, 13874.	1.6	21
178	Synthesis and Structural Characterization of $\{[Me_2Si(C_5Me_4)_2]Zr(\eta^2-C_2H_4)H\}_2Mg$: An ansa-Zirconocene Ethylene- η^3 -Hydride Complex. <i>Journal of the American Chemical Society</i> , 1998, 120, 5830-5831.	6.6	20
179	Low temperature NMR spectroscopic investigation of a zinc bicarbonate compound: Thermodynamics of bicarbonate formation by insertion of CO_2 into the zinc hydroxide bond of $[ZnOH]$. <i>Polyhedron</i> , 2012, 32, 41-48.	1.0	20
180	Synthesis and Structures of Cadmium Carboxylate and Thiocarboxylate Compounds with a Sulfur-Rich Coordination Environment: Carboxylate Exchange Kinetics Involving Tris(2-mercapto-1- <i>t</i> -butylimidazolyl)hydroborato Cadmium Complexes, $[Tm^sup>Bu</sup>]Cd(O_2C)_2$. <i>Inorganic Chemistry</i> , 2015, 54, 3835-3850.	1.9	20

#	ARTICLE	IF	CITATIONS
181	Synthesis, structure and reactivity of [Tm ^{But}]ZnH, a monomeric terminal zinc hydride compound in a sulfur-rich coordination environment: access to a heterobimetallic compound. <i>Chemical Communications</i> , 2016, 52, 2358-2361.	2.2	20
182	Zerovalent Nickel Compounds Supported by 1,2-Bis(diphenylphosphino)benzene: Synthesis, Structures, and Catalytic Properties. <i>Inorganic Chemistry</i> , 2018, 57, 374-391.	1.9	20
183	Synthesis and Structural Characterization of Tris(isopropylbenzimidazol-2-ylthio)methyl Zinc Complexes, [Titm ^{Pr} Benz ^{Zn}]ZnX: Modulation of Transannular Zn ⁺ C Interactions. <i>Organometallics</i> , 2018, 37, 1708-1718.	1.1	20
184	Incorrect atom connectivity in X-ray structure solutions associated with a "â€ˆpartial polar ambiguityâ€™": a non-macrocyclic structure for the macrocyclic lead complex, [1.4-Me8taa]Pb. <i>New Journal of Chemistry</i> , 1998, 22, 523-530.	1.4	19
185	Fluoro Complexes of Permethyltantalocene, Cp*2TaF3 and [Cp*2TaF2][BF4]: A Facile Formation of a Tetrafluoroborate Complex via Corrosion of Borosilicate Glass. <i>Organometallics</i> , 1998, 17, 5689-5696.	1.1	19
186	Synthesis and molecular structures of a pair of tris(imidazolyl)phosphine cobalt ⁺ perchlorate complexes, {[PimPri2]Co(OCIO3)}[ClO4] and {[PimPri2]Co(OH2)(HOMe)(OCIO3)}[ClO4]. <i>Dalton Transactions RSC</i> , 2000, , 2191-2194.	2.3	19
187	Cationic Ansa-Zirconocene and Hafnocene Derivatives of a Monoanionic Phosphonium-Bridged Bis(permethylcyclopentadienyl) Ligand: Synthesis and Structural Characterization of {[Me2P(C5Me4)2]MCl2}+(M = Zr, Hf) and {[Me2P(C5Me4)2]ZrMe2}+. <i>Organometallics</i> , 2000, 19, 5155-5159.	1.1	19
188	Modeling aspects of hydrodesulfurization by molybdenum hydride compounds: Desulfurization of thiophene and benzothiophene and C-S bond cleavage of dibenzothiophene. <i>Inorganica Chimica Acta</i> , 2011, 369, 197-202.	1.2	19
189	Molecular structures of tris(2-mercapto-1-tert-butylimidazolyl)hydroborato and tris(2-mercapto-1-adamantylimidazolyl)hydroborato sodium complexes: analysis of [TmR] ligand coordination modes and conformations. <i>Dalton Transactions</i> , 2014, 43, 10852.	1.6	19
190	Competitive alkyl and halide metathesis in the reactions of grignard reagents with Tl{1.3-HB(3-Butpz)3}. <i>Polyhedron</i> , 1990, 9, 1775-1778.	1.0	18
191	Formation of an 1.2-formaldehyde compound from methanol and its hydrogenation giving methanol. <i>Journal of the Chemical Society Chemical Communications</i> , 1984, , 1540-1540.	2.0	17
192	Multidentate aryloxy and oxo-aryloxy complexes of antimony: synthesis and structural characterization of [1.4-N(o-C6H4O)3]Sb(OSMe2), {[1.3-N(o-C6H4OH)(o-C6H4O)2]Sb}2(2-O)2 and {[1.3-PhN(o-C6H4O)2]Sb}4(3-O)2. <i>Dalton Transactions</i> , 2005, , 2442.	1.6	17
193	Synthesis and Structural Characterization of M(PMe3)3(O2CR)2(OH2)H2 (M = Mo, W): Aqueous Hydride Complexes of Molybdenum and Tungsten. <i>Inorganic Chemistry</i> , 2005, 44, 9637-9639.	1.9	17
194	Synthesis and structural characterization of bis and tris(2-mercapto-1-methylbenzimidazolyl)hydroborato complexes: benzannulation promotes 3-coordination. <i>Dalton Transactions</i> , 2013, 42, 11117.	1.6	17
195	Benzannulated tris(2-mercapto-1-imidazolyl)hydroborato ligands: tetradentate S3H binding and access to monomeric monovalent thallium in an [S3] coordination environment. <i>Dalton Transactions</i> , 2014, 43, 1397-1407.	1.6	17
196	Synthesis of a terminal zinc hydride compound, [Tm ^{Pr} Benz ^{Zn}]ZnX: Modulation of Transannular Zn ⁺ C Interactions. <i>Organometallics</i> , 2018, 37, 1708-1718.	1.1	20
197	Asymmetric bis(pyrazolyl)hydroborato ligands via direct synthesis: structural characterization of thallium and zinc complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 3355-3358.	1.1	16
198	A non-classical hydrogen bond in the molybdenum arene complex [1.6-C6H5C6H3(Ph)OH]Mo(PMe3)3: evidence that hydrogen bonding facilitates oxidative addition of the O-H bond. <i>Chemical Communications</i> , 2002, , 2644-2645.	2.2	16

#	ARTICLE	IF	CITATIONS
199	Cadmium Compounds with an [N ₃ C] Atrane Motif: Evidence for the Generation of a Cadmium Hydride Species. <i>Inorganic Chemistry</i> , 2016, 55, 12105-12109.	1.9	16
200	Trimethylphosphine-tungsten chemistry: hydrido, silyl, fluoro, hydroxy, and aquo derivatives: crystal structure of [W(PMe ₃) ₄ H ₂ (OH) ₂ F]F. <i>Journal of the Chemical Society Chemical Communications</i> , 1984, , 1400-1402.	2.0	15
201	p-tert-Butyltetrathiatetramercaptocalix[4]arene as a sulfur-rich platform for molybdenum, tungsten and nickel. <i>Chemical Communications</i> , 2009, , 289-291.	2.2	15
202	The Covalent Bond Classification Method and Its Application to Compounds That Feature 3-Center 2-Electron Bonds. <i>Structure and Bonding</i> , 2016, , 79-139.	1.0	15
203	N-Heterocyclic Carbene Complexes of Nickel, Palladium, and Iridium Derived from Nitron: Synthesis, Structures, and Catalytic Properties. <i>Organometallics</i> , 2021, 40, 166-183.	1.1	15
204	Synthesis and structural characterization of tris(pyrazolyl)hydroaluminate and tris(pyrazolyl)hydrogallate lithium compounds. <i>Polyhedron</i> , 2017, 125, 219-229.	1.0	14
205	Synthesis and structural characterization of bis(2-pyridylthio)(p-tolylthio)methyl zinc complexes and the catalytic hydrosilylation of CO ₂ . <i>Polyhedron</i> , 2020, 187, 114542.	1.0	14
206	Syntheses of [BpBut,Me]AlMe ₂ and [BpBut,Me]GaMe ₂ : structural comparison of a pair of bis(pyrazolyl)hydroborato aluminum and gallium methyl complexes. <i>Polyhedron</i> , 1999, 18, 3567-3571.	1.0	13
207	Synthesis and Structural Characterization of PhP[(C ₅ Me ₄) ₂], a Monodentate Chiral Phosphine Derived from Intramolecular C-C Coupling of Tetramethylcyclopentadienyl Groups: An Evaluation of Steric and Electronic Properties. <i>Inorganic Chemistry</i> , 2001, 40, 5626-5635.	1.9	13
208	Syntheses and crystal structures of [BpBut,Me]ZnX, [BpBut,Pri]ZnX (X=Me, I) and {[BpBut,Me]Cd(μ ₄ -I)} ₂ : mononuclear versus dinuclear bis(pyrazolyl)hydroborato zinc and cadmium complexes. <i>Polyhedron</i> , 2001, 20, 285-289.	1.0	13
209	Kinetic and Thermodynamic Preferences for the Diastereoselective Oxidative Addition of H ₂ to trans-Ir(P*R ₃) ₂ (CO)Cl: Monodentate Chiral Phosphines May Impart Exceptional Degrees of Diastereoselectivity. <i>Journal of the American Chemical Society</i> , 2002, 124, 7652-7653.	6.6	13
210	Synthesis and structure of [pzBu ₂ t]Mo(PMe ₃) ₄ H, a d ⁴ molybdenum complex that exhibits η ² -coordination of the 3,5-di- <i>t</i> -butylpyrazolyl ligand. <i>Polyhedron</i> , 2003, 22, 199-203.	1.0	13
211	Coordination chemistry of molybdenum relevant to hydrodenitrogenation: Reactivity of Mo(PMe ₃) ₆ towards 6-membered heterocyclic aromatic nitrogen compounds involving C-H bond cleavage and η ⁶ -coordination. <i>Inorganica Chimica Acta</i> , 2008, 361, 3221-3229.	1.2	13
212	Bis(2-mercapto-1- <i>R</i> -imidazolyl)hydroborato complexes of aluminium, gallium, indium and thallium: compounds possessing gallium-gallium bonds and a trivalent thallium alkyl. <i>Dalton Transactions</i> , 2010, 39, 6939.	1.6	13
213	Synthesis and structural characterization of tris(2-pyridonyl)methyl complexes of zinc and thallium: a new class of metallacarbatranes and a monovalent thallium alkyl compound. <i>Dalton Transactions</i> , 2013, 42, 14053.	1.6	13
214	A normal equilibrium isotope effect for oxidative addition of H ₂ to (η ⁶ -anthracene)Mo(PMe ₃) ₃ . <i>Chemical Communications</i> , 2006, , 2501-2503.	2.2	12
215	Formation of a cationic alkylidene complex via formal hydride abstraction: synthesis and structural characterization of [W(PMe ₃) ₄ (η ² -CHPMe ₂)H]X (X = Br, I). <i>Chemical Communications</i> , 2011, 47, 12828.	2.2	12
216	Synthesis, Structure, and Reactivity of a Terminal Cadmium Hydride Compound, [Ir ³⁺ -Tism ^{Pr} Benz]CdH. <i>Journal of the American Chemical Society</i> , 2021, 143, 10553-10559.	6.6	12

#	ARTICLE	IF	CITATIONS
217	Bondâ€Stretch Isomers and Spinâ€State Isomers: A Comment on the Article â€œBondâ€Stretch Isomers: Fact not Fictionâ€sup>[1] /sup>. <i>Angewandte Chemie</i> , 1994, 106, 1530-1530.	1.6	11
218	The Synthesis and Structure of <i>Tris</i> [2-(1,4-diisopropylimidazolyl)]phosphine Zinc Nitrate, [Pim^{Pr}i</sup>₂</sup>]Zn(NO₃₂): Structural Consequences of<i>t</i>-Butyl<i>versus</i>-Isopropyl Substitution in<i>Tris</i>(imidazolyl) phosphine Zinc Complexes. <i>Main Group Chemistry</i> , 1996, 1, 297-300.	0.4	11
219	Synthesis and structural characterization of tris(phenolate)amine complexes of antimony derived from. <i>Inorganic Chemistry Communication</i> , 2007, 10, 699-704.	1.8	11
220	Gallium hydride and monovalent indium compounds that feature tris(pyrazolyl)hydroborate ligands. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2013, 69, 963-967.	0.4	11
221	Tris(2-mercaptoimidazolyl)hydroborato Cadmium Thiolate Complexes, [Tm^{Bu}t</sup></sup>]CdSAr: Thiolate Exchange at Cadmium in a Sulfur-Rich Coordination Environment. <i>Inorganic Chemistry</i> , 2017, 56, 4643-4653.	1.9	11
222	Representation of Three-Centerâ€Two-Electron Bonds in Covalent Molecules with Bridging Hydrogen Atoms. <i>Journal of Chemical Education</i> , 2019, 96, 2467-2475.	1.1	11
223	Reactivity of the carbodiphosphorane, (Ph₃P)₂C, towards main group metal alkyl compounds: coordination and cyclometalation. <i>Dalton Transactions</i> , 2019, 48, 9139-9151.	1.6	11
224	Synthesis of bis(2-pyridylthio)methyl zinc hydride and catalytic hydrosilylation and hydroboration of CO₂. <i>Chemical Communications</i> , 2022, 58, 4188-4191.	2.2	11
225	The syntheses and structures of coordinatively unsaturated aryloxy-hydride complexes of molybdenum, Mo(PMe3)4(OAr)H: reversible Câ€H bond activation and comparison with their tungsten analogues. <i>Journal of Organometallic Chemistry</i> , 2002, 652, 37-49.	0.8	10
226	Factors Influencing Coordination versus Oxidative Addition of Câ~H Bonds to Molybdenum and Tungsten:â Structural and Spectroscopic Evidence That the Calixarene Framework Promotes Câ~H Bond Activation. <i>Organometallics</i> , 2007, 26, 3275-3278.	1.1	10
227	Structural characterization of the nickel(II) formate complex, Ni(py)4(O2CH)2â2py, and re-evaluation of the nitrate counterpart, Ni(py)4(ONO2)2â2py: Evidence for non-linear nitrate coordination. <i>Polyhedron</i> , 2016, 116, 189-196.	1.0	10
228	Reactivity of Mo(PMe3)5H2 towards catecholborane: synthesis and structure of Mo(PMe3)4(î2-H2BCat)H. <i>Polyhedron</i> , 2000, 19, 1063-1066.	1.0	9
229	Title is missing!. <i>Journal of Chemical Crystallography</i> , 2002, 32, 469-475.	0.5	8
230	ChiralAnsaZirconocene Compounds with [Me2Si] and [Me4Si2] Bridges and withtert-Butyl Ring Substituents:â Synthesis and Structural Characterization of theRacemoComplexesrac-[Me2Si(C5H2-2,4-But2)2]ZrCl2andrac-[Me4Si2(C5H2-2,4-But2)2]ZrCl2. <i>Organometallics</i> , 2005, 24, 603-611.	1.1	8
231	Molecular structures of protonated and mercurated derivatives of thimerosal. <i>Dalton Transactions</i> , 2009, , 4327.	1.6	8
232	Reactivity of Cyclopentadienyl Molybdenum Compounds towards Formic Acid: Structural Characterization of CpMo(PMe₃)₃(CO)₂H, CpMo(PMe₃)₂(CO)H, [CpMo(î¼-O)(î¼-O₂CH)]₂, and [Cp*Mo(î¼-O)(î¼-O₂CH)]₂. <i>Inorganic Chemistry</i> , 2017, 56, 1511-1523.	1.9	8
233	Bis- and Tris(2-oxobenzimidazolyl)hydroborato Complexes of Sodium and Thallium: New Classes of Bidentate and Tridentate Oxygen Donor Ligands. <i>Inorganic Chemistry</i> , 2017, 56, 15271-15284.	1.9	8
234	Insertion of CS₂into the Mgâ€H bond: synthesis and structural characterization of the magnesium dithioformate complex, [Tism^{PriBenz}]Mg(I²-S₂CH). <i>Dalton Transactions</i> , 2018, 47, 12596-12605.	1.6	8

#	ARTICLE	IF	CITATIONS
235	Rhenium <i>versus</i> cadmium: an alternative structure for a thermally stable cadmium carbonyl compound. <i>Chemical Science</i> , 2020, 11, 11763-11776.	3.7	8
236	Synthesis and structural analysis of Bis(2-hydroxyphenyl) phenylamine, PhN(o-C ₆ H ₄ OH) ₂ : Comparison with Tris(2-hydroxyphenyl)amine N(o-C ₆ H ₄ OH) ₃ . <i>Journal of Chemical Crystallography</i> , 2005, 35, 969-981.	0.5	7
237	Trinuclear, tetranuclear and octanuclear chalcogenido clusters of molybdenum and tungsten supported by trimethylphosphine ligands. <i>Polyhedron</i> , 2014, 84, 74-86.	1.0	7
238	Influence of benzannulation on metal coordination geometries: Synthesis and structural characterization of tris(2-mercapto-1-methylbenzimidazolyl)hydroborato cadmium bromide, {[TmMeBenz]Cd($\frac{1}{4}$ -Br)} ₂ . <i>Journal of Molecular Structure</i> , 2015, 1081, 530-535.	1.8	7
239	Hydrosilylation of CO ₂ using a silatrane hydride: structural characterization of a silyl formate compound. <i>Canadian Journal of Chemistry</i> , 2021, 99, 259-267.	0.6	7
240	Synthesis and Structural Characterization of Bis(2-oxoimidazolyl)hydroborato Complexes: A New Class of Bidentate Oxygen-Donor Ligands. <i>Inorganic Chemistry</i> , 2013, 52, 10226-10228.	1.9	6
241	Synthesis and structural characterization of 1-arylimidazole-2-thiones and N,N ^ε -aryldiethoxyethylthioureas with electronically diverse substituents: a manifold of hydrogen bonding networks. <i>New Journal of Chemistry</i> , 2014, 38, 4071.	1.4	6
242	Phenylselenolate mercury alkyl compounds, PhSeHgMe and PhSeHgEt: Molecular structures, protolytic Hg-C bond cleavage and phenylselenolate exchange. <i>Polyhedron</i> , 2016, 103, 307-314.	1.0	6
243	Exchange of alkyl and tris(2-mercapto-1-t-butylimidazolyl)hydroborato ligands between zinc, cadmium and mercury. <i>Journal of Organometallic Chemistry</i> , 2015, 792, 177-183.	0.8	5
244	Organometallic Zirconium Compounds in an Oxygen-Rich Coordination Environment: Synthesis and Structural Characterization of Tris(oxoimidazolyl)hydroboratozirconium Compounds. <i>Inorganic Chemistry</i> , 2018, 57, 1426-1437.	1.9	5
245	Impact of the coordination of multiple Lewis acid functions on the electronic structure and <i>vs</i> configuration of a metal center. <i>Dalton Transactions</i> , 2022, 51, 411-427.	1.6	5
246	TERTIARY PHOSPHINE COMPLEXES OF TUNGSTEN. <i>Reviews in Inorganic Chemistry</i> , 1985, 7, 251-298.	1.8	4
247	Catalytic reduction of carbon dioxide by a zinc hydride compound, [Tptm]ZnH, and conversion to the methanol level. <i>Dalton Transactions</i> , 2022, 51, 5868-5877.	1.6	4
248	Title is missing!. <i>Journal of Chemical Crystallography</i> , 2003, 33, 297-302.	0.5	3
249	Kinetic and Equilibrium Deuterium Isotope Effects for C-H Bond Reductive Elimination and Oxidative Addition Reactions Involving the Ansa-Tungstenocene Methyl-Hydride Complex [Me ₂ Si(C ₅ Me ₄) ₂]W(Me)H. <i>ACS Symposium Series</i> , 2004, , 86-104.	0.5	3
250	C-H versus O-H Bond Cleavage Reactions of Bis(2-hydroxyphenyl)phenylamine, PhN(o-C ₆ H ₄ OH) ₂ : Synthesis and Structural Characterization of Mononuclear and Dinuclear Tungsten Aryloxide Complexes Which Exhibit Bidentate, Tridentate, and Tetradentate Coordination Modes. <i>Organometallics</i> , 2006, 25, 5839-5842.	1.1	3
251	Molecular structures of tris(1-tert-butyl-2-mercaptoimidazolyl)hydroborate complexes of titanium, zirconium and hafnium. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2016, 72, 806-812.	0.2	3
252	Coordination of 1-methyl-1,3-dihydro-2H-benzimidazole-2-selone to zinc and cadmium: Monotonic and non-monotonic bond length variations for [H(sebenzimMe)] ₂ MCl ₂ complexes (M ²⁺ = Zn, Cd, Hg). <i>Polyhedron</i> , 2019, 164, 185-194.	1.0	3

#	ARTICLE	IF	CITATIONS
253	Title is missing!. Journal of Chemical Crystallography, 2002, 32, 185-190.	0.5	2
254	Molecular structure of W(PMe ₃) ₃ H ₆ in the solid state and in solution. Inorganica Chimica Acta, 2014, 422, 102-108.	1.2	2
255	Oxidative addition of SiH ₄ and GeH ₄ to Ir(PPh ₃) ₂ (CO)Cl: structural and spectroscopic evidence for the formation of products derived from cis oxidative addition. Dalton Transactions, 2015, 44, 2801-2808.	1.6	2
256	Structure and Bonding of 1,2,4-Triazole Thiones Derived from Nitron. Journal of Molecular Structure, 2021, 1231, 129682.	1.8	2
257	Synthesis and structural characterization of thallium and cadmium carborane compounds, [Si^1] and [Si^1] and [Si^1]. Polyhedron, 2022, 222, 115642.	1.0	2
258	Polyhedron Symposia-in-Print, number 27. Polyhedron, 2005, 24, 1233.	1.0	1
259	Zinc?Zinc Bonds: A New Frontier. ChemInform, 2005, 36, no.	0.1	0