David Coggon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8105311/publications.pdf

Version: 2024-02-01

117625 106344 4,723 127 34 65 citations g-index h-index papers 130 130 130 4995 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Risk factors for the incidence and progression of radiographic knee osteoarthritis. Arthritis and Rheumatism, 2000, 43, 995.	6.7	582
2	DEFINING OSTEOARTHRITIS OF THE HIP FOR EPIDEMIOLOGIC STUDIES. American Journal of Epidemiology, 1990, 132, 514-522.	3.4	310
3	Carpal tunnel syndrome and its relation to occupation: a systematic literature review. Occupational Medicine, 2006, 57, 57-66.	1.4	241
4	Potential of Magnetic Resonance Imaging Findings to Refine Case Definition for Mechanical Low Back Pain in Epidemiological Studies. Spine, 2011, 36, 160-169.	2.0	153
5	Extended Follow-Up of a Cohort of British Chemical Workers Exposed to Formaldehyde. Journal of the National Cancer Institute, 2003, 95, 1608-1615.	6.3	152
6	Soft Tissue Sarcoma and Non-Hodgkin \hat{E} Lymphoma in Workers Exposed to Phenoxy Herbicides, Chlorophenols, and Dioxins. Epidemiology, 1995, 6, 396-402.	2.7	147
7	Disabling musculoskeletal pain in working populations: Is it the job, the person, or the culture?. Pain, 2013, 154, 856-863.	4.2	139
8	Patterns of multisite pain and associations with risk factors. Pain, 2013, 154, 1769-1777.	4.2	133
9	Prevalence and occupational associations of neck pain in the British population. Scandinavian Journal of Work, Environment and Health, 2001, 27, 49-56.	3.4	130
10	Work-related and psychological determinants of multisite musculoskeletal pain. Scandinavian Journal of Work, Environment and Health, 2010, 36, 54-61.	3.4	99
11	The Influence of Increased Bronchial Responsiveness, Atopy, and Serum IgE on Decline in FEV1: A Longitudinal Study in the Elderly. American Journal of Respiratory and Critical Care Medicine, 1995, 151, 656-662.	5.6	96
12	Musculoskeletal pain in Europe: the role of personal, occupational, and social risk factors. Scandinavian Journal of Work, Environment and Health, 2014, 40, 36-46.	3.4	90
13	Prevalence and correlates of regional pain and associated disability in Japanese workers. Occupational and Environmental Medicine, 2011, 68, 191-196.	2.8	86
14	Osteoarthritis of the hip and occupational activity Scandinavian Journal of Work, Environment and Health, 1992, 18, 59-63.	3.4	86
15	Sports injury, occupational physical activity, joint laxity, and meniscal damage. Journal of Rheumatology, 2002, 29, 557-63.	2.0	79
16	Exposure to Metal Fume and Infectious Pneumonia. American Journal of Epidemiology, 2003, 157, 227-233.	3.4	76
17	Cultural differences in musculoskeletal symptoms and disability. International Journal of Epidemiology, 2008, 37, 1181-1189.	1.9	75
18	The anatomical pattern and determinants of pain in the neck and upper limbs: an epidemiologic study. Pain, 2004, 109, 45-51.	4.2	73

#	Article	IF	Citations
19	Individual and work-related risk factors for musculoskeletal pain: a cross-sectional study among Estonian computer users. BMC Musculoskeletal Disorders, 2014, 15, 181.	1.9	73
20	Assessing case definitions in the absence of a diagnostic gold standard. International Journal of Epidemiology, 2005, 34, 949-952.	1.9	71
21	Mortality of workers exposed to 2 methyl-4 chlorophenoxyacetic acid Scandinavian Journal of Work, Environment and Health, 1986, 12, 448-454.	3.4	70
22	Disabling musculoskeletal pain and its relation to somatization: a community-based postal survey. Occupational Medicine, 2005, 55, 612-617.	1.4	69
23	Implementing systematic review techniques in chemical risk assessment: Challenges, opportunities and recommendations. Environment International, 2016, 92-93, 556-564.	10.0	67
24	Coronary heart disease and household air pollution from use of solid fuel: a systematic review. British Medical Bulletin, 2016, 118, 91-109.	6.9	66
25	Risk factors for musculoskeletal pain amongst nurses in Estonia: a cross-sectional study. BMC Musculoskeletal Disorders, 2013, 14, 334.	1.9	63
26	Psychological and psychosocial determinants ofÂmusculoskeletal pain and associated disability. Best Practice and Research in Clinical Rheumatology, 2015, 29, 374-390.	3.3	62
27	Physical and psychosocial risk factors for musculoskeletal disorders in Brazilian and Italian nurses. Cadernos De Saude Publica, 2012, 28, 1632-1642.	1.0	60
28	HIP osteoarthritis and work. Best Practice and Research in Clinical Rheumatology, 2015, 29, 462-482.	3.3	60
29	The CUPID (Cultural and Psychosocial Influences on Disability) Study: Methods of Data Collection and Characteristics of Study Sample. PLoS ONE, 2012, 7, e39820.	2.5	58
30	International variation in absence from work attributed to musculoskeletal illness: findings from the CUPID study. Occupational and Environmental Medicine, 2013, 70, 575-584.	2.8	54
31	Psychological and culturally-influenced risk factors for the incidence and persistence of low back pain and associated disability in Spanish workers: findings from the CUPID study. Occupational and Environmental Medicine, 2013, 70, 57-62.	2.8	47
32	Classification of neck/shoulder pain in epidemiological research. Pain, 2016, 157, 1028-1036.	4.2	44
33	Upper Airway Cancer, Myeloid Leukemia, and Other Cancers in a Cohort of British Chemical Workers Exposed to Formaldehyde. American Journal of Epidemiology, 2014, 179, 1301-1311.	3.4	41
34	Is musculoskeletal pain a consequence or a cause of occupational stress? A longitudinal study. International Archives of Occupational and Environmental Health, 2015, 88, 607-612.	2.3	41
35	Assessment of workers' personal vulnerability to covid-19 using  covid-age'. Occupational Medicine, 2020, 70, 461-464.	1.4	36
36	Risk of hand-arm vibration syndrome according to occupation and sources of exposure to hand-transmitted vibration: A national survey. American Journal of Industrial Medicine, 2001, 39, 389-396.	2.1	35

#	Article	lF	CITATIONS
37	Compensating occupationally related tenosynovitis and epicondylitis: a literature review. Occupational Medicine, 2006, 57, 67-74.	1.4	30
38	Optimising case definitions of upper limb disorder for aetiological research and prevention: a review. Occupational and Environmental Medicine, 2012, 69, 71-78.	2.8	28
39	Risk of cancer in workers exposed to styrene at eight British companies making glass-reinforced plastics. Occupational and Environmental Medicine, 2015, 72, 165-170.	2.8	27
40	Anatomic Distribution of Sensory Symptoms in the Hand and Their Relation to Neck Pain, Psychosocial Variables, and Occupational Activities. American Journal of Epidemiology, 2003, 157, 524-530.	3.4	26
41	Risk factors for new onset and persistence of multi-site musculoskeletal pain in a longitudinal study of workers in Crete. Occupational and Environmental Medicine, 2013, 70, 29-34.	2.8	26
42	Risks of COVID-19 by occupation in NHS workers in England. Occupational and Environmental Medicine, 2022, 79, 176-183.	2.8	26
43	The role of mental health problems and common psychotropic drug treatments in accidental injury at work: a case–control study. Occupational and Environmental Medicine, 2014, 71, 308-312.	2.8	25
44	Frailty, prefrailty and employment outcomes in Health and Employment After Fifty (HEAF) Study. Occupational and Environmental Medicine, 2017, 74, 476-482.	2.8	25
45	Health beliefs, low mood, and somatizing tendency: contribution to incidence and persistence of musculoskeletal pain with and without reported disability. Scandinavian Journal of Work, Environment and Health, 2013, 39, 589-598.	3.4	25
46	Sleep disturbance and the older worker: findings from the Health and Employment after Fifty study. Scandinavian Journal of Work, Environment and Health, 2017, 43, 136-145.	3.4	25
47	Childhood risk factors for ischaemic heart disease and stroke. Paediatric and Perinatal Epidemiology, 1990, 4, 464-469.	1.7	24
48	Predictors of long-term pain and disability in patients with low back pain investigated by magnetic resonance imaging: A longitudinal study. BMC Musculoskeletal Disorders, 2011, 12, 234.	1.9	24
49	Work-related mortality in England and Wales, 1979-2000. Occupational and Environmental Medicine, 2010, 67, 816-822.	2.8	23
50	Health and Employment after Fifty (HEAF): a new prospective cohort study. BMC Public Health, 2015, 15, 1071.	2.9	23
51	A behavioural change package to prevent hand dermatitis in nurses working in the national health service (the SCIN trial): study protocol for a cluster randomised controlled trial. Trials, 2016, 17, 145.	1.6	23
52	Symptoms, signs and nerve conduction velocities in patients with suspected carpal tunnel syndrome. BMC Musculoskeletal Disorders, 2013, 14, 242.	1.9	22
53	Coronary heart disease, hypertension and use of biomass fuel among women: comparative cross-sectional study. BMJ Open, 2019, 9, e030881.	1.9	22
54	Predictors of Incident and Persistent Neck/Shoulder Pain in Iranian Workers: A Cohort Study. PLoS ONE, 2013, 8, e57544.	2.5	22

#	Article	IF	CITATIONS
55	Clinical presentation of low back pain and association with risk factors according to findings on magnetic resonance imaging. Pain, 2011, 152, 1659-1665.	4.2	21
56	Are depressive disorders caused by psychosocial stressors at work? A systematic review with metaanalysis. European Journal of Epidemiology, 2021, 36, 479-496.	5.7	20
57	Epidemiological Studies of Styrene-Exposed Populations. Critical Reviews in Toxicology, 1994, 24, s107-s115.	3.9	19
58	Phenoxy herbicides, soft-tissue sarcoma and non-Hodgkin lymphoma: a systematic review of evidence from cohort and case–control studies. British Medical Bulletin, 2015, 114, 75-94.	6.9	19
59	Considerations for refining the risk assessment process for formaldehyde: Results from an interdisciplinary workshop. Regulatory Toxicology and Pharmacology, 2019, 106, 210-223.	2.7	19
60	Risk factors for specific upper limb disorders as compared with non-specific upper limb pain: assessing the utility of a structured examination schedule. Occupational Medicine, 2006, 56, 243-250.	1.4	18
61	A case–control study of risk factors for arm pain presenting to primary care services. Occupational Medicine, 2006, 56, 137-143.	1.4	18
62	Soft tissue sarcoma, non-Hodgkin's lymphoma and chronic lymphocytic leukaemia in workers exposed to phenoxy herbicides: extended follow-up of a UK cohort. Occupational and Environmental Medicine, 2015, 72, 435-441.	2.8	18
63	Epidemiological Differences Between Localized and Nonlocalized Low Back Pain. Spine, 2017, 42, 740-747.	2.0	18
64	Differences in risk factors for neurophysiologically confirmed carpal tunnel syndrome and illness with similar symptoms but normal median nerve function: a case–control study. BMC Musculoskeletal Disorders, 2013, 14, 240.	1.9	17
65	Pneumococcal vaccination for welders: TableÂ1. Thorax, 2015, 70, 198-199.	5.6	17
66	Trends in mortality from occupational hazards among men in England and Wales during 1979–2010. Occupational and Environmental Medicine, 2016, 73, 385-393.	2.8	17
67	Validity of a questionnaire for assessing occupational activities. , 1997, 31, 422-426.		16
68	Assessing fitness for work and writing a "fit note". BMJ: British Medical Journal, 2010, 341, c6305-c6305.	2.3	14
69	Are welders more at risk of respiratory infections?. Thorax, 2016, 71, 581-582.	5.6	14
70	Assessment of potential risk factors for new onset disabling low back pain in Japanese workers: findings from the CUPID (cultural and psychosocial influences on disability) study. BMC Musculoskeletal Disorders, 2017, 18, 334.	1.9	14
71	Low back pain among office workers in three Spanish-speaking countries: findings from the CUPID study. Injury Prevention, 2017, 23, 158-164.	2.4	13
72	Predictors of low back pain in a longitudinal study of Iranian nurses and office workers. Work, 2015, 51, 239-244.	1.1	12

#	Article	IF	CITATIONS
73	Descriptive Epidemiology of Somatising Tendency: Findings from the CUPID Study. PLoS ONE, 2016, 11, e0153748.	2.5	12
74	Job dissatisfaction and the older worker: baseline findings from the Health and Employment After Fifty study. Occupational and Environmental Medicine, 2016, 73, 512-519.	2.8	11
75	Levels and Determinants of Fine Particulate Matter and Carbon Monoxide in Kitchens Using Biomass and Non-Biomass Fuel for Cooking. International Journal of Environmental Research and Public Health, 2020, 17, 1287.	2.6	11
76	Consequences of ignoring clustering in linear regression. BMC Medical Research Methodology, 2021, 21, 139.	3.1	11
77	Impact of COVID-19 pandemic on sickness absence for mental ill health in National Health Service staff. BMJ Open, 2021, 11, e054533.	1.9	11
78	Upper extremity musculoskeletal pain among office workers in three Spanish-speaking countries: findings from the CUPID study. Occupational and Environmental Medicine, 2016, 73, 394-400.	2.8	10
79	Contrasting epidemiology of aortic aneurysm and peripheral vascular disease in England and Wales. BMJ: British Medical Journal, 1996, 312, 948-948.	2.3	10
80	Translation, Adaptation and Validation of the "Cultural and Psychosocial Influences on Disability (CUPID) Questionnaire" for Use in Brazil. Revista Latino-Americana De Enfermagem, 2010, 18, 1092-1098.	1.0	9
81	Determinants of international variation in the prevalence of disabling wrist and hand pain. BMC Musculoskeletal Disorders, 2019, 20, 436.	1.9	9
82	Impact of carpal tunnel surgery according to pre-operative abnormality of sensory conduction in median nerve: a longitudinal study. BMC Musculoskeletal Disorders, 2013, 14, 241.	1.9	8
83	MultiTex RCT – a multifaceted intervention package for protection against cotton dust exposure among textile workers – a cluster randomized controlled trial in Pakistan: study protocol. Trials, 2019, 20, 722.	1.6	8
84	A case management occupational health model to facilitate earlier return to work of NHS staff with common mental health disorders: a feasibility study. Health Technology Assessment, 2021, 25, 1-94.	2.8	7
85	Maintained physical activity and physiotherapy in the management of distal upper limb pain – a protocol for a randomised controlled trial (the arm pain trial). BMC Musculoskeletal Disorders, 2014, 15, 71.	1.9	6
86	Maintained physical activity and physiotherapy in the management of distal arm pain: a randomised controlled trial. RMD Open, 2019, 5, e000810.	3.8	6
87	Associations of sickness absence for pain in the low back, neck and shoulders with wider propensity to pain. Occupational and Environmental Medicine, 2020, 77, 301-308.	2.8	6
88	A behaviour change package to prevent hand dermatitis in nurses working in health care: the SCIN cluster RCT. Health Technology Assessment, 2019, 23, 1-92.	2.8	6
89	Sensory impairments, problems of balance and accidental injury at work: a case–control study. Occupational and Environmental Medicine, 2015, 72, 195-199.	2.8	5
90	Changing patterns of sickness absence among healthcare workers in England during the COVID-19 pandemic. Journal of Public Health, 2022, 44, e42-e50.	1.8	5

#	Article	IF	Citations
91	Risk factors for the incidence and progression of radiographic knee osteoarthritis., 2000, 43, 995.		5
92	Patterns of change of multisite pain over 1 year of followâ€up and related risk factors. European Journal of Pain, 2022, 26, 1499-1509.	2.8	5
93	Optimal case definitions of upper extremity disorder for use in the clinical treatment and referral of patients. Arthritis Care and Research, 2012, 64, 573-580.	3.4	4
94	Heavy lifting at work and risk of retinal detachment: a population-based register study in Denmark. Occupational and Environmental Medicine, 2016, 73, 51-55.	2.8	4
95	Prevention of musculoskeletal disability in working populations: The CUPID Study. Occupational Medicine, 2019, 69, 230-232.	1.4	4
96	Risk of handâ€arm vibration syndrome according to occupation and sources of exposure to handâ€transmitted vibration: A national survey. American Journal of Industrial Medicine, 2001, 39, 389-396.	2.1	4
97	Commentary: Complex diseaseâ€"responding to the challenge. International Journal of Epidemiology, 2006, 35, 581-583.	1.9	3
98	Are determinants for new and persistent upper limb pain different? An analysis based on anatomical sites. Work, 2016, 53, 313-323.	1.1	3
99	Trajectories of multisite musculoskeletal pain and implications for prevention. Occupational and Environmental Medicine, 2017, 74, 465-466.	2.8	3
100	Mortality from multiple sclerosis in British military personnel. Occupational Medicine, 2017, 67, 448-452.	1.4	3
101	Correlations between pain in the back and neck/upper limb in the European Working Conditions Survey. BMC Musculoskeletal Disorders, 2019, 20, 38.	1.9	3
102	Multisite musculoskeletal pain in migrants from the Indian subcontinent to the UK: a cross-sectional survey. BMC Musculoskeletal Disorders, 2019, 20, 133.	1.9	3
103	Acute coronary syndrome and use of biomass fuel among women in rural Pakistan: a case–control study. International Journal of Public Health, 2020, 65, 149-157.	2.3	3
104	Building global partnerships through shared curricula for an MPH programme in India and Sri Lanka. Global Public Health, 2019, 14, 1360-1371.	2.0	2
105	Sinonasal cancer and exposure to styrene. Occupational and Environmental Medicine, 2019, 76, 69-69.	2.8	2
106	Update on Covid-age. Occupational Medicine, 2020, 70, 527-527.	1.4	2
107	Possible regulatory approaches to comparative risk assessment for pesticides. Pest Management Science, 2006, 62, 790-792.	3.4	1
108	Letter to the Editor: Electromagnetic Hypersensitivity. International Journal of Neuroscience, 2012, 122, 405-405.	1.6	1

#	Article	IF	Citations
109	Reply. Occupational Medicine, 2020, 70, 687-688.	1.4	1
110	Estimating population burdens of occupational disease. Scandinavian Journal of Work, Environment and Health, 2022, 48, 83-85.	3.4	1
111	RESPONSE: Re: Extended Follow-up of a Cohort of British Chemical Workers Exposed to Formaldehyde. Journal of the National Cancer Institute, 2004, 96, 1037-1038.	6.3	O
112	Research Ethics Committees: A Personal Perspective. Research Ethics, 2007, 3, 118-121.	1.7	0
113	O34-2â€Insomnia and the older worker: findings from the health and employment after fifty (HEAF) study. , 2016, , .		O
114	244â€f Determinants of Low Back Pain Among Workers from 18 Countries: The Cupid Study. Rheumatology, 2016, , .	1.9	0
115	O34-4â€Frailty, pre-frailty and employment outcomes in the health and employment after fifty (HEAF) study. , 2016, , .		O
116	O17-2â€General propensity to pain is a major risk factor for disabling wrist/hand pain. , 2016, , .		0
117	158. LESS THAN 10% OF INCIDENT LOW BACK PAIN AMONG WORKERS WHO WERE PAIN-FREE AT BASELINE I ACCOUNTED FOR BY RECOGNIZED MECHANICAL AND PSYCHOSOCIAL RISK FACTORS: WHAT ARE WE MISSING?. Rheumatology, 2017, 56, .	S 1.9	O
118	Location, vocation, procreation: how choice influences life expectancy in doctors. Occupational Medicine, 2017, 67, 319-319.	1.4	0
119	0315â€Effect of multisite musculoskeletal pain on health related job loss: findings from the health and employment after fifty (heaf) study. , 2017, , .		0
120	0160â€Retinal detachment and heavy lifting: findings from a register study in denmark. , 2017, , .		0
121	0274â€The profile of informal carers in a cohort of 50–64 year-olds: results from the health and employment after fifty (heaf) study. , 2017, , .		O
122	Relative burden of lung and pleural cancers from exposure to asbestos: a cross-sectional analysis of occupational mortality in England and Wales. BMJ Open, 2020, 10, e036319.	1.9	0
123	Individualised placement and support programme for people unemployed because of chronic pain: a feasibility study and the InSTEP pilot RCT. Health Technology Assessment, 2021, 25, 1-72.	2.8	O
124	Ethnic differences in risk of severe Covid-19: To what extent are they driven by exposure?. Journal of Public Health, 2021, , .	1.8	0
125	Epidemiological investigation of prognosis. Scandinavian Journal of Work, Environment and Health, 2009, 35, 282-3.	3.4	O
126	Preventable causes of gastric cancer may also operate in adult life. International Journal of Epidemiology, 2002, 31, 472-3.	1.9	0

#	Article	IF	CITATIONS
127	Does it help to know the work-relatedness of back pain in individual cases?. Scandinavian Journal of Work, Environment and Health, 2003, 29, 441-2.	3.4	O