
## David Coggon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8105311/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Risks of COVID-19 by occupation in NHS workers in England. Occupational and Environmental<br>Medicine, 2022, 79, 176-183.   | 2.8 | 26        |
| 2  | Changing patterns of sickness absence among healthcare workers in England during the COVID-19 pandemic. Journal of Public Health, 2022, 44, e42-e50.  | 1.8 | 5         |
| 3  | Estimating population burdens of occupational disease. Scandinavian Journal of Work, Environment<br>and Health, 2022, 48, 83-85.  | 3.4 | 1         |
| 4  | Patterns of change of multisite pain over 1 year of followâ€up and related risk factors. European<br>Journal of Pain, 2022, 26, 1499-1509.  | 2.8 | 5         |
| 5  | Individualised placement and support programme for people unemployed because of chronic pain: a feasibility study and the InSTEP pilot RCT. Health Technology Assessment, 2021, 25, 1-72.                                   | 2.8 | 0         |
| 6  | Are depressive disorders caused by psychosocial stressors at work? A systematic review with metaanalysis. European Journal of Epidemiology, 2021, 36, 479-496.  | 5.7 | 20        |
| 7  | A case management occupational health model to facilitate earlier return to work of NHS staff with common mental health disorders: a feasibility study. Health Technology Assessment, 2021, 25, 1-94.                       | 2.8 | 7         |
| 8  | Consequences of ignoring clustering in linear regression. BMC Medical Research Methodology, 2021, 21, 139.  | 3.1 | 11        |
| 9  | Ethnic differences in risk of severe Covid-19: To what extent are they driven by exposure?. Journal of Public Health, 2021, , .   | 1.8 | 0         |
| 10 | Impact of COVID-19 pandemic on sickness absence for mental ill health in National Health Service staff.<br>BMJ Open, 2021, 11, e054533.   | 1.9 | 11        |
| 11 | Update on Covid-age. Occupational Medicine, 2020, 70, 527-527.  | 1.4 | 2         |
| 12 | Assessment of workers' personal vulnerability to covid-19 using â€~covid-age'. Occupational Medicine,<br>2020, 70, 461-464.   | 1.4 | 36        |
| 13 | Levels and Determinants of Fine Particulate Matter and Carbon Monoxide in Kitchens Using Biomass<br>and Non-Biomass Fuel for Cooking. International Journal of Environmental Research and Public<br>Health, 2020, 17, 1287. | 2.6 | 11        |
| 14 | Acute coronary syndrome and use of biomass fuel among women in rural Pakistan: a case–control study. International Journal of Public Health, 2020, 65, 149-157.   | 2.3 | 3         |
| 15 | Relative burden of lung and pleural cancers from exposure to asbestos: a cross-sectional analysis of occupational mortality in England and Wales. BMJ Open, 2020, 10, e036319.  | 1.9 | 0         |
| 16 | Associations of sickness absence for pain in the low back, neck and shoulders with wider propensity to pain. Occupational and Environmental Medicine, 2020, 77, 301-308.  | 2.8 | 6         |
| 17 | Reply. Occupational Medicine, 2020, 70, 687-688.  | 1.4 | 1         |
| 18 | Prevention of musculoskeletal disability in working populations: The CUPID Study. Occupational Medicine, 2019, 69, 230-232.   | 1.4 | 4         |

| #  | Article  | IF        | CITATIONS |
|----|--|-----------|-----------|
| 19 | Determinants of international variation in the prevalence of disabling wrist and hand pain. BMC<br>Musculoskeletal Disorders, 2019, 20, 436.   | 1.9       | 9         |
| 20 | Correlations between pain in the back and neck/upper limb in the European Working Conditions<br>Survey. BMC Musculoskeletal Disorders, 2019, 20, 38.   | 1.9       | 3         |
| 21 | Considerations for refining the risk assessment process for formaldehyde: Results from an interdisciplinary workshop. Regulatory Toxicology and Pharmacology, 2019, 106, 210-223.                                      | 2.7       | 19        |
| 22 | Maintained physical activity and physiotherapy in the management of distal arm pain: a randomised controlled trial. RMD Open, 2019, 5, e000810.  | 3.8       | 6         |
| 23 | Multisite musculoskeletal pain in migrants from the Indian subcontinent to the UK: a cross-sectional survey. BMC Musculoskeletal Disorders, 2019, 20, 133.   | 1.9       | 3         |
| 24 | Building global partnerships through shared curricula for an MPH programme in India and Sri Lanka.<br>Global Public Health, 2019, 14, 1360-1371.   | 2.0       | 2         |
| 25 | Coronary heart disease, hypertension and use of biomass fuel among women: comparative cross-sectional study. BMJ Open, 2019, 9, e030881.   | 1.9       | 22        |
| 26 | MultiTex RCT – a multifaceted intervention package for protection against cotton dust exposure<br>among textile workers – a cluster randomized controlled trial in Pakistan: study protocol. Trials,<br>2019, 20, 722. | 1.6       | 8         |
| 27 | Sinonasal cancer and exposure to styrene. Occupational and Environmental Medicine, 2019, 76, 69-69.  | 2.8       | 2         |
| 28 | A behaviour change package to prevent hand dermatitis in nurses working in health care: the SCIN<br>cluster RCT. Health Technology Assessment, 2019, 23, 1-92.   | 2.8       | 6         |
| 29 | Low back pain among office workers in three Spanish-speaking countries: findings from the CUPID study. Injury Prevention, 2017, 23, 158-164.   | 2.4       | 13        |
| 30 | Epidemiological Differences Between Localized and Nonlocalized Low Back Pain. Spine, 2017, 42, 740-747.  | 2.0       | 18        |
| 31 | Frailty, prefrailty and employment outcomes in Health and Employment After Fifty (HEAF) Study.<br>Occupational and Environmental Medicine, 2017, 74, 476-482.  | 2.8       | 25        |
| 32 | Trajectories of multisite musculoskeletal pain and implications for prevention. Occupational and Environmental Medicine, 2017, 74, 465-466.  | 2.8       | 3         |
| 33 | 158. LESS THAN 10% OF INCIDENT LOW BACK PAIN AMONG WORKERS WHO WERE PAIN-FREE AT BASELINE<br>ACCOUNTED FOR BY RECOGNIZED MECHANICAL AND PSYCHOSOCIAL RISK FACTORS: WHAT ARE WE<br>MISSING?. Rheumatology, 2017, 56, .  | IS<br>1.9 | 0         |
| 34 | Location, vocation, procreation: how choice influences life expectancy in doctors. Occupational Medicine, 2017, 67, 319-319.   | 1.4       | 0         |
| 35 | 0315â€Effect of multisite musculoskeletal pain on health related job loss: findings from the health and employment after fifty (heaf) study. , 2017, , .   |           | 0         |
| 36 | 0160â€Retinal detachment and heavy lifting: findings from a register study in denmark. , 2017, , .   |           | 0         |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | 0274â€The profile of informal carers in a cohort of 50–64 year-olds: results from the health and<br>employment after fifty (heaf) study. , 2017, , .  |      | 0         |
| 38 | Assessment of potential risk factors for new onset disabling low back pain in Japanese workers:<br>findings from the CUPID (cultural and psychosocial influences on disability) study. BMC<br>Musculoskeletal Disorders, 2017, 18, 334. | 1.9  | 14        |
| 39 | Mortality from multiple sclerosis in British military personnel. Occupational Medicine, 2017, 67, 448-452.  | 1.4  | 3         |
| 40 | Sleep disturbance and the older worker: findings from the Health and Employment after Fifty study.<br>Scandinavian Journal of Work, Environment and Health, 2017, 43, 136-145.  | 3.4  | 25        |
| 41 | Are determinants for new and persistent upper limb pain different? An analysis based on anatomical sites. Work, 2016, 53, 313-323.  | 1.1  | 3         |
| 42 | O34-2â€Insomnia and the older worker: findings from the health and employment after fifty (HEAF) study. , 2016, , .   |      | 0         |
| 43 | 244 Determinants of Low Back Pain Among Workers from 18 Countries: The Cupid Study. Rheumatology,<br>2016, , .  | 1.9  | 0         |
| 44 | Job dissatisfaction and the older worker: baseline findings from the Health and Employment After Fifty study. Occupational and Environmental Medicine, 2016, 73, 512-519.   | 2.8  | 11        |
| 45 | Are welders more at risk of respiratory infections?. Thorax, 2016, 71, 581-582.   | 5.6  | 14        |
| 46 | Classification of neck/shoulder pain in epidemiological research. Pain, 2016, 157, 1028-1036.   | 4.2  | 44        |
| 47 | O34-4â€Frailty, pre-frailty and employment outcomes in the health and employment after fifty (HEAF) study. , 2016, , .  |      | 0         |
| 48 | Trends in mortality from occupational hazards among men in England and Wales during 1979–2010.<br>Occupational and Environmental Medicine, 2016, 73, 385-393.   | 2.8  | 17        |
| 49 | O17-2â€General propensity to pain is a major risk factor for disabling wrist/hand pain. , 2016, , .   |      | 0         |
| 50 | Coronary heart disease and household air pollution from use of solid fuel: a systematic review.<br>British Medical Bulletin, 2016, 118, 91-109.   | 6.9  | 66        |
| 51 | A behavioural change package to prevent hand dermatitis in nurses working in the national health service (the SCIN trial): study protocol for a cluster randomised controlled trial. Trials, 2016, 17, 145.                             | 1.6  | 23        |
| 52 | Implementing systematic review techniques in chemical risk assessment: Challenges, opportunities and recommendations. Environment International, 2016, 92-93, 556-564.  | 10.0 | 67        |
| 53 | Upper extremity musculoskeletal pain among office workers in three Spanish-speaking countries: findings from the CUPID study. Occupational and Environmental Medicine, 2016, 73, 394-400.   | 2.8  | 10        |
| 54 | Heavy lifting at work and risk of retinal detachment: a population-based register study in Denmark.<br>Occupational and Environmental Medicine, 2016, 73, 51-55.  | 2.8  | 4         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Descriptive Epidemiology of Somatising Tendency: Findings from the CUPID Study. PLoS ONE, 2016, 11, e0153748.  | 2.5 | 12        |
| 56 | Health and Employment after Fifty (HEAF): a new prospective cohort study. BMC Public Health, 2015, 15, 1071.   | 2.9 | 23        |
| 57 | Predictors of low back pain in a longitudinal study of Iranian nurses and office workers. Work, 2015, 51, 239-244.   | 1.1 | 12        |
| 58 | Soft tissue sarcoma, non-Hodgkin's lymphoma and chronic lymphocytic leukaemia in workers exposed<br>to phenoxy herbicides: extended follow-up of a UK cohort. Occupational and Environmental Medicine,<br>2015, 72, 435-441. | 2.8 | 18        |
| 59 | Sensory impairments, problems of balance and accidental injury at work: a case–control study.<br>Occupational and Environmental Medicine, 2015, 72, 195-199.   | 2.8 | 5         |
| 60 | Psychological and psychosocial determinants ofÂmusculoskeletal pain and associated disability. Best<br>Practice and Research in Clinical Rheumatology, 2015, 29, 374-390.  | 3.3 | 62        |
| 61 | HIP osteoarthritis and work. Best Practice and Research in Clinical Rheumatology, 2015, 29, 462-482.   | 3.3 | 60        |
| 62 | Phenoxy herbicides, soft-tissue sarcoma and non-Hodgkin lymphoma: a systematic review of evidence from cohort and case–control studies. British Medical Bulletin, 2015, 114, 75-94.  | 6.9 | 19        |
| 63 | Risk of cancer in workers exposed to styrene at eight British companies making glass-reinforced plastics. Occupational and Environmental Medicine, 2015, 72, 165-170.  | 2.8 | 27        |
| 64 | Pneumococcal vaccination for welders: TableÂ1. Thorax, 2015, 70, 198-199.  | 5.6 | 17        |
| 65 | Is musculoskeletal pain a consequence or a cause of occupational stress? A longitudinal study.<br>International Archives of Occupational and Environmental Health, 2015, 88, 607-612.  | 2.3 | 41        |
| 66 | Musculoskeletal pain in Europe: the role of personal, occupational, and social risk factors.<br>Scandinavian Journal of Work, Environment and Health, 2014, 40, 36-46.   | 3.4 | 90        |
| 67 | The role of mental health problems and common psychotropic drug treatments in accidental injury at<br>work: a case–control study. Occupational and Environmental Medicine, 2014, 71, 308-312.                                | 2.8 | 25        |
| 68 | Upper Airway Cancer, Myeloid Leukemia, and Other Cancers in a Cohort of British Chemical Workers<br>Exposed to Formaldehyde. American Journal of Epidemiology, 2014, 179, 1301-1311.   | 3.4 | 41        |
| 69 | Individual and work-related risk factors for musculoskeletal pain: a cross-sectional study among<br>Estonian computer users. BMC Musculoskeletal Disorders, 2014, 15, 181.   | 1.9 | 73        |
| 70 | Maintained physical activity and physiotherapy in the management of distal upper limb pain – a<br>protocol for a randomised controlled trial (the arm pain trial). BMC Musculoskeletal Disorders,<br>2014, 15, 71.           | 1.9 | 6         |
| 71 | Patterns of multisite pain and associations with risk factors. Pain, 2013, 154, 1769-1777.   | 4.2 | 133       |
| 72 | Symptoms, signs and nerve conduction velocities in patients with suspected carpal tunnel syndrome.<br>BMC Musculoskeletal Disorders, 2013, 14, 242.  | 1.9 | 22        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Differences in risk factors for neurophysiologically confirmed carpal tunnel syndrome and illness<br>with similar symptoms but normal median nerve function: a case–control study. BMC<br>Musculoskeletal Disorders, 2013, 14, 240.                  | 1.9 | 17        |
| 74 | Impact of carpal tunnel surgery according to pre-operative abnormality of sensory conduction in median nerve: a longitudinal study. BMC Musculoskeletal Disorders, 2013, 14, 241.  | 1.9 | 8         |
| 75 | Risk factors for musculoskeletal pain amongst nurses in Estonia: a cross-sectional study. BMC<br>Musculoskeletal Disorders, 2013, 14, 334.   | 1.9 | 63        |
| 76 | Disabling musculoskeletal pain in working populations: Is it the job, the person, or the culture?. Pain, 2013, 154, 856-863.   | 4.2 | 139       |
| 77 | International variation in absence from work attributed to musculoskeletal illness: findings from the CUPID study. Occupational and Environmental Medicine, 2013, 70, 575-584.   | 2.8 | 54        |
| 78 | Psychological and culturally-influenced risk factors for the incidence and persistence of low back<br>pain and associated disability in Spanish workers: findings from the CUPID study. Occupational and<br>Environmental Medicine, 2013, 70, 57-62. | 2.8 | 47        |
| 79 | Risk factors for new onset and persistence of multi-site musculoskeletal pain in a longitudinal study of workers in Crete. Occupational and Environmental Medicine, 2013, 70, 29-34.   | 2.8 | 26        |
| 80 | Predictors of Incident and Persistent Neck/Shoulder Pain in Iranian Workers: A Cohort Study. PLoS<br>ONE, 2013, 8, e57544.   | 2.5 | 22        |
| 81 | Health beliefs, low mood, and somatizing tendency: contribution to incidence and persistence of<br>musculoskeletal pain with and without reported disability. Scandinavian Journal of Work,<br>Environment and Health, 2013, 39, 589-598.            | 3.4 | 25        |
| 82 | Letter to the Editor: Electromagnetic Hypersensitivity. International Journal of Neuroscience, 2012, 122, 405-405.   | 1.6 | 1         |
| 83 | Optimising case definitions of upper limb disorder for aetiological research and prevention: a review.<br>Occupational and Environmental Medicine, 2012, 69, 71-78.  | 2.8 | 28        |
| 84 | The CUPID (Cultural and Psychosocial Influences on Disability) Study: Methods of Data Collection and Characteristics of Study Sample. PLoS ONE, 2012, 7, e39820.   | 2.5 | 58        |
| 85 | Physical and psychosocial risk factors for musculoskeletal disorders in Brazilian and Italian nurses.<br>Cadernos De Saude Publica, 2012, 28, 1632-1642.   | 1.0 | 60        |
| 86 | Optimal case definitions of upper extremity disorder for use in the clinical treatment and referral of patients. Arthritis Care and Research, 2012, 64, 573-580.   | 3.4 | 4         |
| 87 | Potential of Magnetic Resonance Imaging Findings to Refine Case Definition for Mechanical Low Back<br>Pain in Epidemiological Studies. Spine, 2011, 36, 160-169.   | 2.0 | 153       |
| 88 | Clinical presentation of low back pain and association with risk factors according to findings on magnetic resonance imaging. Pain, 2011, 152, 1659-1665.  | 4.2 | 21        |
| 89 | Predictors of long-term pain and disability in patients with low back pain investigated by magnetic resonance imaging: A longitudinal study. BMC Musculoskeletal Disorders, 2011, 12, 234.   | 1.9 | 24        |
| 90 | Prevalence and correlates of regional pain and associated disability in Japanese workers.<br>Occupational and Environmental Medicine, 2011, 68, 191-196.   | 2.8 | 86        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Translation, Adaptation and Validation of the "Cultural and Psychosocial Influences on Disability<br>(CUPID) Questionnaire" for Use in Brazil. Revista Latino-Americana De Enfermagem, 2010, 18, 1092-1098. | 1.0 | 9         |
| 92  | Work-related mortality in England and Wales, 1979-2000. Occupational and Environmental Medicine, 2010, 67, 816-822.   | 2.8 | 23        |
| 93  | Assessing fitness for work and writing a "fit note". BMJ: British Medical Journal, 2010, 341, c6305-c6305.  | 2.3 | 14        |
| 94  | Work-related and psychological determinants of multisite musculoskeletal pain. Scandinavian<br>Journal of Work, Environment and Health, 2010, 36, 54-61.  | 3.4 | 99        |
| 95  | Epidemiological investigation of prognosis. Scandinavian Journal of Work, Environment and Health, 2009, 35, 282-3.  | 3.4 | 0         |
| 96  | Cultural differences in musculoskeletal symptoms and disability. International Journal of Epidemiology, 2008, 37, 1181-1189.  | 1.9 | 75        |
| 97  | Research Ethics Committees: A Personal Perspective. Research Ethics, 2007, 3, 118-121.  | 1.7 | 0         |
| 98  | Carpal tunnel syndrome and its relation to occupation: a systematic literature review. Occupational<br>Medicine, 2006, 57, 57-66.   | 1.4 | 241       |
| 99  | Possible regulatory approaches to comparative risk assessment for pesticides. Pest Management<br>Science, 2006, 62, 790-792.  | 3.4 | 1         |
| 100 | Risk factors for specific upper limb disorders as compared with non-specific upper limb pain: assessing the utility of a structured examination schedule. Occupational Medicine, 2006, 56, 243-250.         | 1.4 | 18        |
| 101 | A case–control study of risk factors for arm pain presenting to primary care services. Occupational<br>Medicine, 2006, 56, 137-143.   | 1.4 | 18        |
| 102 | Compensating occupationally related tenosynovitis and epicondylitis: a literature review.<br>Occupational Medicine, 2006, 57, 67-74.  | 1.4 | 30        |
| 103 | Commentary: Complex disease—responding to the challenge. International Journal of Epidemiology, 2006, 35, 581-583.  | 1.9 | 3         |
| 104 | Disabling musculoskeletal pain and its relation to somatization: a community-based postal survey.<br>Occupational Medicine, 2005, 55, 612-617.  | 1.4 | 69        |
| 105 | Assessing case definitions in the absence of a diagnostic gold standard. International Journal of Epidemiology, 2005, 34, 949-952.  | 1.9 | 71        |
| 106 | RESPONSE: Re: Extended Follow-up of a Cohort of British Chemical Workers Exposed to Formaldehyde.<br>Journal of the National Cancer Institute, 2004, 96, 1037-1038.   | 6.3 | 0         |
| 107 | The anatomical pattern and determinants of pain in the neck and upper limbs: an epidemiologic study.<br>Pain, 2004, 109, 45-51.   | 4.2 | 73        |
| 108 | Anatomic Distribution of Sensory Symptoms in the Hand and Their Relation to Neck Pain, Psychosocial<br>Variables, and Occupational Activities. American Journal of Epidemiology, 2003, 157, 524-530.        | 3.4 | 26        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Extended Follow-Up of a Cohort of British Chemical Workers Exposed to Formaldehyde. Journal of the National Cancer Institute, 2003, 95, 1608-1615.   | 6.3 | 152       |
| 110 | Exposure to Metal Fume and Infectious Pneumonia. American Journal of Epidemiology, 2003, 157, 227-233.   | 3.4 | 76        |
| 111 | Does it help to know the work-relatedness of back pain in individual cases?. Scandinavian Journal of<br>Work, Environment and Health, 2003, 29, 441-2.   | 3.4 | 0         |
| 112 | Sports injury, occupational physical activity, joint laxity, and meniscal damage. Journal of Rheumatology, 2002, 29, 557-63.   | 2.0 | 79        |
| 113 | Preventable causes of gastric cancer may also operate in adult life. International Journal of Epidemiology, 2002, 31, 472-3.   | 1.9 | 0         |
| 114 | Risk of hand-arm vibration syndrome according to occupation and sources of exposure to<br>hand-transmitted vibration: A national survey. American Journal of Industrial Medicine, 2001, 39,<br>389-396.                  | 2.1 | 35        |
| 115 | Risk of handâ€arm vibration syndrome according to occupation and sources of exposure to<br>handâ€transmitted vibration: A national survey. American Journal of Industrial Medicine, 2001, 39,<br>389-396.                | 2.1 | 4         |
| 116 | Prevalence and occupational associations of neck pain in the British population. Scandinavian Journal of Work, Environment and Health, 2001, 27, 49-56.  | 3.4 | 130       |
| 117 | Risk factors for the incidence and progression of radiographic knee osteoarthritis. Arthritis and Rheumatism, 2000, 43, 995.   | 6.7 | 582       |
| 118 | Risk factors for the incidence and progression of radiographic knee osteoarthritis. , 2000, 43, 995.   |     | 5         |
| 119 | Validity of a questionnaire for assessing occupational activities. , 1997, 31, 422-426.  |     | 16        |
| 120 | Contrasting epidemiology of aortic aneurysm and peripheral vascular disease in England and Wales.<br>BMJ: British Medical Journal, 1996, 312, 948-948.   | 2.3 | 10        |
| 121 | Soft Tissue Sarcoma and Non-Hodgkin's Lymphoma in Workers Exposed to Phenoxy Herbicides,<br>Chlorophenols, and Dioxins. Epidemiology, 1995, 6, 396-402.  | 2.7 | 147       |
| 122 | The Influence of Increased Bronchial Responsiveness, Atopy, and Serum IgE on Decline in FEV1: A<br>Longitudinal Study in the Elderly. American Journal of Respiratory and Critical Care Medicine, 1995,<br>151, 656-662. | 5.6 | 96        |
| 123 | Epidemiological Studies of Styrene-Exposed Populations. Critical Reviews in Toxicology, 1994, 24, s107-s115.   | 3.9 | 19        |
| 124 | Osteoarthritis of the hip and occupational activity Scandinavian Journal of Work, Environment and<br>Health, 1992, 18, 59-63.  | 3.4 | 86        |
| 125 | DEFINING OSTEOARTHRITIS OF THE HIP FOR EPIDEMIOLOGIC STUDIES. American Journal of Epidemiology, 1990, 132, 514-522.  | 3.4 | 310       |
| 126 | Childhood risk factors for ischaemic heart disease and stroke. Paediatric and Perinatal Epidemiology,<br>1990, 4, 464-469.   | 1.7 | 24        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Mortality of workers exposed to 2 methyl-4 chlorophenoxyacetic acid Scandinavian Journal of<br>Work, Environment and Health, 1986, 12, 448-454. | 3.4 | 70        |