Shigeru Inoue

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8105728/publications.pdf

Version: 2024-02-01

101543 5,861 156 36 citations h-index papers

70 g-index 165 165 165 7684 docs citations times ranked citing authors all docs

88630

#	Article	IF	CITATIONS
1	How many steps/day are enough? for adults. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 79.	4.6	733
2	Progress in physical activity over the Olympic quadrennium. Lancet, The, 2016, 388, 1325-1336.	13.7	676
3	Neighborhood Environments and Physical Activity Among Adults in 11 Countries. American Journal of Preventive Medicine, 2009, 36, 484-490.	3.0	389
4	Acceptance of a COVID-19 Vaccine in Japan during the COVID-19 Pandemic. Vaccines, 2021, 9, 210.	4.4	196
5	Sedentary time in older adults: a critical review of measurement, associations with health, and interventions. British Journal of Sports Medicine, 2017, 51, 1539-1539.	6.7	155
6	ls objectively measured light-intensity physical activity associated with health outcomes after adjustment for moderate-to-vigorous physical activity in adults? A systematic review. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 65.	4.6	137
7	Association of physical activity and neighborhood environment among Japanese adults. Preventive Medicine, 2009, 48, 321-325.	3.4	125
8	Association between Perceived Neighborhood Environment and Walking among Adults in 4 Cities in Japan. Journal of Epidemiology, 2010, 20, 277-286.	2.4	123
9	Perceived Neighborhood Environment and Walking for Specific Purposes Among Elderly Japanese. Journal of Epidemiology, 2011, 21, 481-490.	2.4	123
10	Factors Associated With Shift Work Disorder in Nurses Working With Rapid-Rotation Schedules in Japan: The Nurses' Sleep Health Project. Chronobiology International, 2013, 30, 628-636.	2.0	113
11	Television Viewing Time is Associated with Overweight/Obesity Among Older Adults, Independent of Meeting Physical Activity and Health Guidelines. Journal of Epidemiology, 2012, 22, 50-56.	2.4	112
12	Objective scoring of streetscape walkability related to leisure walking: Statistical modeling approach with semantic segmentation of Google Street View images. Health and Place, 2020, 66, 102428.	3.3	99
13	Changes in Psychological Distress During the COVID-19 Pandemic in Japan: A Longitudinal Study. Journal of Epidemiology, 2020, 30, 522-528.	2.4	86
14	Distinct associations of different sedentary behaviors with health-related attributes among older adults. Preventive Medicine, 2014, 67, 335-339.	3 . 4	84
15	Sedentary time in older men and women: an international consensus statement and research priorities. British Journal of Sports Medicine, 2017, 51, 1526-1532.	6.7	84
16	Adoption of personal protective measures by ordinary citizens during the COVID-19 outbreak in Japan. International Journal of Infectious Diseases, 2020, 94, 139-144.	3.3	82
17	Associations of working from home with occupational physical activity and sedentary behavior under the COVID-19 pandemic. Journal of Occupational Health, 2021, 63, e12212.	2.1	80
18	Types of social participation and psychological distress in Japanese older adults: A five-year cohort study. PLoS ONE, 2017, 12, e0175392.	2.5	72

#	Article	IF	Citations
19	Time Trends for Step-Determined Physical Activity among Japanese Adults. Medicine and Science in Sports and Exercise, 2011, 43, 1913-1919.	0.4	69
20	Reduced blood flow in abdominal viscera measured by Doppler ultrasound during one-legged knee extension. Journal of Applied Physiology, 1999, 86, 709-719.	2.5	64
21	Light and sporadic physical activity overlooked by current guidelines makes older women more active than older men. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 59.	4.6	61
22	Social jetlag affects subjective daytime sleepiness in school-aged children and adolescents: A study using the Japanese version of the Pediatric Daytime Sleepiness Scale (PDSS-J). Chronobiology International, 2016, 33, 1311-1319.	2.0	56
23	Correlates of prolonged television viewing time in older Japanese men and women. BMC Public Health, 2013, 13, 213.	2.9	55
24	Physical Activity of Japanese Older Adults Who Own and Walk Dogs. American Journal of Preventive Medicine, 2012, 43, 429-433.	3.0	53
25	Exercising alone versus with others and associations with subjective health status in older Japanese: The JAGES Cohort Study. Scientific Reports, 2016, 6, 39151.	3.3	53
26	Comparability of activity monitors used in Asian and Western-country studies for assessing free-living sedentary behaviour. PLoS ONE, 2017, 12, e0186523.	2.5	53
27	Group exercise for adults and elderly: Determinants of participation in group exercise and its associations with health outcome. The Journal of Physical Fitness and Sports Medicine, 2015, 4, 315-320.	0.3	51
28	Social participation among older adults not engaged in full―or part―ime work is associated with more physical activity and less sedentary time. Geriatrics and Gerontology International, 2017, 17, 1921-1927.	1.5	51
29	Associations of sedentary behavior and physical activity with older adults' physical function: an isotemporal substitution approach. BMC Geriatrics, 2017, 17, 280.	2.7	50
30	Frequency and pattern of exercise and depression after two years in older Japanese adults: the JAGES longitudinal study. Scientific Reports, 2018, 8, 11224.	3.3	50
31	Artificial intelligence for the detection of vertebral fractures on plain spinal radiography. Scientific Reports, 2020, 10, 20031.	3.3	50
32	The global case fatality rate of coronavirus disease 2019Âby continents and national income: A metaâ€analysis. Journal of Medical Virology, 2022, 94, 2402-2413.	5.0	46
33	A community-wide campaign to promote physical activity in middle-aged and elderly people: a cluster randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 44.	4.6	45
34	Incorrect Use of Face Masks during the Current COVID-19 Pandemic among the General Public in Japan. International Journal of Environmental Research and Public Health, 2020, 17, 6484.	2.6	45
35	Environmental correlates of physical activity in driving and non-driving rural Japanese women. Preventive Medicine, 2009, 49, 490-496.	3.4	44
36	Community-wide intervention and population-level physical activity: a 5-year cluster randomized trial. International Journal of Epidemiology, 2018, 47, 642-653.	1.9	44

#	Article	IF	Citations
37	How Well iPhones Measure Steps in Free-Living Conditions: Cross-Sectional Validation Study. JMIR MHealth and UHealth, 2019, 7, e10418.	3.7	43
38	Relationship between Self-Reported Dietary Nutrient Intake and Self-Reported Sleep Duration among Japanese Adults. Nutrients, 2017, 9, 134.	4.1	39
39	Objectively Measured Neighborhood Walkability and Change in Physical Activity in Older Japanese Adults: A Five-Year Cohort Study. International Journal of Environmental Research and Public Health, 2018, 15, 1814.	2.6	37
40	Time Trends in Physical Activity Using Wearable Devices: A Systematic Review and Meta-analysis of Studies from 1995 to 2017. Medicine and Science in Sports and Exercise, 2022, 54, 288-298.	0.4	34
41	Objectively-Assessed Patterns and Reported Domains of Sedentary Behavior Among Japanese Older Adults. Journal of Epidemiology, 2019, 29, 334-339.	2.4	32
42	Environmental and Individual Correlates of Various Types of Physical Activity among Community-Dwelling Middle-Aged and Elderly Japanese. International Journal of Environmental Research and Public Health, 2013, 10, 2028-2042.	2.6	31
43	Comparison of accelerometerâ€measured sedentary behavior, and light―and moderateâ€toâ€vigorousâ€ntensity physical activity in white―and blueâ€collar workers in a Japanese manufacturing plant. Journal of Occupational Health, 2018, 60, 246-253.	2.1	30
44	Impact of Moderate-Intensity and Vigorous-Intensity Physical Activity on Mortality. Medicine and Science in Sports and Exercise, 2018, 50, 715-721.	0.4	30
45	Association of overtime work hours with various stress responses in 59,021 Japanese workers: Retrospective cross-sectional study. PLoS ONE, 2020, 15, e0229506.	2.5	30
46	Relationship Between Physical Activity and Chronic Musculoskeletal Pain Among Community-Dwelling Japanese Adults. Journal of Epidemiology, 2014, 24, 474-483.	2.4	29
47	Changes in implementation of personal protective measures by ordinary Japanese citizens: A longitudinal study from the early phase to the community transmission phase of the COVID-19 outbreak. International Journal of Infectious Diseases, 2020, 96, 371-375.	3.3	29
48	Validity and Reliability of Japanese-Language Self-reported Measures for Assessing Adults Domain-Specific Sedentary Time. Journal of Epidemiology, 2018, 28, 149-155.	2.4	28
49	Replacing sedentary time with physical activity: effects on health-related quality of life in older Japanese adults. Health and Quality of Life Outcomes, 2018, 16, 240.	2.4	26
50	Results from the Japan's 2018 report card on physical activity for children and youth. Journal of Exercise Science and Fitness, 2019, 17, 20-25.	2,2	25
51	Community-wide promotion of physical activity in middle-aged and older Japanese: a 3-year evaluation of a cluster randomized trial. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 82.	4.6	24
52	Associations of neighborhood walkability with intensity―and boutâ€specific physical activity and sedentary behavior of older adults in Japan. Geriatrics and Gerontology International, 2019, 19, 861-867.	1.5	24
53	Trends in Step-determined Physical Activity among Japanese Adults from 1995 to 2016. Medicine and Science in Sports and Exercise, 2019, 51, 1852-1859.	0.4	24
54	Virtual audits of streetscapes by crowdworkers. Health and Place, 2019, 59, 102203.	3.3	23

#	Article	IF	CITATIONS
55	Associations of Sedentary and Physically-Active Behaviors With Cognitive-Function Decline in Community-Dwelling Older Adults: Compositional Data Analysis From the NEIGE Study. Journal of Epidemiology, 2020, 30, 503-508.	2.4	23
56	Occupational sitting time and risk of all-cause mortality among Japanese workers. Scandinavian Journal of Work, Environment and Health, 2015, 41, 519-528.	3.4	22
57	Trends in COVID-19 vaccination intent from pre- to post-COVID-19 vaccine distribution and their associations with the 5C psychological antecedents of vaccination by sex and age in Japan. Human Vaccines and Immunotherapeutics, 2021, 17, 3954-3962.	3.3	22
58	Sociodemographic Determinants of Pedometer-Determined Physical Activity Among Japanese Adults. American Journal of Preventive Medicine, 2011, 40, 566-571.	3.0	21
59	Strength-Training Behavior and Perceived Environment Among Japanese Older Adults. Journal of Aging and Physical Activity, 2011, 19, 262-272.	1.0	21
60	Results From Japan's 2016 Report Card on Physical Activity for Children and Youth. Journal of Physical Activity and Health, 2016, 13, S189-S194.	2.0	21
61	Characteristics of Accelerometry Respondents to a Mail-Based Surveillance Study. Journal of Epidemiology, 2010, 20, 446-452.	2.4	20
62	Association between objectively evaluated physical activity and sedentary behavior and screen time in primary school children. BMC Research Notes, 2017, 10, 175.	1.4	20
63	Can neighborhood design support walking? Cross-sectional and prospective findings from Japan. Journal of Transport and Health, 2018, 11, 73-79.	2.2	20
64	A Nationwide Cross-Sectional Survey of Sleep-Related Problems in Japanese Visually Impaired Patients: Prevalence and Association with Health-Related Quality of Life. Journal of Clinical Sleep Medicine, 2016, 12, 1659-1667.	2.6	20
65	Perceived Environmental Factors Associated with Physical Activity among Normal-Weight and Overweight Japanese Men. International Journal of Environmental Research and Public Health, 2011, 8, 931-943.	2.6	19
66	Association of low back and knee pain with falls in Japanese communityâ€dwelling older adults: A 3â€year prospective cohort study. Geriatrics and Gerontology International, 2017, 17, 875-884.	1.5	19
67	Community-wide physical activity intervention based on the Japanese physical activity guidelines for adults: A non-randomized controlled trial. Preventive Medicine, 2018, 107, 61-68.	3.4	19
68	Development of severe psychological distress among low-income individuals during the COVID-19 pandemic: longitudinal study. BJPsych Open, 2021, 7, e50.	0.7	19
69	Changes in the medical treatment status of Japanese outpatients during the coronavirus disease 2019 pandemic. Journal of General and Family Medicine, 2021, 22, 246-261.	0.8	19
70	RELIABILITY OF THE ABBREVIATED NEIGHBORHOOD ENVIRONMENT WALKABILITY SCALE JAPANESE VERSION. Japanese Journal of Physical Fitness and Sports Medicine, 2009, 58, 453-462.	0.0	18
71	Drivers Are More Physically Active Than Non-Drivers in Older Adults. International Journal of Environmental Research and Public Health, 2018, 15, 1094.	2.6	18
72	Intensity-specific validity and reliability of the Japan Public Health Center-based prospective study-physical activity questionnaire. Preventive Medicine Reports, 2020, 20, 101169.	1.8	18

#	Article	IF	Citations
73	The actual implementation status of self-isolation among Japanese workers during the COVID-19 outbreak. Tropical Medicine and Health, 2020, 48, 63.	2.8	18
74	Step-Defined Physical Activity and Cardiovascular Risk Among Middle-Aged Japanese: The National Health and Nutrition Survey of Japan 2006. Journal of Physical Activity and Health, 2012, 9, 1117-1124.	2.0	17
75	Older Adults' Daily Step Counts and Time in Sedentary Behavior and Different Intensities of Physical Activity. Journal of Epidemiology, 2021, 31, 350-355.	2.4	17
76	Pedometer-determined physical activity among youth in the Tokyo Metropolitan area: a cross-sectional study. BMC Public Health, 2016, 16, 1104.	2.9	15
77	Associations of Physical Activity and Sedentary Time in Primary School Children with Their Parental Behaviors and Supports. International Journal of Environmental Research and Public Health, 2018, 15, 1995.	2.6	14
78	Associations among workplace environment, self-regulation, and domain-specific physical activities among white-collar workers: a multilevel longitudinal study. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 47.	4.6	14
79	Gender differences in physical activity and sedentary behavior of Japanese primary school children during school cleaning time, morning recess and lunch recess. BMC Public Health, 2019, 19, 985.	2.9	14
80	Cohort Profile of the NEIGE Study in Tokamachi City, Japan. Journal of Epidemiology, 2020, 30, 281-287.	2.4	14
81	Associations of older adults' physical activity and bout-specific sedentary time with frailty status: Compositional analyses from the NEIGE study. Experimental Gerontology, 2021, 143, 111149.	2.8	14
82	Gender differences in association between psychological distress and detailed living arrangements among Japanese older adults, aged 65–74Âyears. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 823-830.	3.1	13
83	Proportion of Japanese primary school children meeting recommendations for 24-h movement guidelines and associations with weight status. Obesity Research and Clinical Practice, 2020, 14, 234-240.	1.8	13
84	<p>Influence of Parenting Quality and Neuroticism on Perceived Job Stressors and Psychological and Physical Stress Response in Adult Workers from the Community</p> . Neuropsychiatric Disease and Treatment, 2020, Volume 16, 2007-2015.	2.2	12
85	Expression level of microRNA-200c is associated with cell morphology in vitro and histological differentiation through regulation of ZEB1/2 and E-cadherin in gastric carcinoma. Oncology Reports, 2018, 39, 91-100.	2.6	11
86	Occupational sitting time and subsequent risk of cancer: The Japan Public Health Centerâ€based Prospective Study. Cancer Science, 2020, 111, 974-984.	3.9	11
87	Objectively Measured Intensity-specific Physical Activity and Hippocampal Volume Among Community-dwelling Older Adults. Journal of Epidemiology, 2022, 32, 489-495.	2.4	11
88	Walkable Area Within Which Destinations Matter. Asia-Pacific Journal of Public Health, 2015, 27, NP2757-NP2763.	1.0	10
89	Associations of Perceived and Objectively Measured Neighborhood Environmental Attributes With Leisure-Time Sitting for Transport. Journal of Physical Activity and Health, 2016, 13, 1372-1377.	2.0	10
90	Sekentei and objectively-measured physical activity among older Japanese people: a cross-sectional analysis from the NEIGE study. BMC Public Health, 2019, 19, 1331.	2.9	10

#	Article	IF	Citations
91	The Choice of Pedometer Impacts on Daily Step Counts in Primary School Children under Free-Living Conditions. International Journal of Environmental Research and Public Health, 2019, 16, 4375.	2.6	10
92	Combined Effects of Parenting in Childhood and Resilience on Work Stress in Nonclinical Adult Workers From the Community. Frontiers in Psychiatry, 2020, 11, 776.	2.6	10
93	<p>Association of Chronotypes and Sleep Disturbance with Perceived Job Stressors and Stress Response: A Covariance Structure Analysis</p> . Neuropsychiatric Disease and Treatment, 2020, Volume 16, 1997-2005.	2.2	10
94	Geographical socioeconomic inequalities in healthy life expectancy in Japan, 2010-2014: An ecological study. The Lancet Regional Health - Western Pacific, 2021, 14, 100204.	2.9	10
95	Are Japanese Women Less Physically Active Than Men? Findings From the DOSANCO Health Study. Journal of Epidemiology, 2020, 31, 530-536.	2.4	10
96	Associations of neighborhood built, safety, and social environment with walking to and from school among elementary school-aged children in Chiba, Japan. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 152.	4.6	10
97	Relationships among changes in walking and sedentary behaviors, individual attributes, changes in work situation, and anxiety during the COVID-19 pandemic in Japan. Preventive Medicine Reports, 2021, 24, 101640.	1.8	10
98	Individual-level social capital and COVID-19 vaccine hesitancy in Japan: a cross-sectional study. Human Vaccines and Immunotherapeutics, 2022, 18, .	3.3	10
99	Differences in Association of Walking for Recreation and for Transport With Maximum Walking Speed in an Elderly Japanese Community Population. Journal of Physical Activity and Health, 2011, 8, 841-847.	2.0	9
100	Organizational justice and insomnia: a prospective cohort study examining insomnia onset and persistence. International Archives of Occupational and Environmental Health, 2017, 90, 133-140.	2.3	9
101	Validity of the Japanese Version of the Quick Mild Cognitive Impairment Screen. International Journal of Environmental Research and Public Health, 2019, 16, 917.	2.6	9
102	Preventing infectious diseases outbreaks at exercise facilities. Managing Sport and Leisure, 2022, 27, 22-25.	3.5	9
103	Association between adverse childhood experiences and brain volumes among Japanese community-dwelling older people: Findings from the NEIGE study. Child Abuse and Neglect, 2022, 124, 105456.	2.6	9
104	Mental illness and a highâ€risk, elderly <scp>J</scp> apanese population: characteristic differences related to gender and residential location. Psychogeriatrics, 2013, 13, 229-236.	1.2	8
105	Association between age at onset of independent walking and objectively measured sedentary behavior is mediated by moderate-to-vigorous physical activity in primary school children. PLoS ONE, 2018, 13, e0204030.	2.5	8
106	Variability in school children's activity occurs in the recess and beforeâ€school periods. Pediatrics International, 2018, 60, 727-734.	0.5	8
107	How Frequently Do Ordinary Citizens Practice Hand Hygiene at Appropriate Moments during the COVID-19 Pandemic in Japan?. Japanese Journal of Infectious Diseases, 2021, 74, 405-410.	1.2	8
108	Survey on usage and concerns of a COVID-19 contact tracing application in Japan. Public Health in Practice, 2021, 2, 100125.	1.5	8

#	Article	IF	Citations
109	Differences in Brain Volume by Tooth Loss and Cognitive Function in Older Japanese Adults. American Journal of Geriatric Psychiatry, 2022, 30, 1271-1279.	1.2	8
110	Lower youth steps/day values observed at both high and low population density areas: a cross-sectional study in metropolitan Tokyo. BMC Public Health, 2018, 18, 1132.	2.9	7
111	Bout Length-Specific Physical Activity and Adherence to Physical Activity Recommendations among Japanese Adults. International Journal of Environmental Research and Public Health, 2019, 16, 1991.	2.6	7
112	Changes in rural older adults' sedentary and physically-active behaviors between a non-snowfall and a snowfall season: compositional analysis from the NEIGE study. BMC Public Health, 2020, 20, 1248.	2.9	7
113	Size of company of the longest-held job and mortality in older Japanese adults: A 6-year follow-up study from the Japan Gerontological Evaluation Study. Journal of Occupational Health, 2020, 62, e12115.	2.1	7
114	Relationship Between Neighborhood Food Environment and Diet Variety in Japanese Rural Community-dwelling Elderly: A Cross-sectional Study. Journal of Epidemiology, 2022, 32, 290-297.	2.4	7
115	Intramucosal colorectal carcinoma with lymphovascular invasion: clinicopathological characteristics of nine cases. Histopathology, 2019, 74, 1055-1066.	2.9	6
116	Exposure to prolonged sedentary behavior on weekdays rather than weekends in white-collar workers in comparison with blue-collar workers. Journal of Occupational Health, 2021, 63, e12246.	2.1	6
117	Lâ€type amino acid transporter 1 expression in esophageal carcinogenesis according to WHO and Japanese classifications of intraepithelial neoplasia. Pathology International, 2017, 67, 247-255.	1.3	5
118	Infrainguinal Lesion of Peripheral Artery Disease and Levels of ω-3 Polyunsaturated Fatty Acids in Peripheral Artery Disease. Annals of Vascular Diseases, 2018, 11, 96-100.	0.5	5
119	Social participation and mortality according to company size of the longest-held job among older men in Japan: A 6-year follow-up study from the JAGES. Journal of Occupational Health, 2021, 63, e12216.	2.1	5
120	Association of accelerometer-measured physical activity with kidney function in a Japanese population: the DOSANCO Health Study. BMC Nephrology, 2022, 23, 7.	1.8	5
121	Persistence of Mental Health Deterioration Among People Living Alone During the COVID-19 Pandemic: A Periodically-repeated Longitudinal Study. Journal of Epidemiology, 2022, 32, 345-353.	2.4	5
122	Differences in Accelerometer-Measured Physical Activity and Sedentary Behavior Between Middle-Aged Men and Women in Japan: A Compositional Data Analysis. Journal of Physical Activity and Health, 2022, 19, 500-508.	2.0	5
123	Longâ€ŧerm care and the coronavirus disease 2019 challenge in Japan. Journal of General and Family Medicine, 2020, 21, 292-293.	0.8	4
124	Associations of older adults' excursions from home with health-related physical activity and sedentary behavior. Archives of Gerontology and Geriatrics, 2021, 92, 104276.	3.0	4
125	Prevalence and associated factors of circadian rhythm sleep-wake disorders and insomnia among visually impaired Japanese individuals. BMC Public Health, 2021, 21, 31.	2.9	4
126	A community-wide intervention to promote physical activity: A five-year quasi-experimental study. Preventive Medicine, 2021, 150, 106708.	3.4	4

#	Article	IF	CITATIONS
127	Mobility Trends Reports Revealed "Self-isolation Fatigue" in Japan: Use of Mobility Data for Coronavirus Disease Control. JMA Journal, 2020, 3, 272-273.	0.8	4
128	Sekentei as a Socio-Cultural Determinant of Cognitive Function among Older Japanese People: Findings from the NEIGE Study. International Journal of Environmental Research and Public Health, 2020, 17, 4480.	2.6	3
129	Adherence to the Japanese Physical Activity Guideline During Early Childhood Among Rural Preschoolers: A Cross-sectional Study. Journal of Epidemiology, 2021, 31, 194-202.	2.4	3
130	Do Social Ties Moderate the Association between Childhood Maltreatment and Gratitude in Older Adults? Results from the NEIGE Study. International Journal of Environmental Research and Public Health, 2021, 18, 11082.	2.6	3
131	Leisure Activity Variety and Brain Volume Among Community-Dwelling Older Adults: Analysis of the Neuron to Environmental Impact Across Generations Study Data. Frontiers in Aging Neuroscience, 2021, 13, 758562.	3.4	3
132	Unwillingness to cooperate with COVID-19 contact tracing in Japan. Public Health, 2022, 210, 34-40.	2.9	3
133	Development, validity, and reliability of the Japanese version of the 7C of vaccination readiness scale. American Journal of Infection Control, 2023, 51, 426-433.	2.3	3
134	Cytological differences between invasive and noninvasive or minimally invasive lung adenocarcinomas diagnosed in Japanese patients using needle biopsy specimens of pulmonary lesions ≧ cm in diameter. Diagnostic Cytopathology, 2019, 47, 688-694.	1.0	2
135	Exposure to organisational injustice and serious psychological distress: longitudinal analysis of details of exposure from a private Japanese company. BMJ Open, 2019, 9, e029556.	1.9	2
136	Influence of exercising condition and degree of improvement in sit-to-stand power index during a 12-week Chokin exercise program on exercise continuation after one year. Japanese Journal of Physical Fitness and Sports Medicine, 2017, 66, 445-453.	0.0	2
137	Association between gratitude, the brain and cognitive function in older adults: Results from the NEIGE study. Archives of Gerontology and Geriatrics, 2022, 100, 104645.	3.0	2
138	Machine learning approach to predict subtypes of primary aldosteronism is helpful to estimate indication of adrenal vein sampling. High Blood Pressure and Cardiovascular Prevention, 2022, 29, 375-383.	2.2	2
139	Birth weight and infant motor development in relation to physical activity in childhood. Japan Journal of Human Growth and Development Research, 2017, 2017, 9-18.	0.1	1
140	Association between accelerometer-measured physical activity and falls among community-dwelling older people living in cold, snowy areas. European Geriatric Medicine, 2021, 12, 91-98.	2.8	1
141	Compliance with a physical activity guideline among junior high school students. Pediatrics International, 2021, 63, 1514-1520.	0.5	1
142	Measurement and assessment of workers' physical activity and sedentary behavior. Japanese Journal of Physical Fitness and Sports Medicine, 2020, 69, 447-455.	0.0	1
143	Differences in the physical activity patterns among young old adults by three residential locations in Japan. Japanese Journal of Physical Fitness and Sports Medicine, 2015, 64, 145-154.	0.0	1
144	The meaning of behavioral medicine in the public health field—a review of documents related to medical education in Japan. BioPsychoSocial Medicine, 2016, 10, 5.	2.1	0

#	Article	IF	CITATIONS
145	Increased Plasma Levels of Myosin Heavy Chain 11 Is Associated with Atherosclerosis. Journal of Clinical Medicine, 2021, 10, 3155.	2.4	O
146	513Ophthalmic disease and older adults' sedentary and physically-active behaviors: Findings from the NEIGE study. International Journal of Epidemiology, 2021, 50, .	1.9	0
147	The association of TV viewing time and moderate to vigorous physical activity with overweight/obesity among japanese municipal office workers. Japanese Journal of Physical Fitness and Sports Medicine, 2012, 61, 421-426.	0.0	0
148	Sociodemographic, biological, psychological, and behavioral correlates of cycling in community-dwelling Japanese older adults: A cross-sectional study. The Journal of Physical Fitness and Sports Medicine, 2017, 6, 175-182.	0.3	0
149	Title is missing!. , 2020, 15, e0229506.		0
150	Title is missing!. , 2020, 15, e0229506.		0
151	Title is missing!. , 2020, 15, e0229506.		0
152	Title is missing!. , 2020, 15, e0229506.		0
153	Title is missing!. , 2020, 15, e0229506.		0
154	Title is missing!. , 2020, 15, e0229506.		0
155	A proposal of evaluation items for location optimization plans from the perspective of promoting physical activity., 2021, 20, 217-220.		0
156	Comparison of daily step counts by pedometers under freeâ€'living conditions in young children. Japan Journal of Human Growth and Development Research, 2022, 2022, 12-21.	0.1	0