

Heidi Goodrich-Blair

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8107135/publications.pdf>

Version: 2024-02-01

82
papers

4,228
citations

109321

35
h-index

118850

62
g-index

100
all docs

100
docs citations

100
times ranked

2659
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | A Surface Exposed, Two-Domain Lipoprotein Cargo of a Type XI Secretion System Promotes Colonization of Host Intestinal Epithelia Expressing Glycans. <i>Frontiers in Microbiology</i> , 2022, 13, 800366. | 3.5 | 3 |
| 2 | Apex Predator Nematodes and Meso-Predator Bacteria Consume Their Basal Insect Prey through Discrete Stages of Chemical Transformations. <i>MSystems</i> , 2022, 7, e0031222. | 3.8 | 3 |
| 3 | Breaking Barriers with Bread: Using the Sourdough Starter Microbiome to Teach High-Throughput Sequencing Techniques. <i>Journal of Microbiology and Biology Education</i> , 2022, 23, . | 1.0 | 2 |
| 4 | From Binary Model Systems to the Human Microbiome: Factors That Drive Strain Specificity in Host-Symbiont Associations. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, . | 2.2 | 3 |
| 5 | Interactions of host-associated multispecies bacterial communities. <i>Periodontology 2000</i> , 2021, 86, 14-31. | 13.4 | 3 |
| 6 | A Widespread Bacterial Secretion System with Diverse Substrates. <i>MBio</i> , 2021, 12, e0195621. | 4.1 | 30 |
| 7 | <i>Xenorhabdus nematophila</i> bacteria shift from mutualistic to virulent Lrp-dependent phenotypes within the receptacles of <i>Steinernema carpocapsae</i> insect-infective stage nematodes. <i>Environmental Microbiology</i> , 2020, 22, 5433-5449. | 3.8 | 9 |
| 8 | R-type bacteriocins of <i>Xenorhabdus bovienii</i> determine the outcome of interspecies competition in a natural host environment. <i>Microbiology (United Kingdom)</i> , 2020, 166, 1074-1087. | 1.8 | 8 |
| 9 | Symbiont-mediated competition: <i>Xenorhabdus bovienii</i> confer an advantage to their nematode host <i>Steinernema affine</i> by killing competitor <i>Steinernema feltiae</i> . <i>Environmental Microbiology</i> , 2019, 21, 3229-3243. | 3.8 | 18 |
| 10 | Studying the Symbiotic Bacterium <i>Xenorhabdus nematophila</i> in Individual, Living <i>Steinernema carpocapsae</i> Nematodes Using Microfluidic Systems. <i>MSphere</i> , 2018, 3, . | 2.9 | 11 |
| 11 | High Levels of the <i>Xenorhabdus nematophila</i> Transcription Factor Lrp Promote Mutualism with the <i>Steinernema carpocapsae</i> Nematode Host. <i>Applied and Environmental Microbiology</i> , 2017, 83, . | 3.1 | 14 |
| 12 | Ready or Not: Microbial Adaptive Responses in Dynamic Symbiosis Environments. <i>Journal of Bacteriology</i> , 2017, 199, . | 2.2 | 26 |
| 13 | The Global Transcription Factor Lrp Is both Essential for and Inhibitory to <i>Xenorhabdus nematophila</i> Insecticidal Activity. <i>Applied and Environmental Microbiology</i> , 2017, 83, . | 3.1 | 17 |
| 14 | R-type bacteriocins in related strains of <i>Xenorhabdus bovienii</i> : <i>Xenorhabdycin</i> tail fiber modularity and contribution to competitiveness. <i>FEMS Microbiology Letters</i> , 2017, 364, fnw235. | 1.8 | 11 |
| 15 | The insect pathogenic bacterium <i>Xenorhabdus innexi</i> has attenuated virulence in multiple insect model hosts yet encodes a potent mosquitocidal toxin. <i>BMC Genomics</i> , 2017, 18, 927. | 2.8 | 34 |
| 16 | The Global Regulators Lrp, LeuO, and HexA Control Secondary Metabolism in Entomopathogenic Bacteria. <i>Frontiers in Microbiology</i> , 2017, 8, 209. | 3.5 | 29 |
| 17 | Nematode-bacteria mutualism: Selection within the mutualism supersedes selection outside of the mutualism. <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 687-695. | 2.3 | 17 |
| 18 | Are you my symbiont? Microbial polymorphic toxins and antimicrobial compounds as honest signals of beneficial symbiotic defensive traits. <i>Current Opinion in Microbiology</i> , 2016, 31, 184-190. | 5.1 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Nematodes and bacteria: Allies in the suppression of insect immune defenses. , 2016, , . | | 0 |
| 20 | A <i>Photorhabdus</i> Natural Product Inhibits Insect Juvenile Hormone Epoxide Hydrolase. ChemBioChem, 2015, 16, 766-771. | 2.6 | 36 |
| 21 | Comparison of <i>Xenorhabdus bovienii</i> bacterial strain genomes reveals diversity in symbiotic functions. BMC Genomics, 2015, 16, 889. | 2.8 | 22 |
| 22 | Comparative genomics of <i>Steinernema</i> reveals deeply conserved gene regulatory networks. Genome Biology, 2015, 16, 200. | 8.8 | 77 |
| 23 | <i>Xenorhabdus bovienii</i> Strain Diversity Impacts Coevolution and Symbiotic Maintenance with <i>Steinernema</i> spp. Nematode Hosts. MBio, 2015, 6, e00076. | 4.1 | 63 |
| 24 | The Global Transcription Factor Lrp Controls Virulence Modulation in <i>Xenorhabdus nematophila</i> . Journal of Bacteriology, 2015, 197, 3015-3025. | 2.2 | 33 |
| 25 | <i>NilD</i> CRISPR RNA contributes to <i>Xenorhabdus nematophila</i> colonization of symbiotic host nematodes. Molecular Microbiology, 2014, 93, 1026-1042. | 2.5 | 23 |
| 26 | Microbial Population Dynamics in the Hemolymph of <i>Manduca sexta</i> Infected with <i>Xenorhabdus nematophila</i> and the Entomopathogenic Nematode <i>Steinernema carpocapsae</i> . Applied and Environmental Microbiology, 2014, 80, 4277-4285. | 3.1 | 27 |
| 27 | It Takes a Village: Ecological and Fitness Impacts of Multipartite Mutualism. Annual Review of Microbiology, 2013, 67, 161-178. | 7.3 | 73 |
| 28 | Previously unrecognized stages of species-specific colonization in the mutualism between <i>Xenorhabdus</i> bacteria and <i>Steinernema</i> nematodes. Cellular Microbiology, 2013, 15, 1545-1559. | 2.1 | 38 |
| 29 | Immune Signaling and Antimicrobial Peptide Expression in Lepidoptera. Insects, 2013, 4, 320-338. | 2.2 | 36 |
| 30 | Rhabdopeptides as Insect-Specific Virulence Factors from Entomopathogenic Bacteria. ChemBioChem, 2013, 14, 1991-1997. | 2.6 | 59 |
| 31 | An Entomopathogenic Nematode by Any Other Name. PLoS Pathogens, 2012, 8, e1002527. | 4.7 | 189 |
| 32 | Mutational Analyses Reveal Overall Topology and Functional Regions of NilB, a Bacterial Outer Membrane Protein Required for Host Association in a Model of Animal-Microbe Mutualism. Journal of Bacteriology, 2012, 194, 1763-1776. | 2.2 | 17 |
| 33 | Nematode-Bacterium Symbioses—Cooperation and Conflict Revealed in the <i>Omics</i> -Age. Biological Bulletin, 2012, 223, 85-102. | 1.8 | 60 |
| 34 | Visualizing Bacteria in Nematodes using Fluorescent Microscopy. Journal of Visualized Experiments, 2012, , . | 0.3 | 13 |
| 35 | Nematode parasites, pathogens and associates of insects and invertebrates of economic importance. , 2012, , 373-426. | | 65 |
| 36 | Rearing and Injection of <i>Manduca sexta</i> Larvae to Assess Bacterial Virulence. Journal of Visualized Experiments, 2012, , e4295. | 0.3 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Phenotypic variation and host interactions of <i>Xenorhabdus bovienii</i> SSâ€2004, the entomopathogenic symbiont of <i>Steinernema jollieti</i> nematodes. <i>Environmental Microbiology</i> , 2012, 14, 924-939. | 3.8 | 38 |
| 38 | The Entomopathogenic Bacterial Endosymbionts <i>Xenorhabdus</i> and <i>Photorhabdus</i> : Convergent Lifestyles from Divergent Genomes. <i>PLoS ONE</i> , 2011, 6, e27909. | 2.5 | 161 |
| 39 | Assessing computational tools for the discovery of small RNA genes in bacteria. <i>Rna</i> , 2011, 17, 1635-1647. | 3.5 | 34 |
| 40 | Symbiosis research, technology, and education: Proceedings of the 6th International Symbiosis Society Congress held in Madison Wisconsin, USA, August 2009. <i>Symbiosis</i> , 2010, 51, 1-12. | 2.3 | 1 |
| 41 | Units of plasticity in bacterial genomes: new insight from the comparative genomics of two bacteria interacting with invertebrates, <i>Photorhabdus</i> and <i>Xenorhabdus</i> . <i>BMC Genomics</i> , 2010, 11, 568. | 2.8 | 55 |
| 42 | Common trends in mutualism revealed by model associations between invertebrates and bacteria: Table 1. <i>FEMS Microbiology Reviews</i> , 2010, 34, 41-58. | 8.6 | 97 |
| 43 | Examination of <i>Xenorhabdus nematophila</i> Lipases in Pathogenic and Mutualistic Host Interactions Reveals a Role for <i>xlpA</i> in Nematode Progeny Production. <i>Applied and Environmental Microbiology</i> , 2010, 76, 221-229. | 3.1 | 36 |
| 44 | CpxRA Contributes to <i>Xenorhabdus nematophila</i> Virulence through Regulation of <i>lrhA</i> and Modulation of Insect Immunity. <i>Applied and Environmental Microbiology</i> , 2009, 75, 3998-4006. | 3.1 | 25 |
| 45 | CpxRA Influences <i>Xenorhabdus nematophila</i> Colonization Initiation and Outgrowth in <i>Steinernema carpocapsae</i> Nematodes through Regulation of the <i>nil</i> Locus. <i>Applied and Environmental Microbiology</i> , 2009, 75, 4007-4014. | 3.1 | 22 |
| 46 | Isolation and Characterization of <i>Xenorhabdus nematophila</i> Transposon Insertion Mutants Defective in Lipase Activity against Tween. <i>Journal of Bacteriology</i> , 2009, 191, 5325-5331. | 2.2 | 9 |
| 47 | Masters of conquest and pillage: <i>Xenorhabdus nematophila</i> global regulators control transitions from virulence to nutrient acquisition. <i>Cellular Microbiology</i> , 2009, 11, 1025-1033. | 2.1 | 87 |
| 48 | The <i>Xenorhabdus nematophila</i> <i>nilABC</i> Genes Confer the Ability of <i>Xenorhabdus</i> spp. To Colonize <i>Steinernema carpocapsae</i> Nematodes. <i>Journal of Bacteriology</i> , 2008, 190, 4121-4128. | 2.2 | 52 |
| 49 | <i>Xenorhabdus nematophila</i> <i>lrhA</i> Is Necessary for Motility, Lipase Activity, Toxin Expression, and Virulence in <i>Manduca sexta</i> Insects. <i>Journal of Bacteriology</i> , 2008, 190, 4870-4879. | 2.2 | 36 |
| 50 | CpxRA Regulates Mutualism and Pathogenesis in <i>Xenorhabdus nematophila</i> . <i>Applied and Environmental Microbiology</i> , 2007, 73, 7826-7836. | 3.1 | 33 |
| 51 | Influence of nematode age and culture conditions on morphological and physiological parameters in the bacterial vesicle of <i>Steinernema carpocapsae</i> (Nematoda: Steinernematidae). <i>Journal of Invertebrate Pathology</i> , 2007, 95, 110-118. | 3.2 | 38 |
| 52 | Theyâ€™ve got a ticket to ride: <i>Xenorhabdus nematophila</i> â€™Steinernema carpocapsae symbiosis. <i>Current Opinion in Microbiology</i> , 2007, 10, 225-230. | 5.1 | 95 |
| 53 | Friend and foe: the two faces of <i>Xenorhabdus nematophila</i> . <i>Nature Reviews Microbiology</i> , 2007, 5, 634-646. | 28.6 | 178 |
| 54 | Clonal variation in <i>Xenorhabdus nematophila</i> virulence and suppression of <i>Manduca sexta</i> immunity. <i>Cellular Microbiology</i> , 2007, 9, 645-656. | 2.1 | 66 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | The global regulator Lrp contributes to mutualism, pathogenesis and phenotypic variation in the bacterium <i>Xenorhabdus nematophila</i> . <i>Cellular Microbiology</i> , 2007, 9, 1311-1323. | 2.1 | 77 |
| 56 | Mutualism and pathogenesis in <i>Xenorhabdus</i> and <i>Photorhabdus</i> : two roads to the same destination. <i>Molecular Microbiology</i> , 2007, 64, 260-268. | 2.5 | 264 |
| 57 | Optical mapping as a routine tool for bacterial genome sequence finishing. <i>BMC Genomics</i> , 2007, 8, 321. | 2.8 | 104 |
| 58 | Dangerous liaisons: The symbiosis of entomopathogenic nematodes and bacteria. <i>Biological Control</i> , 2006, 38, 22-46. | 3.0 | 101 |
| 59 | nilRis necessary for coordinate repression of <i>Xenorhabdus nematophila</i> mutualism genes. <i>Molecular Microbiology</i> , 2006, 62, 760-771. | 2.5 | 23 |
| 60 | Expression and activity of a <i>Xenorhabdus nematophila</i> haemolysin required for full virulence towards <i>Manduca sexta</i> insects. <i>Cellular Microbiology</i> , 2005, 7, 209-219. | 2.1 | 67 |
| 61 | Expression and activity of a <i>Xenorhabdus nematophila</i> haemolysin required for full virulence towards <i>Manduca sexta</i> insects. <i>Cellular Microbiology</i> , 2005, 7, 899-900. | 2.1 | 6 |
| 62 | The <i>Steinernema carpocapsae</i> intestinal vesicle contains a subcellular structure with which <i>Xenorhabdus nematophila</i> associates during colonization initiation. <i>Cellular Microbiology</i> , 2005, 7, 1723-1735. | 2.1 | 59 |
| 63 | Analysis of <i>Xenorhabdus nematophila</i> metabolic mutants yields insight into stages of <i>Steinernema carpocapsae</i> nematode intestinal colonization. <i>Molecular Microbiology</i> , 2005, 58, 28-45. | 2.5 | 37 |
| 64 | Pyrimidine Nucleoside Salvage Confers an Advantage to <i>Xenorhabdus nematophila</i> in Its Host Interactions. <i>Applied and Environmental Microbiology</i> , 2005, 71, 6254-6259. | 3.1 | 13 |
| 65 | An encoded N-terminal extension results in low levels of heterologous protein production in <i>Escherichia coli</i> . <i>Microbial Cell Factories</i> , 2005, 4, 22. | 4.0 | 7 |
| 66 | Identification and Functional Characterization of a <i>Xenorhabdus nematophila</i> Oligopeptide Permease. <i>Applied and Environmental Microbiology</i> , 2004, 70, 5621-5627. | 3.1 | 42 |
| 67 | Characterization of a lipoprotein, NilC, required by <i>Xenorhabdus nematophila</i> for mutualism with its nematode host. <i>Molecular Microbiology</i> , 2004, 54, 464-477. | 2.5 | 44 |
| 68 | Comparative study of the entomopathogenic nematode, <i>Steinernema carpocapsae</i> , reared on mutant and wild-type <i>Xenorhabdus nematophila</i> . <i>Biological Control</i> , 2004, 29, 382-391. | 3.0 | 36 |
| 69 | <i>Xenorhabdus nematophila</i> Requires an Intact iscRSUA-hscBA-fdx Operon To Colonize <i>Steinernema carpocapsae</i> Nematodes. <i>Journal of Bacteriology</i> , 2003, 185, 3678-3682. | 2.2 | 16 |
| 70 | Early Colonization Events in the Mutualistic Association between <i>Steinernema carpocapsae</i> Nematodes and <i>Xenorhabdus nematophila</i> Bacteria. <i>Journal of Bacteriology</i> , 2003, 185, 3147-3154. | 2.2 | 138 |
| 71 | Response of Ants to a Deterrent Factor(s) Produced by the Symbiotic Bacteria of Entomopathogenic Nematodes. <i>Applied and Environmental Microbiology</i> , 2002, 68, 6202-6209. | 3.1 | 96 |
| 72 | Identification of <i>Xenorhabdus nematophila</i> genes required for mutualistic colonization of <i>Steinernema carpocapsae</i> nematodes. <i>Molecular Microbiology</i> , 2002, 45, 1337-1353. | 2.5 | 94 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Xenorhabdus nematophilus as a Model for Host-Bacterium Interactions: rpoS Is Necessary for Mutualism with Nematodes. <i>Journal of Bacteriology</i> , 2001, 183, 4687-4693. | 2.2 | 93 |
| 74 | Homocysteine thiolactone is a positive effector of β -S levels in <i>Escherichia coli</i> . <i>FEMS Microbiology Letters</i> , 2000, 185, 117-121. | 1.8 | 14 |
| 75 | Homocysteine thiolactone is a positive effector of β S levels in <i>Escherichia coli</i> . <i>FEMS Microbiology Letters</i> , 2000, 185, 117-121. | 1.8 | 11 |
| 76 | Beyond Homing: Competition between Intron Endonucleases Confers a Selective Advantage on Flanking Genetic Markers. <i>Cell</i> , 1996, 84, 211-221. | 28.9 | 96 |
| 77 | Regulation of Gene Expression in Stationary Phase. , 1996, , 571-583. | | 12 |
| 78 | The DNA polymerase genes of several HMU-bacteriophages have similar group I introns with highly divergent open reading frames. <i>Nucleic Acids Research</i> , 1994, 22, 3715-3721. | 14.5 | 49 |
| 79 | Amino acid sequence motif of group I intron endonucleases is conserved in open reading frames of group II introns. <i>Trends in Biochemical Sciences</i> , 1994, 19, 402-404. | 7.5 | 142 |
| 80 | Protein introns: A new home for endonucleases. <i>Cell</i> , 1992, 71, 183-186. | 28.9 | 84 |
| 81 | Bacterial origin of a chloroplast intron: conserved self-splicing group I introns in cyanobacteria. <i>Science</i> , 1990, 250, 1566-1570. | 12.6 | 238 |
| 82 | A self-splicing group I intron in the DNA polymerase gene of bacillus subtilis bacteriophage SPO1. <i>Cell</i> , 1990, 63, 417-424. | 28.9 | 87 |